Conclusions on BAT from the Emissions from Storage BAT Reference Document

READ ME:

The 'Conclusions on BAT from the Emissions from Storage BAT Reference Document' is a horizontal BREF as it addresses the storage and the transfer/handling of liquids, liquefied gases and solids regardless of the sector or industry.

In this case, you are required to identify the Conclusions on BAT <u>relevant</u> to your installation. Please use the '**Scope**' box to describe the relevant activities/processes that come within the scope of this BREF and clearly identify the Conclusions on BAT (sections and subsections) that are '**Not Applicable'**.

For each applicable BAT, in the following table, state the status; 'Yes' or 'Will be' as appropriate in the 'State whether it is in place or state schedule for implementation' box. The use of each of these terms is described below.

Information on compliance in the '**Applicability Assessment**' box should include, where applicable, the following:

- (i) Identification of the relevant process/ activity or individual emission points that the BAT requirement applies to at your installation;
- (ii) Where BAT is to use one or a combination of listed techniques, specify the technique(s) implemented/proposed at your installation to achieve the BAT; and
- (iii) A comment on how the requirements are being met or will be met, e.g., a description of the technology/operational controls/management proposed to meet the requirements.

Use of terms:

- (a) 'Yes' To be entered where the installation is currently complaint with this BAT requirement.
- (b) 'Will be' To be entered where a further technique is required to be installed to achieve compliance with the BAT requirement. In this case you must also specify the date by which the installation will comply with the BAT Conclusion requirement.

Please refer to the EPA BAT Guidance Note(s) for BAT associated emission levels. EPA BAT Guidance Notes are the reference for setting emission limit values (without prejudice to the requirements of environmental quality standards).

BAT Guidance Notes are available on the EPA website.

Conclusions on BAT from the Emissions from Storage BAT Reference Document (extracts)

The full and complete Emissions from Storage BAT reference document (July 2006) is available at the EIPPC Bureau website: http://eippcb.jrc.ec.europa.eu/reference/

SCOPE

Identify here the particular processes and activities at the installation that come within the scope of the conclusions on BAT from the Emissions from Storage BAT reference documents (BREF).

| Conclusions on BAT 5.1 Storage of liquids and Liquefied gases | Applicability Assessment (describe how the technique applies or not to your installation) | State whether it is in place or state schedule for implementation |
|---|---|---|
| 5.1.1.1 General principles to prevent and reduce emissions | | |
| BAT 1. BAT for a proper design is to take into account at least the following: • the physico-chemical properties of the substance being stored • how the storage is operated, what level of instrumentation is needed, how many operators are required, and what their workload will be • how the operators are informed of deviations from normal process conditions (alarms) • how the storage is protected against deviations from normal process conditions (safety instructions, interlock systems, pressure relief devices, leak detection and containment, etc.) • what equipment has to be installed, largely taking account of past experiences of | Applicable | All storage structures are specific to the material stored therin, i.e. gas tanks and soiled water tanks. |

| Applicable | Routine inspection |
|----------------|--|
| | and monitoring |
| | |
| | |
| Not Applicable | |
| | |
| , 15° | |
| affect | |
| A any | |
| Not Applicable | |
| | |
| | |
| | |
| Applicable | Covered Soiled water |
| | tank |
| | |
| Not Applicable | |
| | |
| | |
| Applicable | All storage structures |
| | are specific to the |
| | material stored therin, |
| | i.e. gas tanks and |
| | soiled water tanks. |
| | |
| Not Applicable | |
| | |
| | Not Applicable Not Applicable Applicable Not Applicable Applicable |

| If emissions to air occur, BAT is to cover the tank by applying: | | |
|---|---|--|
| • a floating cover, see Section 4.1.3.2 | | |
| • a flexible or tent cover, see Section 4.1.3.3, or | | |
| • a rigid cover, see Section 4.1.3.4. | | |
| Additionally, with an open top tank covered with a flexible, tent or a rigid cover, a | | |
| vapour treatment installation can be applied to achieve an additional emission | | |
| reduction, see Section 4.1.3.15. The type of cover and the necessity for applying the | | |
| vapour treatment system depend on the substances stored and must be decided on a | | |
| case-by-case basis. | | |
| BAT 9. | Not Applicable | |
| To prevent deposition that would call for an additional cleaning step, BAT is to mix | Storage Limited to soiled water, mixing | |
| the stored substance (e.g. slurry), see Section 4.1.5.1. | ုလ် ^{င်} not required. | |
| External floating roof tank | Not Applicable | |
| BAT 10. | and | |
| The BAT associated emission reduction level for a large tank is at least 97 % | | |
| (compared to a fixed roof tank without measures), which can be achieved when over | | |
| at least 95 % of the circumference the gap between the roof and the wall is less than | | |
| 3.2 mm and the seals are liquid mounted, mechanical shoe seals. | | |
| BAT 11. | Not Applicable | |
| BAT is to apply direct contact floating roofs (double-deck), however, existing non- | | |
| contact floating roofs (pontoon) are also BAT. See Section 3.1.2. A dome can be BAT | | |
| for adverse weather conditions, such as high winds, rain or snowfall. See | | |
| Section 4.1.3.5. | | |
| BAT 12. | Not Applicable | |
| For liquids containing a high level of particles (e.g. crude oil), BAT is to mix the stored | | |
| substance to prevent deposition that would call for an additional cleaning step, see | | |
| Section 4.1.5.1. | | |
| Fixed roof tanks | Not Applicable | |
| BAT 13. | | |
| For the storage of volatile substances which are toxic (T), very toxic (T+), or | | |
| carcinogenic, mutagenic and reproductive toxic (CMR) categories 1 and 2 in a fixed | | |
| roof tank, BAT is to apply a vapour treatment installation. | | |
| BAT 14. | Not Applicable | |

| For other substances, BAT is to apply a vapour treatment installation, or to install an | | |
|--|-----------------|--|
| internal floating roof (see Sections 4.1.3.15 and 4.1.3.10 respectively). Direct contact | | |
| floating roofs and non-contact floating roofs are BAT. | | |
| BAT 15. | Not Applicable | |
| For tanks < 50 m ³ , BAT is to apply a pressure relief valve set at the highest possible | Not Applicable | |
| value consistent with the tank design criteria. | | |
| BAT 16. | Not Applicable | |
| For liquids containing a high level of particles (e.g. crude oil) BAT is to mix the stored | Not Applicable | |
| substance to prevent deposition that would call for an additional cleaning step, see | | |
| Section 4.1.5.1. | | |
| | Not Applicable | |
| BAT 17. | Not Applicable | |
| For the storage of volatile substances which are toxic (T), very toxic (T+), or CMR | Not Applicable | |
| categories 1 and 2 in an atmospheric horizontal tank, BAT is to apply a vapour | A STORY | |
| categories 1 and 2 in an atmospheric horizontal tank, BAT is to apply a vapour treatment installation. | | |
| BAT 18. | Not Applicable | |
| | Trot Applicable | |
| depending on the substances stored: | | |
| For other substances, BAT is to do all, or a combination, of the following techniques, depending on the substances stored: apply pressure vacuum relief valves; see Section 4.1.3.11 up rate to 56 mbar; see Section 4.1.3.11 apply vapour balancing; see Section 4.1.3.13 apply a vapour holding tank, see Section 4.1.3.14, or apply vapour treatment; see Section 4.1.3.15. The selection of the vapour treatment technology has to be decided on a case-by- | | |
| • up rate to 56 mbar; see Section 4.1.3.11 | | |
| • apply vapour balancing; see Section 4.1.3.13 | | |
| • apply a vapour holding tank, see Section 4.1.3.14, or | | |
| • apply vapour treatment; see Section 4.1.3.15. | | |
| The selection of the vapour treatment technology has to be decided on a case-by- | | |
| case basis. | | |
| Pressurised storage | Not Applicable | |
| BAT 19. | | |
| BAT for draining depends on the tank type, but may be the application of a closed | | |
| drain system connected to a vapour treatment installation, see Section 4.1.4. The | | |
| selection of the vapour treatment technology has to be decided on a case-by-case | | |
| basis. | | |
| Lifter roof tanks | Not Applicable | |
| BAT 20. | | |

| For emissions to air, BAT is to (see Sections 3.1.9 and 4.1.3.14): | | |
|--|---|---------------------|
| • apply a flexible diaphragm tank equipped with pressure/vacuum relief valves, or | | |
| • apply a lifter roof tank equipped with pressure/vacuum relief valves and connected | I | |
| to a vapour treatment installation. | | |
| The selection of the vapour treatment technology has to be decided on a case-by- | | |
| case basis. | | |
| Underground and mounded tanks | Not Applicable | |
| BAT 21. | | |
| For the storage of volatile substances which are toxic (T), very toxic (T+), or CMR | | |
| categories 1 and 2 in an underground or mounded tank, BAT is to apply a vapour | | |
| treatment installation. | | |
| BAT 22. | Not Applicable | |
| For other substances, BAT is to do all, or a combination, of the following techniques, | other | |
| depending on the substances stored: | at and | |
| depending on the substances stored: • apply pressure vacuum relief valves; see Section 4.1.3.11 • apply vapour balancing; see Section 4.1.3.13 • apply a vapour holding tank, see Section 4.1.3.14, or • apply vapour treatment; see Section 4.1.3.15. | | |
| • apply vapour balancing; see Section 4.1.3.13 | | |
| • apply a vapour holding tank, see Section 4.1.3.14, or | | |
| • apply vapour treatment; see Section 4.1.3.15. | | |
| The selection of the vapour treatment technology has to be decided on a case-by- | | |
| case basis. | | |
| 5.1.1.3 Preventing incidents and (major) accidents | | |
| BAT 23. | Applicable | Will be |
| BAT in preventing incidents and accidents is to apply a safety management system as | | Implemented in line |
| described in Section 4.1.6.1. | | with licence |
| | | requirements. |
| BAT 24. | Applicable | Will be |
| BAT is to implement and follow adequate organisational measures and to enable | | Implemented in line |
| training and instruction of employees for safe and responsible operation of the | | with licence |
| installation as described in Section 4.1.6.1.1. | | requirements. |
| BAT 25. | Applicable | Will be |
| BAT is to prevent corrosion by: | • | Implemented in line |
| • selecting construction material that is resistant to the product stored | | with licence |
| applying proper construction methods | | requirements. |

| preventing rainwater or groundwater entering the tank and if necessary, removing water that has accumulated in the tank applying rainwater management to bund drainage applying preventive maintenance, and where applicable, adding corrosion inhibitors, or applying cathodic protection on the inside of the tank. BAT 26. | Not Applicable | |
|--|--|--|
| Additionally for an underground tank, BAT is to apply to the outside of the tank: • a corrosion-resistant coating • plating, and/or • a cathodic protection system. | | |
| BAT 27. BAT is to prevent stress corrosion cracking (SCC) by: • stress relieving by post-weld heat treatment, see Section 4.1.6.1.4, and • applying a risk based inspection as described in Section 4.1.2.2.1. Foliage and the property of | Remaining Not Applicable Section Highlighted – Applicable | N/a Yes – Tank and pipeline Assessment as per licence conditions |
| BAT 28. BAT is to implement and maintain operational procedures – e.g., by means of a management system – as described in Section 4.1.6.1.5, to ensure that: • high level or high pressure instrumentation with alarm settings and/or auto closing of valves is installed • proper operating instructions are applied to prevent overfill during a tank filling operation, and • sufficient ullage is available to receive a batch filling. | Applicable | Yes Will be Implemented in line with licence requirements. |
| BAT 29. BAT is to apply leak detection on storage tanks containing liquids that can potentially cause soil pollution. | Not Applicable | |
| BAT 30. BAT is to achieve a 'negligible risk level' of soil pollution from bottom and bottom- | Not Applicable. | |

| wall connections of aboveground storage tanks. However, on a case-by-case basis, | | |
|---|----------------|--|
| situations might be identified where an 'acceptable risk level' is sufficient. | | |
| BAT 31. | Not Applicable | |
| BAT for aboveground tanks containing flammable liquids or liquids that pose a risk for | | |
| significant soil pollution or a significant pollution of adjacent watercourses is to | | |
| provide secondary containment, such as: | | |
| • tank bunds around single wall tanks; see Section 4.1.6.1.11 | | |
| • double wall tanks; see Section 4.1.6.1.13 | | |
| • cup-tanks; see Section 4.1.6.1.14 | | |
| • double wall tanks with monitored bottom discharge; see Section 4.1.6.1.15. | | |
| BAT 32. | Not Applicable | |
| For building new single walled tanks containing liquids that pose a risk for significant | Not Applicable | |
| soil pollution or a significant pollution of adjacent watercourses, BAT is to apply a full, | aller | |
| impervious, barrier in the bund, see Section 4.1.6.1.10. | all | |
| BAT 33. | Not Applicable | |
| For existing tanks within a bund, BAT is to apply a risk-based approach, considering | | |
| the significance of risk from product spillage to the soil, to determine if and which | | |
| barrier is best applicable. This risk-based approach can also be applied to determine if | | |
| a partial impervious barrier in a tank bund is sufficient or if the whole bund needs to | | |
| be equipped with an impervious barrier. See Section 4.1.6.1.11. | | |
| BAT 34. | Not Applicable | |
| For chlorinated hydrocarbon solvents (CHC) in single walled tanks, BAT is to apply | | |
| CHC-proof laminates to concrete barriers (and containments). Based on phenolic or | | |
| furan resins. One form of epoxy resin is also CHC-proof. See Section 4.1.6.1.12. | | |
| BAT 35. | Not Applicable | |
| BAT for underground and mounded tanks containing products that can potentially | | |
| cause soil pollution is to: | | |
| apply a double walled tank with leak detection, see Section 4.1.6.1.16, or | | |
| • to apply a single walled tank with secondary containment and leak detection, see | | |
| Section 4.1.6.1.17. | | |
| BAT 36. | Not Applicable | |
| For toxic, carcinogenic or other hazardous substances, BAT is to apply full | | |
| containment. | | |
| - | | |

| 5.1.2. Storage of packaged dangerous substances | | |
|--|----------------|--------------------|
| BAT 37. | Not Applicable | Not Stored on-site |
| BAT in preventing incidents and accidents is to apply a safety management system as | | |
| described in Sections 4.1.6.1. | | |
| The minimum level of BAT is to assess the risks of accidents and incidents on the site | | |
| using the five steps described in Section 4.1.6.1 | | |
| BAT 38. | Not Applicable | Not Stored on-site |
| BAT is to appoint a person or persons who is or are responsible for the operation of | | |
| he store. | | |
| BAT 39. | Not Applicable | Not Stored on-site |
| BAT is to provide the responsible person(s) with specific training and retraining in | ్ల. | |
| emergency procedures as described in Section 4.1.7.1 and to inform other staff on | and the | |
| the site of the risks of storing packaged dangerous substances and the precautions | 4 offi | |
| necessary to safely store substances that have different hazards. | any other use. | |
| BAT 40. | Not Applicable | Not Stored on-site |
| BAT 40. BAT is to apply a storage building and/or an outdoor storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the storage area covered with a simple configuration of the simple covered with a simple cov | | |
| oof, as described in Section 4.1.7.2. For storing quantities of less than 2500 litres or | | |
| kilograms dangerous substances, applying a storage cell as described in Section | | |
| 4.1.7.2 is also BAT. | | |
| BAT 41. | Not Applicable | Not Stored on-site |
| BAT is to separate the storage area or building of packaged dangerous substances | | |
| rom other storage, from ignition sources and from other buildings on- and off-site by | | |
| applying a sufficient distance, sometimes in combination with fire-resistant walls. | | |
| 3AT 42. | Not Applicable | Not Stored on-site |
| BAT is to separate and/or segregate incompatible substances. For the compatible and | | |
| ncompatible combinations see Annex 8.3. | | |
| 3AT 43. | Not Applicable | Not Stored on-site |
| BAT is to install a liquid-tight reservoir according to Section 4.1.7.5, that can contain | | |
| all or a part of the dangerous liquids stored above such a reservoir. The choice | | |
| whether all or only a part of the leakage needs to be contained depends on the | | |
| substances stored and on the location of the storage (e.g. in a water catchment area) | | |
| and can only be decided on a case-by-case basis. | | |

| BAT 44. | Not Applicable | Not Stored on-site |
|--|----------------|------------------------|
| BAT is to install a liquid-tight extinguishant collecting provision in storage buildings | | |
| and storage areas according to Section 4.1.7.5. The collecting capacity depends on | | |
| the substances stored, the amount of substances stored, the type of package used | | |
| and the applied fire-fighting system and can only be decided on a case-by-case basis. | | |
| BAT 45. | Not Applicable | Not Stored on-site |
| BAT is to apply a suitable protection level of fire prevention and fire-fighting | | |
| measures as described in Section 4.1.7.6. The appropriate protection level has to be | | |
| decided on a case-by-case basis in agreement with the local fire brigade. | | |
| BAT 46. | Not Applicable | Not Stored on-site |
| BAT is to prevent ignition at source as described in Section 4.1.7.6.1. | | |
| 5.1.3 Basins and lagoons | Not Applicable | |
| BAT 47. | Not Applicable | Soiled water storage |
| Where emissions to air from normal operation are significant, e.g. with the storage of | J. May | will not lead to |
| pig slurry, BAT is to cover basins and lagoons using one of the following options: | | significant emissions. |
| • a plastic cover; see Section 4.1.8.2 | | |
| • a floating cover; see Section 4.1.8.1, or | | |
| • only small basins, a rigid cover; see Section 4.1.8.2. | | |
| Additionally, where a rigid cover is used, a vapour treatment installation can be | | |
| applied to achieve an extra emission reduction, see Section 4.1.3.15. The need for | | |
| and type of vapour treatment must be decided on a case-by-case basis. | | |
| BAT 48. | Not Applicable | |
| To prevent overfilling due to rainfall in situations where the basin or lagoon is not | | |
| covered, BAT is to apply a sufficient freeboard, see Section 4.1.11.1. | | |
| BAT 49. | Not Applicable | |
| Where substances are stored in a basin or lagoon with a risk of soil contamination, | | |
| BAT is to apply an impervious barrier. This can be a flexible membrane, a sufficient | | |
| clay layer or concrete, see Section 4.1.9.1 | | |
| 5.2 Transfer and handling of liquids and liquefied gases | | |
| 5.2.1 General principles to prevent and reduce emissions | | |
| BAT 50. | Applicable | Yes |
| BAT is to apply a tool to determine proactive maintenance plans and to develop risk- | | Will be |

| based inspection plans such as, the risk and reliability based maintenance approach; see Section 4.1.2.2.1. | | Implemented in line with licence requirements. |
|--|-----------------------|---|
| BAT 51. For large storage facilities, according to the properties of the products stored, BAT is to apply a leak detection and repair programme. Focus needs to be on those situations most likely to cause emissions (such as gas/light liquid, under high pressure and/or temperature duties). See Section 4.2.1.3. | Not Applicable | Small scale storage |
| BAT 52. BAT is to abate emissions from tank storage, transfer and handling that have a significant negative environmental effect, as described in Section 4.1.3.1. | Not Applicable | |
| BAT 53. BAT in preventing incidents and accidents is to apply a safety management system as described in Section 4.1.6.1. | Applicable Applicable | Will be Implemented in line with licence requirements. |
| BAT 54. BAT is to implement and follow adequate organisational measures and to enable the training and instruction of employees for safe and responsible operation of the installation as described in Section 4.1.6.1.1. | Applicable | Will be Implemented in line with licence requirements. |
| 5.2.2 Considerations on transfer and handling techniques | | |
| 5.2.2.1 Piping | | |
| BAT 55. BAT is to apply aboveground closed piping in new situations, see Section 4.2.4.1. For existing underground piping it is BAT to apply a risk and reliability based maintenance approach as described in Section 4.1.2.2.1. | Not Applicable | |
| BAT 56. BAT is to minimise the number of flanges by replacing them with welded connections, within the limitation of operational requirements for equipment maintenance or transfer system flexibility, see Section 4.2.2.1. | Not Applicable | |
| BAT 57. BAT for bolted flange connections (see Section 4.2.2.2.) include: • fitting blind flanges to infrequently used fittings to prevent accidental opening | Not Applicable | |

| • using end caps or plugs on open-ended lines and not valves • ensuring gaskets are selected appropriate to the process application • ensuring the gasket is installed correctly • ensuring the flange joint is assembled and loaded correctly • where toxic, carcinogenic or other hazardous substances are transferred, fitting high integrity gaskets, such as spiral wound, kammprofile or ring joints. BAT 58. BAT 58. BAT 58. Selecting construction material that is resistant to the product • applying proper construction methods • applying proper construction for the selection of | | T. | |
|--|--|----------------|--------------------|
| ensuring the gasket is installed correctly ensuring the flange joint is assembled and loaded correctly where toxic, carcinogenic or other hazardous substances are transferred, fitting high integrity gaskets, such as spiral wound, kammprofile or ring joints. BAT 58. BAT 58. BAT is to prevent corrosion by: eselecting construction material that is resistant to the product applying proper construction methods applying preventive maintenance, and where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. BAT 59. BAT 59. Coating is yestem depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section 4.2.3.2. 5.2.2.2 Vapour treatment BAT 60. BAT is to apply vapour balancing or treatment on significant emission from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT 61. Not Applicable | using end caps or plugs on open-ended lines and not valves | | |
| ensuring the flange joint is assembled and loaded correctly where toxic, carcinogenic or other hazardous substances are transferred, fitting high integrity gaskets, such as spiral wound, kammprofile or ring joints. BAT 58. BAT 58. BAT 58. Applicable Will be Implemented during construction material that is resistant to the product applying proper construction methods applying proper construction methods applying preventive maintenance, and where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Sections and the state of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. Not Applicable BAT 61. Not Applicable See Section 4.2.8. 5.2.2.3 Valves BAT 61. Not Applicable Will be Implemented during construction of the process application 4.2.8. See Section 6.1. Not Applicable Not Applicable Not Applicable Not Applicable | | | |
| where toxic, carcinogenic or other hazardous substances are transferred, fitting high integrity gaskets, such as spiral wound, kammprofile or ring joints. BAT Is to prevent corrosion by: selecting construction material that is resistant to the product applying proper construction methods applying proper construction methods applying preventive maintenance, and where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section the loading and unloading of volatile substances to (or from) trucks, bayes and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. Not Applicable | · · | | |
| high integrity gaskets, such as spiral wound, kammprofile or ring joints. BAT 58. BAT 58. SApplicable Will be Implemented during • selecting construction material that is resistant to the product • applying proper construction methods • where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section 4.2.3.2. 5.2.2.2 Vapour treatment BAT 60. BAT is to apply vapour balancing or treatment on significant emissions from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT 61. Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable AND Applicable Not Applicable Not Applicable Not Applicable AND Applicable Not Applicable Not Applicable AND Applicable Not Applicable Not Applicable AND Applicable Not Applicable | | | |
| BAT 58. BAT is to prevent corrosion by: • selecting construction material that is resistant to the product • applying proper construction methods • applying proper construction methods • applying preventive maintenance, and • where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Sections from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the wolume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | | | |
| BAT is to prevent corrosion by: • selecting construction material that is resistant to the product • applying proper construction methods • applying preventive maintenance, and • where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Sections and the state of the emission of the plastic or stainless steel pipelines. See Sections and the state of the emission depends on the substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT 61. BAT 61. BAT 61. Sourcet selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) Implemented during construction Not Applicable Not Applicable Not Applicable | high integrity gaskets, such as spiral wound, kammprofile or ring joints. | | |
| selecting construction material that is resistant to the product applying proper construction methods applying proper construction methods where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section 14.2.3.2. 5.2.2.2 Vapour treatment BAT 60. BAT is to apply vapour balancing or treatment on significant emissions from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | BAT 58. | Applicable | Will be |
| • applying proper construction methods • applying preventive maintenance, and • where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Sections at the second | BAT is to prevent corrosion by: | | Implemented during |
| • applying preventive maintenance, and • where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section of the site specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section of the season of the standard of the season of the substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. S.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | • selecting construction material that is resistant to the product | | construction |
| where applicable, applying an internal coating or adding corrosion inhibitors. BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Sections and the state of the state of the emission of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT 61. BAT 61. BAT 62. BAT 63. BAT 64. BAT 69. BAT 61. BAT 61. BAT 61. BAT 61. BAT 61. BAT 62. BAT 63. BAT 64. BAT 65. BAT 66. BAT 66. BAT 67. BAT 68. BAT 69. BAT 69. BAT 61. BAT 69. BAT 61. BAT 60. BAT 61. BAT 61. BAT 61. BAT 62. BAT 63. BAT 64. BAT 65. BAT 66. BAT 66. BAT 67. BAT 68. BAT 69. BAT 69. BAT 69. BAT 69. BAT 60. BAT 61. BAT 61. BAT 62. BAT 63. BAT 64. BAT 65. BAT 66. BAT 66. BAT 67. BAT 68. BAT 69. BAT 69. BAT 69. BAT 69. BAT 60. BAT 61. BAT 60. | applying proper construction methods | | |
| BAT 59. To prevent the piping from external corrosion, BAT is to apply a one, two, or three layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section 4.2.3.2. 5.2.2.2 Vapour treatment BAT 60. BAT is to apply vapour balancing or treatment on significant emission strom the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | applying preventive maintenance, and | | |
| layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section 4.2.3.2. 5.2.2.2 Vapour treatment BAT 60. BAT is to apply vapour balancing or treatment on significant emission from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | • where applicable, applying an internal coating or adding corrosion inhibitors. | e 11se. | |
| layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Section 4.2.3.2. 5.2.2.2 Vapour treatment BAT 60. BAT is to apply vapour balancing or treatment on significant emission from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | BAT 59. | Not Applicable | |
| layer coating system depending on the site-specific conditions (e.g. close to sea). Coating is normally not applied to plastic or stainless steel pipelines. See Sections 4.2.3.2. 5.2.2.2 Vapour treatment BAT 60. BAT is to apply vapour balancing or treatment on significant emissions from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | To prevent the piping from external corrosion, BAT is to apply a one, two, or three | व्याप | |
| 5.2.2 Vapour treatment BAT 60. BAT is to apply vapour balancing or treatment on significant emissions from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | layer coating system depending on the site-specific conditions (e.g. close to sea). | | |
| BAT 60. BAT is to apply vapour balancing or treatment on significant emissions from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | Coating is normally not applied to plastic or stainless steel pipelines. See Section | | |
| BAT 60. BAT is to apply vapour balancing or treatment on significant emissions from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | 4.2.3.2. | | |
| BAT is to apply vapour balancing or treatment on significant emissions from the loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | 5.2.2.2 Vapour treatment | | |
| loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | BAT 60. | Not Applicable | |
| loading and unloading of volatile substances to (or from) trucks, barges and ships. The significance of the emission depends on the substance and the volume that is emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | BAT is to apply vapour balancing or treatment on significant emissions from the | | |
| emitted, and has to be decided on a case-by-case basis. For more detail see Section 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | | | |
| 4.2.8. 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | significance of the emission depends on the substance and the willume that is | | |
| 5.2.2.3 Valves BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | emitted, and has to be decided on a case-by-case basis. For more detail see Section | | |
| BAT 61. BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | 4.2.8. | | |
| BAT for valves include: • correct selection of the packing material and construction for the process application • with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | 5.2.2.3 Valves | | |
| correct selection of the packing material and construction for the process application with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | BAT 61. | Not Applicable | |
| application with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | BAT for valves include: | | |
| application with monitoring, focus on those valves most at risk (such as rising stem control valves in continual operation) | • correct selection of the packing material and construction for the process | | |
| valves in continual operation) | application | | |
| · | • with monitoring, focus on those valves most at risk (such as rising stem control | | |
| applying rotating control valves or variable speed pumps instead of rising stem | valves in continual operation) | | |
| | applying rotating control valves or variable speed pumps instead of rising stem | | |

| | T | |
|---|----------------|--|
| control valves | | |
| where toxic, carcinogenic or other hazardous substances are involved, fit | | |
| diaphragm, bellows, or double walled valves | | |
| • route relief valves back into the transfer or storage system or to a vapour treatment | | |
| system. | | |
| 5.2.2.4 Pumps and compressors | | |
| BAT 62. | Not Applicable | |
| The following are some of the main factors which constitute BAT: | | |
| proper fixing of the pump or compressor unit to its base-plate or frame | | |
| having connecting pipe forces within producers' recommendations proper design of suction pipework to minimise hydraulic imbalance alignment of shaft and casing within producers' recommendations alignment of driver/pump or compressor coupling within producers' recommendations when fitted correct level of balance of rotating parts effective priming of pumps and compressors prior to start-up operation of the pump and compressor within producers' recommended of performance range (The optimum performance is achieved at its best efficiency point.) the level of net positive suction head available should always be in excess of the pump or compressor regular monitoring and maintenance of both rotating equipment and seal systems, | | |
| proper design of suction pipework to minimise hydraulic imbalance | of the | |
| alignment of shaft and casing within producers' recommendations | 1 office | |
| • alignment of driver/pump or compressor coupling within producers' | of sur | |
| recommendations when fitted | | |
| • correct level of balance of rotating parts | | |
| • effective priming of pumps and compressors prior to start-up | | |
| operation of the pump and compressor within producers' recommended. | | |
| performance range (The optimum performance is achieved at its best efficiency | | |
| point.) | | |
| • the level of net positive suction head available should always be in excess of the | | |
| pump or compressor | | |
| • regular monitoring and maintenance of both rotating equipment and seal systems, | | |
| combined with a repair or replacement programme. | | |
| BAT 63. | Not Applicable | |
| BAT is to use the correct selection of pump and seal types for the process application, | | |
| preferably pumps that are technologically designed to be tight such as canned motor | | |
| pumps, magnetically coupled pumps, pumps with multiple mechanical seals and a | | |
| quench or buffer system, pumps with multiple mechanical seals and seals dry to the | | |
| atmosphere, diaphragm pumps or bellow pumps. For more details see Sections | | |
| 3.2.2.2, 3.2.4.1 and 4.2.9. | | |
| BAT 64. | Not Applicable | |
| BAT for compressors transferring non-toxic gases is to apply gas lubricated | | |

| mechanical seals. | | |
|--|----------------|------------------------|
| BAT 65. | Not Applicable | |
| BAT for compressors, transferring toxic gases is to apply double seals with a liquid or | | |
| gas barrier and to purge the process side of the containment seal with an inert buffer | | |
| gas. | | |
| BAT 66. | Not Applicable | |
| In very high pressure services, BAT is to apply a triple tandem seal system. | | |
| 5.2.2.5 Sampling connections | | |
| BAT 67. | Not Applicable | |
| BAT, for sample points for volatile products, is to apply a ram type sampling valve or a | | |
| needle valve and a block valve. Where sampling lines require purging, BAT is to apply | .∞. | |
| closed-loop sampling lines. See Section 4.2.9.14. | ex its | |
| 5.3 Storage of solids | A and other | |
| 5.3.1 Open storage | | |
| BAT 68. | Not Applicable | No open storage on |
| BAT is to apply enclosed storage by using, for example, silos, bunkers, hoppers and | | site. |
| containers, to eliminate the influence of wind and to prevent the formation of dust by | | |
| wind as far as possible by primary measures. See Table 4.12 for these primary | | |
| measures with cross-references to the relevant sections. | | |
| BAT 69. | Not Applicable | |
| BAT for open storage is to carry out regular or continuous visual inspections to see if | | |
| dust emissions occur and to check if preventive measures are good working order. | | |
| Following the weather forecast by, e.g, using meteorological instruments on site, will | | |
| help to identify when the moistening of heaps is necessary and will prevent | | |
| unnecessary use of resources for moistening the open storage. See Section 4.3.3.1. | | |
| BAT 70. | Not Applicable | No-Long term open |
| BAT for long-term open storage are one, or a proper combination, of the following | | top storage of |
| techniques: | | materials, by-products |
| • moistening the surface using durable dust-binding substances, see Section 4.3.6.1 | | and/or wastes on site. |
| • covering the surface, e.g. with tarpaulins, see Section 4.3.4.4 | | |
| • solidification of the surface, see Table 4.13 | | |
| • grassing-over of the surface, see Table 4.13. | | |

| BAT 71. | Not Applicable | No-short term open |
|---|-----------------------|--------------------------|
| BAT for short-term open storage are one, or a proper combination, of the following | | top storage of |
| techniques: | | materials, by-products |
| • moistening the surface using durable dust-binding substances, see Section 4.3.6.1 | | and/or wastes on site. |
| • moistening the surface with water, see Sections 4.3.6.1 | | |
| • covering the surface, e.g. with tarpaulins, see Section 4.3.4.4. | | |
| 5.3.2 Enclosed storage | | |
| BAT 72. | Applicable | All feed to be stored in |
| BAT is to apply enclosed storage by using, for example, silos, bunkers, hoppers and | | dedicated feed silos. |
| containers. Where silos are not applicable, storage in sheds can be an alternative. | | |
| This is, e.g. the case if apart from storage, the mixing of batches is needed. | | |
| BAT 73. | Applicable Applicable | All feed to be stored in |
| BAT for silos is to apply a proper design to provide stability and prevent the silo from | Notice of the second | dedicated feed silos |
| collapsing. See Sections 4.3.4.1 and 4.3.4.5. | in, | purchased from a |
| Set My | | specialist supplier. |
| BAT 74. BAT for sheds is to apply proper designed ventilation and filtering systems and to keep the doors closed. See Section 4.3.4.2. | Applicable | Will be |
| BAT for sheds is to apply proper designed ventilation and filtering systems and to | | Implemented in line |
| keep the doors closed. See Section 4.3.4.2. | | with licence |
| coritight | | requirements, where |
| BAT for sheds is to apply proper designed ventilation and filtering systems and to keep the doors closed. See Section 4.3.4.2. | | applicable. |
| DAI 75 | Not Applicable | |
| BAT is to apply dust abatement and a BAT associated emission level of $1 - 10 \text{ mg/m}^3$, | | |
| depending on the nature/type of substance stored. The type of abatement technique | | |
| has to be decided on a case-by-case basis. See Section 4.3.7. | | |
| BAT 76. | Not Applicable | |
| For a silo containing organic solids, BAT is to apply an explosion resistant silo (see | | |
| Section 4.3.8.3), equipped with a relief valve that closes rapidly after the explosion to | | |
| prevent oxygen entering the silo, as described in Section 4.3.8.4. | | |
| 5.3.4 Preventing incidents and (major) accidents | | |
| BAT 77. | Applicable | Will be |
| BAT in preventing incidents and accidents is applying a safety management system as | | Implemented in line |
| described in Section 4.1.7.1. | | with licence |
| | | requirements. |

| 5.4 Transfer and handling of solids | | |
|---|-----------------------|---|
| BAT 78. BAT is to prevent dust dispersion due to loading and unloading activities in the open air, by scheduling the transfer as much as possible when the wind speed is low. However, and taking into account the local situation, this type of measure cannot be generalised to the whole EU and to any situation irrespective of the possible high costs. See Section 4.4.3.1. | Applicable | Feed delivery by specialist provider and blown into sealed bins with minimal emissions. Organic Fertiliser to be loaded into trailer and covered prior to transport off-site. |
| BAT 79. When applying a mechanical shovel, BAT is to reduce the drop height and to choose the best position during discharging into a truck; see Section 4.4.3.4. | Applicable Applicable | To be implemented during loading of organic fertilsier by minimising bucket height over waiting trailer. |
| BAT 80. BAT then is to adjust the speed of vehicles on-site to avoid or minimise dust being swirled up; see Section 4.4.3.5.2. | Applicable | Will be Implemented during site activities. |
| BAT 81. BAT for roads that are used by trucks and cars only, is applying hard surfaces to the roads of, for example, concrete or asphalt, because these can be cleaned easily to avoid dust being swirled up by vehicles, see Section 4.4.3.5.3. However, applying hard surfaces to the roads is not justified when the roads are used just for big shovel vehicles or when a road is temporary. | Applicable | Loading / unloading areas to be concreted and routinely cleaned to minimise dust. |
| BAT 82. BAT is to clean roads that are fitted with hard surfaces according to Section 4.4.6.12. | Applicable | Loading / unloading areas to be concreted and routinely cleaned to minimise dust. |
| BAT 83. Cleaning of vehicle tyres is BAT. The frequency of cleaning and type of cleaning facility applied (see Section 4.4.6.13) has to be decided on a case-by-case basis. | Not Applicable | |

| BAT 84. Where it neither compromises product quality, plant safety, nor water resources, BAT for loading/unloading drift sensitive, wettable products is to moisten the product as described in Sections 4.4.6.8, 4.4.6.9 and 4.3.6.1. Risk of freezing of the product, risk of slippery situations because of ice forming or wet product on the road and shortage of water are examples when this BAT might not be applicable. | Not Applicable | |
|--|----------------|---|
| BAT 85. For loading/unloading activities, BAT is to minimise the speed of descent and the free fall height of the product; see Sections 4.4.5.6 and 4.4.5.7 respectively. Minimising the speed of descent can be achieved by the following techniques that are BAT: • installing baffles inside fill pipes • applying a loading head at the end of the pipe or tube to regulate the output speed • applying a cascade (e.g. cascade tube or hopper) • applying a minimum slope angle with, e.g. chutes. | Not Applicable | |
| BAT 86. To minimise the free fall height of the product, the outlet of the discharger should reach down onto the bottom of the cargo space or onto the material already piled up. Loading techniques that can achieve this, and that are BAT, are: • height adjustable fill pipes • height adjustable fill tubes, and • height adjustable cascade tubes. These techniques are BAT, except when loading/unloading non drift sensitive products, for which the free fall height is not that critical. | Applicable | Feed delivery by specialist provider and blown into sealed bins with minimal emissions. Organic Fertiliser to be loaded into trailer and covered prior to transport off-site. |
| 5.4.2 Considerations on transfer techniques | | |
| BAT 87. For applying a grab, BAT is to follow the decision diagram as shown in Section 4.4.3.2 and to leave the grab in the hopper for a sufficient time after the material discharge. | Not Applicable | |
| BAT 88. BAT for new grabs, is to apply grabs with the following properties (see Section 4.4.5.1): • geometric shape and optimal load capacity • the grab volume is always higher than the volume that is given by the grab curve • the surface is smooth to avoid material adhering, and | Not Applicable | |

| a good closure capacity during permanent operation. | | |
|--|----------------|--|
| BAT 89. | Not Applicable | |
| For all types of substances, BAT is to design conveyor to conveyor transfer chutes in | | |
| such a way that spillage is reduced to a minimum. A modelling process is available to | | |
| generate detail designs for new and existing transfer points. For more details see | | |
| Section 4.4.5.5. | | |
| BAT 90. | Not Applicable | |
| For non or very slightly drift sensitive products (S5) and moderately drift sensitive, | | |
| wettable products (S4), BAT is to apply an open belt conveyor and additionally, | | |
| depending on the local circumstances, one or a proper combination of the following | | |
| techniques: | | |
| • lateral wind protection, see Section 4.4.6.1 | 7 115E. | |
| • spraying water and jet spraying at the transfer points, see Sections 4.4.6.8 and | any other use. | |
| 4.4.6.9, and/or | atty | |
| • belt cleaning, see Section 4.4.6.10. | | |
| BAT 91. For highly drift sensitive products (S1 and S2) and moderately drift sensitive motivations, is to: | Not Applicable | |
| For highly drift sensitive products (S1 and S2) and moderately drift sensitive notes. | | |
| wettable products (S3) BAT for new situations, is to: | | |
| apply closed conveyors, or types where the belt itself or a second belt locks the | | |
| apply closed conveyors, or types where the belt itself or a second belt locks the material (see Section 4.4.5.2), such as: • pneumatic conveyors • trough chain conveyors • screw conveyors | | |
| • pneumatic conveyors | | |
| • trough chain conveyors | | |
| - screw conveyors | | |
| tube belt conveyor | | |
| loop belt conveyor | | |
| double belt conveyor | | |
| or to apply enclosed conveyor belts without support pulleys (see Section 4.4.5.3), | | |
| such as: | | |
| aerobelt conveyor | | |
| low friction conveyor | | |
| • conveyor with diabolos. | | |
| The type of conveyor depends on the substance to be transported and on the | | |
| location and has to be decided on a case-by-case basis. | | |

| BAT 92. | Not Applicable | |
|--|----------------|--|
| For existing conventional conveyors, transporting highly drift sensitive products (S1 and S2) and moderately drift sensitive, not wettable products (S3), BAT is to apply housing; see Section 4.4.6.2. When applying an extraction system, BAT is to filter the outgoing air stream; see Section 4.4.6.4. | | |
| BAT 93. | Not Applicable | |
| To reduce energy consumption for conveyor belts (see Section 4.4.5.2), BAT is to | | |
| apply: | | |
| • a good conveyor design, including idlers and idler spacing | | |
| an accurate installation tolerance, and | | |
| • a belt with low rolling resistance. | | |

Consent of copyright owner required for any other use