


Carrawstown



Dulleep
Co Meath
8.4.03.

Ref: Indaver 167-1.

Dear Sir.

As members of the Carrawstown Residence Group, we would like to make the following submission to be considered in the issue of an I.P.C license to the proposed Indaver Municipal Waste Management facility at Carrawstown, Dulleep, Co Meath, on the following grounds.

- (1) The siting of the proposed development contravened the W.H.O. guidelines, being in close proximity to subsurface quarrying and blasting which could cause subsidence. Also we fear the danger from the natural gas line which runs through the proposed site.
- (2) The water table will be affected. The dust level and noise level will be increased. The additional traffic generated by the proposed

development will greatly increase the air pollution as well as a distressing degree of noise.

(3) The world famous Heritage site of Newgrange is in the locality, and considering this site pre dates the Pyramids of Egypt. It should not be threatened by smoke plumes and emissions from the proposed development.

(4) The danger to health from this development has not been sufficiently studied and adequate risk assessment has not been carried out. There is evidence of higher numbers of cancer in areas where these plants are situated.

In view of the above, we the Heeney Family object in the strongest way to the issuing of an Integrated Pollution Control license to Indaver's Waste Management Facility at Carranstown, Duleek, Co Meath.

Yours faithfully,
on behalf of the HEENEY FAMILY, icted J Heeney