× ×

Environmental Protection Agency

0.6 MAY 2005

Dublin City Council Comhairle Cathrach Bhaile Átha Cliath

Water Services, Engineering Department, Liffey Works, Ballymore Eustace, Co. Kildare

Rannóg Uisce, Roinn Innealtóireachta, Oibreacha na Life, Baile Mór Na Niú stasach, Co. Chill Dara.

T. 045 864280 F. 045 864606 E. thomas.kinirons@dublincity.ie

Waste Licence administration, P.O. Box 3000, Johnstown castle, Co. Wexford.

Date: 4th May 2005 Our Ref: K/Prod/TK050510 File Ref: BME/213

RE: Waste Licence Application 213-1 Roadstone Dublin Limited

Dear Sir/Madam


We refer to application by Roadstone Dublin Limited for Waste Licence for the Roadstone Dublin Remediation Landfill at Blessington, Co. Wicklow.

The site of the Roadstone Dublin Remediation Landfill lies within the catchment of the Poulaphouca Reservoir from which Dublin City Council abstracts water for drinking purposes.

I would be grateful if you could forward details of this application for comment by Dublin City Council.

Yours faithfully

Tom Kinirons Senior Executive Engineer



Head Office, Civic Offices, Wood Quay, Dublin 8, Ireland Oifigí na Cathrach, An Ché Adhmaid, B.Á.C. 8, Éire

> T. 01 672 2222 www.dublincity.ie EPA Export 25-07-2013:15:43:52