# SOUTH DUBLIN COUNTY COUNCIL COMHAIRLE CONTAE ÁTHA CLIATH THEAS

Halla an Chontae, Lár an Bhaile Tamhlacht, Baile Átha Cliath 24 Telefon: 01-4149000

Facs: 01-4149101



**Environmental Services Dept.** 

County Hall, Town Centre Tallaght, Dublin 24 Telephone: 01-4149000

Fax: 01-4149101

Website: <u>www.sdcc.ie</u> <u>environment@sdublin.ie</u>

Environmental Agency
Protection Agency

Our Ref: EPA/048

Ann Bosley,
Licencing Unit,
E.P.A. Headquarters,
P.O. Box 3000,
Johnstown Castle Estate,
Co. Wexford.

Date: 12th December 2006

Re/ Diageo Baileys Global Supply - EPA Waste Licence Reg. No. P0807-01

Dear Ms. Bosley,

I enclose herewith, Sanitary Authority Consent Conditions under Section 99E of the Environmental Protection Agency Acts 1992 and 2003 for licence to discharge trade effluent from the above company.

Yours faithfully,

Patricia O'Reilly, Staff Officer, //

Water & Drainage Section.

Environmental Protection
Agency
Waste Licensing
Received 1 4 DEC 2006

Initials

## SOUTH DUBLIN COUNTY COUNCIL COMHAIRLE CONTAE ÁTHA CLIATH THEAS

Halla an Chontae, Lár an Bhaile Tamhlacht, Baile Átha Cliath 24 Telefon: 01-4149000

Facs: 01-4149101



**Environmental Services Dept.** 

County Hall, Town Centre Tallaght, Dublin 24

Telephone: 01-4149000

Fax: 01-4149101

Website: <a href="https://www.sdcc.ie">www.sdcc.ie</a>
<a href="mailto:environment@sdublin.ie">environment@sdublin.ie</a>

## **SANITARY AUTHORITY CONSENT CONDITIONS**

### Section 99E of the Environmental Protection Agency Acts 1992 and 2003

Name of Sanitary Authority:

South Dublin County Council

Address:

Environmental Services Department,

County Hall, Town Centre, Tallaght, Dublin 24.

Name of Facility:

Diageo Baileys Global Supply,

Nangor House, Nangor Road, Dublin 12.

IPPC Register Number:

P0807-01

Consent granted to consent		
conditions outlined below	Yes	
Consent granted without conditions		
Consent refused		

In respect of discharges or emissions to sewer, the Sanitary Authority requires the conditions indicated by a "Yes" in the right-hand column below, to be included in any waste licence, which the Agency may propose to grant, in respect of the above referenced waste licence application, in accordance with Section 99E of the Environmental Protection Agency Acts 1992 and 2003

GENERAL CONSENT CONDITIONS	Condition to be included (Yes/No)
1. No specified emission to sewer shall exceed the emission limit value or load set out in Schedule B: <i>Emission Limits to Sewer</i> .  There shall be no other emission to sewer of environmental significance.	Yes
2. The Licensee shall carry out such sampling, analyses, measurements, examinations, maintenance and calibrations as set out in <i>Schedule C</i> .	Yes
3. Monitoring and analyses equipment shall be operated and maintained as necessary so that monitoring accurately reflects the emission or discharge.	Yes

Page 1 of 4

with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	Authority to inspect, examine and test, at all reasonable times, any works and apparatus installed in connection with the trade effluent and to take samples of the process effluent.  5. All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any eaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorunated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharg	Yes
Authority to inspect, examine and test, at all reasonable times, any works and apparatus installed in connection with the trade effluent and to take samples of the process effluent.  5. All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sever maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any eaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chiorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent shall n	Authority to inspect, examine and test, at all reasonable times, any works and apparatus installed in connection with the trade effluent and to take samples of the process effluent.  5. All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any eaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorunated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharg	Yes
apparatus installed in connection with the trade effluent and to take samples of the process effluent.  5. All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including choritated organic solvents) which would give rise to flammable or explosive gas on any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity ba	apparatus installed in connection with the trade effluent and to take samples of the process effluent.  5. All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chortnated organic solvents) which would give rise to flammable or explositive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sanitary authority on a quarterly basis to enable the calculation	Yes
the process effluent.  5. All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explaying vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the same with relevant Voluries discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under t	the process effluent.  5. All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chortnated organic solvents) which would give rise to flammable or explositive vapours in the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	Yes
5. All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorigated organic solvents) which would give rise to flammable or explosive vapours in the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Pormula.  13. Noh-trade effluent wastewater (e.g. firewater, accidental spillages) which oc	<ol> <li>All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.</li> <li>The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.</li> <li>The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.</li> <li>No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.</li> <li>In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.</li> <li>No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.</li> <li>The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chortinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.</li> </ol>	Yes
during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer without the prior authorisation of South Dublin County Council.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged of permit to be discharged into the sewer any liquid matter or thing which is or may be l	during maintenance and calibration) when the activities are being carried out unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explasive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	Yes
unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chloridated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of janalysis of effluent glicknarged to the samitary authority on a quarterly basis to enable the calculation of charges under the Mogden portion of the results of charges to the sewer without the prior authorisation of South Dublin County Council.  13. Noh-trade effluent wastewater (e.g. firewater, accidental spillages) which explosive gas or any acid, alkali or other	unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	·
Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensees shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chloritated organic solvents) which would give rise to flammable or explessive vapours in the sewer.  12. A report of the results of fanalysis of effluent discharged to the sewer without the prior authorisation of South Dublin County Council.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which except so the sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  14. The licensee shall at no time discharged to the sewer fittings or the general integrity of the sewer.  15. A log detailing the usage of all boiler water t	Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	·
monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewer age system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not ontain petroleum hydrocarbons or organic solvents (including clafrigated organic solvents) which would give rise to flammable or explosity vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer.  12. A report of the results of analysis of effluent discharged to the sewer.  12. A report of the results of analysis of effluent discharged to the sewer.  13. Non-trade effluent wastewater (e.g., firewater, accidental spillages) which leads to explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log	monitor, the licensee shall contact the Agency as soon as practible, and alternate sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	·
sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the senitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to represent the Mogden Formula  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration	sampling and monitoring facilities shall be put in place. Prior written agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	·
for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any eaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including choritated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis ofieffluent discharged to the sewer.  13. Non-trade effluent wastewater (e.g., firewater, accidental spillages) which occurs on site shall not be discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g., firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall review of the sample of explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the	for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chortanted organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the samitary authority on a quarterly basis to enable the calculation of charges under the Mogden	·
obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including objectivated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden formula.  13. Non-trade effluent wastewater (e.g., firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewe	obtained from the Agency.  6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chloridated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	·
6. The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluency flischarged to the sewer.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the License	<ol> <li>The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence.</li> <li>The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.</li> <li>No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.</li> <li>In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.</li> <li>No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.</li> <li>The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.</li> <li>A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden</li> </ol>	·
calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum yes hydrocarbons or organic solvents (including chloridated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  11. A report of the results of analysis of effluent discharged to the sewer.  11. A report of the results of analysis of effluent discharged to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  12. A report of the results of analysis of effluents discharged to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g., firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall are to thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock an	calibrations and maintenance carried out in accordance with the requirements of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	·
of this licence.  7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be vorwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licens	<ol> <li>of this licence.</li> <li>The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.</li> <li>No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.</li> <li>In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.</li> <li>No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.</li> <li>The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chormated organic solvents) which would give rise to flammable or explosive vapours in the sewer.</li> <li>A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden</li> </ol>	Yes
7. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosite vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted t	<ol> <li>The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and off-site points as required by the Agency.</li> <li>No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.</li> <li>In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.</li> <li>No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.</li> <li>The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.</li> <li>A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on quarterly basis to enable the calculation of charges under the Mogden</li> </ol>	Yes
monitoring points and off-site points as required by the Agency.  8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (s.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annuall basis.  16. Best available technology (BA	<ul> <li>monitoring points and off-site points as required by the Agency.</li> <li>8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.</li> <li>9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.</li> <li>10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.</li> <li>11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.</li> <li>12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on quarterly basis to enable the calculation of charges under the Mogden</li> </ul>	1 23
8. No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of janalysis of effluent discharged to the sewer.  13. Non-trade effluent wastewater (*** g. firewater, accidental spillages ) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall examine BAT options for trade effluent f	<ol> <li>No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.</li> <li>In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.</li> <li>No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.</li> <li>The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.</li> <li>A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on quarterly basis to enable the calculation of charges under the Mogden</li> </ol>	1
danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sewer.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report o	danger to sewer maintenance personnel working in the sewerage system or would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	Vec
would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer with relevant volumes discharged shall be forwarded to the samitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and organic load minimisation on	would be injurious to the construction of the sewer or would interfere with the operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	103
operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chloridated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  11. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be rowarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to four sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and organic load minimisation on si	operations of the Ringsend Wastewater Treatment Plant.  9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	
9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any seaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including obtorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and	<ul> <li>9. In the event of any incident which relates to discharges to sewer having taken place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.</li> <li>10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.</li> <li>11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.</li> <li>12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on quarterly basis to enable the calculation of charges under the Mogden</li> </ul>	
place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillag	place, the Licensee shall notify the Agency, Local Authority and Sanitary Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	Ves
Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	Authority as soon as practicable after the incident.  10. No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	1 05
10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	<ul> <li>10. No emission to sewer shall take place which gives rise to any feaction within the sewer or to the liberation of by-products which may be of environmental significance.</li> <li>11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.</li> <li>12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden</li> </ul>	
the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chormated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluence discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the	the sewer or to the liberation of by-products which may be of environmental significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	Vec
11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chortrated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be the path by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	significance.  11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	103
11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chormated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	11. The licensee shall ensure that the effluent shall not contain petroleum hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	
hydrocarbons or organic solvents (including chlorinated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	hydrocarbons or organic solvents (including chormated organic solvents) which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	Vec
which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	which would give rise to flammable or explosive vapours in the sewer.  12. A report of the results of analysis of effluent discharged to the sewer  with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	165
12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.    ADDITIONAL GENERAL CONSENT CONDITIONS   15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	12. A report of the results of analysis of effluent discharged to the sewer with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	
with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	with relevant volumes discharged shall be forwarded to the sanitary authority on a quarterly basis to enable the calculation of charges under the Mogden	Vaci
a quarterly basis to enable the calculation of charges under the Mogden Formula.  13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	a quarterly basis to enable the calculation of charges under the Mogden	103
13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	dust to the control of charges and the program	
13. Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	Formula :	i M
occurs on site shall not be discharged to the sewer without the prior authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		Ves
authorisation of South Dublin County Council.  14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  **ADDITIONAL GENERAL CONSENT CONDITIONS**  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		
14. The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		
sewer any liquid matter or thing which is or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		Ves
average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		103
explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		
to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		
integrity of the sewer.  ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		
ADDITIONAL GENERAL CONSENT CONDITIONS  15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management.  This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		
<ul> <li>15. A log detailing the usage of all boiler water treatment chemicals shall be kept by the Licensee and submitted to South Dublin County Council on an annual basis.</li> <li>16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.</li> <li>17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:</li> </ul>		
by the Licensee and submitted to South Dublin County Council on an annual basis.  16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:	All the Articular	
<ul> <li>16. Best available technology (BAT) for the relevant Class 7.8(a) shall be used to prevent, minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.</li> <li>17. The Licensee shall prepare a report on daily effluent flow and quality management. This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:</li> </ul>		)
minimise, manage and treat pollutants in the trade effluent discharged to foul sewer within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management.  This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		
within 12 months of the date of issue of this consent.  17. The Licensee shall prepare a report on daily effluent flow and quality management.  This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		
17. The Licensee shall prepare a report on daily effluent flow and quality management.  This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		Sewel
This report shall examine BAT options for trade effluent flow and organic load minimisation on site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		191 1.1
site. It shall review options for recycling of spillages, concentrated out of specification raw materials, finished products and final CIP rinsewaters from the:		on on
materials, finished products and final CIP rinsewaters from the:		
raw materials storage areas	materials, finished products and final CIP rinsewaters from the:	i į
	raw materials storage areas	1 1
• pilot plant area		11
general manufacturing areas		
• bottling lines		
I DIC TOPOST COOL DO CUPRISTAG TO NOUTH I Bublin I County I Council and the Agency within 7 months	This report shall be submitted to South Dublin County Council and the Agency within 3 m	onths
of the date of issue of this IPPC licence.	of the date of issue of this if to heefice.	•

18. The Licensee shall maintain, or have maintained the on-site effluent treatment systems.

#### Limit Values for Trade Effluent to Sewer

#### Schedule B - Emissions to Sewer

Emission point reference no: SE-1

Emission to (sewer description): Adjacent to the Effluent Treatment Plant

Grid Reference: 30898E, 23202N

Volume to be emitted: Maximum in any one day :  $\frac{600.0 \text{ m}^3}{540.0 \text{ m}^3}$ 

Maximum rate per hour:

Parameter	Emission	Limit Value		Parameter to be limited (Yes/No)
	Grab	Daily Mean	Daily Mean	
	Sample	Concentration	Loading	
	(mg/l)	(mg/l)	(kg/day)	
BOD Mean Daily Load (Kg)		(mg/l)  Authoritied for any other law of the first of the	4000.0 (66,667 PE)	Yes
Mean Weekly Load (Kg)		strouite.	3000.0	
Mean Monthly Load (Kg)	E TIS GHY OWN		(50,000 PE) <b>2850.0</b> (47,500 PE)	
Mean Annual Load (Kg)	to Alte		2700.0 (45,000 PE)	
COD	nsent			
Mean Daily Load (Kg)	S		8000.0	Yes
Mean Weekly Load (Kg)			6000.0	
Mean Monthly Load (Kg)			5700.0	
Mean Annual Load (Kg)			5400.0	
Suspended Solids				
Mean Daily Load (Kg)			2000.0	Yes
Mean Weekly Load (Kg)			1500.0	
Mean Monthly Load (Kg)			1250.0	İ
Mean Annual Load (Kg)			1000.0	

Sulphates (as S0 <sub>4</sub> )		400	240.0	Yes
Oils, Fats and Greases				
Mean Daily Load (Kg)			600.0	Yes
Mean Annual Load (Kg)	•		400.0	
рН	6 - 10	6-10	-	Yes
Temperature	42 degrees C	42 degrees C	<u>-</u>	Yes

#### ADDITIONAL PARAMETERS

Phosphates (as PO <sub>4</sub> -P)	100	60.0	Yes
Detergents	100	60.0	Yes

#### Frequency of Monitoring Trade Effluent to Sewer

#### Schedule C

Emission point reference no: SE-1

Parameter	Monitoring Frequency	Sampling Method/Type (grab, continuous)
Flow to sewer	Continuous	Continuous
BOD (mg/l) and Kg/day	Weekly	24 hour composite sample
COD (mg/l) and Kg/day	Daily	24 hour composite sample
Suspended Solids (mg/l) and Kg/day	Weekly	24 hour composite sample
Sulphates (as SO <sub>4</sub> )	Weekly	24 hour composite sample
Fats, Oils, Grease Kg/day	Weekly	24 hour composite sample
pH	Continuous	· Continuous
Temperature	Continuous	Continuous

#### ADDITIONAL PARAMETERS

Phosphates (as PO <sub>4</sub> -P) in Kg/day	Weekly July Leading	24 hour composite Sample
Detergents Kg/day	Weekly of the	24 hour composite Sample
Total Nitrogen Kg/day	Monthly	24 hour composite Sample
Total Phosphorus Kg/day	Monthly	24 hour composite Sample

	<u> </u>
SANITARY AUTHOR	RITY CHARGES
Charge per cubic metre of trade effluent	
Payment Frequency	
Annual Monitoring Costs	Euro 3750.00

NOTE: Charges are subject to price variation in the future as may be ordered by the Council.

Signed on behalf of Sanitary Authority:

Page 4 of 4