

Environmental Health Service,
Local Health Office (Cavan/Monaghan)
PCCC Directorate,
Dublin/North East Area,
The Arcade,
Main-St,
Cavan.

Tel: 049-437 3416 Fax: 049-437 3427

Ref. BMcK/FS Date: 21/11/07

Dorota Richards,
Programme Officer,
Office of Climate, Licensing & Resource Use,
Environmental Protection Agency,
Headquarters,
PO Box 3000,
Johnstown Castle Estate,
Co. Wexford

Re: EPA Waste Management Licence
Ref. W0020-02
Monaghan Co Council – Scotch Corner Landfill, Letterbane, Annyallla,
Castleblayney

Dear Ms. Richards,

I refer to the recent communication in relation to the above.

There are a number of dwellings in the general area and one of these has made a complaint submission in relation to noise, odour, litter, and height of dump.

From a Public Health Viewpoint I would consider that this facility, if subject to the normal environmental controls and best practice, should not present a major health impact. However, the possibility of groundwater contamination has the potential to present both short term and long term health consequences.

Cont...

The HSE would favour more consultation and verification on the following:

- (a) Consultation/Notification to the HSE of exceedences in the results of monitoring of ground water at wells in use by dwellings.
- (b) The inclusion of Poly Aromatic Hydrocarbons in the parameters to be tested in the ground water.
- (c) The identification of zone of contamination if groundwater contamination occurs, and the notification of residents.
- (d) The preparation of an emergency plan, and consideration of alternative water supply for both humans and animals in the event of ground or surface water contamination.

Yours faithfully,

Brian McKeever

Principal Environmental Health Officer