



Our Ref: 18.JA0018

Your Ref:

Patrick Byrne
Environmental Protection Agency
Regional Inspectorate
McCumiskey House
Richview
Clonskeagh Road
Dublin 14



An Bord Pleanála



20th May 2010

Re: Castleblayney Wastewater Treatment Works - Expansion of the Waste-water Treatment Works at Muckno, Castleblayney, Co. Monaghan

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer to your letter dated 17th May 2010 in relation to the above mentioned case.


Please note that the last date for receipt of a submission, as stated in the Board's correspondence of 27th April 2010, was 17th May 2010. As your letter was received on 19th May 2010, it cannot be considered by the Board.

The Board hereby requests you to resubmit your submission / observation to it within one week of the date of this letter. Your response should be received not later than **5.30 pm on Thursday, 27th May 2010.**

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Sínead McInerney
Executive Officer

el04.ltr



Quality through Accessibility

64 Sráid Maoilbhríde,
Baile Átha Cliath 1.

Tel: (01) 858 8100
LoCall: 1890 275 175
Fax: (01) 872 2684
Web: <http://www.pleanala.ie>
email: bord@pleanala.ie

64 Marlborough Street,
Dublin 1.