

Noeleen Keavey

Subject: FW: P1007-01 O Hanlon and sons.

From: Karen Hamilton [<mailto:Karen.Hamilton@louthcoco.ie>]

Sent: 07 December 2015 17:08

To: Brian Meaney

Subject: RE: EPA Licence, O Hanlon and sons.

Brian,

Am I right in saying that the application is for the Indoor storage area or is it for both|?

Thanks,

Karen

From: Brian Meaney [<mailto:B.Meaney@epa.ie>]

Sent: 07 December 2015 16:55

To: Karen Hamilton


Subject: RE: EPA Licence, O Hanlon and sons.

Karen

Your drawing showing the "storage building" looks to be exactly the same as that in drawings provided by the licence applicant. See the extract below (with labels included by me).

Thanks

Brian.



From: Karen Hamilton [<mailto:Karen.Hamilton@louthcoco.ie>]

Sent: 07 December 2015 16:45

To: Brian Meaney

Subject: EPA Licence, O Hanlon and sons.

Brain,


Apologise for delay.

Can I please confirm again that the site below in red relates to that site in question with yourselves for a licence application?

I received this from Declan Flood, acting on behalf of the applicants.

Regards,

Karen



This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

This email and any files transmitted with it are confidential and
intended solely for the use of the individual or entity to whom they
are addressed. If you have received this email in error please notify

the EPA postmaster - postmaster@epa.ie

The opinions contained within are personal to the sender and
do not necessarily reflect the policy of the Environmental Protection
Agency.

This email has been scanned by the Symantec Email Security.cloud service.