## **Grainne Oglesby**

From:

Eddie Brennan < E.Brennan@pleanala.ie>

Sent:

12 May 2016 09:09

To: Subject: Pamela McDonnell FW: epa Zinc Processors

Attachments:

epa.pdf

Pamela,

Please see attached copy of response to your letter of 26th January 2016, which is being sent to you by post today.

Regards,

Eddie Brennan

----Original Message----

From: scans@pleanala.ie [mailto:scans@pleanala.ie]

Sent: 11 May 2016 17:40

To: Eddie Brennan

Subject: epa

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Device.

Attachment File Type: pdf, Multi-Page

Multifunction Device Location: 1st Floor Device Name: Plain1stFloorProc

For more information on Xerox products and solutions, please visit <a href="http://www.xerox.com">http://www.xerox.com</a>

FÓGRA RÚIN: Tá an ríomhphost seo agus aon chomhaid atá nasctha leis faoi rún agus dírithe amháin don seolaí. Má bhfuair tú an ríomhphost seo trí earráid, déan teagmháil le bainisteoir an chórais.

Tabhair faoi deara led thoil: aon tuairimí nochtaithe san ríomhphost seo is iad tuairimí an tseoltóra féin agus níl sé intuigthe gurb iad tuairimí An Bhoird Pleanála nó go gcloíonn siad le polasaithe ráite an Bhoird.

CONFIDENTIALITY NOTICE: This email and any files transmitted with it are confidential and intended solely for the addressee. If you have received this email in error please notify the system manager.


Please note: any views expressed in this email are those of the individual sender and may not necessarily reflect the views or accord with the stated policies of An Bord Pleanála.


Scanned by MailMarshal - Marshal8e6's comprehensive email content security solution.

Download a free evaluation of MailMarshal at www.marshal.com

This email has been scanned by the Symantec Email Security.cloud service.

Consent of copyright owner required for any other use





Our Ref: PL13.097889 P.A. Reg. Ref: 1312/95 EPA Ref: P0650-03

Applicant's Name: Zinc Processors Limited

EIS/NIS: EIS

Administration Team
Environmental Licensing Programme,
Office of Climate, Licensing and Resource Use
Environmental Protection Agency
P.O. Box 3000
Johnstown Castle Estate
Co. Wexford

12th May, 2016

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer to the above mentioned appeal and your letter dated the 26<sup>th</sup> of January, 2016 requesting comments in relation to an application for an Integrated Pollution Prevention and Control licence or a review of a licence pursuant to the provisions of section 173A (4) of the Planning and Development Act 2000, as inserted by Article 8 of the European Union (Environmental Impact Assessment) (Integrated Pollution Prevention and Control) Regulations 2012.

Enclosed, please find a CD copy of all available documentation relating to an EIA carried out by An Bord Pleanála in relation to this site.

In respect of the Environmental Protection Agency's request for observations and having regard to the specific queries raised in your letter, the Board would wish to comment as follows:

- (i) Having carried out an initial inspection of documents on the Agency's website, the Board considers that the activity, subject of the current IPPC licence application, would appear to be substantially different in a number of respects from that for which planning permission was granted, subject to conditions, by the Board on the 7<sup>th</sup> of May, 1996 under An Bord Pleanála reference number PL13.097889. The following matters are relevant:
  - Under PL13.097889 (95/1312) planning permission was granted for a
    galvanising plant stated to have throughput of 8-10 tonnes per week initially
    maximum capacity was not specified. The area devoted to galvanising was
    approximately 250 square metres. An EIS was submitted.



Teil (01) 858 8100 Tel Glao Áinúil 1890 275 175 LoCall Face (01) 872 2684 Fax Láithreán Gréasáin www.pleanalaic Web Ríomhphost bord® pleanalaic Email

64 Sraid Mooilbhride. Baile Átha Cliath L

64 Mariborough Street, Dublin 1. If you have any queries in relation to this matter, please contact the undersigned officer Board.

Please quote the above mentioned An Bord Pleanála reference number correspondence or telephone contact with the Board.

Yours faithfully,

Edgie Brennan

Executive Officer

Tel: 01 8737131

EPA02

Encls.

**Registered Post** 

onsent of co

**%** 

Teil (01) 858-8100 Tel Glao Ámidil 1890-275-175 LoCatt Facs (01) 872-2684 Fas Láithcán Gréasáin (www.pteanata ie Web Riomhphost burd#i pleanata ie Emuil

64 Stáid Maoilbhride, Baile Átha Cliath 1.

Dublia 1

64 Marlborough Street,