Dorota Richards

Subject:

FW: New submission entered for Reg no: W0294-01. (Reference Number:

W0294-01-161207101734)

Attachments:

W0294-01 EPA -WCC Soil Recovery ,Kilquade..docx

Importance:

High

From: Gretta Hannigan [mailto]

Sent: 07 December 2016 10:18

To: Licensing Staff

Subject: New submission entered for Reg no: W0294-01. (Reference Number: W0294-01-161207101734)

Importance: High

Title:

Ms

First Name

Gretta

SurName:

Hannigan

Organisation

Name:

Inland Fisheries Ireland

Address Line 1:

3044 Lake Drive

Address Line 2:

City West Business Campus

Address Line 3:

Dublin 24

County:

Dublin

Post Code:

D24Y265

Email:

This email has been scanned by the Symantec Email Security.cloud service.

For more information please visit http://www.symanteccloud.com



Ms Dorota Richards,

Programme Officer,

Environmental Licensing Programme,

Office of Environmental Sustainability,

Environmental Protection Agency,

PO Box 3000

Re: W0294-01 Wicklow County Council, Soils Recovery Facility, Kilquade, Townland of Priestsnewtown (& Knockroe) Kilcoole, County Wicklow

Dear Sir.

We have reviewed the above application under the Waste Management (Licensing) Regulations by Wicklow County Council to develop a waste soils recovery facility at Pretty Bush, in the townland of Priestsnewtown, County Wicklow. The application relates to the development of a facility to accommodate the recovery of surplus dredge material from the River Dargle Flood Improvement Works. Our comments are as follows:

All works should be completed in accordance with the Mitigation Measures detailed throughout the EIS, in particular Sections 11.6., 12.4., and 13.7. The reprofiling of the western watercourse is acceptable because of the limited fisheries potential of the watercourse at this location. IFK in however highlight the significance of the Kilcoole stream as a Sea trout and Brown trout catchment to Feehily Timoney & Co. at EIS Scoping in October 2015. Any works to the western watercourse should be completed in the dry

All works should be completed in accordance with a Construction Management Plan.

Any discharge to surface and groundwater must be in compliance with the European Communities Environmental Objectives (Surface Water) Regulations 2009 (as amended) and the European Communities Environmental Objectives (Groundwater) Regulations 2010.

Please advise us of your decision on this application,

Kind regards,

Gretta Hannigan

Snr. Fisheries Environmental Officer.