

MOGEELY PIG FARM

APPENDIX 5

ORGANIC MANURE NUTRIENTS

*For inspection purposes only.
Consent of copyright owner required for any other use.*

SCHEDULE 2

CRITERIA AS TO STORAGE CAPACITY AND NUTRIENT
MANAGEMENT

Table 1 Slurry storage capacity required for sows and pigs

Unit type	m ³ /week ¹				
	2.0:1	2.5:1	3.0:1	3.5:1	4.0:1
Water:meal ratio changing for finishers only					0.174
Breeding unit (per sow place)	-	-	-	-	0.483
Integrated unit (per sow place)	0.312	0.355	0.398	0.441	0.053
Finishing unit (per pig)	0.024	0.031	0.039	0.046	

¹An additional 200mm freeboard must be provided in all covered tanks and 300mm freeboard in all uncovered tanks. Allowance must also be made for net rainfall during the specified storage period for uncovered tanks.

Table 2 Slurry storage capacity required for cattle, sheep and poultry

Livestock type	m ³ /week ¹
Dairy cow	0.33
Suckler cow	0.29
Cattle > 2 years	0.26
Cattle (18-24 months old)	0.26
Cattle (12-18 months old)	0.15
Cattle (6-12 months old)	0.15
Cattle (0-6 months old)	0.08
Lowland ewe	0.03
Mountain ewe	0.02
Lamb-finishing	0.01
Poultry — layers per 1000 birds (30% DM)	0.81

¹An additional 200mm freeboard must be provided in all covered tanks and 300mm freeboard in all uncovered tanks. Allowance must also be made for net rainfall during the specified storage period for uncovered tanks.

Table 3 Storage capacity required for dungstead manure

Livestock type	Solid fraction (m ³ /week)	Seepage fraction (m ³ /week) ¹
Dairy cow	0.28	0.04
Suckler cow	0.25	0.03
Cattle > 2 years	0.23	0.02
Cattle (18-24 months old)	0.23	0.02
Cattle (12-18 months old)	0.13	0.01
Cattle (6-12 months old)	0.13	0.01
Cattle (0-6 months old)	0.07	0.01

¹Allowance must also be made for net rainfall during the specified storage period for uncovered tanks.

Table 6 Annual nutrient excretion rates for livestock

Livestock type	Total Nitrogen	Total Phosphorus
	kg/year	kg/year
Dairy cow	85	13
Suckler cow	65	10
Cattle (0-1 year old)	24	3
Cattle (1-2 years old)	57	8
Cattle > 2 years	65	10
Mountain ewe & lambs	7	1
Lowland ewe & lambs	13	2
Mountain hogget	4	0.6
Lowland hogget	6	1
Goat	9	1
Horse (>3 years old)	50	9
Horse (2-3 years old)	44	8
Horse (1-2 years old)	36	6
Horse foal (< 1 year old)	25	3
Donkey/small pony	30	5
Deer (red) 6 months — 2 years	13	2
Deer (red) > 2 years	25	4
Deer (fallow) 6 months — 2 years	7	1
Deer (fallow) > 2 years	13	2
Deer (sika) 6 months — 2 years	6	1
Deer (sika) > 2 years	10	2
Breeding unit (per sow place)	35	8
Integrated unit (per sow place)	87	17
Finishing unit (per pig place)	9.2	1.7
Laying hen per bird place	0.56	0.12
Broiler per bird place	0.24	0.09
Turkey per bird place	1	0.4

Table 7 Amount of nutrient contained in 1m³ of slurry

Livestock type	Total Nitrogen (kg)	Total Phosphorus (kg)
Cattle	5.0	0.8
Pig	4.2	0.8
Sheep	10.2	1.5
Poultry — layers 30% DM	13.7	2.9

For the purposes of calculation, assume that 1m³ = 1,000 litres = 1 tonne.

Table 8 Amount of nutrients contained in 1 tonne of organic fertilisers other than slurry

Livestock type		Total Nitrogen (kg)	Total Phosphorus (kg)
Poultry manure	broilers/deep litter	11.0	6.0
	layers 55% dry matter	23.0	5.5
	turkeys	28.0	13.8
Dungstead manure (cattle)		3.5	0.9
Farmyard manure		4.5	1.2
Spent mushroom compost		8	2.5
Sewage sludge		Total nitrogen and total phosphorus content per tonne shall be as declared by the supplier in accordance with the Waste Management (Use of Sewage Sludge in Agriculture) Regulations, 1998 to 2001 and any subsequent amendments thereto.	
Dairy processing residues and other products not listed above		Total nitrogen and total phosphorus content per tonne based on certified analysis shall be provided by the supplier.	

Table 9 Nutrient availability in fertilisers

Article 15

Fertiliser	Availability ¹ (%)		
	Nitrogen		Phosphorus
	From January 1 2010	From January 1 2011	From January 1 2007
Chemical	100	100	100
Pig and poultry manure	50	50	100
Farmyard manure	30	30	100
Spent mushroom compost	45	20	100
Cattle and other livestock manure (including that produced on the holding)	40	40	100

¹Refers to year of application