



Our Ref: PL 10.235346
P.A.Reg.Ref: 08/1499



An
Bord
Pleanála

Administration Team
Environmental Licensing Programme
Office of Climate, Licensing and Resource Use
Environmental Protection Agency
P.O. Box 3000
Johnstown Castle Estate
Co. Wexford



19th April 2018

Appeal

Re: Extension to existing quarry, provision for crushing and screening soil and overburden storage, screening berms, site restoration works, related ancillary works.
Dunbell Big Td, Maddockstown, Bennettsbridge, Co. Kilkenny.

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer to the above-mentioned appeal and your email dated the 19th October, 2017 requesting comments in relation to an application for an Integrated Pollution Prevention and Control licence or a review of a licence pursuant to the provisions of section 173A(4) of the Planning and Development Act 2000, as inserted by Article 8 of the European Union (Environmental Impact Assessment) (Integrated Pollution Prevention and Control) Regulations 2012.

In respect of the Environmental Protection Agency's request for observations and having regard to the specific queries raised in your letter, the Board would wish to comment as follows:

- i) Having carried out an initial inspection of documents on the Agency's website, the Board consider that the activity, subject of the current IPPC licence application, would appear to be the same or from that for which planning permission was granted, subject to conditions, by the Board on 23rd October, 2010 under An Bord Pleanála appeal reference number PL10.235346.
- ii) The decision was made by the Board after the carrying out of an environmental impact assessment and the receipt of an Inspector's report on the said case, which includes a section on environmental impact assessment and consideration of key associated issues. The Agency's attention is brought to the issues set out in the Inspector's Report and assessment and the Board's final decision, as set out in the Direction and Order, with particular attention to the Reasons and Considerations and Conditions imposed on the grant of permission.

An electronic disc which contains the documentation relating to the file including the EIS is enclosed.

If you have any queries in relation to the matter, please contact the undersigned officer of the Board.


Tel: (01) 238 8100
Fax: (01) 872 2684
Website: www.pleanala.ie
Email: bord@pleanala.ie



64 Sraid Maolbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.



An
Bord
Pleanála

Yours faithfully,

Sorcha Skelly
Executive Officer
Direct Line: 01-8737135

EPA02

Registered Post

For inspection purposes only.
Consent of copyright owner required for any other use.

Tel
Glas Aitúil
Facs
Léithreán Gréasán
Ríomhphost

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie



64 Sráid Meadhúirde
Baile Átha Cliath 1
D01 V9C2

64 Marlborough Street
Dublin 1
D01 V9D2