

## Licensee Public Response

**Licence Register Number** P1087-1

**Licensee** AbbVie Ireland NL B.V., Old Bundoran Road, Ballytivnan, Sligo, F91 K735

### **1 Introduction**

This is a response to the EPA Site Visit Report No SV22815 carried out on the 3<sup>rd</sup> of December 2021. It details the actions that we have taken and works that are currently underway, with anticipated timescales, to address the issues raised in that Site Visit Report.

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

## 2 Table of Actions and Responses

Site Visit Question No.	Associated CI No (if applicable)	Comment e.g., State action required and your response	Progress Status / % complete	Completion expected by
1.1	NA	Erection of labelling on sample points A1-1 & A1-2	100 % Complete	02 Dec 2021
2.1	NA	Waste drums labelled and placed in bunded area	100 % Complete	03 Dec 2021
2.2	NA	Submit update report to Agency on clinical trial completed on site	100 % Complete	09 Dec 2021
2.3	NA	Submit notification to Agency on new site activity due for commencement in 2022	100 % Complete	08 Dec 2021
2.4	NA	Submit notification to Agency on new methodology site will adapt for reviewing all IEL related parameters	60 % In Progress	21 Jan 2022
2.4	NA	Undertake hydrogeological survey of site  <i>*Site has booked this for the 3<sup>rd</sup> week in February to be completed. Additional time in schedule for any weather impacts.</i>	20 % In Progress	31 Mar 2022

## 3 Concluding Remarks

As detailed in this report, the corrective actions prescribed in Site Visit Report No SV22815 have been partially / substantially completed; full completion will be achieved by the end of March 2022.