



### Submission

Submitter:	Mrs Catherine O'Hanlon
Submission Title:	Objection and Photos of Raw Sewage
Submission Reference No.:	S010601
Submission Received:	21 September 2022

### Application

Applicant:	Anglo Beef Processors Ireland Unlimited Company
Reg. No.:	P0040-03

See below for Submission details.

Attachments are displayed on the following page(s).

Re: ABP Licence at Christendom

Below are photos I just took this morning Wednesday 21<sup>st</sup> September 2022 as I drove to and from my property. Raw sewage with a stench that was indescribable. I had to drive through this and carry this effluent and stench on to my property. There was a girl walking with a dog just beforehand who had to walk through this. This exemplifies what all the complainants have been saying. Trucks with spillages all over the place. As I left my property some staff who were covered from head to toe with protective clothing had poured some water on the effluent and you can see it just seeping down the road. These photos were taken after they had hosed the area and the sewage is still there. I would like the EPA to answer if this is what they mean when they say the ABP plant is compliant with their licences? WLR contacted EPA who confirmed that ABP were compliant with their license. This does not look like compliance to me. These pictures show what people in the area have to put up with and people should not have to put up with this in a today's society. I again strongly object to the license as it currently stands and object to an increase in capacity. The operation cannot operate to proper standards so should be moved to a more remote location.

Catherine O'Hanlon









