



Environmental Protection Agency
An Ghníomhaireacht um Chaomhú Comhshaoil

Environment & Resource Management Ltd
No. 3 Tara Court
Dublin Road
Naas
Co Kildare

PO Box 3000, Johnstown Castle Estate
County Wexford, Ireland
Bosca Poist 3000, Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire

T: +353 53 60600
F: +353 53 60699
E: info@epa.ie
W: www.epa.ie

Lo Call: 1890 33 55 99

13 October 2004

47-2

re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations

Dear Mr Parker,

I am to refer to the above referenced application for a waste licence review relating to a facility at Kerdiffstown, Naas, Co. Kildare. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 of the Waste Management (Licensing) Regulations.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

ARTICLE 12 COMPLIANCE REQUIREMENTS

Please submit an assessment of the impact on any occupied residential, commercial/industrial or institutional properties (not associated with the applicant) within 300m of the proposed changes. This assessment should also include details of any specific mitigation measures proposed in relation to impacted properties.

Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.


In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.



Please supply the information in the form of a one original plus two copies within one month of the date of this notice. In addition submit a CD-ROM copie of the requested information to the Agency. The e-files should be saved as an OCR enabled 'pdf' file.

Please note that the application's register number is 47-2. Please direct all correspondence in relation to this matter to the *Licensing Unit, Office of Licensing & Guidance, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



Dr Jonathan Derham

Senior Inspector

Office of Licensing & Guidance