



Environmental Protection Agency
An Ghníomhaireacht um Chaomhnú Comhshaoil

Mr G Keogh
Senior Administrative Officer
South Dublin County Council
PO Box 4122
Town Centre
Tallaght
Dublin 24

PO Box 3000, Johnstown Castle Estate
County Wexford, Ireland
Bosca Poist 3000, Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire

T: +353 53 60600
F: +353 53 60699
E: info@epa.ie
W: www.epa.ie

Lo Call: 1890 33 55 99

24 September 2004

152-3

re: Review Application - Oxigen Environmental Limited at Oxigen Environmental Ltd, Robinhood Industrial Estate, Robinhood Road, Ballymount, Dublin 22.

Dear Mr Keogh,

I am to refer to documentation received by the Agency in respect of an application for a review of a waste licence, on 20/09/2004 in respect of a facility/premises at the above location.


As you are probably aware, the Agency makes all such applications available for public inspection at its offices. The Agency's policy is to maximise the transparency of the licensing system, including the provision of public access and information in relation to all application documentation received by the Agency. In this regard, it would be greatly appreciated if your Council, as the planning authority in respect of the facility in question, would make a copy of the review application and associated correspondence available for public inspection at your principal offices. It would be appreciated also if the Council would make a copy of the application, or extracts from it, available on request to any party, at a charge, if any, not exceeding the reasonable cost of making the copy.

The Agency would propose to forward the relevant documentation to-date to a contact person you would nominate, and to continue then to forward to that person associated documentation, on an ongoing basis, for maintenance of the file. Please confirm the name of the person with whom I should deal in relation to the display and maintenance of the correspondence file? All queries in relation to the application should be directed to the Agency.

Your assistance and co-operation in this matter are greatly appreciated.

It should be noted that, all correspondence in relation to this matter should be addressed to the *Licensing Unit, Office of Licensing & Guidance, Administration, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, Co. Wexford* quoting reference 152-3 which is the waste register reference number assigned to the application in question.

Yours sincerely,


Karen Vaughley
Programme Officer
Office of Licensing & Guidance



10
YEARS

Guardians of the Environment

Planning Authority

EPA WARNING NOTE!!!

Review Application Reg. No. 152-3

Please note the following:

- **this file is a copy, at a point in time, of the file maintained by the Agency, at its Headquarters, for public inspection, in respect of the above referenced review application. This file may not, therefore, be a complete copy of the file, as it stands to-date, at the Agency's Headquarters. Those viewing this file are advised that, it is the file maintained for public inspection at the Agency's Headquarters, which reflects the progress of the application;**
- **therefore, be advised that, a submission made in relation to the application, may not be based on full application information.**
- **at the date of this notice, the Agency is examining this review application documentation, to determine whether it contains all of the information required by the waste licensing regulations;**
- **the Agency may request further information in relation to the application from the applicant and a copy of any documentation received by the Agency from the applicant will be made available for public inspection at its Headquarters;**
- **Any person may make a submission to the Agency, in writing, in respect of the review, pursuant to Article 15 of the relevant Waste Management (Licensing) Regulations. Any such submission should be sent to Office of Licensing & Guidance, EPA, P.O. Box 3000, Johnstown Castle Estate, County Wexford – Phone 053-60600.**