



Environmental Protection Agency  
An Ghníomhaireacht um Chaomhnú Comhshaoil

Mr Joe Lynch  
Sterile Technologies Ireland Limited  
430 Beech Road  
Western Industrial Estate  
Naas Road  
Dublin 12

PO Box 3000, Johnstown Castle Estate  
County Wexford, Ireland  
Bosca Poist 3000, Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire

T: +353 53 60600  
F: +353 53 60699  
E: info@epa.ie  
W: www.epa.ie

Lo Call: 1890 33 55 99

09/03/04

55-2

re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations

Dear Mr Lynch

I am to refer to the above referenced application for a review of a waste licence relating to a facility at Sterile Technologies Ireland Ltd., 430 Beech Road, Western Industrial Estate, Naas Road, Dublin 12. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 of the Waste Management (Licensing) Regulations.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

#### **ARTICLE 12 COMPLIANCE REQUIREMENTS**

1. A significant part of the application for review of your waste licence refers to contents of the original waste licence application (Reg. No. 55-1), which are not included in the review application documentation. In order for the application to be considered and to facilitate full public participation in the application process the application should include all of the relevant details/documents referred to in the application [with the exception of referenced published material, an application should be able to be read as a complete document]. Please submit all relevant documentation pertaining to the existing licensed facility and the facility as proposed to be licensed such that the application satisfies the requirements of Article 12 of the regulations.

Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.


In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

The requested information should be submitted to the Agency within one month of the date of this notice, in order to allow the Agency to process and determine your application.

Please supply the requested information in the form of an original and five copies.

Please note that the application's register number is 55-2. Please direct all correspondence in relation to this matter to *Administration, Office of Licensing & Guidance, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



---

**Mr Donal Howley**  
**Inspector**  
**Office of Licensing & Guidance**