



Environmental Protection Agency  
An Ghníomhaireacht um Chaomhnú Comhshaoil

Oxigen Environmental Ltd  
Unit D  
Westland Park  
Willow Road  
Clondalkin  
Dublin 12

PO Box 3000, Johnstown Castle Estate  
County Wexford, Ireland  
Bosca Poist 3000, Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire

T: +353 53 60600  
F: +353 53 60699  
E: info@epa.ie  
W: www.epa.ie

Lo Call: 1890 33 55 99

8 March 2005

Reg. No. 208-1/Art14(2)(b)(ii)-02EC

re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations

Dear Sir/Madam

I am to refer to the above referenced application for a waste licence relating to a facility at Ballymount Road Lower, Clondalkin, Dublin 22. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 and Article 13 of the Waste Management (Licensing) Regulations. This is the second such letter, the responses received in relation to our letter of 3 November 2004 were not complete.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

## **ARTICLE 12 COMPLIANCE REQUIREMENTS**

### **A.1 Non-Technical Summary**

Provide an updated non-technical summary of all information supplied, including that supplied in response to this notice.

Provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in Sections 40(4)(f) of the Waste Management Acts 1996-2003.

### **D.2 & D.3 Facility Operation & Materials Management**

In relation to the proposal to handle and store healthcare waste at the facility, provide details on the following, with reference to the EWC codes supplied and having regard to the *Recommendations on the Transport of Hazardous Goods: Model Regulations, 13th revised edition, United Nations 2003*:

- Where the waste will be collected from (e.g. hospitals);
- The containers to be used;
- Any proposed washing and decontamination of containers on the site and associated discharges;
- The proposed timescale for storage of the waste at the facility;
- The storage and handling arrangements.

## **E.2 Proposed waste types and quantities**

Provide details of the expected tonnage of biodegradable waste and state which waste streams it is expected to arise in, i.e. green bins, commercial collections etc.


## **E.5 Raw materials and energy**

Give details of the expected fuel use on the site (e.g. heating oil).

Please supply the information in the form of a one original plus three copies within 8 weeks of the date of this notice. In addition submit fifteen CD-ROM copies of the requested information to the Agency. The e-file should be saved as a 'pdf' file, read only status.

Please note that the application's register number is **208-1**. Please direct all correspondence in relation to this matter to the *Licensing Unit, Office of Licensing & Guidance, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,

  
Emer Cooney  
Inspector  
Office of Licensing & Guidance

