

RPS Kirk McClure Morton
The Enterprise Fund Business Centre
Ballyraine
Letterkenny
Co Donegal

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland

Ceanncheathru, Bosca Poist 3000
Eastát Chaislehn Bhaile Sheáin
Contae Loch Garman, Éire

T: t353 53 60600

F: +353 53 60699

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

2 August 2005

Reg. No. **215-1/Art16(1)01PH**

re : Notice in accordance with Article 16(1) of the Waste Management (Licensing) Regulations

Dear Sir/Madam

I am to refer to the above referenced application for a waste licence relating to a facility at Meenaboll Landfill Site, Meenaboll, Letterkenny, County Donegal. In a separate notice under Article 14(2)(b)(ii) of the relevant Waste Management (Licensing) Regulations, the Agency has asked you to submit certain additional information, which is required for compliance with the Regulations. Your reply to that notice should be submitted under separate cover to your reply to this notice. This notice is given under Article 16(1) of the Regulations, to enable the Agency to decide on the application.

Please provide complete answers to each question.

ARTICLE 16(1) - FURTHER INFORMATION, PARTICULARS AND EVIDENCE

C.3 Hours of Operation

1. Provide the hours for operation and waste acceptance at the Civic Waste Facility.

H. 3 Waste Handling

1. Clarify whether the facility proposes to accept white goods/WEEE. If so include a proposal for the handling/storage of these waste types.

Section 5 Site Description

1. Provide a map showing the buffer zone surrounding the perimeter of the site as described in Section 5.8 of the EIS.

Section 12 Surface Water

1. Clarify what the improved surface water management system in the vicinity of the site described in Section 12.39 of the EIS will entail.



2. Clarify which **NHA** is referred to in Section 12.39 of the **EIS** and describe the potential adverse impact on this NHA include details of proposed mitigation measures.
3. Indicate the discharge point from the constructed wetlands to the stream on Fig. 6.2 of the **EIS**.
4. In relation to groundwater management at the facility clarify the rationale for the statement in Section 12.44 stating that post-operation the lagoon will not be required.
5. In Section **6.54** the applicant states that additional land on the opposite side of the county road may be utilised **for** the constructed wetlands to be determined at the design stage. Provide details showing that the constructed wetlands can be provided for inside the proposed facility boundary.

Provide a description of any works carried on at the facility where the details of these works have not previously been submitted in the application or further information to the Agency. The information should include additional drawings as appropriate.

Provide **any** additional environmental monitoring information which has been obtained but not previously forwarded to the Agency as part **of** the application. **An** assessment **of** the results should also be provided.

In the case where any drawings already submitted are subject to revision consequent on this request for further information, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Your reply to this notice should include a revised non-technical summary (EJS and Application Form), which reflects the further information you supply in compliance with the notice, insofar as that information impinges on the relevant non-technical summary.

Please supply the information in the form of a one original plus two copies within **one** month of the date of this notice. In addition submit sixteen copies of the requested information to the Agency in electronic searchable PDF format on CD-ROM.

Please note that the application's register number is **215-1**. Please direct all correspondence in relation to this matter to the *Licensing Unit*, Office of *Licensing & Guidance*, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford quoting the register number.

Yours sincerely,



Ms Pernille Hermansen

Inspector

Office of Licensing & Guidance

