



Environmental Protection Agency
An Ghníomhaireacht um Chóimhínú Comhshaoil

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland
Ceannteathru, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire
T: +353 53 60600
F: +353 53 60699
E: info@epa.ie
W: www.epa.ie
LoCall: 1890 33 55 99

Managing Director
Oxigen Environmental Ltd
Unit D, Westland Park
Willow Road
Clondalkin
Dublin 12

30 November 2005

208-1

re: Notification in accordance with Section 42(2) of the Waste Management Acts, 1996 to 2005, of a proposed decision on a waste licence application, in respect of a facility at Oxigen Environmental Ltd, Ballymount Road Lower, Clondalkin, Dublin 22.

Dear Sir/Madam,

Please find enclosed the notification of the Agency's proposed decision on your waste licence application in respect of a facility at Oxigen Environmental Ltd, Ballymount Road Lower, Clondalkin, Dublin 22.

The notification and the accompanying copy of the proposed decision, set out the details of the proposed decision, in accordance with Section 42 of the Waste Management Acts, 1996 to 2005 and the relevant Waste Management (Licensing) Regulations. The Inspector's Report, Proposed Decision and associated documents are available for inspection on our website www.epa.ie or can be viewed/purchased at the Agency Headquarters and at the offices of South Dublin County Council in accordance with the regulations.

It is important to note that any objection to a proposed decision/request for an oral hearing must be received by the Agency before the expiration of the appropriate period as specified in the accompanying notification. An objection/request for an oral hearing must be made either by sending the objection or request by prepaid post to the Agency, or by leaving the objection or request with an employee of the Agency at the Headquarters of the Agency in Wexford during office hours, i.e. 9 a.m. to 5 p.m. Monday to Friday.

Yours sincerely,

Eve O'Sullivan
Programme Officer
Office of Licensing & Guidance

Encl.

