

Waste Licence Application Form

EPA Ref. Nº: 40111 - 02

This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts 1996 to 2003.

Environmental Protection Agency

P.O.Box 5000, Johnstown Castle Estate, County Wexford Telephone: 053-60600 Fax: 053-60699



INTRODUCTION

A valid application must contain the information prescribed in the Waste Management (Licensing) Regulations 2004 (SI No. 395 of 2004). The applicant is strongly advised to read the Application Guidance Notes for Waste Licensing, available from the EPA.

The applicant must conform to the format set out in the guidance notes for applications. Each page of the completed application form must be numbered, e.g. page 5 of 45, etc. Also duplicated pages from the application form should be uniquely numbered, e.g. page 5(i) of 45, etc. The basic information should for the most part be supplied in the spaces given in application form and any supporting documentation should be supplied as attachments, as specified. Consistent measurement units must be used throughout.

The applicant should note that the application form has been structured so that it requires information to be presented in an order of progressive detail.

When it is found necessary, additional information may be provided on supplementary attachments which should be clearly cross referenced with the relevant sections in the main document.

While all sections in the application form may not be relevant to the activity concerned, the applicant should look carefully through all aspects of the form and provide the required information, in the greatest possible detail.

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

Information supplied in this application, including supporting documentation will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to". In the event that information is considered to be of a confidential nature, then the nature of this information, and the reasons why it is considered confidential (with reference to the "Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.

CHECKLIST

Articles 12 and 13 of the Waste Management (Licensing) Regulations, 2004 (S.I. No. 395 of 2004) set out the information which must, in all cases, accompany a waste licence application. In order to ensure that the application fully complies with the legal requirements of Articles 12 and 13 of the 2004 Regulations, all applicants should **complete** the following.

In each case, refer to the attachment number(s) of your application which contain(s) the information requested in the appropriate sub-article.

Article 12(1) In the case of an application for a waste licence, the application shall -

(a) give the name, address and, where applicable, any telephone number and telefax of the applicant (and, if different, the operator of the facility concerned), the address to which correspondence relating to the application should be sent and, if the applicant or operator is a body corporate, the address of its registered office or principal office.

	<u> </u>	
LOCATION.	Refer to Page 2 of	
	attached Report of the second	
	No.2330/M09 5 50	
CHECKED	Applicant Official	

(b) give the name of the planning authority in whose functional area the relevant activity is of will be carried on,

LOCATION	Refer to Page 2 of		
E. S. Coll	attached Report No.		, (
	2330/M09		
CHECKED	Applicant 🛛	Official	

(c) in the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority, give the name of the sanitary authority in which the sewer is vested or by which it is controlled,

LOCATION	Refer to Page 2 of	
	attached Report No.	
	2330/M09	
CHECKED	Applicant 🛛	Official



(d) give the location or postal address (including where appropriate, the name of the townland or townlands) and the National Grid reference of the facility or premises to which the application relates,

LOCATION	Refer to Page 2 of	
	attached Report No.	
	2330/M09	
CHECKED	Applicant 🛛	Official

(e) describe the nature of the facility or premises concerned, including the proposed capacity of the facility or premises, and in the case of application in respect of a landfill of waste, the requirements specified in Annex 1 of the Landfill Directive,

LOCATION	Refer to Page 4 of
	attached Report No.
	2330/M09
CHECKED	Applicant Official

(f) specify the class or classes of activity concerned, in accordance with the Third and Fourth Schedules of the Act, and in the case of an application in respect of the landfill of waste, specify the class of landfill in accordance with Article 4 of the Landfill Directive,

LOCATION	Refer to Rages 4-5 of	
	attached Report No. 2330/M09	
CHECKED	Applicant 🛛	Official

(g) specify, by reference to the relevant European Waste Catalogue codes as presented by Commission Decision 2000/532/EC of 3 May 2000, the quantity and nature of the waste or wastes which will be treated, recovered or disposed of,

LOCATION	Refer to Pages 6-7 of	
	attached Report No.	
	2330/M09	
CHECKED	Applicant 🛚	Official

(h) specify the raw and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity,

LOCATION	Refer to Pages 8-9 of	
	attached Report No.	
	2330/M09	
CHECKED	Applicant 🛛	Official

(i) describe the plant, methods, processes, ancillary processes, abatement, recovery and treatment systems and operating procedures for the activity,

LOCATION	Refer to Pages 16-17 of	
	attached Report No. 2330/M09	
CHECKED	Applicant 🛚	Official

(j) provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in paragraphs (a) to (g) of section 40(4) of the Act,

A Company of the Comp	The state of the s	
LOCATION	Refer to Page 25 of	
	attched Report No.	
	2330/M09	
CHECKED	Applicant 🛛	official
		-

(k) give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made,

LOCATION	Refer to Page 18-19 of		
	attached Report		
are the second	No.2330/M09		
CHECKED	Applicant 🛛	Official	

(l) give details, and an assessment of the effects, of any existing or proposed emissions on the environment, including any environmental medium other than those into which the emissions are, or are to be made, and of proposed measures to prevent or eliminate or, where that is not practicable, to limit or abate such emissions,

LOCATION	Refer to Pages 20-22 of	
	attached Report No.	
	2330/M09	
CHECKED	Applicant 🖂	Official

(m) identify monitoring and sampling points and indicate proposed arrangements for the monitoring of emissions and the environmental consequences of any such emissions,

LOCATION	Refer to Pages 13-15 of	
	attached Report No.	A control of the cont
	2330/M09	
CHECKED	Applicant 🛛	Official

(n) describe any proposed arrangements for the prevention, minimisation and recovery of waste arising from the activity concerned,

LOCATION	Refer to Pages 16-17	of with the
Control Section Present of Control Section (1985) William 1985 Control Section (1985)	attched Report No. 2330/M09	
CHECKED	Applicant 🖂	Official

(o) describe any proposed arrangements for the off-site treatment or disposal of solid or liquid wastes,

LOCATION	Refer to Pages 16-17	
	attached Report No.	
	2330/M09 (S)	
CHECKED	Applicant 🛛	Official

(p) describe the existing or proposed measures, including emergency procedures, to prevent unauthorised or unexpected emissions and minimise the impact on the environment of any such emission,

LOCATION	Refer to Pages 20-22 of	
	attached Report No.	
	2330/M09	
CHECKED	Applicant 🗵	Official

(q) describe the proposed measures for the closure, restoration, remediation or aftercare of the facility concerned, after the cessation of the activity in question,

LOCATION	Refer to Section 3.7.1 & 3.7.2 of EIS dated August	!
	1999	
CHECKED	Applicant 🗵	Official



- (r) in the case of an application in respect of the landfilling of waste, give particulars of
 - (i) such financial provision as is proposed to be made by the applicant, having regard to the provisions of Articles (7)(i) and (8)(a)(iv) of the Landfill Directive and section 53(1) of the Act, and

LOCATION	Not applicab	ole		
CHECKED	Applicant	\boxtimes	Official	

(ii) such charges as are proposed or made, having regard to the requirements of section 53A of the Act,

LOCATION	Not applicable	*
CHECKED	Applicant	Official

(s) state whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous Substances) Regulations, 2000 (S.I. No. 476 of 2000) apply,

LOCATION	Not applicable	
CHECKED	Applicant 🔊 🛛	Official _

(t) in the case of an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity which gives rise or could give rise to an emission into an activity gives rise or could give rise to an emission into an activity give rise or could give rise to an emission give rise or could give rise o

LOCATION	Not applicable			
CHECKED	Applicant 2	3	Official	

(u) include a non-technical summary of information provided in relation to the matters specified in paragraphs (a) to (t) of this sub-article,

LOCATION	Refer to Pages 26-28 of	***		
	attached Report No.			
	2330/M09			
CHECKED	Applicant 🛛	Official		



Article 12(4) Without prejudice to Article 13(1) and (2), an application for a licence shall be accompanied by -

(a) a copy of the relevant page of the newspaper(s) in which the notice in accordance with article 6 has been published,

LOCATION	Refer to Page 29 of			
	attached Repo	ort No.		
CHECKED	Applicant	\boxtimes	Official	

(b) a copy of the text of the notice or notices erected or fixed in accordance with article 7,

LOCATION	Refer to Page 29 of	.)	, 196 July 1
	attached Report No. 2330/M09		
CHECKED	Applicant 🗵	1 1	Official [

(c) where appropriate, a copy of the notice given to a local planning under article 9,

LOCATION	Not applicable	
CHECKED	Applicant No 🛛	Official [

- (d) a copy of such plans (appropriately scaled and no larger than A3 size), including a site plan or plans and location map or maps, and such other particulars, reports and supporting documentation as are necessary to identify and describe, as appropriate -
 - (i) the position of the notice in accordance with article 7,

LOCATION	Refer to appendices in			
	attached Report No.			
	2330/M09			
CHECKED	Applicant 🛚	Official [

(ii) the point or points from which emissions are made or are to be made, and

LOCATION	Refer to appendices in			
	attached Report No.			
	2330/M09			
CHECKED	Applicant 🛛	Official		

(iii) the point or points at which monitoring and sampling are undertaken or are to be undertaken,

LOCATION	Refer to appendices in		
	attached Report No.		
	2330/M09		
CHECKED	Applicant 🛛	Official	

(e) such fee as is appropriate having regard to the provisions of articles 40 and 41.

INCLUDED Y/N	Y	 4 .*	
CHECKED	Applicant	Official	

Article 12(5)(a) & (b) An application shall comprise 1 signed original of the application and 2 copies in hardcopy format plus 2 copies of all files in electronic searchable PDF format on CD-Rom.

	* VB	100	· se·		4.7
HARDCO Y/N	OPIES PROVIDED	Y	other	Carlos Carlos	* * * * * *
CHECKI	ED Z	Applicant		Official	
and the second		Jos Kied		ere	· See
CD OF I	PDF FILES ED? Y/N	VPI LEGI			1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
CHECKI	ED 🥵	Applicant	\boxtimes	Official	
	Fot Wile				

Article 13 Where a development requires an Environmental Impact Assessment to be carried out, 1 signed original and 2 copies in hardcopy format of the environmental impact statement plus 16 copies in electronic searchable PDF format on CD-ROM should accompany this application.

EIA REQUIRED? Y/N	N			
CHECKED	Applicant	\boxtimes	Official	
3 HARD COPIES OF EIS INCLUDED? Y/N	Not applicab	ole		
CHECKED	Applicant	\boxtimes	Official	
16 CD versions of EIS, as PDF files, PROVIDED? Y/N	Not applicab	ole		
CHECKED	Applicant	\boxtimes	Official	



PROCEDURES . **

It is recommended that pre-application consultations with the Agency are undertaken before a formal submission of the waste licence application.

The procedure for making and processing of applications for waste licences, and for the processing of reviews of such licences, appear in the Waste Management (Licensing) Regulations 2004 (S.I. No. 395 of 2004) and are summarised below. The application fees that shall accompany an application are listed in the Second Schedule to the Regulations.

Prior to submitting an application the applicant must publish in a local newspaper, and erect on site, a notice of intention to apply. An applicant, other than a local authority in whose functional area the development is located, must also notify the Local Planning Authority, in writing, of their intention to apply.

An application for a licence must be submitted on the appropriate form (available from the Agency) with the correct fee, and should contain relevant supporting documentation as attachments. The application should be based on responses to the form, supporting written text and the appropriate use of tables and drawings. Where point source emissions occur, a system of unique reference numbers should be used to denote each emission point. These should be simple, logical, and traceable throughout the application.

The application form is divided into a number of sections of related information. The purpose of these divisions being to facilitate both the applicant and the Agency in the provision of the information and its assessment. Attachments should be clearly numbered, titled and paginated and must contain the required information as set out in the application form. Additional attachments may be included to supply any further information supporting the application. Any references made should be supported by a bibliography.

All questions should be answered. No waste management facility is exactly the same and hence each application will require different information. It is therefore possible that some of the sections of this application form may not be relevant to the activity concerned. Where information is requested in the application form, which is not relevant to the application, the words "not applicable" should be clearly written on the form. The abbreviation "N/A" should not be used.

Additional information may need to be submitted beyond that which is explicitly requested on this form. Any references made should be supported by a bibliography. The Agency may request further information if it considers that its provision is material to the assessment of the application. Advice should be sought from the Agency where there is doubt about the type of information required or the level of detail.

Information supplied in this application, including supporting documentation will be put on public display and be open to inspection by any person. Should the applicant



consider information to be confidential, then the nature of this information, and the reasons why it is considered confidential should be clearly stated in an attachment to the Application Form. This information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to (representative of the applicant)".

Applicants should be aware that a contravention of the conditions of a waste licence is an offence under Section 39 of the Waste Management Acts 1996 to 2003.

The provision of information in an application for a waste licence which is false or misleading is an offence under Section 45 of the Waste Management Acts 1996 to 2003.

Note: Drawings. The following guidelines are included to assist applicants:

- All drawings submitted should be titled and dated.
- They should have a <u>unique reference number</u> and should be signed by a clearly identifiable person.
- They should indicate a scale and the <u>direction of north</u>.
- All drawings should, generally, be to a scale of between 1:20 to 1:500, depending upon the degree of detail needed to be shown and the size of the facility. Drawings delineating the boundary can be to a smaller scale of between 1:1000 to 1:10560, but must clearly and accurately present the required level of detail. Drawings showing the site location can be to a scale of between 1:50 000 to 1:126 720. All drawings should, however, be A3 or less and of an appropriate scale such that they are clearly legible. Provide legends on all drawings and maps as appropriate.

The provision of information in an application for a waste licence, which is false or misleading, is an offence under s45 of the Acts.



SECTION A NON-TECHNICAL SUMMARY

A Non-Technical Summary is to be submitted. The summary should include information on those aspects outlined in the Guidance Note and must comply with the requirements of Article 12 (1) (u) of the Waste Management (Licensing) Regulations, S.I. 395 of 2004.

The Non-Technical Summary should form Attachment A.1.

Please refer to Section 12.1 of attached Report No. 2330/M09.

Page 13 of 40

SECTION B GENERAL

B.1 Applicant's Details

4.4						
Name*:	Ormonde Waste Limited					
Address:	Pembrokestown					
	County Wexford					
40						
Tel:	053 42295					
Fax:	053 46000					
e-mail:	mail@ormondewaste.ie					

^{*} This should be the name of the applicant which is current on the date this Waste Licence Application is lodged with the Agency. It should be the name of the legal entity (which can be a limited company or a sole trader). A trading/business name is not acceptable.

Name and Address for Correspondence

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name:	Michael Quirke, Ge	eneral Manager	्रिक्त वर्ष	ેલા ૧૫ જાઈ લાક કર્યું છે. માર્જે જેલા હું પ્રેકૃતિ	e ·
Address:	Ormonde Waste Lin	mited	No. 1 Company	1. 1 编译: 经国	13 F 12
	Pembrokestown	· Oli Paries			
	County Wexford	oecitewile,			
	A 2 8 7 7	ज गाउँगा	, with		
Tel:	053 42295	te of Ar			
Fax:	053 46000	atol			
e-mail:	mail@ormondewas	te.ie negr			

Address of registered or principal office of Body Corporate (if applicable)

Address:	Unit 16 Hebron Industrial Estate	
	Hebron Road	
	Kilkenny	_
Tel:	056-7771800	_
Fax:	056- 7721348	
e-mail:		

If the applicant is a body corporate, the following information must be attached as **Attachment B1**:

- a) a Certified Copy of the Certificate of Incorporation or Memorandum and Article of Association;
- b) the Company's Registration Number from the Companies Registry Office; and
- c) a list of the Company Directors.



State the interest of the applicant in the land which is subject to the application. The applicant is (please check):

(pieuse che	·						
Landowne	PΓ						
Lessee							
Prospectiv	e Purchaser						
	ase specify)			*			
Name and		l occupiers o	of the land on 1	which the Ad	ctivity is situate	d (if diffe	erent from
Name:	Des Mernagh	425			A_{n}		
Address:	Carrigbawn	# - 1.1			ir .		•.
2 <u></u> 23	Pembrokestov	vn 3 Salakis			the desired as the		
	County Wexf	ord		nd y	Tem in high particular and		i h
							nedated virtues of the
Tel:	053 - 46969			sa si ila			1
Fax:	V. 1		2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		- 2e		
e-mail:	The Arthur			nge.			
			A CAN THE STATE OF	other			
on which	the activity is o	r will be situd	ter(s) and lessee tted (if different) showing the ab	from applica	nt named above).	living me
Name:	As per above	WASH C	se pection refit		en e		
Address:			For It ight	· ·	·		
			CON.	·			
· · · · · · · · · · · · · · · · · · ·		ei	, C	· · · · · · · · · · · · · · · · · · ·			
y y 90 y 1	St. 1 1	Cours	<u> </u>				10.2 · 4.2.
Tel:	· .	ses edition to 1			real or solven a production of the	<u> </u>	•
Fax:			V-14				
e-mail: *Current at	the time the ar	onlication is s	ubmitted			•	

B.2 Location of Activity

Name:	Ormonde Waste Limited	
Address*:	Carrigbawn	
	Pembrokestown	
·	County Wexford	
Tel:	053 42295	
Fax:	053 46000	
e-mail:		
	1 1	

^{*} Include any townland



National Grid Reference	3037 E
(8 digit 4E,4N)	1195 N

Location maps (≤A3), appropriately scaled, with legible grid references should be enclosed in **Attachment B.2.** The site boundary must be outlined on the map in colour.

B.3 Planning Authority

Give the name of the planning authority in whose functional area the activity is or will be carried out.

Name:	Wexford Co	unty Council		
Address:	County Hall		2 K 2 3	
· ·	Wexford		*	
e said Said	15	. Maria		
the way one of a Walk .	en Planer, pro- ned who	And	and the property of the second se	and the state of t
	053 76500			(1941年) 1950年 (1951年) 1950年 (1951年) 1950年 (1951年)
Fax:	053 43406			
	Control of the Contro	3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Has the Planning Authority received written notification from the applicant of the application to The Environmental Protection Agency for a Waste Licence under Article 9 of the Waste Management (Licensing) Regulations?

Planning Authority notified Yes No

Planning Permission relating to this application

has been obtained	\boxtimes
is being processed	
is not yet applied for	
is not required	\boxtimes

· 被称《加州》(1

Local Authority Planning	89/1089
	94/0349

Attachment B.3 should contain *the most recent* planning permission, including a copy of *all* conditions, and the required copies of any EIS should also be enclosed. For existing activities, **Attachment B.3** should also contain copies of the most recent waste licence and any permits in force at the time of submission. Where planning permission is not required for the development, provide reasons, relevant correspondence, *etc*.



B.4 Sanitary Authority

In the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority or other body, give the name of the sanitary authority in which the sewer is vested or by which it is controlled and the waste water treatment plant (if any) to which the sewer discharges.

Name:	Wexford County Council				
Address:	County Hall				
	Wexford			 	
Tel:	053 76500				
Fax:	053 43406				
		•			

The applicant must enclose, as **Attachment B.4**, a copy of any effluent discharge licence and/or agreement between the applicant and the body with responsibility for the sewer.

B.5 Other Authorities

The applicant should tick the appropriate box below to identify whether the activity is located within the Shannon Free Airport Development Company (SFADCo.) area.

Within SFA	ADCo. Area Yes No No		9 - 1 1 12 - 1 1 2 - 1
	All Marie Ma		1.01
The applicar	it should indicate the Health Board Region where the acti	ivity is or will be le	ocated.
	in the proof		
Name:	Health Service Executive; South Fastern Health Board	A STATE OF THE STA	
Address:	Lacken, Dublin Road, Kilkenny	· .	÷
	E CORT	<u> </u>	
	THO!		
Tel:	056) 51702 cdi ⁵⁸		
Fax:	the control of the co	0	

B.6 Notices and Advertisements

Articles 6 and 7 of the Waste Management (Licensing) Regulations 2004 requires all applicants to advertise the application in a newspaper and by way of a site notice. See *Guidance Note*.

Attachment B.6 should contain a copy of the site notice and an appropriately scaled drawing (\leq A3) showing its location on site. The original application must include the complete newspaper in which the advertisement was placed. The relevant page of the newspaper containing the advertisement should be included with the original and three copies of the application.

B.7 Type of Waste Activity, Tonnages & Fees

B.7.1 Specify the class or classes of activity in Table B.7.1, in accordance with the Third Schedule or Fourth Schedule to the Waste Management Acts 1996 to 2003, to which the application relates (check the relevant box(es) and mark the principal activity with a 'P').

Attachment B.7 should identify the principle activity and include a brief technical description of each of the other activities specified. There can only be one principal activity.

Please refer to Pages 4-5 of attached Report

TABLE B.7.1 THIRD AND FOURTH SCHEDULES OF THE WASTE MANAGEMENT ACTS 1996 TO 2003

Waste Manage	ment	Acts 1996 to 2003	
THIRD SCHEDULE Waste Disposal Activities	Y/N	FOURTH SCHEDULE Waste Recovery Activities	Y/N
Deposit on, in or under land (including landfill).	(Apr.)	M. Solvent reclamation or regeneration.	#Mary
2. Land treatment, including biodegradation of liquid or sludge discards in soils.	redign	2. Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).	Y
3. Deep injection of the soil, including injection of pumpable discards into wells, salt domes or naturally occurring repositories.	1 2	Recycling or reclamation of metals and metal compounds.	Y
4. Surface impoundment, including placement of liquid of sludge discards into pits, ponds or lagoons.		Recycling or reclamation of other inorganic materials.	YP
5. Specially engineered landfill, including placement into lined discrete cells which are capped and isolated from one another and the environment.		5. Regeneration of acids or bases.	
6. Biological treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 7 to 10 of this Schedule.		Recovery of components used for pollution abatement.	
7. Physico-chemical treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 8 to 10 of this Schedule (including evaporation, drying and calcination).		7. Recovery of components from catalysts.	
8. Incineration on land or at sea.		8. Oil re-refining or other re-uses of oil.	
Permanent storage, including emplacement of containers in a mine.		Use of any waste principally as a fuel or other means to generate energy.	
Release of waste into a water body (including a seabed insertion).		10. The treatment of any waste on land with a consequential benefit for an agricultural activity or ecological system.	
11. Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.	Y	11. Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule.	
12. Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.	Y	12. Exchange of waste for submission to any activity referred to in a preceding paragraph of this Schedule.	
13. Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.	Y	13. Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.	Y



TABLE B.7.2 MAXIMUM ANNUAL TONNAGE

The maximum annual tonnage of waste to be handled at the site should be indicated and the year to which the quantity relates indicated.

Maximum Annual Tonnage (tpa)	45,000
Year	2006

B.7.3 FEES

State each class of activity for which a fee is being submitted as per Part I of the Second Schedule of the Waste Management (Licensing) Regulations 2004, S.I. No. 395 of 2004. Note: two fees are required if disposal and recovery are to occur.

Fee (in E)
Not applicable
Company of the Control of the Contro
10,000 / 6,000
10 000 diff

TABLE B.7.4 (FOR A LANDFILL APPLICATION) - NOT APPLICABLE

STATE WHICH OF THE FOLLOWING IS RELEVANT TO THE CURRENT APPLICATION.

(a) landfill for hazardo	us waste	
(b) landfill for non-haz	ardous waste	
(c) landfill for inert wa	ste	

B.8 SEVESO II DIRECTIVE

State whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous substances) Regulations, 2000 (S.I. No. 476 of 2000), apply.

|--|

If yes, Attachment B.8 should include the relevant details. Supporting information, as well as copies of any Hazardous Operation Studies (HAZOP) carried out for the site, should also be included in the attachment.

SECTION C MANAGEMENT OF THE FACILITY

Advice on completing this section is provided in the Guidance Note.

C.1 Technical Competence and Site Management

This information should form Attachment C 1.

Details of the applicant's experience and qualifications, along with that of other relevant employees, should be summarised as shown below. Statements of duties, responsibilities, experience and qualifications should be submitted for each position named below. Additional information, including the management structure and an

organisational chart, should be included in Attachment C 1.

Name	Position	Duties/	Experience	Replacement
3.5	3.6	Responsibilities	11	34: 1 134 1
Martin	Managing	Overall management	11 years	Michael Murphy
Morrissey	Director	of site and companies	experience	
. Stan		group	<u>.</u>	San San San San
Michael	Financial	Group Financial	7 sears	Martin
Murphy	Director	Controller	experience	Morrissey
	the second of th	Accountant	0	And the second s
Michael	General	Overall management	18 years	Michael Murphy
Quirke	Manager	of site and business	experience	or John Mernagh
Quinio		ijat jed		
John	Facilities	Management of site	19 years	Michael Quirke
Mernagh	Manager	operations	experience	or Andrew
		Ecols,	FAS Waste	Rinkulis
		ator	Management	
er regional	COTI	operations	Training	
			programme	
Robert	Systems and	Group Waste	10 years	Martina
Flynn	Operations	Management Reports	experience	Fitzharris or
		and Systems		John Mernagh
Mary	Office	Administration and	7 years	Martina
Kehoe	Administration	Accounts	experience	Fitzharris or
				Marie Kavanagh
Martina	Office	Office Administration	6 years	Mary Kehoe or
Fitzharris	Administrator		experience	Sinead O Connor
Sinead O	Office	Office Administration	3 years	Martina
Connor	Administrator		experience	Fitzharris or
				Mary Kehoe
Andrew	Transfer Station	Management of	5 years	Martin
Hirinkulis	Foreman	operations of transfer	experience	Kavanagh
		station		
Martin	Site	General supervision	6 years	Andrew
Kavanagh	Foreman	of staff and Recycling	experience	Hirinkulis
		Operations		
			<u> </u>	

C.2 Environmental Management System

Attachment C 2 should contain the Environmental Management System (EMS) details required.

- Full documented EMS available on site. This system has been audited by the Agency.

C.3 Hours of Operation

Attachment C 3 should contain details of hours of operation for the waste facility, civic waste facilities and other facilities.

See Page 31 of attached Report No. 2330/M09.

- (a) Proposed hours of operation.
- (b) Proposed hours of waste acceptance/handling.
- (c) Proposed hours of any construction and development works at the facility and timeframes (required for landfill facilities).
- (d) Any other relevant hours of operation expected.

C.4 Conditioning Plan

Please refer to Section 3.9 of EIS dated August 1999.

Address as Attachment C 4, in the case of a LANDFILL Application, and only for the review of a Landfill Waste Licence.

SECTION D INFRASTRUCTURE & OPERATION

D.1 Infrastructure

Complete the following table detailing the site infrastructure. Attachment D 1 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.1. Additional advice on completing this section is provided in the application *Guidance Note*.

Table D.1. Infrastructure		y/n	Comments
D.1.a	Site security arrangements including gates and fencing	Y	Site security and fencing
D.1.b	Designs for site roads	Y *.	Concrete hardstanding
D.1.c	Design of hardstanding areas	Y	Concrete hardstanding
D:1.d	Plant	Y	As per section 4.4 in attached Report
D.1.e	Wheel-wash	Y	Truck Wash facility on site
D.1.f	Laboratory facilities	N	Not applicable
D.1.g	Design and location of fuel storage areas	Y	Bunded diesel fuel tank on site
D.1.h	Waste quarantine areas	Y	Waste quarantine area is located under the glass processing plant
D.1.i	Waste inspection areas	Y	Vehicle unloading area
D.1.j	Traffic control	Y	Operations manager responsible for traffic management on site
D.1.k	Sewerage and surface water drainage infrastructure	Y	Refer to attached plans
D.1.1	All other services	Y	Weighbridge; Main offices; Maintenance building; Glass storage area
D.1.m	Plant sheds, garages and equipment compound	Y	As per D1.1 above

D.1.n	Site accommodation	Y	As per D1.1 above
D.1.0	A fire control system, including water supply	Y	Fire water retention on site
D.1.p	Civic amenity facilities	Y	Facility for members of public to dispose of waste on site
D.1.q	Any other waste recovery infrastructure	Y	Refer to relocated glass storage area
D.1.r	Composting infrastructure	N	Not applicable
D.1.s	Construction and Demolition waste infrastructure	Y	On site storage only
D:1.t	Incineration infrastructure (if applicable). Provide information to fulfil Article 4 (2) & (3) of the Incineration of Waste Directive		Not applicable
D.1.u	Any other infrastructure		the state of the s

D.2 Facility Operation

In Attachment D 2 describe the plant, methods, processes and operations of the waste facility, as required by the *Guidance Note*.

See Pages 16-17 of attached Report No. 2330/M09.

×	_				
					4 10 11
l Attachment included 🧬		•	ves 🔀	no	not applicable
No.	25,24.55		<i>J</i> V		

LANDFILLS (NOT APPLICABLE)

The following Sections D3 to D7 should only be completed for Landfill Applications. Reference should be made to the Agency landfill manual 'Landfill Site Design (2000)' when completing this section.

D.3 Liner System

Complete the following table regarding the liner system to be used for the landfill/landfill extension and detail the information requested as Attachment D.3. Items D3c to D3g should only be completed for immediate projects only (ie Years 1 & 2). A schedule of Liner construction activities for the medium to long term need only be listed in item D3a below, since Condition 3 of any licences granted will provide reporting requirements for any future projects.

TABLE D.3 LINER SYSTEM

	n Comments
D.3.a Provide information to fulfil Annex 1 of the	

	Landfill Directive	
D.3.b	What type of liner system is specified?	
D.3.c	Has a Quality Control Plan been specified?	
D.3.d	Has a Quality Assurance Plan been specified?	
D.3.e	Have independent, third-party supervision, testing and controls been specified?	
D.3.f	Have basal gradients for all cells and access ramps to the cells been designed?	
D.3.g	Has a leak detection survey been specified?	

D.4 Leachate Management

Complete the following table detailing leachate management arrangements. Further information should be included in **Attachment D.4.**

TABLE D.4.1 LEACHATE MANAGEMENT ARRANGEMENTS

	To the training the same of th		Control of the contro		
	and the state of t	y/n		Comments	
D.4.a	Is there a Leachate Management Plan?			THE STATE OF	
D.4.b	Have annual quantities of leachate been calculated?				
D.4.c	Has the total quantity of leachate been calculated?		1	. 4 (4.4	
D.4.d	Have the size of the cells been specified taking account of the water balance calculations?				
D.4.e	Has a leachate collection system been specified?				
D.4.f	Has a leachate storage system been specified?				
D.4.g	Has a system for monitoring the level of leachate in the waste been designed?				
D.4.h	Is leachate recirculation proposed/practised?				
D.4.i	Has leachate treatment on-site been specified?				
D.4.j	Has leachate removal been specified?				



D 5 Landfill Gas Management

All landfill sites should have suitable arrangements for the management of landfill gas. Attachment D.5 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.5. Items D5g to D5m should only be completed for immediate or current gas collection projects only (ie Years 1 & 2). A schedule of gas management aspects for the medium to long term need only be listed in item D5f below, since Condition 3 of any proposed decision/licence will provide reporting requirements for any future projects.

Page 25 of 40

Table D.5. Landfill Gas Management

		y/n	Comments
D.5a	Is there a Landfill Gas Management Plan? Provide estimates of the volumes of landfill gas which will be produced by the waste disposed of in the site for the next 20 years, and compare to the EPER list for methane:		
D.5 b	Is there a passive venting system?	and the second of	
D.5c	Does the passive system cover all of the filled area?		t (i) Little Burger (in the control of the The control of the cont
D.5d	Have gas alarm systems been installed in the site buildings?	0.	
D.5e	Have measures been installed to prevent landfill gas migration (e.g. barriers)?	derd	
D.5f	Has a time-scale been proposed for the installation of landfill gas infrastructure?		
D.5g	Is gas flaring undertaken at the site?		
D.5h	Is there an active (i.e., pumped) landfill gas extraction system?		
D.5i	Does the active system cover all of the filled area?		
D.5j	Is landfill gas used to generate energy at the site?		
D.5k	Have emissions from the flarestack and utilisation plant been assessed for source, composition, quantity and level and rate?		
D:51	Has a maintenance programme for the control system been specified?		
D.5m	Has a condensate removal system been designed?		

D.6 Capping System

Complete the following table detailing the design of the capping system. Attachment D.6 should contain the appropriate documentation. Items D6e to D6k should be completed for immediate projects only (ie Years 1 & 2). Condition 10 of any proposed decision/licence will provide reporting requirements for capping requirements beyond this timeframe.

Table D.6 Capping System

	1	y/n	Comments
D.6a	Has the daily cover been specified?		
D.6b	Has the intermediate cover been specified?	ing Light Age	(1) (1) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
D.6c	Has the temporary capping been specified?	Ø)*	Control of the second
D.6d	Has the Capping System been designed and does it meet the requirements of the Landfill Directive Annex 1 (3.3)?		
D.6e	Does the Capping System include a flexible membrane liner?		
D.6f	Have all capping materials been specified?		
D.6g	Has a Method Statement for construction been produced?		
D.6h	Has a Quality Control Plan been produced?		
D.6i	Has a Quality Assurance Plan been produced?	ara Charl 10 mil 1	
D.6j	Has a programme for monitoring landfill stability been developed?		
D.6k	Has a programme for monitoring landfill settlement been developed?		

SECTION E EMISSIONS

Give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made.

The applicant should address in particular any emission point where the substances listed in the Schedule of S.I. 394 of 2004 are emitted.

E.1 Emissions to Atmosphere

Refer to Page 13 of attached Report No. 2330/M09

Details of all point emissions to atmosphere should be supplied. Table E.1.(i) (for Landfill Gas Flare emissions) must be completed for all landfills with a flare. Complete Table E.1(ii) and E.1(iii) for all other main emission points, including stack sources (incinerator stacks, landfill gas utilisation plants, air handling unit emissions etc.). Complete Table E.1(iv) for minor/fugitive/ground emission points.

E.2 Emissions to Surface Waters

Refer to Page 22 of attached Report No. 2330/M09.

Attachment E.2 Tables E.2(i) and E.2(ii) should be completed where relevant.

E.3 Emissions to Sewer

Refer to attachment 18.4 of Report No. 2330/M09.

Attachment E.3 Tables E.3(i) and E.3(ii) should be completed, where relevant.

E.4 Emissions to Groundwater

Refer to Page 14-15 of attached Report No. 2330/M09.

Describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6, and 7 of Council Directive 80/68/EEC of 17 December 1979 on the protection of groundwater against pollution by certain dangerous substances.

Table E.4(i) should be completed, as relevant, for each source.

Supporting information should form Attachment E.4

E.5 Noise Emissions

Refer to Pages 20-21 of attached Report No. 2330/M09.

Give particulars of the source, location, nature, level, and the period or periods during which the noise emissions are made or are to be made.

Table E.5(i) should be completed, as relevant, for each source.

Supporting information should form Attachment E.5

E.6 Environmental Nuisances

Attachment E.6 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings as relevant established in Table D.6. Additional advice on completing this section is provided in the *Guidance Note*.

TABLE E.6 ENVIRONMENTAL NUISANCES

Bird Control	Control method specified	yes 🗌	no 🗌	not applicable⊠
	Attachment included	yes 🗌	no 🗌	not applicable
Dust Control	Control method specified	yes 🖂	no .	not applicable
	Attachment included	yes 🖂	no	not applicable
Fire Control	Control method specified	yes 🖂	no 🗌	not applicable
	Attachment included	yes 🛛 🎍	no	not applicable
Litter Control	Control method specified	yes of	no	not applicable
	Attachment included	yes 🗌	no	not applicable
Traffic Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no[not applicable
Vermin Control	Control method specified	yes 🗌	no	not applicable
	Attachment included	yes 🗌	no	not applicable
Road Cleansing	Control method specified	yes 🗌	no .	not applicable
	Attachment included	yes 🗌	no	not applicable 🗵



SECTION F CONTROL & MONITORING

F.1: Treatment, Abatement and Control Systems Refer to Pages 23-24 of attached Report No. 2330/M09.

Describe the proposed technology and other techniques for preventing or, where this is not possible, reducing emissions from the installation/facility. Details of treatment/abatement systems (air and effluent emissions) should be included, together with appropriately scaled schematics ($\leq A3$) as appropriate.

For each Emission Point identified complete Table F.1 of the Annex, and include detailed descriptions and appropriately scaled schematics (\leq A3) of all abatement systems.

Attachment F.1 should contain any supporting information.

F.2- F. 9. Monitoring and Sampling Points

Programmes for environmental monitoring should be submitted as part of the application. These programmes should be provided as **Attachments F.2 to F.6** and meet the advice published by the Agency in the relevant BAT Note. For Landfills the additional **Attachments F.7 to F.8** should be completed. Furthermore for a landfill application the applicant <u>must</u> refer to the Agency *Landfill Monitoring Manual* (2003) for further details on monitoring requirements for proposed facilities.

Include details of monitoring/sampling locations and methods.

F.2 Air - to include Dust, Odour

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus 12-figure grid references)	yes 🖂	no 🗌	not applicable
Attachment included	yes 🖂	no 🗌	not applicable

F.3 Surface Water

Monitoring of surface water shall be carried out at not less than two points, one upstream from the waste facility and one downstream.

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus 12-figure grid references)	yes 🖂	no 🗌	not applicable
Attachment included	yes 🖂	no	not applicable

F.4 Sewer Discharge

Monitoring of sewer discharge shall be carried out at the point specified by the local authority/Agency.

Monitoring Arrangements specified	yes 🛚	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			

F.5 Groundwater

Groundwater monitoring is required at all landfill facilities; and certain other waste facilities depending on waste activities and the underlying aquifer vulnerability.

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus 12-figure grid references)	yes 🛛	no	not applicable
Attachment included	yes 🗵	no	not applicable

F.6 Noise

It to the special state of

2 K. H. B. Or San and C. C. S. A. A. C. C. A. A. C. C. A. A. C.	N N	And the second of the	
Monitoring Arrangements specified	yes 🛛	no□	not applicable
Monitoring points identified, (plus 12-figure grid references)	yes 🖂	no	not applicable
Attachment included	yes 🖂	no[not applicable

F.7 Meteorological Data (Not applicable)

Monitoring Arrangements specified	yes 🗌	no[_]	not applicable⊠
Monitoring points identified, (plus 12-figure grid references)	yes 🗌	no	not applicable⊠
Attachment included	yes 🗌	no	not applicable⊠

Application for Landfills require the additional Attachments F.7 to F.8, to be completed:

F.8 Leachate (Not applicable)

Monitoring Arrangements specified	yes 🗌	no[not applicable⊠
Monitoring points identified, (plus 12-figure grid references)	yes 🗌	no	not applicable⊠
Attachment included	yes 🗌	no 🗌	not applicable⊠

F.9 Landfill Gas (Not applicable)

Complete each of the following tables to show whether information has been included on aspects of landfill gas monitoring. **Attachment F.9** should also contain information to show whether the data given in Tables F.9.(a) and F.9(b) below represents actual or anticipated data. Complete Table F.9 as follows:

Table F.9 (a) Landfill Gas Monitoring for existing landfill gas flares / utilisation plants

prants	· · · · · · · · · · · · · · · · · · · ·	·	50.5	State of Land Street	
Inlet		58.00 me988.80 p.220 et 194.50 mil 19.	APENIUS N. 1. 1. 2. \$10. 4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	en al a mare estada profeso.	
Methane (CH ₄) % v/v					
Carbon dioxide (CO ₂) %v/v		5 · · · · ·			
Oxygen (O ₂) % v/v	1. J. E. F. 3. C.	7 41 2			1 N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
· .	and applied to a second of			•	Contract of the second
Outlet					
Volumetric Flow Rate	a say a	a Barrier Alle .	who is a second		At No. 1
SO ₂		Section 1			Canada e de la lacal
Nox		A district of	2		And the second
CO			N		
Particulates .					
TA Luft Class I, II, III organics		Grande Transfer	Je.	er. 5 ;	31114
Hydrochloric acid			<u> </u>	\$57.000 2.00	
Hydrogen Fluoride		oth		1,5	A SAN SAN S

Table F.9(b) Landfill Gas Monitoring

	Gas boreholes / vents/ wells/ perimeter locations	Facility Office	en de la companya de		
Methane (CH ₄) % v/v	ight				
Carbon Dioxide (CO ₂) % v/v	Sett	-	·		
Oxygen (O2) % v/v	Cox		Anther way dentities to their graft gar.	5, 1,	
Atmospheric Pressure					
Temperature					

Table F.9 (c) Landfill Gas Infrastructure

Lawymien,	\$1302 to 300 CA98 (900 FRANKEY \$400 FRE 1, 400 FRE 1, 700 FR	C. 65-61 14.34 No. 1700N. 1715NA. 13-480 N. 1707 N. 1717 N. 1717 C. 1	
Gas Collection System			
Gas Control System			

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus 12-figure grid references)	yes 🗌	no	not applicable
Attachment included	yes 🗌	no[_]	not applicable⊠

SECTION G RESOURCES USE & ENERGY EFFICIENCY

G.1 Raw Materials, Substances, Preparations and Energy

Attachment G.1 should contain a list of all raw, product and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity. Information on any insecticides, herbicides or rat poisons etc. should also be provided with their respective data and safety sheets. The Standard Forms, provided in Annex 1, should be used in the description of these materials, substances, etc., where relevant. Additional advice on completing this section is provided in the *Guidance Note*.

included		yesno	not appricable	
G.2 Energy Efficion	encv	1980 - 1985 - 1986		i entri
A description of th		or generated by the	activity must be provided	1 in
Attachment G.2.	en de la companya de	oo wed for any	A CAMPAGA A CAMP	in so
Attachment included		yes no no	not applicable⊠	1
	For its fa			,
	ansent e			



SECTION H MATERIALS HANDLING

H.1 Waste Types and Quantities – Existing & Proposed Refer to Pages 6 and 10 of attached Report No. 2330/M09.

Provide an estimation of the quantity of waste likely to be handled in relation to each class of activity applied for. This information should be included in Table H.1(a).

TABLE H.1(A). QUANTITIES OF WASTE IN RELATION TO EACH CLASS OF ACTIVITY APPLIED FOR

		ement Act			ement Act
Class of Activity Applied For		Quantity (tpa)	Class of Activity Applied For		Quantity (tpa)
Class 1			Classol and		
Class 2	100	X	Class 2	Х	26400
Class 3		Property of the second	Class 3	X	500
Class 4			Class 4	X	9450
Class 5	1	Jana ka	Class 5		1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Class 6		AST AST	Class 6		100
Class 7		COT TIES	Class 7		
Class 8		COBY	Class 8		
Class 9	Г	, of	Class 9		
Class 10		asent	Class 10		
Class 11	X	COBY	Class 11		
Class 12	X		Class 12		
Class 13	Х	7650	Class 13	X	1000

In Table H. 1 (B) provide the annual amount of waste handled/to be handled at the facility. Additional information should be included in **Attachment H.1.** The tonnage per annum should be given of that expected for the life of the licence, with at least the next five years tonnages provided. For Landfill Review applications provide an estimate of the quantity of waste already deposited in (i) lined cells; (ii) unlined cells.

TABLE H.1(B) ANNUAL QUANTITIES AND NATURE OF WASTE

Year	Non-hazardous waste (tonnes per annum)	Hazardous waste (tonnes per annum)	Total annual quantity of waste (tonnes per annum)
2006	45000	0	45000
2007	45000	0	45000
2008	45000	0	45000
2009	45000	0	45000



2010	45000	0	45000
2011	30000	0	30000

A detailed inventory of the types and quantities of wastes currently handled at the site and proposed to be handled should be submitted as Table H.1 (C).

TABLE H.1 (C) WASTE TYPES AND QUANTITIES

WASTE TYPE	TONNES PER ANNUM (existing)	TONNES PER ANNUM (proposed)	TOTAL (over life of site) tonnes
Household	2049	3073	17413.67
Commercial	15883	23825	135008.33
Sewage Sludge	0	VO	0
Construction and Demolition	2069	3103.5	17586.5
Industrial Non- Hazardous Sludges	0	0	0
Industrial Non- Hazardous Solids	9639	14458:5 18E.	81931.5
Hazardous *(Specify detail in Table H 1.2)	O High ref	O office and open of the open	0
Inert Waste imported for restoration purposes	COMPLETE	FOR L'ANDEILL & CONT FACILITIES ONLY	AMINALED LAND

* TABLE H.1.2 HAZARDOUS WASTE TYPES AND QUANTITIES

HAZARDOUS WASTE	DETAILED DESCRIPTION * REFERENCE SHOULD BE MADE TO THE RELEVANT EUROPEAN WASTE CATALOGUE CODES AS PRESENTED BY COMMISSION DECISION 2000/532/EC	Tonnes Per Annum (Existing)	(Tonnes Per Annum Proposed)
Waste Oil	Not applicable		
Oil filters	Not applicable		
Asbestos	Not applicable		
Paint and Ink	Not applicable		
Batteries	Not applicable		
Fluorescent Light Bulbs	Not applicable		
Contaminated Soils	Not applicable		
OTHER HAZA	RDOUS WASTE (APPLICANT	ГО SPECIFY)	

Not applicable		
110t applicable		<u>i </u>

Attachment H.1 should contain any relevant additional information.

It should be noted that an applicant may be issued with a licence which restricts the type of wastes which may be deposited.

H.2 Waste Acceptance Procedures

Please refer to Section 3.3.4 of EIS dated August 1999.

Procedures for checking waste loads as they arrive at the facility must be included. These should follow the requirements of the Agency's Waste Acceptance Manual. A copy of these procedures and other associated documentation should be included as **Attachment H.2.**

H.3 Waste Handling

Please refer to Section 3.3.5 of EIS dated August 1999.

Waste handling and the operating procedures used at the facility including waste treatment processes should be described in **Attachment H.3**. Included in the attachment should be information on the plant used on site and on the methods and processes for handling waste on-site. Special requirements hold for contaminated soil facilities, see *Guidance Note*.

In addition, an application for a Landfill requires Section H.3.a to be completed:

H.3a Waste Handling at the Landfill Facility - Not Applicable

State whether all waste will be subject to treatment prior to landfilling. Provide information as to the quantities of biodegradable municipal waste and how the targets of the Landfill Directive (1999/31/EC) relating to that waste type are to be achieved. In particular describe how the following will be achieved:

- (a) a reduction by 16/07/06 to 75% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (b)a reduction by 16/07/09 to 50% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (c) a reduction by 16/07/16 to 35% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (d)Evidence should be provided to show that energy will be used efficiently.

ි<u>ල</u>ය__

WASTE Application Form

H.4 Waste Arisings – Not applicable

Waste Arisings should be considered for all contaminated soil applications. Details of all waste materials generated on the site including, name, description and nature as well as the source(s) should be identified. The quantities of each type of waste generated on an annual/monthly basis should be calculated and stated in Tables H.1(i) and H. 1(ii) of the application form. Applicants should also provide conversion factors used to relate volume (m³) and tonnage (t) for their waste stream.

SECTION I EXISTING ENVIRONMENT & IMPACT OF THE FACILITY

Detailed information is required to enable the Agency to assess the existing environment. This section requires the provision of information on the ambient environmental conditions at the site prior to the commencement of waste management activities or prior to the receipt of a review application.

Where development is proposed to be carried out, being development which is of a class for the time being specified under Article 24 (First Schedule) of the Environmental Impact Assessment Regulations, the information on the state of the existing environment should be addressed in the EIS. In such cases, it will suffice for the purposes of this section to provide adequate cross-references to the relevant sections in the EIS.

I.1. Assessment of atmospheric emissions

Refer to Section 4.2 .of EIS dated August 1999.

Describe the existing environment in terms of air quality with particular reference to ambient air quality standards.

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to the atmosphere are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Attachment I.1 should also contain full details of any dispersion modelling of atmospheric emissions from the activity, where required.

I.2. Assessment of Impact on Receiving Surface Water Refer to Page 22 of attached Report No. 2330/M09.

Describe the existing environment in terms of water quality with particular reference to environmental quality standards or other legislative standards. Table I.2(i) should be completed



Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to water are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other relevant information on the receiving environment should be submitted as **Attachment I.2.**

I.3. Assessment of Impact of Sewage Discharge.

Refer to attachment 18.4 in Report No. 2330/M09.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other supporting information should form Attachment I.3.

I.4 Assessment of impact of ground/groundwater emissions Refer to Page 24 of attached Report No. 2330/M09.

The scope and detail of this assessment will depend to a large extent on the extent and type of ground emissions at any site, which in turn are related to the risk. Details should be included in **Attachment I.4**. Comprehensive guidelines are contained in the *Application Guidance Note*, and include particular requirements for landfill and brownfield facilities.

Describe the existing groundwater quality. Tables I.4(i) should be completed.

<u>I.5 Ground and/or groundwater contamination</u> *Not applicable.*

Summary details of known ground and/or groundwater contamination, historical or current, on or under the site must be given.

Full details including all relevant investigative studies, assessments, or reports, monitoring results, location and design of monitoring installations, appropriately scaled plans/drawings (≤A3), documentation, including containment engineering, remedial works, and any other supporting information should be included in **Attachment I.5**.

I.6 Noise Impact.

Refer to Page 20 of attached Report No. 2330/M09.



Give details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Ambient noise measurements

Complete Table I.6(i) in relation to the information required below:

- (i) State the maximum Sound Pressure Levels which will be experienced at typical points on the boundary of the operation. (State sampling interval and duration)
- (ii) State the maximum Sound Pressure Levels which will be experienced at typical noise sensitive locations, outside the boundary of the operation.
- (iii) Give details of the background noise levels experienced at the site in the absence of noise from this operation.

Prediction models, appropriately scaled maps ($\leq A3$), diagrams and supporting documents, including details of noise attenuation and noise proposed control measures to be employed, should form **Attachment I.6.**

I.7 Assessment of Ecological Impacts & Mitigation Measures

Please refer to Section 4.7 of EIS dated August 1999.

The ecology of the site and the surrounding area should be assessed in the vicinity of the largescale waste facilities such as landfill or incinerator developments. An assessment of the ecology should form Attachment I.7. Comprehensive guidelines are contained in the Application Guidance Note

SECTION J ACCIDENT PREVENTION & EMERGENCY RESPONSE

Refer to Section 3.8 of EIS dated August 1999.

Describe the existing or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage.

Also outline what provisions have been made for response to emergency situations outside of normal working hours, i.e. during night-time, weekends and holiday periods.

Describe the arrangements for abnormal operating conditions including start-up, leaks, malfunctions or momentary stoppages.

Supporting information should form Attachment J.

Attachment included	yes □ no⊠	not applicable

SECTION K REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE

Refer to Section 3.7.1 and 3.7.2 of EIS dated August 1999.

Describe the existing or proposed measures to minimise the impact on the environment after the activity or part of the activity ceases operation, including provision for post-closure care of any potentially polluting residuals.

For Landfill Applications, capping proposals are required, and reference should be made to the Landfill Manual on 'Restoration and Aftercare' published by the Agency, when completing this section.

	·	of lib
Attachment included	yes	no⊠ [⊗] not applicable
		see of total
	Dur	Children Control of the Control of t
SECTION L ST	ATUTO	RY REQUIREMENTS

L. 1 Section 40(4) WMA

Please refer to Section 11 of attached Report.

Indicate how all the requirements of Section 40(4)[(a) to (i)] of the Waste Management Acts 1996 to 2003 will be thet.

Applicants should also describe how the proposed facility will comply with the requirements of BAT. In particular reference should be made to the considerations referred to in Annex IV of Council Directive 96/61/EC concerning integrated pollution prevention and control.

Attachment L.1 should contain the documentation requested above, along any relevant additional information.

Attachment included	yes 🛚	no 🗌	not applicable

L.2 Fit and Proper Person

Please refer to Section 11 of attached Report.

The WMA in Section 40(4)(d) specifies that the Agency shall not grant a licence unless it is satisfied that the applicant (if the applicant is not a local authority) is a fit and proper person. Section 40(7) of the WMA specifies the information required to enable a determination to be made by the Agency.



- Indicate whether the applicant or other relevant person has been convicted under the Waste Management Acts 1996 to 2003, the EPA Act 1992 and 2003, the Local Government (Water Pollution) Acts 1977 and 1990 or the Air Pollution Act 1987.
- Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (Link to Section C.1 of the application).
- Provide information to show that the person is likely to be in a position to meet any financial commitments or liabilities that may have been or will be entered into or incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out that activity (Link to Section K of the application).

Supporting information should be included as Attachment L 2 with reference to where the information can be found in the application.

in the second of
yes 🛛 🔝 not applicable 📗
purposes of the airright of the state of the

SECTION M DECLARATION

Declaration

I hereby make application for a licence / revised licence, pursuant to the provisions of the Waste Management Acts 1996 to 2003 and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices, and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

		as only any or	· · · · · · · · · · · · · · · · · · ·		9 40,544 43
Signed by :		ose od v	Date :	<u> </u>	
(on behalf of the organisation)	Saw are	HIP WIII			100
	:01)	1,00°		+ H	
Print signature nam	e sectionity	٧		*	٠.
An int signature nam		10 112 1	·		
	tor viter	•			
	COD				
Position in organisat	tion: decopyright				
1 obtain in organism	ALSE IN				
	Cotte		100		
			Compa	any stamp or seal:	
	•				
			į.		



SECTION M DECLARATION

Declaration

I hereby make application for a licence / revised licence, pursuant to the provisions of the Waste Management Acts 1996 to 2003 and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices, and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

Signed by: _______


Print signature name: Mr. John Mernagh

Position in organisation: Ormonde Waste Literature

(Wexford Site)

Company stamp or seal:

Date: 1st June 2006



Page 42 of 40



Consent of copyright owner required for any other use.

CHIMITED ST

5,5



ANNEX 1 STANDARD FORMS

Standard forms are provided in this section for the recording and presentation of environmental monitoring and site investigation results

TABLE E.1(i) LANDFILL GAS FLARE EMISSIONS TO ATMOSPHERE – NOT APPLICABLE

Emission Point:

Emission Point Ref.: Nº:	
Location:	
Grid Ref. (12 digit, 6E,6N):	
Vent Details Diameter:	
Height above Ground(m):	
Date of commencement of emission:	

Characteristics of Emission:

\mathbf{CO}	mg/m^3
Total organic carbon (TOC)	mg/m³
NOx	mg/Nm ³ 0°C:3% O ₂ (Liquid or Gas), 6% O ₂ (Solid Fuel)
Maximum volume of emission	m³/hr
Temperature °C	(max) °C(min) °C(avg)

(i) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included):

	1			
Periods of Emission (avg)	_	min/hr	hr/day	day/yr
	1.14	<u> </u>		

TABLE E.1(ii) MAIN EMISSIONS TO ATMOSPHERE (1 Page for each emission point)

Emission Point Ref. Nº			
Source of Emission:			
Location			
Grid Ref. (12 digit, 6E,6	N):		
Vent Details Diamet	er:		
Height above Ground()	m):		
Date of commencement			
(i) Volume to be en	nitted:		
Average/day	m²/d	Maximum/day	m ³ /d
Average/day	m³/h	Maximum/day Min efflux velocity	m ³ /d. m.sec ¹
Average/day Maximum rate/hour			
Average/day Maximum rate/hour (ii) Other factors	°C(max)	Min efflux velocity *C(min)	m.sec ¹
Average/day Maximum rate/hour (ii) Other factors Temperature For Combustion Source Volume terms expressed	°C(max) s: d as:	°C(min) t. □ dry. as are made, or are to be made, in	°C(avg)



TABLE E.1(iii): MAIN EMISSIONS TO ATMOSPHERE - Chemical characteristics of the emission (1 table per emission point)

Emission	Point	Reference	Number:
----------	-------	-----------	---------

NOT APPLICABLE

Parameter	Prior to treatment ⁽¹⁾			Brief			As disc	harged ⁽¹⁾			
	mg/	mg/Nm³		y/ h	description	mg	Nm³	, kg	/h:	kg	/yea r
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
				Contract							

1. Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.



TABLE E.1(iv): EMISSIONS TO ATMOSPHERE - Minor /Fugitive

NOT APPLICABLE

Emission point	Description		Emission	details ¹	Abatement system employed	
Reference Numbers		material	mg/Nm ³⁽²⁾	kg/h.	kg/year	
		Cocedia		96 100 170		

- 1 The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.
- 2 Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.



TABLE E.2(i): EMISSIONS TO SURFACE WATERS (One page for each emission)

Emission Point:

Emission Point Ref. Nº:	
Source of Emission:	
Location:	
Grid Ref. (10 digit, 5E,5N):	
Name of receiving waters:	
Flow rate in receiving waters:	m³/sec Dry Weather Flow m³/sec 1/95%ile flow
Available waste assimilative capacity:	kg/day

Emission Details:

(i) Volume to be	emitted	
Normal/day	m³ Maximur	n/day <u>m³</u>

epa pa

WASTE Application Form

21	
Lana XIII amin'ny	1
1.04	ı
99459	ı
경우전병	l
孙君士庙	ı
	l
	l
	ı
Zylini	۱
	١
	l
1255,44-15,730,66 E. N. PS-15,77, 11	۱
	ı
	l
발견 사람	l
	١
	ı
	l
医气管理	l
	l
	ı
생활성	ŀ
400	l
작산대	ı
	l
	ŀ
	١
er projection.	ı
s give the	ı
` €	l
	l
	١
	l
	l
	l
	l
	l
	l
<u> 1. 3 - 12-</u>	l
5.1	l
<u> </u>	l
อี	l
À	l
)	l
at	۱
<u> </u>	ı
m rat	ı
7	ı
H	l
:∃ ∣	
ах	ĺ
Ma	I
	I
	ı

Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included): (ii)

1 L	
ा ल	
l o.	
Kathari	
2	
_ <u> </u>	
1 4	
<u> </u>	
	ļ
H	
1年を発送	
	١
 	
1 a	
II og gad û	
11/4 11/4	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	The second control of
(3	
(g)	The second control of
avg)	Control of the contro
(avg)	the second case that the second cases and
1 (avg)	The second control of
on (avg)	
ion (avg)	
sion (avg)	
ission (avg)	
mission (avg)	
imission (avg)	
Emission (avg)	
f Emission (avg)	
of Emission (avg)	
s of Emission (avg)	
ls o	
ls o	
iods of Emission (avg)	
ls o	
ls o	
ls o	

Dure teethed for any of



TABLE E.2(ii): EMISSIONS TO SURFACE WATERS - Characteristics of the emission (1 table per emission point)

Emission point reference number	:	
1 2		 _

Parameter		Prior to tr	eatment			As discharged			% Efficiency
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	



TABLE E.3(i): EMISSIONS TO SEWER(One page for each emission)

Please refer to attachment 18.4 (Sewer Discharge Licence) in attached Report.

Emission Point:

Emission Point Ref. Nº:	FW1
Location of connection to sewer:	Discharge to public sewer at Pembrokestown
Grid Ref. (10 digit, 5E,5N):	303871; 119583
Name of sewage undertaker:	Water Services Department, Wexford County Council

Emission Details:

(i) Volume to be	emitted		
Normal/day	m^3	Maximum/day	40m ³
Maximum rate/hour	m ³		

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up /shutdown to be included):

	min/hr hr/dav	
Periods of Emission (avg)	minin in	yday/yr
Business Colors and Continuence States and Continuence Continuence	- Paul - Part Draman I de Belgia Dravic - Milliand Difference Draman (1986-1984) in 1884 in 1884 in 1884 in 18	



TABLE E.3(ii): EMISSIONS TO SEWER -Characteristics of the emission (1 table per emission point) Emission point reference number: FW1

Parameter		Prior to tr	eatment			As discharged			
	Max. hourly average (mg/l)	Max. daily average (mg/l) Emission Limit (Wexford Co. Co. Discharge Licence)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	% Efficiency
BOD		400							
COD		<u>1500</u>							
Suspended solids Temperature		<u>500</u>							
оН		<u>30°C</u>							
Chloride		6-9 pH units		40° 51	8				
ulphate		2 <u>50</u> 2 <u>50</u>		Care est					
oils, fats and grease		<u>30</u>		Cauge					
Arsenic		<u> </u>							
hromium		.005							
opper	<u>0</u>	.005							
ead	<u>0</u>	<u>.005</u>							
inc	<u>o</u>								
ickel	<u>o</u>	.008							
yanide	<u> 0</u>	010							
uoride	<u>0.</u>	<u>5</u>							



TABLE E.4(i): EMISSIONS TO GROUNDWATER (1 Page for each emission point)

Emission Point or Area: NONE

Emission Point/Area Ref. Nº	
Emission Pathway: (borehole, well, percolation area, soakaway, landspreading, etc.)	
Location:	8
Grid Ref. (10 digit, 5E,5N):	
Elevation of discharge: (relative to Ordnance Datum)	
Aquifer classification for receiving groundwater body:	8
Groundwater vulnerability assessment (including vulnerability rating):	
Identity and proximity of groundwater sources at risk (wells, springs, etc):	
Identity and proximity of surface water bodies at risk:	



Emission Details:

(i) Volume to be emitted	
Normal/day m ³	Maximum/day m³
Maximum rate/hour m ³	

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up /shutdown to be included):

Periods of Emission		day day/yr



Table E.5(i): NOISE EMISSIONS - Noise sources summary sheet Please Refer to Page 12 of attached Report No. 2330/M09.

Source	Emission point Ref. No	Equipment Ref. No	Sound Pressure ¹ dBA at reference distance		Soun	d Press	Octav ure¹ Leve	e bands (H els dB(unw	z) eighted	i) per b	and		Impulsive or tonal qualities	Periods of Emission
				31.5	63	125	250	500	1K	2K	4K	8K		
								ą	, i				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
			To have					, and a second						
						<u>.</u>						1180		GA.
					-30		j							
						e.								
				ફુઇ (હું	Ç.								14 Maril 17	
				e de la companya de l		**************************************	et in							
												and a		

1. For items of plant sound power levels may be used.



TABLE F.1: ABATEMENT / TREATMENT CONTROL Refer to Pages 20-24 of attached Report No. 2330/M09.

Emission point reference number :__

Control ¹ parameter	Equipment ²	Equipment maintenance	Equipment calibration	Equipment back-up

Control ¹ parameter	Monitoring to be carried out ³	Monitoring equipment :	Monitoring equipment calibration

List the operating parameters of the treatment / abatement system which control its function.

List the equipment necessary for the proper function of the abatement / treatment system.

List the monitoring of the control parameter to be carried out.



TABLE F.2 to F.8: EMISSIONS MONITORING AND SAMPLING POINTS

(1 table per media)

TO A A TO A . TO CO. TAT ()	
Emission Point Reference No(s). :	
Emission I dini Reference Polsi	
— · · · · · · · · · · · · · · · · · · ·	

Parameter	Monitoring frequency	Accessibility of Sampling Points
Emissions to Foul sewer	Quarterly	Good

TABLE Ff: Fugitive ENVIRONMENT MONITORING AND SAMPLING LOCATIONS (1 table per media)

Monitoring Point Reference No: Dust (D1, D3, D4, D5 and D6

Dust D1 Dust D3 Dust D4 Dust D5 Dust D6 3 times per year 3 times per year	s per year	pood Pood Pood Pood	ion pur
Dust D3 Dust D4 Dust D5 3 times per 3 times per 3 times per	s per year s per year s per year s per year	Good Good	ion Piri
	s per year s per year s per year	Good Park	ion pur
	s per year	Good	ion pur
	Sper year		3
		Good	you.
			·
			-



Table G.1 Details of Process related Raw Materials, Intermediates, Products, etc., used or generated on the site

*Please refer to Section 3.3.6 of EIS dated August 1999.

Ref. Nº or Code	Material/ Substance ⁽¹⁾	CAS Number	Danger ⁽²⁾ Category	Amount Stored (tonnes)	Annual Usage (tonnes)	Nature of Use	R ⁽³⁾ - Phrase	S ⁽³⁾ - Phrase
				out of the state o	and other us			

Notes: 1. In cases where a material comprises a number of distinct and available dangerous substances, please give details for each component substance. c.f. Article 2(2) of SI Nº 77/94

3. c.f. Schedules 2 and 3 of SI N° 77/94

EPA licence application form 1a

ტე Dg

WASTE Application Form

TABLE H.1(i): WASTE

Hazardous Waste Recovery/Disposal - NOT APPLICABLE

Off-site Disposal	(Method, Location & Undertaker)	
Off-site Recovery, reuse or recycling	(Method, Location & Undertaker)	
On-site (Recovery/Disposal	(Method & Location)	
Quantity To the second of the	/ m³/month	
Main source	Tonnes	
EWC Code Man		
Waste material		

For itegorial purposes only and other less.



TABLE H.1(ii) WASTE - Other Waste Recovery/Disposal Please refer to Process Flow Chart in attached Report No. 2330/M09

Waste material	Waste material EWC Code		Quar	ntity :	On-site recovery/disposal ²	Off-site Recovery, reuse	Off-site Disposal
			Tonnes / month	m ³ /month	(Method & Location)	Or recycling (Method, Location & Undertaker)	(Method, Location & Undertaker)
Mixed Industrial Mixed Industrial –	20 03 01		1920				Undertaker)
wheelie bins	20 03 01		883				
Cardboard Packaging	15 01 01		312		and the second s		
Mixed C&D Waste	17 01 07		260		S. S		
Timber	20 01 38		104		44		
Kerbside collections	20 03 01		831		26863		
Glass Packaging	15 01 07		831		, ()		
Metal -Municipal	20 01 40		52	8	<u>W</u>		
Metallic Packaging				, (N)			
(Aluminium)	15 01 04		5	20,00			
				. A N. B			
1 A reference she	ould be made to the	main activity/ proces	o for a l				

be made to the main activity/ process for each waste.

The method of disposal or recovery should be clearly described and referenced to Attachment H.1



Table I.2(i) SURFACE WATER QUALITY

(Sheet 1 of 3) Monitoring Point/ Grid Reference: SW1

Parameter.			esults ng/l)		Sampling method ² (grab, drift etc.)	Normal Analytical Range ²	Analysis method / technique
	05/03/2005	Date	Date	Date			
pH	7.5				Grab		Electrometry
Temperature	5.9				Grab	v ·	Thermometry
Electrical conductivity EC	344				Grab	4	Electrometry
Ammoniacal nitrogen NH ₄ -N	0.06				Grab		Colorimetry
Chemical oxygen demand	48				Grabon and		Colorimetry
Biochemical oxygen demand	3				Grabe	a participation of	Electrometry
Dissolved oxygen DO	7.8				Grab		Electrometry
Chloride Cl	25			cito	Grab		Colorimetry
Oils Fats and Grease	<5			:15720	Grab	.,	Extraction/
			4	For Migh		a in They	Gravimetry
Total suspended solids	11		j	500	Grab		Gravimetry

NR = No Result



(Sheet 2 of 3) Monitoring Point/ Grid Reference: SW2

Parameter	Results (mg/l)				Sampling method ² (grab, drift etc.)	Normal Analytical Range ²	Analysis method / technique
	05/03/2005	24/06/2005	15/09/2005	Date	1		
pΗ	7.7	6.9	7.8		Grab		Electrometry
Temperature	6.0	NR	NR		Grab	-	Thermometry
Electrical conductivity EC	624	677	987		Grab		Electrometry
Ammoniacal nitrogen NH ₄ -N	0.06	0.27	3.37		Grab	:2	Colorimetry
Chemical oxygen demand	40	124	97		Grab	, Ž	Colorimetry
Biochemical oxygen demand	2	5	9		Grab	+1 kg	Electrometry
Dissolved oxygen DO	7.8	NR	NR		Grab	- <u>41</u> 4	Electrometry
Chloride Cl	38	21	33	14.	Grab Kus	3 2	Colorimetry
Oils Fats and Grease	<5	<5	<5	C	Grabative Constitution of the Constitution of		Extraction/ Gravimetry
Total suspended solids	<5	18	78	05.0	Grab	- Viji	Gravimetry

NR = No Result

(Sheet 3 of 3) Monitoring Point/ Grid Reference: SW Outfall

Parameter	Results (mg/l)			Sampling method ² (grab; drift etc.)	Normal Analytical Range ²	Analysis method / technique	
	05/03/2005	24/06/2005	15/09/2005	Date			
pH	7.5	7.0	7.6		Grab		Electrometry
Temperature	6.3	NR	NR		Grab		Thermometry
Electrical conductivity EC	1252	801	985		Grab	W.	Electrometry
Ammoniacal nitrogen NH4-N	0.68	2.43	3.82		Grab	Š.	Colorimetry
Chemical oxygen demand	37	67	210		Grab		Colorimetry
Biochemical oxygen demand	2	3	16		Grab	the state of the s	Electrometry
Dissolved oxygen DO	7.7	NR	NR		Grab		Electrometry
Chloride Cl	64	51	36		Grab		Colorimetry
Oils Fats and Grease	<5	<5	<5		Grab	1. And 1.	Extraction/
					, ,	F	Gravimetry
Total suspended solids	22	30	125		Grab	X.	Gravimetry

NR = No Result

Table I.4(i) GROUNDWATER QUALITY (Sheet 1 of 1) Monitoring Point/ Grid Reference: BH4

Parameter	Results (mg/l)				Sampling method (composite etc.)	Normal Analytical Range	Analysis method / technique
	05/03/2005	15/09/2005	23/02/2006	Date			
рH	7	7.2	6.6	1 1 1 4 1 to	2 1	ię ją	
Electrical conductivity EC	1616	1171	1360				
Ammoniacal nitrogen NH ₄ -N	0	0.47	0.04			>0.021	
BOD	<1.5	NR	NR		.01	>1.5	
Water level (m OD)	NR	NR	NR	12	ther the		

NR = No Result

EPA licence application form 1a

Table I.6(i) Ambient Noise Assessment (Noise monitoring conducted on 2nd and 3rd March 2005)

Third Octave analysis for noise emissions should be used to determine tonal noises

	National Grid Reference	Sound Pressure Levels				
1. SITE	(5N, 5E)	L(A)eq	L(A) ₁₀	L(A) ₉₀		
BOUNDARY						
Location 1:N1		55	T.5.C			
Location 2:N2		56	56	43		
Location 3:N13		51	60	49		
Location 4:N14			54	47		
Location 5:N15	ing and purify the comments of	56	59	48:		
2. NOISE	Andre Thirtier Committee and the	51	53	43		
SENSITIVE						
LOCATIONS						
ocation 1:N7		50		the source of the source of		
ocation 2:N8	,	50	52,00	45		
E: All locations should be		50	\$3	45		

NOTE: All locations should be identified on accompanying drawings.