

Mr. Criostoir O'Brien,
Midlands Environmental Services,
Dereen,
Durrow,
Co. Laois

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland
Ceanncheathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire
T: +353 53 916 0600
F: +353 53 916 0699
E: info@epa.ie
W: www.epa.ie
LoCall: 1890 33 55 99

20/06/06

Reg No. W0229-01

Re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations

Dear Mr. Criostoir O'Brien,

I am to refer to the above referenced application for a waste licence relating to a facility at Goff Recycling Limited, Ballygillane Big/Ballyknockan, Kilrane, Rosslare Harbour, Co. Wexford. Having examined the documentation submitted and following a recent site visit, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 of the Waste Management (Licensing) Regulations.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

ARTICLE 12 COMPLIANCE REQUIREMENTS

1. Indicate the location of the activity on the OS Discovery Series Map.
2. Submit a copy of the drawing DWG01 referred to in Attachment F.
3. Submit a revised site layout map incorporating the location of the weighbridge office.
4. Submit a revised floor layout plan incorporating the revised location of the waste acceptance area, the waste quarantine area and the polystyrene compactor.
5. Provide details of all oil and chemical storage on site and bunding arrangements for same. Include the locations in the revised floor layout plan.



6. Submit a site drainage plan. Confirm when the proprietary treatment system and percolation area, as indicated in the site layout plan, are to be installed.
7. Provide full details of the picking line and the spread plastic recycling machine including the location of each on the revised floor layout plan.

Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one original plus two copies within one month of the date of this notice. In addition please submit two copies of the requested information in electronic searchable PDF format on a CD-ROM to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is **Reg No. W0229-01**. Please direct all correspondence in relation to this matter to the *Licensing Unit, Office of Licensing & Guidance, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



Dr. Karen Creed
Inspector
Office of Licensing & Guidance