

Catherine O'Keeffe

From: Suzanne Wylde
Sent: 27 March 2007 10:16
To: Catherine O'Keeffe
Subject: FW: W0111-3 Licence Review

Catherine, can you put a copy of this email on the file,
 Thanks, Suzanne

Suzanne Wylde
Inspector
 EPA- Licensing Unit
 Tel: +353 53 9170791
 Fax: +353 53 9160699

From: Jim O'Callaghan [mailto:jim@ocallaghanmoran.com]
Sent: 27 March 2007 09:58
To: Suzanne Wylde
Cc: 'Malcolm Dowling'
Subject: W0111-3 Licence Review

Dear Ms Wylde,

I refer to our telephone conversation yesterday and your queries in relation to the responses to requests Nos 9 and 23 in the Agency's Article 14 Notice. I present herein the clarification sought by the Agency:

9. Please confirm if the wood chip facility referred to on drawings 1, 2 & 4 is still on site. If not, then the drawings should be amended accordingly.

It is understood that the Agency was informed during a recent site inspection that the wood chipper had been removed from the site. This is a misunderstanding. The wood chipper is still on site, but is not operational. The glass processing plant, which was located inside the transfer building, was decommissioned and sent off-site in around Q3 2006.

*23. "BAT Guidance Notes for Waste Sector: Transfer Activities" (Draft, 2003) states that transfer stations handling household waste must carry out all waste processing activities in an entirely enclosed building using negative air pressure. During our site visit on 12th March 2007, the EPA was told that **no** development works will be carried out at the facility in light of fact that Greenstar will be vacating the site by September 2010. Please confirm this in writing.*

It is Greenstar's intention to cease activities at the site by September 2010 and relocate waste activities to a new MRF in the south-east region. Greenstar intends to apply for planning permission and a Waste Licence for the new facility in 2007. In the interim Greenstar will carry out any works necessary to meet BAT requirements at the Pembrokestown facility.

I trust the above addresses the Agency's queries. If you need further clarification please contact me.

Regards,

Jim O'Callaghan

27/03/2007

**O'Callaghan Moran & Associates
Environmental & Hydrogeological Consultants**

Tel: 021 4321521

Fax: 021 4321522

Email: jim@ocallaghanmoran.com

Web: <http://www.ocallaghanmoran.com>

DISCLAIMER: This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the sender. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the company. Although the company has taken reasonable precautions to ensure no viruses are present in this email, the recipient should check this email and any attachments for the presence of viruses. The company accepts no liability for any damage caused by any virus transmitted by this email.

This email has been scanned by the MessageLabs Email Security System.
For more information please visit <http://www.messagelabs.com/email>

*For inspection purposes only.
Consent of copyright owner required for any other use.*