

Mayo County Council

Derrinumera Sludge Hub Centre & Leachate Treatment Facility

APPLICATION FOR REVIEW OF DERRINUMERA VOLUME I: APPLICATION FORM Conserved Configuration of Licenser and Configuration of Licenser an

TOBIN CONSULTING ENGINEERS







VOLUME I APPLICATION FORM

PROJECT: **Derrinumera Sludge Hub Centre & Leachate**

Treatment Facility -

Application for Review of Derrinumera Waste

Licence W0021-01

CLIENT:

Mayo County Council
Aras an Chontae

Mayo Co
Mayo Co
Mayo Co
Mayo Co
County Mayo Co
County Mayo Co County Mayo

COMPANY:

TOBIN Consulting Engineers

Market Square Castlebar County Mayo

Tel: 094-9021401 Fax: 094-9021534

email: castlebar@tobin.ie

www.tobin.ie

Document Amendment Record

Client: Mayo County Council

Project: Derrinumera Sludge Hub Centre & Leachate Treatment Facility

Title: Volume I Application Form

Application for Review of Derrinumera Waste Licence W0021-01

Consent of copyright owner required for any other use.

PROJECT NUMBER: 1908			DOCUMENT Form Rev B	REF: 190	8 WL Applica	ation	
В	Final Draft	МН	08/05/07	DG	08/05/07	MFG	08/05/07
A	Issued to Client	МН	03/04/07	ES	03/04/07	MFG	03/04/07
Revision	Description & Rationale	Originated	Date	Reviewed	Date	Authorised	Date
TOBIN Consulting Engineers							



Waste Licence Application of orm Location of orm Locati

This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts 1996 to 2003.

Environmental Protection Agency

P.O.Box 5000, Johnstown Castle Estate, County Wexford Telephone: 053-60600 Fax: 053-60699

Environmental Protection Agency Application for a Waste Licence

WASTE MANAGEMENT ACTS 1996 to 2003

CONTENTS

		Page
INTRODUCT	TION	6
CHECKLIST		7
PROCEDURE	ES	13
SECTION A	NON-TECHNICAL SUMMARY	15
SECTION B	GENERAL 156°.	16
SECTION C	MANAGEMENT OF THE FACILITY Office the second of the second	22
SECTION D	INFRASTRUCTURE & OPERATION	24
SECTION E	EMISSIONS egginner for the state of the stat	29
SECTION F	CONTROL & MONITORING	31
SECTION G	RESOURCES USE & ENERGY EFFICIENCY	34
SECTION H	MATERIALS HANDLING	35
SECTION I	EXISTING ENVIRONMENT & IMPACT OF THE FACILITY	38
SECTION J	ACCIDENT PREVENTION & EMERGENCY RESPONSE	40
SECTION K	REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE	D 41
SECTION L	STATUTORY REQUIREMENTS	41
SECTION M	DECLARATION	43

ANNEX 1: STANDARD FORMS



INTRODUCTION

A valid application must contain the information prescribed in the Waste Management (Licensing) Regulations 2004 (SI No. 395 of 2004). The applicant is strongly advised to read the *Application Guidance Notes* for Waste Licensing, available from the EPA.

The applicant must conform to the format set out in the guidance notes for applications. Each page of the completed application form must be numbered, e.g. page 5 of 45, etc. Also duplicated pages from the application form should be uniquely numbered, e.g. page 5(i) of 45, etc. **The basic information should for the most part be supplied in the spaces given in application form** and any supporting documentation should be supplied as attachments, as specified. Consistent measurement units must be used throughout.

The applicant should note that the application form has been structured so that it requires information to be presented in an order of progressive detail.

When it is found necessary, additional information may be provided on supplementary attachments which should be clearly cross referenced with the relevant sections in the main document.

While all sections in the application form may not be relevant to the activity concerned, the applicant should look carefully through all aspects of the form and provide the required information, in the greatest possible detail.

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

Information supplied in this application, including supporting documentation will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to". In the event that information is considered to be of a confidential nature, then the nature of this information, and the reasons why it is considered confidential (with reference to the "Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.



CHECKLIST

Articles 12 and 13 of the Waste Management (Licensing) Regulations, 2004 (S.I. No. 395 of 2004) set out the information which must, in all cases, accompany a waste licence application. In order to ensure that the application fully complies with the legal requirements of Articles 12 and 13 of the 2004 Regulations, all applicants should **complete** the following.

In each case, refer to the attachment number(s) of your application which contain(s) the information requested in the appropriate sub-article.

Article 12(1) In the case of an application for a waste licence, the application shall -

(a) give the name, address and, where applicable, any telephone number and telefax of the applicant (and, if different, the operator of the facility concerned), the address to which correspondence relating to the application should be sent and, if the applicant or operator is a body corporate, the address of its registered office or principal office,

LOCATION	Section B.1	Me	S S S S S S S S S S
CHECKED	Applicant	My any	Official

(b) give the name of the planning authority in whose functional area the relevant activity is or will be carried on,

LOCATION	Section 53	
CHECKED	Applicant	Official

(c) in the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority, give the name of the sanitary authority in which the sewer is vested or by which it is controlled,

LOCATION	Section B.4	0.00 • 1
CHECKED	Applicant	Official

(d) give the location or postal address (including where appropriate, the name of the townland or townlands) and the National Grid reference of the facility or premises to which the application relates,

LOCATION	Section B.2	
CHECKED	Applicant	Official

(e) describe the nature of the facility or premises concerned, including the proposed capacity of the facility or premises, and in the case of application in respect of a landfill of waste, the requirements specified in Annex 1 of the Landfill Directive,

LOCATION	EIS Section 1.2 & Volume II Attachment A.1		
CHECKED	Applicant 🔀	Official	

(f) specify the class or classes of activity concerned, in accordance with the Third and Fourth Schedules of the Act, and in the case of an application in respect of the landfill of waste, specify the class of landfill in accordance with Article 4 of the Landfill Directive,

LOCATION	Section B.7	
CHECKED	Applicant	Official

(g) specify, by reference to the relevant European Waste Catalogue codes as presented by Commission Decision 2000/532/EC of 3 May 2000, the quantity and nature of the waste or wastes which will be treated, recovered or disposed of,

LOCATION	Section H & Volume II Attachment A.1		
CHECKED	Applicant		∮ fficial □

(h) specify the raw and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity,

LOCATION Section & Volume II Attachment G.1		
CHECKED	Applicant 🛚	Official

(i) describe the plant, methods, processes, ancillary processes, abatement, recovery and treatment systems and operating procedures for the activity,

LOCATION	Section F, Volume II Attachme 3.2 & 3.4 of the EIS	Section F, Volume II Attachment A.1 & Sections 3.2 & 3.4 of the EIS				
CHECKED	Applicant	Official				

(j) provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in paragraphs (a) to (g) of section 40(4) of the Act,

LOCATION	Section L		
CHECKED	Applicant	Official	



(k) give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made,

LOCATION	Section E & Vol. II Attachment A.1 & E.1 to E.5		
CHECKED	Applicant 🔀	Official	

(1) give details, and an assessment of the effects, of any existing or proposed emissions on the environment, including any environmental medium other than those into which the emissions are, or are to be made, and of proposed measures to prevent or eliminate or, where that is not practicable, to limit or abate such emissions,

LOCATION	Section I & Vol. II Attachment A.1 & I	
CHECKED	Applicant 🔀	Official

(m) identify monitoring and sampling points and indicate proposed arrangements for the monitoring of emissions and the environmental consequences of any such emissions,

LOCATION	Section F & \	/ol. II Attachment	F.2 to F.9	
CHECKED	Applicant	South arm	Official	

(n) describe any proposed arrangements for the prevention, minimisation and recovery of waste arising from the activity concerned,

LOCATION	Section G2 & Vol. II Attachme	ent G.2
CHECKED	Applicant 🔀	Official

(o) describe any proposed arrangements for the off-site treatment or disposal of solid or liquid wastes,

LOCATION	Section H2 and H4 & Vol. II Attachment H.4		
CHECKED	Applicant	Official	

(p) describe the existing or proposed measures, including emergency procedures, to prevent unauthorised or unexpected emissions and minimise the impact on the environment of any such emission,

LOCATION	Section J & Vol. II Attachment J		
CHECKED	Applicant	Official	



(q) describe the proposed measures for the closure, restoration, remediation or aftercare of the facility concerned, after the cessation of the activity in question,

LOCATION	Section K & Vol. II Attachment K	
CHECKED	Applicant 🔀	Official

- (r) in the case of an application in respect of the landfilling of waste, give particulars of
 - (i) such financial provision as is proposed to be made by the applicant, having regard to the provisions of Articles (7)(i) and (8)(a)(iv) of the Landfill Directive and section 53(1) of the Act, and

LOCATION	Not Applicable	
CHECKED	Applicant 🔀	Official

(ii) such charges as are proposed or made, having regard to the requirements of section 53A of the Act

LOCATION	Not Applicable	<u> </u>
CHECKED	Applicant Applicant	Official

(s) state whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Pangerous Substances) Regulations, 2000 (S.I. No. 476 of 2000) apply,

CHECKED		Applicant	\boxtimes	Official	
LOCATION	Co	Section B.8			
		5			

(t) in the case of an activity which gives rise or could give rise to an emission into an aquifer containing the List I and II substances specified in the Annex to Council Directive 80/68/EEC of 17 December 1979, describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6,7,8,9 and 10 of the aforementioned Council Directive,

LOCATION	Not Applicable	
CHECKED	Applicant X	Official



(u) include a non-technical summary of information provided in relation to the matters specified in paragraphs (a) to (t) of this sub-article,

LOCATION	Vol. II Attachment A.1	
CHECKED	Applicant	Official

Article 12(4) Without prejudice to Article 13(1) and (2), an application for a licence shall be accompanied by -

(a) a copy of the relevant page of the newspaper(s) in which the notice in accordance with article 6 has been published,

LOCATION	Vol. II Attachments – Appendix 4	
CHECKED	Applicant	Official

(b) a copy of the text of the notice or notices erected or fixed in accordance with article 7,

LOCATION	Vol. II Attachr	ments – A	ppendix. ³⁶
CHECKED	Applicant		Official

(c) where appropriate, a copy of the notice given to a local planning under article 9,

LOCATION	Vol. II Attachments- Appendix	5
CHECKED	Applicant 🔀	Official

- (d) a copy of such plans (appropriately scaled and no larger than A3 size), including a site plan or plans and location map or maps, and such other particulars, reports and supporting documentation as are necessary to identify and describe, as appropriate -
 - (i) the position of the notice in accordance with article 7,

LOCATION	Volume III : WLA Drawings		
CHECKED	Applicant	Official	

(ii) the point or points from which emissions are made or are to be made, and

LOCATION	Volume III: WLA Drawings		
CHECKED	Applicant	Official	



(iii) the point or points at which monitoring and sampling are undertaken or are to be undertaken,

	Vol. II Attachments F2 to F9 & Volume III : WLA Drawings	
CHECKED	Applicant 🔀	Official

(e) such fee as is appropriate having regard to the provisions of articles 40 and 41.

INCLUDED Y/N	Υ	
CHECKED	Applicant	Official

Article 12(5)(a) & (b) An application shall comprise 1 signed original of the application and 2 copies in hardcopy format plus 2 copies of all files in electronic searchable PDF format on CD-Rom.

HARDCOPIES PROVIDED Y/N	Y	115c.
CHECKED	Applicant 🔯	Official
	-Soft of alter	
CD OF PDF FILES PROVIDED? Y/N	Y Duffosetied	
CHECKED	Applicant 🗌	Official
	Story Oth	

Article 13 Where a development requires an Environmental Impact Assessment to be carried out, 1 signed original and 2 copies in hardcopy format of the environmental impact statement plus 16 copies in electronic searchable PDF format on CD-ROM should accompany this application.

EIA REQUIRED? Y/N	Υ		
CHECKED	Applicant	Official	
3 HARD COPIES OF EIS INCLUDED? Y/N	Υ		
CHECKED	Applicant	Official	
16 CD versions of EIS, as PDF files, PROVIDED? Y/N	Y		
CHECKED	Applicant	Official	



PROCEDURES

It is recommended that pre-application consultations with the Agency are undertaken before a formal submission of the waste licence application.

The procedure for making and processing of applications for waste licences, and for the processing of reviews of such licences, appear in the Waste Management (Licensing) Regulations 2004 (S.I. No. 395 of 2004) and are summarised below. The application fees that shall accompany an application are listed in the Second Schedule to the Regulations.

Prior to submitting an application the applicant must publish in a local newspaper, and erect on site, a notice of intention to apply. An applicant, other than a local authority in whose functional area the development is located, must also notify the Local Planning Authority, in writing, of their intention to apply.

An application for a licence must be submitted on the appropriate form (available from the Agency) with the correct fee, and should contain relevant supporting documentation as attachments. The application should be based on responses to the form, supporting written text and the appropriate use of tables and drawings. Where point source emissions occur, a system of unique reference numbers should be used to denote each emission point. These should be simple, logical, and traceable throughout the application.

The application form is divided into a number of sections of related information. The purpose of these divisions being to facilitate both the applicant and the Agency in the provision of the information and its assessment. Attachments should be clearly numbered, titled and paginated and must contain the required information as set out in the application form. Additional attachments may be included to supply any further information supporting the application. Any references made should be supported by a bibliography.

All questions should be answered. No waste management facility is exactly the same and hence each application will require different information. It is therefore possible that some of the sections of this application form may not be relevant to the activity concerned. Where information is requested in the application form, which is not relevant to the application, the words "not applicable" should be clearly written on the form. The abbreviation "N/A" should not be used.

Additional information may need to be submitted beyond that which is explicitly requested on this form. Any references made should be supported by a bibliography. The Agency may request further information if it considers that its provision is material to the assessment of the application. Advice should be sought from the Agency where there is doubt about the type of information required or the level of detail.

Information supplied in this application, including supporting documentation will be put on public display and be open to inspection by any person. **Should the applicant**



consider information to be confidential, then the nature of this information, and the reasons why it is considered confidential should be clearly stated in an attachment to the Application Form. This information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to (representative of the applicant)".

Applicants should be aware that a contravention of the conditions of a waste licence is an offence under Section 39 of the Waste Management Acts 1996 to 2003.

The provision of information in an application for a waste licence which is false or misleading is an offence under Section 45 of the Waste Management Acts 1996 to 2003.

Note: Drawings. The following guidelines are included to assist applicants:

- All drawings submitted should be titled and dated.
- They should have a <u>unique reference number</u> and should be signed by a clearly identifiable person.
- They should indicate a scale and the direction of north
- All drawings should, generally, be to a scale of between 1:20 to 1:500, depending upon the degree of detail needed to be shown and the size of the facility. Drawings delineating the boundary can be to a smaller scale of between 1:1000 to 1:10560, but must clearly and accurately present the required level of detail. Drawings showing the site location can be to a scale of between 1:50 000 to 1:126 720. All drawings should, however, be A3 or less and of an appropriate scale such that they are clearly legible. Provide legends on all drawings and maps as appropriate.

The provision of information in an application for a waste licence, which is false or misleading, is an offence under s45 of the Acts.



SECTION A NON-TECHNICAL SUMMARY

A Non-Technical Summary is to be submitted. The summary should include information on those aspects outlined in the Guidance Note and must comply with the requirements of Article 12 (1) (u) of the Waste Management (Licensing) Regulations, S.I. 395 of 2004.

The Non-Technical Summary should form **Attachment A.1**.



SECTION B GENERAL

B.1 Applicant's Details

Name*:	Mayo County Council
Address:	Aras an Chontae
	The Mall
	Castlebar
	County Mayo
Tel:	(094) 9024444
Fax:	(094) 9023937
e-mail:	

^{*} This should be the name of the applicant which is current on the date this Waste Licence Application is lodged with the Agency. It should be the name of the legal entity (which can be a limited company or a sole trader). A trading/business name is not acceptable.

Name and Address for Correspondence

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name:	M.F. Garrick, Director,	
Address:	TOBIN Consulting Engineers	
-	Market Square,	
-	Castlebar, jton of the castlebar in the	
-	County Mayo.	
Tel:	(094) 9021401 cot liter	
Fax:	(094) 9021534	
e-mail:	castlebar@tobin.ie	

Address of registered or principal office of Body Corporate (if applicable)

Address:

	Not Applicable	
Tel:		
Tel: Fax:		
e-mail:		

If the applicant is a body corporate, the following information must be attached as **Attachment B1**:

- a) a Certified Copy of the Certificate of Incorporation or Memorandum and Article of Association;
- b) the Company's Registration Number from the Companies Registry Office; and
- c) a list of the Company Directors.



State the interest of the applicant in the land which is subject to the application. The applicant is (please check):

Landowner	X	
Lessee		
Prospective Purchaser		
Other (please specify)		

Name and address of all occupiers of the land on which the Activity is situated (if different from applicant named above).

Name:	
Address:	
	Not Applicable
Tel: Fax: e-mail:	
Fax:	
e-mail:	
	1)th

Name and address of the current* owner(s) and lessees of the land, buildings and ancillary plant on which the activity is or will be situated (if different from applicant named above). An appropriately scaled drawing($\leq A3$) showing the above details should be included in Attachment B1.

Name:	dione receipt	
Address:	in Plan	
	for wind	
	Not Applicable	
	c.pt. 6	
Tel:	CONS	
Fax:		
e-mail:		

^{*}Current at the time the application is submitted

B.2 Location of Activity

Name:	Derrinumera Landfill Facility,
Address*:	Derrinumera / Drumilra (Townlands),
	Newport,
	County Mayo.
Tel:	(098) 41632
Fax:	(098) 41676
e-mail:	

^{*} Include any townland



National Grid Reference	E1044, N2936
(8 digit 4E,4N)	

Location maps (\leq A3), appropriately scaled, with legible grid references should be enclosed in **Attachment B.2.** The site boundary must be outlined on the map in colour.

B.3 Planning Authority

Give the name of the planning authority in whose functional area the activity is or will be carried out.

Name:	Mayo County Council,
Address:	Aras an Chontae,
	The Mall,
	Castlebar,
	County Mayo. (Approval will be sought from An Bord Pleanála under Part X of the Planning & Development Act)
Tel:	(094) 9024444
Fax:	(094) 9023937

Has the Planning Authority received written notification from the applicant of the application to The Environmental Protection Agency for a Waste Licence under Article 9 of the Waste Management (Licensing) Regulations?

Planning Authority notified Yes No

Planning Permission relating to this application:

has been obtained	
is being processed	\boxtimes
is not yet applied for	
is not required	

Local Authority Planning	Not Applicable
File Reference Nº:	

Attachment B.3 should contain *the most recent* planning permission, including a copy of *all* conditions, and the required copies of any EIS should also be enclosed. For existing activities, **Attachment B.3** should also contain copies of the most recent waste licence and any permits in force at the time of submission. Where planning permission is not required for the development, provide reasons, relevant correspondence, *etc*.



B.4 Sanitary Authority

In the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority or other body, give the name of the sanitary authority in which the sewer is vested or by which it is controlled and the waste water treatment plant (if any) to which the sewer discharges.

Name:	Mayo County Council, Water Services Department,
Address:	Aras an Chontae,
	The Mall,
	Castlebar,
	County Mayo.
Tel:	(094) 9024444
Fax:	(094) 9023937

The applicant must enclose, as **Attachment B.4**, a copy of any effluent discharge licence and/or agreement between the applicant and the body with responsibility for the sewer.

B.5 Other Authorities

The applicant should tick the appropriate box below to identify whether the activity is located within the Shannon Free Airport Development Company (SFADCo.) area.

	ADCo. Area Ves No No Oditer in
Within SF	ADCo. Area Yes No No
TP1 1:	nt should indicate the Health Board Region where the activity is or will be located.
The applican	at should indicate the Health Board Region where the activity is or will be located.
Name:	Health Service Executive – Western Area (*)
Address:	Merlin Park Regional Hospital,
	Galway.
	Ecoly,
Tel:	(091) 751 131
Fax:	(091) 752 644

B.6 Notices and Advertisements

Articles 6 and 7 of the Waste Management (Licensing) Regulations 2004 requires all applicants to advertise the application in a newspaper and by way of a site notice. See *Guidance Note*.

Attachment B.6 should contain a copy of the site notice and an appropriately scaled drawing (\leq A3) showing its location on site. The original application must include the complete newspaper in which the advertisement was placed. The relevant page of the newspaper containing the advertisement should be included with the original and three copies of the application.

B.7 Type of Waste Activity, Tonnages & Fees

B.7.1 Specify the class or classes of activity in Table B.7.1, in accordance with the Third Schedule or Fourth Schedule to the Waste Management Acts 1996 to 2003, to which the application relates (check the relevant box(es) and mark the principal activity with a 'P').

Attachment B.7 should identify the principle activity and include a brief technical description of each of the other activities specified. **There can only be one principal activity.**

TABLE B.7.1 THIRD AND FOURTH SCHEDULES OF THE WASTE MANAGEMENT ACTS 1996 TO 2003

Waste Management Acts 1996 to 2003			
THIRD SCHEDULE Waste Disposal Activities	Y/N	FOURTH SCHEDULE Waste Recovery Activities	Y/ N
Deposit on, in or under land (including landfill).	Р	Solvent reclamation or regeneration.	
2. Land treatment, including biodegradation of liquid or sludge discards in soils.	70°S	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).	X
3. Deep injection of the soil, including injection of pumpable discards into wells, salt domes or naturally occurring repositories.	A Purpo	3. Recycling or reclamation of metals and metal compounds.	X
4. Surface impoundment, including placement of liquid or slugged discards into pits, ponds or lagoons.	X	Recycling or reclamation of other inorganic materials.	X
5. Specially engineered landfill, including placement into lined discrete cells which are capped and isolated from one another and the environment.	X	5. Regeneration of acids or bases.	
6. Biological treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 7 to 10 of this Schedule.	X	6. Recovery of components used for pollution abatement.	
7. Physico-chemical treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 8 to 10 of this Schedule (including evaporation, drying and calcination).	X	7. Recovery of components from catalysts.	
8. Incineration on land or at sea.		8. Oil re-refining or other re-uses of oil.	
9. Permanent storage, including emplacement of containers in a mine.		Use of any waste principally as a fuel or other means to generate energy.	X
10. Release of waste into a water body (including a seabed insertion).		The treatment of any waste on land with a consequential benefit for an agricultural activity or ecological system.	X
11. Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.		11. Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule.	
12. Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.		12. Exchange of waste for submission to any activity referred to in a preceding paragraph of this Schedule.	
13. Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.	X	13. Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.	X

TABLE B.7.2 MAXIMUM ANNUAL TONNAGE

The maximum annual tonnage of waste to be handled at the site should be indicated and the year to which the quantity relates indicated.

Maximum Annual Tonnage (tpa)	72,580*
Year	2020

^{*} Refers to 40,000 tpa (already licenced) for the maximum quantity of non-hazardous waste to be accepted for disposal to landfill and 32,580 tpa (subject to Waste Licence Review) for the total tonnage to be accepted at the Sludge Hub Centre Facility: [40,000 + 32,580 = 72,580 tpa]

B.7.3 FEES

State each class of activity for which a fee is being submitted as per Part I of the Second Schedule of the Waste Management (Licensing) Regulations 2004, S.I. No. 395 of 2004. Note: two fees are required if disposal and recovery are to occur.

Waste Activity	Fee (in €)
Disposal of Waste (appropriate disposal activity 1.2) – Review of Waste Licence	Second Schedule- Part 1 – The disposal of waste at a landfill facility where the annual intake is likely to exceed 40,000 tonnes but be less than 100,000 tonnes Fee = €22,560 m
Recovery of Waste (4) – Review of	Second Schedule- Part 1 – The
Waste Licence	recovery of waste: Fee = €6,000
Total Fee	€28,80000

TABLE B.7.4 (FOR A LANDFILL APPRICATION)

STATE WHICH OF THE FOLLOWING IS RELEVANT TO THE CURRENT APPLICATION.

(This application for the review of the Waste Licence is for the addition/inclusion of a Sludge Hub Centre and Leachate Treatment Facility at the <u>existing licenced Landfill Facility</u>.)

(a) landfill for hazardous waste	
(b) landfill for non-hazardous waste	
(c) landfill for inert waste	

B.8 SEVESO II DIRECTIVE

State whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous substances) Regulations, 2000 (S.I. No. 476 of 2000), apply.

Regulations Apply	Yes	No 🔀

If yes, **Attachment B.8** should include the relevant details. Supporting information, as well as copies of any Hazardous Operation Studies (HAZOP) carried out for the site, should also be included in the attachment.

SECTION C MANAGEMENT OF THE FACILITY

Advice on completing this section is provided in the *Guidance Note*.

C.1 Technical Competence and Site Management

This information should form **Attachment C 1**.

Details of the applicant's experience and qualifications, along with that of other relevant employees, should be summarised as shown below. Statements of duties, responsibilities, experience and qualifications should be submitted for each position named below. Additional information, including the management structure and an organisational chart, should be included in **Attachment C 1.**

Name	Position	Duties and Responsibilities	Experience /Qualifications
		Refer to Attachment C.	
		2 6 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
		in the state of th	
		section of text	

C.2 Environmental Management System

Attachment C 2 should contain the Environmental Management System (EMS) details required.

C.3 Hours of Operation

Attachment C 3 should contain details of hours of operation for the waste facility, civic waste facilities and other facilities.

- (a) Proposed hours of operation.
- (b) Proposed hours of waste acceptance/handling.
- (c) Proposed hours of any construction and development works at the facility and timeframes (required for landfill facilities).
- (d) Any other relevant hours of operation expected.

C.4 Conditioning Plan

Address as **Attachment C 4**, in the case of a LANDFILL Application, and only for the review of a Landfill Waste Licence.



(This application for the review of the Waste Licence is for the addition/inclusion of a Sludge Hub Centre and Leachate Treatment Facility at the <u>existing licenced Landfill Facility.</u>)

Consent of copyright owner required for any other use.



SECTION D INFRASTRUCTURE & OPERATION

D.1 Infrastructure

Complete the following table detailing the site infrastructure. **Attachment D 1** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.1. Additional advice on completing this section is provided in the application *Guidance Note*.

Table D.1. Infrastructure		y/n	Comments
D.1.a	Site security arrangements including gates and fencing	Y	Refer to Attachment D.1.a & Section 3.5.1 of EIS
D.1.b	Designs for site roads	Y	Refer to Attachment D.1.b & Section 3.5.1 of EIS
D.1.c	Design of hardstanding areas	Υ	See Attachment D.1.c
D.1.d	Plant	Y	Refer to Attachment D.1.d & Section 2.3 of EIS
D.1.e	Wheel-wash	v· Y	Refer to Attachment D.1.e & Section 3.5.1 of EIS
D.1.f	Laboratory facilities	Y	Refer to Attachment D.1.f & Section 3.5.1 of EIS
D.1.g	Design and location of fuel storage areas	Υ	See Attachment D.1.g
D.1.h	Waste quarantine areas	Υ	See Attachment D.1.h
D.1.i	Wheel-wash Laboratory facilities Design and location of fuel storage areas of the difference of the location of fuel storage areas waste quarantine areas Waste quarantine areas Waste inspection areas Traffic control Sewerage and surface water drainage infrastructure	Y	Refer to Attachment D.1.i & Section 2.3.1.1 of EIS
D.1.j	Traffic control	Υ	Refer to Attachment D.1.j & Section 3.2.5.5 of EIS
D.1.k	Sewerage and surface water drainage infrastructure	Υ	See Attachment D.1.k
D.1.l	All other services	Υ	See Attachment D.1.I
D.1.m	Plant sheds, garages and equipment compound	Y	Refer to Attachment D.1.m
D.1.n	Site accommodation	Y	Refer to Attachment D.1.n & Section 3.5 of EIS
D.1.0	A fire control system, including water supply	Υ	Refer to Attachment D.1.o
D.1.p	Civic amenity facilities	Υ	See Attachment D.1.p
D.1.q	Any other waste recovery infrastructure	Y	Refer to Attachment D.1.q & Section 3.2 of EIS
D.1.r	Composting infrastructure	Υ	Refer to Attachment D.1.r & Section 3.2.6 of EIS
D.1.s	Construction and Demolition waste infrastructure	Y	See Attachment D.1.s
D.1.t	Incineration infrastructure (if applicable).	N	Not Applicable
	Provide information to fulfil Article 4 (2) & (3) of the Incineration of Waste Directive		

D.1.u	Any other infrastructure	Υ	Refer to Attachment D.1.u & Section 3.4 of EIS	
-------	--------------------------	---	---	--

D.2Facility Operation

In Attachment D 2 describe the plant, methods, processes and operations of the waste facility, as required by the Guidance Note.

Attachment included	yes 🔀	no	not applicable

LANDFILLS

The following Sections D3 to D7 should only be completed for Landfill Applications. Reference should be made to the Agency landfill manual 'Landfill Site Design (2000)' when completing this section.

D.3 Liner System

Complete the following table regarding the liner system to be used for the landfill/landfill extension and detail the information requested as **Attachment D.3**. Items D3c to D3g should only be completed for immediate projects only (ie Years 1 & 2). A schedule of Liner construction activities for the medium to long term need only be listed in item D3a below, since Condition 3 of any licences granted will provide reporting requirements for any future projects.

TABLE D.3 LINER SYSTEM

provide	e reporting requirements for any future projects.		
TABLE	D.3 LINER SYSTEM FOR HIGH		
	at of Control of Contr	y/n	Comments
	¢ Olise		Not Applicable*
D.3.a	Provide information to fulfil Annex 1 of the		
	Landfill Directive		
			Not Applicable*
D.3.b	What type of liner system is specified?		
			Not Applicable*
D.3.c	Has a Quality Control Plan been specified?		
			Not Applicable*
D.3.d	Has a Quality Assurance Plan been specified?		
			Not Applicable*
D.3.e	Have independent, third-party supervision,		
	testing and controls been specified?		
	•		Not Applicable*
D.3.f	Have basal gradients for all cells and access		
	ramps to the cells been designed?		
			Not Applicable*
D.3.g	Has a leak detection survey been specified?		

^{*} Issues already dealt with in previous application for Licence W0021-01. Current Waste Licence Review application does not include proposal for any landfill extension.

D.4 Leachate Management

Complete the following table detailing leachate management arrangements. Further information should be included in **Attachment D.4.**

(The previous application for Waste Licence W0021-01 has already dealt with the majority of the issues below. Some sections were considered relevant to this application due to the proposal to construct a Leachate Treatment Facility on-site).

TABLE D.4.1 LEACHATE MANAGEMENT ARRANGEMENTS

		y/n	Comments
			Not Applicable*
D.4.a	Is there a Leachate Management Plan?		
			Not Applicable*
D.4.b	Have annual quantities of leachate been calculated?		
			Not Applicable*
D.4.c	Has the total quantity of leachate been calculated?		
	0.0		Not Applicable*
D.4.d	Have the size of the cells been specified taking		
	account of the water balance calculations?		
	Othy, and		Not Applicable*
D.4.e	Has a leachate collection system been specified?		
	nurgodire	Υ	Refer to Attachment D.4
D.4. f	Has a leachate storage system been specified?		
	and the state of t		Not Applicable*
D.4.g	Has a system for monitoring the level of leachate in		
	the waste been designed?		
	at of the same of		Not Applicable*
D.4.h	Is leachate recirculation proposed/practised?		
	C	Υ	Refer to Attachment D.4
D.4. i	Has leachate treatment on-site been specified?		
			Not Applicable*
D.4. j	Has leachate removal been specified?		

^{*} Issues already dealt with in previous application for Licence W0021-01. Current Waste Licence Review application does not include proposal for any landfill extension.

D 5 Landfill Gas Management

All landfill sites should have suitable arrangements for the management of landfill gas. **Attachment D.5** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.5. *Items D5g to D5m should only be completed for immediate or current gas collection projects only (ie Years 1 & 2).* A schedule of gas management aspects for the medium to long term need only be listed in item D5f below, since Condition 3 of any proposed decision/licence will provide reporting requirements for any future projects.

Table D.5. Landfill Gas Management

	G	y/n	Comments
D.5a	Is there a Landfill Gas Management Plan?		Not Applicable*
	Provide estimates of the volumes of landfill gas which will be produced by the waste disposed of in the site for the next 20 years, and compare to the EPER list for methane:		
D.5b	Is there a passive venting system?		Not Applicable*
D.5 c	Does the passive system cover all of the filled area?		Not Applicable*
D.5d	Have gas alarm systems been installed in the site buildings?	Υ	Refer to Attachment D.5.d
D.5e	Have measures been installed to prevent landfill gas migration (e.g. barriers)?	iny other	Not Applicable*
D.5f	Has a time-scale been proposed for the installation of landfill gas infrastructure?		Not Applicable*
D. 5g	Is gas flaring undertaken at the site?	Y	Refer to Attachment D.5.g
D.5h	Is there an active (i.e., pumped) landfill gas extraction system?	Υ	Refer to Attachment D.5.h
D.5i	Does the active system cover all of the filled area?		Not Applicable*
D.5j	Is landfill gas used to generate energy at the site?	Υ	Refer to Attachment D.5.j
D.5k	Have emissions from the flarestack and utilisation plant been assessed for source, composition, quantity and level and rate?		Not Applicable*
D.51	Has a maintenance programme for the control system been specified?		Not Applicable*
D.5m	Has a condensate removal system been designed?		Not Applicable*



* Issues already dealt with in previous application for Licence W0021-01. Current Waste Licence Review application does not include proposal for any landfill extension.

D.6 Capping System

Complete the following table detailing the design of the capping system. Attachment D.6 should contain the appropriate documentation. *Items D6e to D6k should be completed for immediate projects only (ie Years 1 & 2).* Condition 10 of any proposed decision/licence will provide reporting requirements for capping requirements beyond this timeframe.

Table D.6 Capping System

		y/n	Comments
			Not Applicable*
D.6a	Has the daily cover been specified?		
			Not Applicable*
D.6b	Has the intermediate cover been specified?		
		her use	Not Applicable*
D.6c	Has the temporary capping been specified?	die	
	विभिन्नं अपूर्व		Not Applicable*
D.6d	Has the Capping System been designed and		
	does it meet the requirements of the Landfill		
	Directive Annex 1 (3.3)?		
	age out		Not Applicable*
D.6e	Does the Capping System include a flexible		
	membrane liner?		
	at of the		Not Applicable*
D.6f	Have all capping materials been specified?		
	C		Not Applicable*
D.6g	Has a Method Statement for construction		
	been produced?		
			Not Applicable*
D.6h	Has a Quality Control Plan been produced?		
			Not Applicable*
D.6i	Has a Quality Assurance Plan been		
	produced?		
			Not Applicable*
D.6j	Has a programme for monitoring landfill		
	stability been developed?		
			Not Applicable*
D.6k	Has a programme for monitoring landfill		
	settlement been developed?		

^{*} Issues already dealt with in previous application for Licence W0021-01. Current Waste Licence Review application does not include proposal for any landfill extension.

SECTION E EMISSIONS

Give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made.

The applicant should address in particular any emission point where the substances listed in the Schedule of S.I. 394 of 2004 are emitted.

E.1 Emissions to Atmosphere

Details of all point emissions to atmosphere should be supplied. Table E.1.(i) (for Landfill Gas Flare emissions) must be completed for all landfills with a flare. Complete Table E.1(ii) and E.1(iii) for <u>all</u> other main emission points, including stack sources (incinerator stacks, landfill gas utilisation plants, air handling unit emissions etc.). Complete Table E.1(iv) for minor/fugitive/ground emission points.

E.2 Emissions to Surface Waters

Attachment E.2 Tables E.2(i) and E.2(ii) should be completed where relevant.

E.3 Emissions to Sewer

Attachment E.3 Tables E.3(i) and E.3(ii) should be completed, where relevant.

E.4 Emissions to Groundwater

Describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6, and 7 of Council Directive 80/68/EEC of 17 December 1979 on the protection of groundwater against pollution by certain dangerous substances.

Table E.4(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.4**

E.5 Noise Emissions

Give particulars of the source, location, nature, level, and the period or periods during which the noise emissions are made or are to be made.

Table E.5(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.5**

E.6 Environmental Nuisances

Attachment E.6 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings as relevant established in Table D.6. Additional advice on completing this section is provided in the *Guidance Note*.

TABLE E.6 ENVIRONMENTAL NUISANCES

Bird Control	Control method specified	yes 🔀	no	not applicable
	Attachment included	yes 🔀	no	not applicable
Dust Control	Control method specified	yes 🔀	no	not applicable
	Attachment included	yes 🔀	no	not applicable
Fire Control	Control method specified	yes 🔀	no	not applicable
	Attachment included	yes 🔀	no	not applicable
Litter Control	Control method specified	yes 🖂	no 🗌	not applicable
	Attachment included	yes Sine	no	not applicable
Traffic Control	Control method specified	yes all	no	not applicable
	Attachment included	din yes 🖂	no	not applicable
Vermin Control	Control method giorner specified	yes 🔀	no	not applicable
	Attachment included	yes 🔀	no	not applicable
Road Cleansing	Control method specified	yes 🔀	no 🗌	not applicable
	Attachment included	yes 🔀	no	not applicable



SECTION F CONTROL & MONITORING

F.1: Treatment, Abatement and Control Systems

Describe the proposed technology and other techniques for preventing or, where this is not possible, reducing emissions from the installation/facility. Details of treatment/abatement systems (air and effluent emissions) should be included, together with appropriately scaled schematics ($\leq A3$) as appropriate.

For each Emission Point identified complete Table F.1 of the Annex, and include detailed descriptions and appropriately scaled schematics (≤A3) of all abatement systems.

Attachment F.1 should contain any supporting information.

F.2- F. 9. Monitoring and Sampling Points

Programmes for environmental monitoring should be submitted as part of the application. These programmes should be provided as **Attachments F.2 to F.6** and meet the advice published by the Agency in the relevant BAT Note. For Landfills the additional **Attachments F.7 to F.8** should be completed. Furthermore for a landfill application the applicant <u>must</u> refer to the Agency *Landfill Monitoring Manual* (2003) for further details on monitoring requirements for proposed facilities.

Include details of monitoring/sampling locations and methods.

F.2 Air - to include Dust, Odour

Monitoring Arrangements specified	yes 🔀	no	not applicable
Monitoring points identified, (plus	yes 🔀	no	not applicable
12-figure grid references)			
Attachment included	yes 🔀	no	not applicable

F.3 Surface Water

Monitoring of surface water shall be carried out at not less than two points, one upstream from the waste facility and one downstream.

Monitoring Arrangements specified	yes 🔀	no	not applicable
Monitoring points identified, (plus	yes 🔀	no	not applicable
12-figure grid references)			
Attachment included	yes 🔀	no	not applicable

epa_

WASTE Application Form

F.4 Sewer Discharge

Monitoring of sewer discharge shall be carried out at the point specified by the local authority/Agency.

Monitoring Arrangements specified	yes 🔀	no	not applicable
Monitoring points identified, (plus	yes 🗌	no	not applicable
12-figure grid references)	-		
Attachment included	yes 🔀	no	not applicable

F.5 Groundwater

Groundwater monitoring is required at all landfill facilities; and certain other waste facilities depending on waste activities and the underlying aquifer vulnerability.

Monitoring Arrangements specified	yes 🔀	no	not applicable
Monitoring points identified, (plus	yes 🔀	no	not applicable
12-figure grid references)			
Attachment included	yes 🔀	no	not applicable

F.6 Noise

Monitoring Arrangements specified	yes Xon	no	not applicable
Monitoring points identified, (plus	yes Ze	no	not applicable
12-figure grid references)	an Pulicodi		
Attachment included	yes 🖂 🗆	no	not applicable

F.7 Meteorological Data

Monitoring Arrangements specified	yes 🔀	no	not applicable
Monitoring points identified, (plus	yes 🔀	no	not applicable
12-figure grid references)			
Attachment included	yes 🔀	no	not applicable

Application for Landfills require the additional Attachments F.7 to F.8, to be completed:

F.8 Leachate

Monitoring Arrangements specified	yes 🔀	no	not applicable
Monitoring points identified, (plus	yes 🔀	no	not applicable
12-figure grid references)			
Attachment included	yes 🔀	no	not applicable

F.9 Landfill Gas

Complete each of the following tables to show whether information has been included on aspects of landfill gas monitoring. **Attachment F.9** should also contain information to show whether the data given in Tables F.9.(a) and F.9(b) below represents actual or anticipated data. Complete Table F.9 as follows:

Table F.9 (a) Landfill Gas Monitoring for existing landfill gas flares / utilisation plants

Parameter	Concentration (mg/Nm³)	Proposed Frequency of Analysis	Information Included Y/N	Method of Analysis	Information Included Y/N
Inlet	Not Applicable				
Methane (CH ₄) % v/v					
Carbon dioxide (CO ₂) %v/v					
Oxygen (O ₂) % v/v					
	Not Applicable	!			
Outlet					
Volumetric Flow Rate					
SO_2					
Nox					
CO					
Particulates					
TA Luft Class I, II, III organics			Seo.		
Hydrochloric acid			es		
Hydrogen Fluoride			ollis		

Table F.9(b) Landfill Gas Monitoring

Parameter	Proposed For of Analysis	· OT PLYEU	Information Included Y/N	Method of Analysis	Information Included Y/N
	Gas boreholes / vents/ wells/ perimeter locations	Facility Office			
Methane (CH ₄) % v/v	Not Applicable	₹*			
Carbon Dioxide (CO ₂) % v/v	Men				
Oxygen (O ₂) % v/v	0				
Atmospheric Pressure					
Temperature					

Table F.9 (c) Landfill Gas Infrastructure

Equipment	Monitoring Frequency	Information Included Y/N	Monitoring Action	Information Included Y/N
Gas Collection System				
	Not Applicable			
Gas Control System				

Monitoring Arrangements specified	yes 🗌	no	not applicable
Monitoring points identified, (plus	yes 🗌	no	not applicable
12-figure grid references)			
Attachment included	yes 🔀	no	not applicable

SECTION G RESOURCES USE & ENERGY EFFICIENCY

G.1 Raw Materials, Substances, Preparations and Energy

Attachment G.1 should contain a list of all raw, product and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity. Information on any insecticides, herbicides or rat poisons etc. should also be provided with their respective data and safety sheets. The Standard Forms, provided in Annex 1, should be used in the description of these materials, substances, etc., where relevant. Additional advice on completing this section is provided in the *Guidance Note*.

Attachment	yes 🔀	no	not applicable
included			

G.2 Energy Efficiency

A description of the energy used in or generated by the activity must be provided in **Attachment G.2**.

Attachment yes state included not applicable not applicable of the first owner to the state of the



SECTION H MATERIALS HANDLING

H.1 Waste Types and Quantities – Existing & Proposed

Provide an estimation of the quantity of waste likely to be handled in relation to each class of activity applied for. This information should be included in Table H.1(a).

TABLE H.1(A). QUANTITIES OF WASTE IN RELATION TO EACH CLASS OF ACTIVITY APPLIED FOR

Waste Management Act		Waste Management Act		
3rd Schedule (Disposal) Activities		4th Schedule (Recovery) Activities		
Class of Activity Applied For	Quantity (tpa)	Class of Activity Applied For	Quantity (tpa)	
Class 1	41,464	Class 1	150.	
Class 2		Class 2	32,580 & see Attachment H1(A)	
Class 3		Class 3	Refer to H1(A)	
Class 4	Refer to H1(A)	Class	Refer to H1(A)	
Class 5	41,464	Class		
Class 6	32,580	Class 6		
Class 7	32,580	Class 7		
Class 8	તુર્લ	Class 8		
Class 9	COLITA	Class 9	72,580	
Class 10	7.00 to 00 t	Class 10	32,580 & see Attachment H1(A)	
Class 11	N.O.	Class 11		
Class 12	1315C	Class 12		
Class 13	Refer to H1(A)	Class 13	Refer to H1(A)	

In Table H. 1 (B) provide the annual amount of waste handled/to be handled at the facility. Additional information should be included in **Attachment H.1.** The tonnage per annum should be given of that expected for the life of the licence, with at least the next five years tonnages provided. For Landfill Review applications provide an estimate of the quantity of waste already deposited in (i) lined cells; (ii) unlined cells.

TABLE H.1(B) ANNUAL QUANTITIES AND NATURE OF WASTE

** Refers to 40,000 tpa (already licenced) for the maximum quantity of non-hazardous waste to be accepted for disposal to landfill and 32,580 tpa (subject to Waste Licence Review) for the total tonnage to be accepted at the Sludge Hub Centre Facility: [40,000 + 32,580 = 72,580 tpa]

Year	Non-hazardous waste (tonnes per annum)	Hazardous waste (tonnes per annum)	Total annual quantity of waste (tonnes per annum)
2020	72,580		72,580 **



A detailed inventory of the types and quantities of wastes currently handled at the site and proposed to be handled should be submitted as Table H.1 (C).

TABLE H.1 (C) WASTE TYPES AND QUANTITIES (REFER TO TABLE H.1(II)

WASTE TYPE	TONNES PER ANNUM (existing)	TONNES PER ANNUM (proposed)	TOTAL (over life of site) tonnes
Household	25,600 Note 1	25,600 Note 1	Not Available
Commercial	14,400 Note 1	14,400 Note 1	Not Available
Sewage Sludge	0	32,580	Not Available
Construction and Demolition			
Industrial Non- Hazardous Sludges		net use.	
Industrial Non- Hazardous Solids		es off, and of	
Hazardous *(Specify detail in Table H 1.2)	inspection	and redition	
Inert Waste imported for restoration purposes	Consent of MPLETE	Purpose of the land of the lan	AMINATED LAND

Note 1: Max. amount licenced – actual amount accepted at Derrinumera Landfill varies annually, see Section 1.1 of the EIS.

* TABLE H.1.2 HAZARDOUS WASTE TYPES AND QUANTITIES

HAZARDOUS WASTE	DETAILED DESCRIPTION * REFERENCE SHOULD BE MADE TO THE RELEVANT EUROPEAN WASTE CATALOGUE CODES AS PRESENTED BY COMMISSION DECISION 2000/532/EC	Tonnes Per Annum (Existing)	(Tonnes Per Annum Proposed)
Waste Oil			
Oil filters			
Asbestos	Not Applicable		
Paint and Ink			
Batteries			
Fluorescent Light Bulbs			

Contaminated Soils						
OTHER HAZARDOUS WASTE (APPLICANT TO SPECIFY)						
	Not Applicable					

Attachment H.1 should contain any relevant additional information.

It should be noted that an applicant may be issued with a licence which restricts the type of wastes which may be deposited.

H.2 Waste Acceptance Procedures

Procedures for checking waste loads as they arrive at the facility must be included. These should follow the requirements of the Agency's Waste Acceptance Manual. A copy of these procedures and other associated documentation should be included as **Attachment H.2.**

H.3 Waste Handling

Waste handling and the operating procedures used at the facility including waste treatment processes should be described in **Attachment H.3**. Included in the attachment should be information on the plantwised on site and on the methods and processes for handling waste on-site. Special requirements hold for contaminated soil facilities, see *Guidance Note*.

In addition, an application for Landfill requires Section H.3.a to be completed:

H.3a Waste Handling at the Landfill Facility

State whether all waste will be subject to treatment prior to landfilling. Provide information as to the quantities of biodegradable municipal waste and how the targets of the Landfill Directive (1999/31/EC) relating to that waste type are to be achieved. In particular describe how the following will be achieved:

- (a) a reduction by 16/07/06 to 75% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (b)a reduction by 16/07/09 to 50% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (c)a reduction by 16/07/16 to 35% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (d)Evidence should be provided to show that energy will be used efficiently.

H.4 Waste Arisings

Waste Arisings should be considered for all contaminated soil applications. Details of all waste materials generated on the site including, name, description and nature as well as the source(s) should be identified. The quantities of each type of waste generated on an annual/monthly basis should be calculated and stated in Tables H.1(i) and H. 1(ii) of the application form. Applicants should also provide conversion factors used to relate volume (m³) and tonnage (t) for their waste stream.

SECTION I EXISTING ENVIRONMENT & IMPACT OF THE FACILITY

Detailed information is required to enable the Agency to assess the existing environment. This section requires the provision of information on the ambient environmental conditions at the site prior to the commencement of waste management activities or prior to the receipt of a review application.

Where development is proposed to be carried out, being development which is of a class for the time being specified under Article 24 (First Schedule) of the Environmental Impact Assessment Regulations, the information on the state of the existing environment should be addressed in the EIS. In such cases, it will suffice for the purposes of this section to provide adequate cross-references to the

relevant sections in the EIS.

I.1. Assessment of atmospheric emissions in the EIS of air quality with particular reference to ambient air quality standards.

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.F. 394 of 2004) to the atmosphere are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Attachment I.1 should also contain full details of any dispersion modelling of atmospheric emissions from the activity, where required.

I.2. Assessment of Impact on Receiving Surface Water

Describe the existing environment in terms of water quality with particular reference to environmental quality standards or other legislative standards. Table I.2(i) should be completed

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to water are likely to impair the environment.

∂epa_

WASTE Application Form

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other relevant information on the receiving environment should be submitted as **Attachment I.2.**

I.3. Assessment of Impact of Sewage Discharge.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other supporting information should form **Attachment I.3.**

I.4 Assessment of impact of ground/groundwater emissions

The scope and detail of this assessment will depend to a large extent on the extent and type of ground emissions at any site, which in turn are related to the risk. Details should be included in **Attachment** Large Comprehensive guidelines are contained in the *Application Guidance Note*, and include particular requirements for landfill and brownfield facilities.

Describe the existing groundwater quality Tables I.4(i) should be completed.

I.5 Ground and/or groundwater contamination

Summary details of known ground and/or groundwater contamination, historical or current, on or under the site must be given.

Full details including all relevant investigative studies, assessments, or reports, monitoring results, location and design of monitoring installations, appropriately scaled plans/drawings (≤A3), documentation, including containment engineering, remedial works, and any other supporting information should be included in **Attachment I.5**.

I.6 Noise Impact.

Give details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Ambient noise measurements

Complete Table I.6(i) in relation to the information required below:



- (i) State the maximum Sound Pressure Levels which will be experienced at typical points on the boundary of the operation. (State sampling interval and duration)
- (ii) State the maximum Sound Pressure Levels which will be experienced at typical noise sensitive locations, outside the boundary of the operation.
- (iii) Give details of the background noise levels experienced at the site in the absence of noise from this operation.

Prediction models, appropriately scaled maps (\leq A3), diagrams and supporting documents, including details of noise attenuation and noise proposed control measures to be employed, should form **Attachment I.6.**

I.7 Assessment of Ecological Impacts & Mitigation Measures

The ecology of the site and the surrounding area should be assessed in the vicinity of the largescale waste facilities such as landfill or incinerator developments. An assessment of the ecology should form **Attachment I.7.** Comprehensive guidelines are contained in the *Application Guidance Note*

SECTION J ACCIDENT PREVENTION & EMERGENCY RESPONSE

Describe the existing or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage.

Also outline what provisions have been made for response to emergency situations outside of normal working hours, i.e. during night-time, weekends and holiday periods.

Describe the arrangements for abnormal operating conditions including start-up, leaks, malfunctions or momentary stoppages.

Supporting information should form **Attachment J.**

Attachment included	yes 🔀	no	not applicable

SECTION K REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE

Describe the existing or proposed measures to minimise the impact on the environment after the activity or part of the activity ceases operation, including provision for post-closure care of any potentially polluting residuals.

For Landfill Applications, capping proposals are required, and reference should be made to the *Landfill Manual on 'Restoration and Aftercare'* published by the Agency, when completing this section.

Attachment included	ves 🔀	no	not applicable
Attachment included	yes 🔼	no	not applicable

SECTION L STATUTORY REQUIREMENTS

L. 1 Section 40(4) WMA

Indicate how all the requirements of Section 40(4)[(a) to (f)] of the Waste Management Acts 1996 to 2003 will be met.

Applicants should also describe how the proposed facility will comply with the requirements of BAT. In particular reference should be made to the considerations referred to in Annex IV of Council Directive 96/61/EC concerning integrated pollution prevention and control.

Attachment L.1 should contain the documentation requested above, along any relevant additional information.

Attachment included	vioa 🗸	ma	not applicable
Attachment included	yes 🔼	no	not applicable

L.2 Fit and Proper Person

The WMA in Section 40(4)(d) specifies that the Agency shall not grant a licence unless it is satisfied that the applicant (if the applicant is not a local authority) is a fit and proper person. Section 40(7) of the WMA specifies the information required to enable a determination to be made by the Agency.

• Indicate whether the applicant or other relevant person has been convicted under the Waste Management Acts 1996 to 2003, the EPA Act 1992 and 2003, the Local Government (Water Pollution) Acts 1977 and 1990 or the Air Pollution Act 1987.



- Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (Link to Section C.1 of the application).
- Provide information to show that the person is likely to be in a position to meet any financial commitments or liabilities that may have been or will be entered into or incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out that activity (Link to Section K of the application).

Supporting information should be included as **Attachment L 2** with reference to where the information can be found in the application.

Attachment included	yes 🖂	no	not applicable

Consent of convirient owner required for any other use.

SECTION M DECLARATION

Declaration

I hereby make application for a licence / revised licence, pursuant to the provisions of the Waste Management Acts 1996 to 2003 and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices, and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

	.8	Jer Use	
Signed by :	Only any or	Date :_	
(on behalf of the organisation)	outpossited.		
Print signature name:	eston Arisa,		
	of itely or		
Position in organisation:	100131		
Collect	For its pecial purpose only and other required for any other require		
		Compo	any stamp or seal:



ANNEX 1 STANDARD FORMS

Standard forms are provided in this section for the recording and presentation of environmental monitoring and site investigation results

TABLE E.1(i) LANDFILL GAS FLARE EMISSIONS TO ATMOSPHERE Emission Point:

Emission Point:				
Emission Point Ref. No:				
Location :				
Grid Ref. (12 digit, 6E,6N)	:		. ⊗•	
Vent Details Diameter: Height above Ground(m): Date of commencement of emission: Characteristics of Emissio CO Total organic carbon (TOC) NOx		sesonly, and	otherus	
Height above Ground(m):	ion purp	quite		
Date of commencement of emission:	For its periodical			
Characteristics of Emission	Best of	Г		
CO	0			mg/m^3
Total organic carbon (TOC	2)			mg/m ³
NOx			% O ₂ (Liquid or Gas), 6%	mg/Nm ³ % O ₂ (Solid Fuel)
Maximum volume of emis	ssion			m ³ /hr
Temperature	°C	(max)	°C(min)	°C(avg)
(i) Period or periods d including daily or s	•			
Periods of Emission (avg)	n	nin/hr	hr/day	day/yr
	<u> </u>			

TABLE E.1(ii) MAIN EMISSIONS TO ATMOSPHERE (1 Page for each emission point)

Emission Point Ref. N	<u>o</u> .		
Source of Emission:			
Location:			
Grid Ref. (12 digit, 6E,	6N):		
Vent Details Diame	ter:		
Height above Ground	(m):		
Date of commencemen	t:		
Characteristics of Emis		ses atta and ther use.	
(i) Volume to be e.		100 :110	
Average/day	m ³ /d	Maximum/day	m ³ /d
Maximum rate/hour	m³h ox	Min efflux velocity	m.sec ⁻¹
(ii) Other factors	of copyrin		
Temperature	Consent o C(max)	°C(min)	°C(avg)
For Combustion Source Volume terms expresse	es:	t. □ dry	_%O ₂
	during which emission s (start-up /shutdown t	as are made, or are to be made, is to be included):	ncluding daily or
Periods of Emission (a	vg)	min/hrhr/day	day/yr



TABLE E.1(iii): MAIN EMISSIONS TO ATMOSPHERE - Chemical characteristics of the emission (1 table per emission point)

Emission Point Reference Number:

Parameter		Prior to tr	eatment ⁽¹⁾		Brief			As discl	harged ⁽¹⁾		
	mg/	mg/Nm³		g/h	description	mg/	Nm³	kg	y/h.	kg/	year
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
				Cari	For inspection purples only and	otter use.					

1. Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0° C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.

TABLE E.1(iv): EMISSIONS TO ATMOSPHERE - Minor /Fugitive

Emission point	Description		Emission	details ¹	Abatement system employed	
Reference Numbers		material	mg/Nm ³⁽²⁾	kg/h.	kg/year	
	C	For its pection	a purposes only on a purpose of the fed the district tenth of the fed	and other use.		

¹ The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.

² Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.

Consent of convingence to the receipt of the range of the range of the convingence of the range of the range



TABLE E.2(i): EMISSIONS TO SURFACE WATERS

(One page for each emission)

Emission Point:

Emission Point Ref. Nº:	15 ⁶
Source of Emission:	14: 00 net
Location:	sos ted for the
Grid Ref. (10 digit, 5E,5N):	tion pure equit
Name of receiving waters:	of its to the
Flow rate in receiving waters:	m ² .sec ⁻¹ Dry Weather Flow m ³ .sec ⁻¹ 95%ile flow
Available waste assimilative capacity:	kg/day

Emission Details:

(i) Volume to be emitted



Normal/day	m ³	Maximum/day	m ³
Maximum rate/hour	m^3		

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up /shutdown to be included*):

Periods of Emission (avg)	min/hr	hr/day	day/yr	her use
---------------------------	--------	--------	--------	---------

For its pection purpose leading of the property of the propert



TABLE E.2(ii): EMISSIONS TO SURFACE WATERS - Characteristics of the emission (1 table per emission point)

Emission point reference number:	

Parameter		Prior to treatment As discharged							% Efficiency
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average. (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	
			උර	For inspection for in	Duffoses only rate				

TABLE E.3(i): EMISSIONS TO SEWER(One page for each emission)

Emission Point:

Emission Point Ref. Nº:	SE1
Location of connection to sewer:	Connection to public sewer via dedicated rising main from Derrinumera LTF to outfall of Newport WWTP, Newport, Co. Mayo.
Grid Ref. (10 digit, 5E,5N):	E097,57 N294,26 (Approx. location – to be agreed)
Name of sewage undertaker:	Mayo County Council

Emission Details:

(i) Volume to be emitted								
Normal/day	Varies* m ³	Maximum/day	500 m ³					
Maximum rate/hour	50 m ³	see a for any						

^{*} Please Note: The volume of leachate to be treated will vary with landfill activity and will reduce over time as waste dries with aging and as engineered landfill cells are capped off from rainfall ingress.

(ii) Period or periods during which emissions are made, or are to be made,

including daily or seasonal variations (start-up /shutdown to be included):

Periods of Emission (avg) 60 min/hr 24 hr/day 365 day/yr	Periods of Emission	(avg) asento	<u>60</u> min/hr	24	_hr/day	365	_day/yr
--	---------------------	--------------	------------------	----	---------	-----	---------



TABLE E.3(ii): EMISSIONS TO SEWER - Characteristics of the emission (1 table per emission point)

Emission point reference number: SE1

Parameter		Prior to t	reatment			% Efficiency				
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year		
	Please r	efer to Section	on 3.4 and T	ables 3.4.4	4 and 3.4.5 of the Environmental Impact Statement					
					For its pection diffuses outs.	5 7				

ANNEX - Standard Forms

Consent of convingence to the receipt of the range of the range of the convingence of the range of the range

TABLE E.4(i): EMISSIONS TO GROUNDWATER (1 Page for each emission point)

Emission Point or Area:

Emission Point/Area Ref. Nº:		
Emission Pathway: (borehole, well, percolation area, soakaway, landspreading, etc.)		Ji ^{SC}
Location:	** od 8	jer "
Grid Ref. (10 digit, 5E,5N):	ges difficult	
Elevation of discharge: (relative to Ordnance Datum)	ection pure require	
Aquifer classification for receiving groundwater body:	For high o	
Groundwater vulnerability assessment (including vulnerability rating):	Consent of Convigitor of the C	
Identity and proximity of groundwater sources at risk (wells, springs, etc):		
Identity and proximity of surface water bodies at risk:		



Emission Details:

(i) Volume to be emitted							
Normal/day	m^3	Maximum/day	m ³				
Maximum rate/hour	m ³						

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included):

Periods of Emission (avg)	min/hr	hr/day	dap//yrand



Table E.5(i): NOISE EMISSIONS -

Noise sources summary sheet

Source	Emission point Ref. No	Equipment Ref. No	Sound Pressure ¹ dBA at reference distance		Sound	d Press	Octav ure¹ Leve	e bands (F els dB(unw	Iz) veighte	d) per b	and		Impulsive or tonal qualities	Periods of Emission
				31.5	63	125	250	500	1K	2K	4K	8K		
								15°.						
							1. Noth	5						
						ું કુક તે આ પ્ર	tot att.							
					n Pu	redition.								
				. 250	ctionne									
				FOTT	ò									
				nois										

1. For items of plant sound power levels may be used.

TABLE F.1: ABATEMENT / TREATMENT CONTROL

Emission	point	reference number :	 SE1_	
	_	•		

Control ¹ parameter	Equipment ²	Equipment maintenance	Equipment calibration	Equipment back-up
Refer to Section 3.4 Build, Operate Proje unknown at present treatment process w designed with this ir Proposed leachate to	of the EIS (Leachate ect, the exact nature of but will emerge from will be an SBR system in mind, and this type correatment standards hope necessary for the a	f the leachate treatment the procurement process, as the existing leach of system is suited to the ave been outlined in S	ent processes or techniess. It is likely that the late holding tanks on the treatment of Derring Section 3.4 of the EIS	nologies are e selected site have been numera leachate.
			ilse.	

Ļ		allie	·
		<u> </u>	
Control ¹ parameter	Monitoring to be carried out ³	Monitoring equipment	Monitoring equipment calibration
	Consent of copyright	on the rost	

List the operating parameters of the treatment / abatement system which control its function.
 List the equipment necessary for the proper function of the abatement / treatment system.
 List the monitoring of the control parameter to be carried out.

TABLE F.2 to F.8: EMISSIONS MONITORING AND SAMPLING POINTS - (1 table per media)

Emission Point Reference No(s). :_____

Parameter	Monitoring frequency	Accessibility of Sampling Points	my any other use.
Refer to Vol. II Attach	ments F2-F9 for details of ex	kisting and proposed monitoring	other
locations			47. 207
			of for t
		autyose	
		Decitor Net red	
		Fortinglik	
		at of cot.	
		Conser	

TABLE Ff: Fugitive ENVIRONMENT MONITORING AND SAMPLING LOCATIONS (1 table per media)

Monitoring Point Reference No:

Parameter	Monitoring frequency	Accessibility of	
1 arameter	Womtoring frequency	C 1:	
		7 8F	
			15e.
			theit
			14. 49 or
			as official
			rosited,
		Sampling point For its pection to the copyright out to the copyright ou	redit.
		oction was	
		insphor	
		Foldie	
		of cox	
		eent	
		Cours	

Table G.1 Details of Process related Raw Materials, Intermediates, Products, etc., used or generated on the site

Ref. Nº or Code	Material/ Substance ⁽¹⁾	CAS Number	Danger ⁽²⁾ Category	Amount Stored (tonnes)	Annual Usage (tonnes)	R ⁽³⁾ - Phrase	S ⁽³⁾ - Phrase
				्वार्थ.	ny other use.		

In cases where a material comprises a number of distinct and available dangerous substances, please give details for each component substance. c.f. Article 2(2) of SI Nº 77/94
c.f. Schedules 2 and 3 of SI Nº 77/94

Consent of the property Notes: 1.

- 2.

TABLE H.1(i): WASTE - Hazardous Waste Recovery/Disposal

Waste material	EWC Code	Main source ¹	Qua	ntity	On-site Recovery/Disposal	Off-site Recovery, reuse or recycling	Off-site Disposal
			Tonnes / month	m ³ / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
Not Applicable				NSPECTION DIFFERENCE	M' any offeruse.		

¹ A reference should be made to the main activity / process for each waste.

Consent of convingence to the receipt of the range of the range of the convingence of the range of the range



TABLE H.1(ii) WASTE - Other Waste Recovery/Disposal

Waste material	EWC Code	Main source ¹	Qua	ntity	On-site recovery/disposal ²	Off-site Recovery, reuse or recycling	Off-site Disposal
			Tonnes / month	m ³ / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
Household / Commercial Waste	20 03 01	Municipal refuse for disposal to landfill (currently licenced)	3334 (approx. avg.)	[0.85 t/m ³ x 3334] = 2833	Disposal to Derrinumera Landfill	Not Applicable	Not Applicable
Wastewater Sludge	19 08 05 (sludges from the treatment of urban waste water)	Sludges arising from Municpal wastewater treatment plants in County Mayo	2061 (approx. avg. – wet weight)	[(2061t x 1000)/1050] = 1963 (approx. avg.)	On-site studge drying for the recovery of sludge as the solids/compost for addicultural reuse as tertiliser	Reuse as fertiliser off-site on agricultural lands	Not Applicable
Water treatment/LTF sludge	19 09 02 (sludges from water clarification) 19 08 12 (sludges from biological treatment of industrial wastewater)	Sludges arising from Municipal Water Treatment Plants in County Mayo and from the Derrinumera Leachate Treatment Facility	(approx. avg. – wet weight)	[(678t x : 01 of 1000)/10501= 646 result (approx. avg.)	Disposal to Derrinumera Landfill (Refer to Attachment H4) Also, see Attachment H1 – Third Schedule – Class 1 and 5.	Not Applicable	Not Applicable
Landfill leachate	19 07 03 (landfill leachate other than those mentioned in 17 07 02)	Leachate arising mainly from landfill	15500 (max. amount)	[(15208 x 1000)/1000) = 15500	Treatment at Leachate Treatment Facility	Not Applicable	Discharge to sewer for eventual discharge to coastal waters at Newport

1908 WL Application Form Rev B

ANNEX - Standard Forms

A reference should be made to the main activity/ process for each waste.

The method of disposal or recovery should be clearly described and referenced to Attachment H.1



Table I.2(i) SURFACE WATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference:

Parameter			sults ng/l)		Sampling method ² (grab, drift etc.)	Normal Analytical Range ²	Analysis method / technique
	Date	Date	Date	Date	ر. د		
pН					otherite		
Temperature							
Electrical conductivity EC					SOUTH ART		
Ammoniacal nitrogen NH ₄ -N					osited te		
Chemical oxygen demand				2 bil	Collin		
Biochemical oxygen demand				ectioner			
Dissolved oxygen DO				FOR WILD			
Calcium Ca				Fordito			
Cadmium Cd				of con			
Chromium Cr			en				
Chloride Cl			College				
Copper Cu							
Iron Fe							
Lead Pb							
Magnesium Mg							
Manganese Mn							
Mercury Hg							



Surface Water Quality (Sheet 2 of 2)

Parameter			sults ng/l)		Sampling method (grab, drift etc.)	Normal Analytical Range	Analysis method / technique
	Date	Date	Date	Date			
Nickel Ni							
Potassium K							
Sodium Na							
Sulphate SO ₄					Je.		
Zinc Zn					there		
Total alkalinity (as CaCO ₃)					77. M.		
Total organic carbon TOC					es of tot to		
Total oxidised nitrogen TON					20 stred		
Nitrite NO ₂				on pla	t _{oog}		
Nitrate NO ₃				section wite			
Faecal coliforms (/100mls)				(insight			
Total coliforms (/100mls)				to die			
Phosphate PO ₄				de			



Table I.4(i) GROUNDWATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference:

Parameter			esults ng/l)		Sampling method (composite etc.)	Normal Analytical Range	Analysis method / technique
	Date	Date	Date	Date			
pН							
Temperature							
Electrical conductivity EC							
Ammoniacal nitrogen NH ₄ -N							
Dissolved oxygen DO					, USE.		
Residue on evaporation					any other the		
$(180^{\circ}\mathrm{C})$				die	any		
Calcium Ca				25.86	8		
Cadmium Cd				ath affe			
Chromium Cr				ion et real			
Chloride Cl			No.	OWITE			
Copper Cu			illi d				
Cyanide Cn, total			FOY YOU				
Iron Fe			X OX				
Lead Pb			OIISER!				
Magnesium Mg							
Manganese Mn							
Mercury Hg							
Nickel Ni							
Potassium K							
Sodium Na							



GROUNDWATER QUALITY (SHEET 2 OF 2)

Parameter			Results (mg/l)		Sampling method (composite, dipper etc.)	Normal Analytical Range	Analysis method / technique
	Date	Date	Date	Date			
Phosphate PO ₄							
Sulphate SO ₄							
Zinc Zn							
Total alkalinity (as CaCO ₃)							
Total organic carbon TOC							
Total oxidised nitrogen TON					Jigo.		
Arsenic As					athert		
Barium Ba					My any		
Boron B				ي ا	of for		
Fluoride F				1170°	See .		
Phenol				ion of red			
Phosphorus P				ing perion purple repr			
Selenium Se			, C	X X X X X			
Silver Ag			Α,	063,			
Nitrite NO ₂			Consentor				
Nitrate NO ₃			onsett.				
Faecal coliforms (/100mls)			C.				
Total coliforms (/100mls)							
Water level (m OD)							



Table I.6(i) Ambient Noise Assessment

Third Octave analysis for noise emissions should be used to determine tonal noises

BOUNDARY Location 1:		National Grid Reference	So	ound Pressure L	evels
Location 1: Location 2: Location 3: Location 4: 2. NOISE SENSITIVE LOCATIONS Location 1:		(5N, 5E)	L(A) _{eq}	$L(A)_{10}$	L(A)90
Location 2: Location 3: Location 4: 2. NOISE SENSITIVE LOCATIONS Location 1:					
Location 3: Location 4: 2. NOISE SENSITIVE LOCATIONS Location 1:	Location 1:				
Location 4: 2. NOISE SENSITIVE LOCATIONS Location 1:	Location 2:				
2. NOISE SENSITIVE LOCATIONS Location 1:	Location 3:				
SENSITIVE LOCATIONS Location 1:	Location 4:				
LOCATIONS Location 1:	2. NOISE			<u>.</u>	
Location 1:					
	LOCATIONS				
Location 3: Location 4: TE: All locations should be identified on accompanying drawings. Location 4: Location 5: Location 4: Location 6: Location 6: Location 6: Location 6: Location 7: Location 6: Location 7: Location 6: Location 6: Location 7: Location 7: Location 7: Location 6: Location 7: Location 7: Location 7: Location 7: Location 6: Location 7: Location 7: Location 7: Location 7: Location 7: Location 7: Location 8: Location 8: Location 9: Loca					
Location 4: TE: All locations should be identified on accompanying drawings. Editing point the rest of the rest	Location 2:				
TE: All locations should be identified on accompanying drawings. Edition 1:	Location 3:			ي و	
TE: All locations should be identified on accompanying drawings. For its period to the real part of the control of the contro	Location 4:			erus	
nt of the state of		For in	Rection Burgoses only.	, and	