RILTA LTD

INTEGRATED WASTE MANAGEMENT FACILITY, GREENOGUE BUSINESS PARK





Waste Licence Review Application

May 2007







Waste Licence Application Form

EPA Ref. Nº:

This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts 1996 to 2003.

Environmental Protection Agency

P.O.Box 5000, Johnstown Castle Estate, County Wexford Telephone: 053-60600 Fax: 053-60699



INTRODUCTION

A valid application must contain the information prescribed in the Waste Management (Licensing) Regulations 2004 (SI No. 395 of 2004). The applicant is strongly advised to read the *Application Guidance Notes* for Waste Licensing, available from the EPA.

The applicant must conform to the format set out in the guidance notes for applications. Each page of the completed application form must be numbered, e.g. page 5 of 45, etc. Also duplicated pages from the application form should be uniquely numbered, e.g. page 5(i) of 45, etc. **The basic information should for the most part be supplied in the spaces given in application form** and any supporting documentation should be supplied as attachments, as specified. Consistent measurement units must be used throughout.

The applicant should note that the application form has been structured so that it requires information to be presented in an order of progressive detail.

When it is found necessary, additional information may be provided on supplementary attachments which should be clearly cross referenced with the relevant sections in the main document.

While all sections in the application form may not be relevant to the activity concerned, the applicant should look carefully through all aspects of the form and provide the required information, in the greatest possible detail.

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

Information supplied in this application, including supporting documentation will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to". In the event that information is considered to be of a confidential nature, then the nature of this information, and the reasons why it is considered confidential (with reference to the "Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

Page 3 of 40



It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.



Page 4 of 40



CHECKLIST

Articles 12 and 13 of the Waste Management (Licensing) Regulations, 2004 (S.I. No. 395 of 2004) set out the information which must, in all cases, accompany a waste licence application. In order to ensure that the application fully complies with the legal requirements of Articles 12 and 13 of the 2004 Regulations, all applicants should **complete** the following.

In each case, refer to the attachment number(s) of your application which contain(s) the information requested in the appropriate sub-article.

Article 12(1) In the case of an application for a waste licence, the application shall -

(a) give the name, address and, where applicable, any telephone number and telefax of the applicant (and, if different, the operator of the facility concerned), the address to which correspondence relating to the application should be sent and, if the applicant or operator is a body corporate, the address of its registered office or principal office,

LOCATION	Section By	
CHECKED	Applicant	Official

(b) give the name of the planning authority in whose functional area the relevant activity is or will be carried on,

LOCATION	Section B.3.	
CHECKED	Applicant \boxtimes	Official

(c) in the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority, give the name of the sanitary authority in which the sewer is vested or by which it is controlled,

LOCATION	Section B.4.	
CHECKED	Applicant \boxtimes	Official

(d) give the location or postal address (including where appropriate, the name of the townland or townlands) and the National Grid reference of the facility or premises to which the application relates,

Page 5 of 40

LOCATION	Section B.2.	
CHECKED	Applicant \boxtimes	Official

(e) describe the nature of the facility or premises concerned, including the proposed capacity of the facility or premises, and in the case of application in respect of a landfill of waste, the requirements specified in Annex 1 of the Landfill Directive,

LOCATION	Attachment B.5	
CHECKED	Applicant \boxtimes	Official

(f) specify the class or classes of activity concerned, in accordance with the Third and Fourth Schedules of the Act, and in the case of an application in respect of the landfill of waste, specify the class of landfill in accordance with Article 4 of the Landfill Directive,

LOCATION	Attachment B.7		
CHECKED	Applicant Say of Official		

(g) specify, by reference to the relevant European Waste Catalogue codes as presented by Commission Decision 2000/532/EC of 3 May 2000, the quantity and nature of the waste or wastes which will be treated, recovered or disposed of,

)'	
LOCATION	Attachment B.7	
CHECKED	Applicant 🖂	Official

(h) specify the raw and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity,

LOCATION	Attachment B.8	
CHECKED	Applicant \boxtimes	Official

(i) describe the plant, methods, processes, ancillary processes, abatement, recovery and treatment systems and operating procedures for the activity,

Page 6 of 40



CHECKED	Applicant	Official

(j) provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in paragraphs (a) to (g) of section 40(4) of the Act,

LOCATION	Attachment B.10	
CHECKED	Applicant \boxtimes	Official

(k) give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made,

LOCATION	Attachment B11.	_
CHECKED	Applicant 📈	Official

(l) give details, and an assessment of the effects, of any existing or proposed emissions on the environment, including any environmental medium other than those into which the emissions are, or are to be made, and of proposed measures to prevent or eliminate or, where that is not practicable, to limit or abate such emissions,

LOCATION	Attachment B12.	
CHECKED	Applicant \boxtimes	Official

(m) identify monitoring and sampling points and indicate proposed arrangements for the monitoring of emissions and the environmental consequences of any such emissions,

LOCATION	Attachment B13	
CHECKED	Applicant 🖂	Official

(n) describe any proposed arrangements for the prevention, minimisation and recovery of waste arising from the activity concerned,

temp Page 7 of 40

LOCATION	Attachment B14.	
CHECKED	Applicant \boxtimes	Official

(o) describe any proposed arrangements for the off-site treatment or disposal of solid or liquid wastes,

LOCATION	Attachment B15.	
CHECKED	Applicant \boxtimes	Official

(p) describe the existing or proposed measures, including emergency procedures, to prevent unauthorised or unexpected emissions and minimise the impact on the environment of any such emission,

LOCATION	Attachment B16.	
CHECKED	Applicant 🖂	Official

(q) describe the proposed measures for the closure, restoration, remediation or aftercare of the facility concerned, after the cessation of the activity in question,

LOCATION	Attachment B17.	
CHECKED	Applicant \boxtimes	Official

- (r) in the case of an application in respect of the landfilling of waste, give particulars of –
- (i) such financial provision as is proposed to be made by the applicant, having regard to the provisions of Articles (7)(i) and (8)(a)(iv) of the Landfill Directive and section 53(1) of the Act, and

LOCATION		
CHECKED	Applicant	Official

(ii) such charges as are proposed or made, having regard to the requirements of section 53A of the Act,

temp Page 8 of 40



LOCATION		
CHECKED	Applicant	Official

(s) state whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous Substances) Regulations, 2000 (S.I. No. 476 of 2000) apply,

LOCATION	Attachment B18.	
CHECKED	Applicant \boxtimes	Official

(t) in the case of an activity which gives rise or could give rise to an emission into an aquifer containing the List I and II substances specified in the Annex to Council Directive 80/68/EEC of 17 December 1979, describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6,7,8,9 and 10 of the aforementioned Council Directive,

	97. oz	A ₀
LOCATION	Attachment B19).
CHECKED	Applicant No.	Official
	section et	
	For inspectour	
	* Colod	
	sent of	
	Cour	

(u) include a non-technical summary of information provided in relation to the matters specified in paragraphs (a) to (t) of this sub-article,

LOCATION	Attachment B20.	
CHECKED	Applicant	Official

Article 12(4) Without prejudice to Article 13(1) and (2), an application for a licence shall be accompanied by -

(a) a copy of the relevant page of the newspaper(s) in which the notice in accordance with article 6 has been published,

LOCATION	Attachment B6.	
CHECKED	Applicant 🖂	Official

Page 9 of 40



(b) a copy of the text of the notice or notices erected or fixed in accordance with article 7,

LOCATION	Attachment B6.	
CHECKED	Applicant \boxtimes	Official

(c) where appropriate, a copy of the notice given to a local planning under article 9,

LOCATION	Attachment B21.	
CHECKED	Applicant \boxtimes	Official

- (d) a copy of such plans (appropriately scaled and no larger than A3 size), including a site plan or plans and location map or maps, and such other particulars, reports and supporting documentation as are necessary to identify and describes as appropriate -
 - (i) the position of the notice in accordance with article 7,

LOCATION	Attackment B22.	
CHECKED	Applicant 🖂	Official

(ii) the point or points from which emissions are made or are to be made, and

LOCATION	Attachment B23.	
CHECKED	Applicant \boxtimes	Official

(iii) the point or points at which monitoring and sampling are undertaken or are to be undertaken,

LOCATION	Attachment B24.	
CHECKED	Applicant	Official

(e) such fee as is appropriate having regard to the provisions of articles 40 and 41.

temp Page 10 of 40



INCLUDED Y/N	Yes	
CHECKED	Applicant \boxtimes	Official

Article 12(5)(a) & (b) An application shall comprise 1 signed original of the application and 2 copies in hardcopy format plus 2 copies of all files in electronic searchable PDF format on CD-Rom.

HARDCOPIES PROVIDED Y/N	Yes			
CHECKED	Applicant	\boxtimes	Official	
CD OF PDF FILES	Yes			
PROVIDED? Y/N				
CHECKED	Applicant		Official	

Article 13 Where a development requires an Environmental Impact Assessment to be carried out, 1 signed original and 2 copies in hardcopy format of the environmental impact statement plus 16 copies in electronic searchable PDF format on CD-ROM should accompany this application.

	AV		
EIA REQUIRED? Y/N	din Yes		
CHECKED	Applicant	\boxtimes	Official
3 HARD COPIES OF EIS	Yes		
INCLUDED? Y/N			
CHECKED	Applicant	\boxtimes	Official
V	тррисанс		
16 CD versions of EIS,	Yes		
16 CD versions of EIS,			Official

Page 11 of 40



PROCEDURES

It is recommended that pre-application consultations with the Agency are undertaken before a formal submission of the waste licence application.

The procedure for making and processing of applications for waste licences, and for the processing of reviews of such licences, appear in the Waste Management (Licensing) Regulations 2004 (S.I. No. 395 of 2004) and are summarised below. The application fees that shall accompany an application are listed in the Second Schedule to the Regulations.

Prior to submitting an application the applicant must publish in a local newspaper, and erect on site, a notice of intention to apply. An applicant, other than a local authority in whose functional area the development is located, must also notify the Local Planning Authority, in writing, of their intention to apply.

An application for a licence must be submitted on the appropriate form (available from the Agency) with the correct fee, and should contain relevant supporting documentation as attachments. The application should be based on responses to the form, supporting written text and the appropriate use of tables and drawings. Where point source emissions occur, a system of unique reference numbers should be used to denote each emission point. These should be simple, logical, and traceable throughout the application.

The application form is divided into a number of sections of related information. The purpose of these divisions being to facilitate both the applicant and the Agency in the provision of the information and its assessment. Attachments should be clearly numbered, titled and paginated and must contain the required information as set out in the application form. Additional attachments may be included to supply any further information supporting the application. Any references made should be supported by a bibliography.

All questions should be answered. No waste management facility is exactly the same and hence each application will require different information. It is therefore possible that some of the sections of this application form may not be relevant to the activity concerned. Where information is requested in the application form, which is not relevant to the application, the words "not applicable" should be clearly written on the form. The abbreviation "N/A" should not be used.

Additional information may need to be submitted beyond that which is explicitly requested on this form. Any references made should be supported by a bibliography.

temp Page 12 of 40



The Agency may request further information if it considers that its provision is material to the assessment of the application. Advice should be sought from the Agency where there is doubt about the type of information required or the level of detail.

Information supplied in this application, including supporting documentation will be put on public display and be open to inspection by any person. Should the applicant consider information to be confidential, then the nature of this information, and the reasons why it is considered confidential should be clearly stated in an attachment to the Application Form. This information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to (representative of the applicant)".

Applicants should be aware that a contravention of the conditions of a waste licence is an offence under Section 39 of the Waste Management Acts 1996 to 2003.

The provision of information in an application for a waste licence which is false or misleading is an offence under Section 45 of the Waste Management Acts 1996 to 2003.

Note: <u>Drawings</u>. The following guidelings are included to assist applicants:

- All drawings submitted should be littled and dated.
- They should have a <u>unique reference number</u> and should be signed by a clearly identifiable person.
- They should indicate a scale and the direction of north.
- All drawings should, generally, be to a scale of between 1:20 to 1:500, depending upon the degree of detail needed to be shown and the size of the facility. Drawings delineating the boundary can be to a smaller scale of between 1:1000 to 1:10560, but must clearly and accurately present the required level of detail. Drawings showing the site location can be to a scale of between 1:50 000 to 1:126 720. All drawings should, however, be A3 or less and of an appropriate scale such that they are clearly legible. Provide legends on all drawings and maps as appropriate.

The provision of information in an application for a waste licence, which is false or misleading, is an offence under s45 of the Acts.

Page 13 of 40



SECTION A NON-TECHNICAL SUMMARY

A Non-Technical Summary is to be submitted. The summary should include information on those aspects outlined in the Guidance Note and must comply with the requirements of Article 12 (1) (u) of the Waste Management (Licensing) Regulations, S.I. 395 of 2004.

The Non-Technical Summary should form **Attachment A.1**.

Attachment A.1.

Please see Attachment A.1. for a Non-Technical Summary.



Page 14 of 40



SECTION B GENERAL

B.1 Applicant's Details

Name*:	Rilta Environmental Ltd. (formerly known as SITA Environmental Ltd.)
Address:	Block 402,
	Grant's Drive,
	Greenogue Business Park,
	Rathcoole, Co. Dublin.
Tel:	01-4018000
Fax:	01-4018080
e-mail:	info@rilta.ie

^{*} This should be the name of the applicant which is current on the date this Waste Licence Application is lodged with the Agency. It should be the name of the legal entity (which can be a limited company or a sole trader). A trading/business name is not acceptable.

Name and Address for Correspondence

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name:	Mr. Colm Hussey
Address:	Block 402, institution
	Grant's Drive,
	Greenogue Business Park,
	Rathcoole, Co. Dublin.
Tel:	01-4018000
Fax:	01-4018080
e-mail:	Colm.hussey@rilta.ie

Address of registered or principal office of Body Corporate (if applicable)

Address:	Rilta Environmental Ltd.
	One51 Thomas Street
	Dublin 8
Tel:	01-6121200
Fax:	01-6121321
e-mail:	info@rilta.ie

If the applicant is a body corporate, the following information must be attached as **Attachment B1**:

- a) a Certified Copy of the Certificate of Incorporation or Memorandum and Article of Association;
- b) the Company's Registration Number from the Companies Registry Office; and

Page 15 of 40



c) a list of the Company Directors.

State the interest of the applicant in the land which is subject to the application. The applicant is (please check):

Landowner	\boxtimes	
Lessee		
Prospective Purchaser		_
Other (please specify)		

Name and address of all occupiers of the land on which the Activity is situated (if different from applicant named above).

	aller ise.	
Name:	other	
Address:	only any	
	and its and it	
	an Pure legit	
	Octomet	
Tel:	cot kight	
Fax:	* color	
e-mail:	- Septi C	
	colf	

Name and address of the current* owner(s) and lessees of the land, buildings and ancillary plant on which the activity is or will be situated (if different from applicant named above). An appropriately scaled drawing($\leq A3$) showing the above details should be included in Attachment B1.

Nan	ne:			
Add	ress:			
Tel:				
Tel:	•			

e-mail:

*Current at the time the application is submitted

B.2 Location of Activity

temp Page 16 of 40



WASTE Application Form

Name:	Rilta Environmental Ltd.
Address*:	Block 402, Grant's Drive,
	Greenogue Business Park,
	Rathcoole,
	Co. Dublin.
Tel:	01-4018000
Fax:	01-4018080
e-mail:	info@rilta.ie

^{*} Include any townland

National Grid Reference	E301555 N228440
(8 digit 4E,4N)	

Location maps (≤A3), appropriately scaled, with legible grid references should be enclosed in **Attachment B.2.** The site boundary must be outlined on the map in colour.

B.3 Planning Authority

Give the name of the planning authority in whose functional area the activity is or will be carried out.

Name:	South Dublin C	ounty Council
Address:	County Hall	To the state of th
	Town Centre	*Offsett
	Tallaght	
	Co. Dublin	
Tel:	01-4149000	
Fax:		

Has the Planning Authority received written notification from the applicant of the application to The Environmental Protection Agency for a Waste Licence under Article 9 of the Waste Management (Licensing) Regulations?

Planning Authority notified	Yes 🔀
	No 🗌

Planning Permission relating to this application:-

has been obtained	
is being processed	\boxtimes
is not yet applied for	
is not required	

Page 17 of 40 temp



Local Authority Planning	SD07A-0260
File Reference Nº:	

Attachment B.3 should contain *the most recent* planning permission, including a copy of *all* conditions, and the required copies of any EIS should also be enclosed. For existing activities, Attachment B.3 should also contain copies of the most recent waste licence and any permits in force at the time of submission. Where planning permission is not required for the development, provide reasons, relevant correspondence, etc.

B.4 Sanitary Authority

ses only any other use. In the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority or other body, give the name of the sanitary authority in which the sewer is vested or by which it is controlled and the waste water treatment plant (if any) to which the sewer discharges.

Name:	Environmental Services Department
Address:	South Dublin County Council
	County Hall
	Town Centre
	Tallaght
Tel:	01-4149000
Fax:	

The applicant must enclose, as **Attachment B.4**, a copy of any effluent discharge licence and/or agreement between the applicant and the body with responsibility for the sewer.

B.5Other Authorities

The applicant should tick the appropriate box below to identify whether the activity is located within the Shannon Free Airport Development Company (SFADCo.) area.

Within SFADCo. Area	Yes	No 🖂
---------------------	-----	------

The applicant should indicate the **Health Board Region** where the activity is or will be located.

temp Page 18 of 40




WASTE Application Form

Name:	Dublin mid Leinster Health Board	
Address:	Dublin South West Local Health Office,	
	Old County Road, Crumlin,	
	Dublin 12	
Tel:	01 415 4700	
Fax:		

B.6 Notices and Advertisements

Articles 6 and 7 of the Waste Management (Licensing) Regulations 2004 requires all applicants to advertise the application in a newspaper and by way of a site notice. See *Guidance Note*.

Attachment B.6 should contain a copy of the site notice and an appropriately scaled drawing (\leq A3) showing its location on site. The original application must include the complete newspaper in which the advertisement was placed. The relevant page of the newspaper containing the advertisement should be included with the original and three copies of the application.



Page 19 of 40



B.7 Type of Waste Activity, Tonnages & Fees

B.7.1 Specify the class or classes of activity in Table B.7.1, in accordance with the Third Schedule or Fourth Schedule to the Waste Management Acts 1996 to 2003, to which the application relates (check the relevant box(es) and mark the principal activity with a 'P').

Attachment B.7 should identify the principle activity and include a brief technical description of each of the other activities specified. **There can only be one principal activity.**

Table B.7.1 Third and Fourth Schedules of the Waste Management Acts 1996 to 2003



Page 20 of 40



Waste Management Acts 1996 to 2003

THIRD SCHEDULE	Y/N	FOURTH SCHEDULE	Y/N
Waste Disposal Activities		Waste Recovery Activities	
Deposit on, in or under land (including landfill).		Solvent reclamation or regeneration.	
2. Land treatment, including biodegradation of liquid or sludge		Recycling or reclamation of organic substances which are	$\sqrt{}$
discards in soils.		not used as solvents (including composting and other	
		biological processes).	
3. Deep injection of the soil, including injection of pumpable		3. Recycling or reclamation of metals and metal	$\sqrt{}$
discards into wells, salt domes or naturally occurring		compounds.	
repositories.			
4. Surface impoundment, including placement of liquid or sludge		Recycling or reclamation of other inorganic materials.	$\sqrt{}$
discards into pits, ponds or lagoons.			
5. Specially engineered landfill, including placement into lined		5. Regeneration of acids or bases.	\checkmark
discrete cells which are capped and isolated from one another		94	
and the environment.		at Ise	
6. Biological treatment not referred to elsewhere in this		6. Recovery of components used for pollution abatement.	$\sqrt{}$
Schedule which results in final compounds or mixtures which	c es	of the state of th	
are disposed of by means of any activity referred to in	purposes	Sec.	
paragraphs 1 to 5 or paragraphs 7 to 10 of this Schedule.	Purponi		
7. Physico-chemical treatment not referred to elsewhere in this	A.	7. Recovery of components from catalysts.	
Schedule which results in final compounds or mixtures which			
are disposed of by means of any activity referred to in			
paragraphs 1 to 5 or paragraphs 8 to 10 of this Schedule			
(including evaporation, drying and calcination).			
8. Incineration on land or at sea.		8. Oil re-refining or other re-uses of oil.	V
9. Permanent storage, including emplacement of containers in a		9. Use of any waste principally as a fuel or other means to	
mine.		generate energy.	
10. Release of waste into a water body (including a seabed		10. The treatment of any waste on land with a consequential	
insertion).		benefit for an agricultural activity or ecological system.	
11. Blending or mixture prior to submission to any activity	√	11. Use of waste obtained from any activity referred to in a	
referred to in a preceding paragraph of this Schedule.		preceding paragraph of this Schedule.	
12. Repackaging prior to submission to any activity referred to in	√	12. Exchange of waste for submission to any activity	
a preceding paragraph of this Schedule.		referred to in a preceding paragraph of this Schedule.	
13. Storage prior to submission to any activity referred to in a	√	13. Storage of waste intended for submission to any activity	P
preceding paragraph of this Schedule, other than temporary		referred to in a preceding paragraph of this Schedule, other	
storage, pending collection, on the premises where the waste		than temporary storage, pending collection, on the premises	
concerned is produced.		where such waste is produced.	

Page 21 of 40



Table B.7.2 Maximum Annual Tonnage

The maximum annual tonnage of waste to be handled at the site should be indicated and the year to which the quantity relates indicated.

Maximum Annual Tonnage (tpa)	111,000
Year	Per annum up to 2032
	(25 years)

B.7.3 Fees

State each class of activity for which a fee is being submitted as per Part I of the Second Schedule of the Waste Management (Licensing) Regulations 2004, S.I. No. 395 of 2004. Note: two fees are required if disposal and recovery are to occur.

Waste Activity	Fee (in €)			
Recovery of Waste (4)	6,000 et 1180			
Total:	€6,000 N. Odolli			
Table B.7.4 (For a landfill application) explication state which of the following is relevant to the current application.				
(a) landfill for hazardous waste				
(b) landfill for nor-hazardous waste				
(c) landfill for inert waste				

B.8 Seveso II Directive

State whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous substances) Regulations, 2000 (S.I. No. 476 of 2000), apply.

Regulations Apply	Yes \square	No 🖂

If yes, Attachment B.8 should include the relevant details. Supporting information, as well as copies of any Hazardous Operation Studies (HAZOP) carried out for the site, should also be included in the attachment.

Page 22 of 40



SECTION C MANAGEMENT OF THE FACILITY

Advice on completing this section is provided in the *Guidance Note*.

C.1 Technical Competence and Site Management

This information should form **Attachment C 1**.

Details of the applicant's experience and qualifications, along with that of other relevant employees, should be summarised as shown below. Statements of duties, responsibilities, experience and qualifications should be submitted for each position named below. Additional information, including the management structure and an organisational chart, should be included in **Attachment C 1.**

Name		Position	Duties and Responsibilities	Experience /Qualifications	
			any any		
Mr.	Nicholas	Managing	Overall responsibility for the	Mr. Beale has a degree in	
Beale		Director	running of the company.	Engineering. Additional info.	
			ection in the second	in Attachment C.1.	
Mr.	Colm	Facility	Day to day operation of site	Mr. Hussey has a degree in	
Hussey		Manager	activities, environmental	Geology and an MSc. in	
		o 5	management and ISO.	Environmental Geochemistry.	
		Conser		Additional info. in Attachment	
				C.1.	
Mr.	Colin	Site Supervisor	Day to day running of the	Mr. Moore has 15 years	
Moore			treatment, brokerage and soil	experience in waste	
			divisions.	management. Additional info.	
				in Attachment C.1.	

C.2 Environmental Management System

Attachment C 2 should contain the Environmental Management System (EMS) details required.

C.3 Hours of Operation

Attachment C 3 should contain details of hours of operation for the waste facility, civic waste facilities and other facilities.

temp Page 23 of 40



- (a) Proposed hours of operation.
- (b) Proposed hours of waste acceptance/handling.
- (c) Proposed hours of any construction and development works at the facility and timeframes (required for landfill facilities).
- (d) Any other relevant hours of operation expected.

C.4 Conditioning Plan

Address as **Attachment C 4**, in the case of a LANDFILL Application, and only for the review of a Landfill Waste Licence.



Page 24 of 40



SECTION D infrastructure & operation

D.1 Infrastructure

Complete the following table detailing the site infrastructure. **Attachment D 1** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.1. Additional advice on completing this section is provided in the application *Guidance Note*.

Table	D.1. Infrastructure	y/n	Comments
D.1.a	Site security arrangements including gates and fencing	у	Ref Drawing 3684- 01-226, EIS
D.1.b	Designs for site roads	n	Not applicable
D.1.c	Design of hardstanding areas	у	Ref Figure 7.1, Volume II EIS
D.1.d	Plant at different and different at the same at the sa	n	Not applicable
D.1.e	Wheel-wash TO THE	n	Not applicable
D.1.f	Plant Wheel-wash Laboratory facilities Design and location of fuel storage areas	у	Ref Section 2.5.6, Volume II EIS
D.1.g	Design and location of fuel storage areas	у	Ref Drawing 3684-01-205 and Section 2.5.7., EIS
D.1.h	Waste quarantine areas	у	Ref Section 2.5.5., Volume II EIS
D.1.i	Waste inspection areas	у	Ref Section 2.5.5., Volume II EIS
D.1.j	Traffic control	у	Ref Section 2.5.11., Volume II EIS
D.1.k	Sewerage and surface water drainage infrastructure	у	Ref Drawing 3684- 01-222, EIS
D.1.l	All other services	у	Ref Drawing 3684-01-205, and Section 2.5.13, EIS
D.1.n	Plant sheds, garages and equipment compound	у	Ref Drawing 3684- 01-206 and Section

temp Page 25 of 40



			2.5.8., EIS
D.1.n	Site accommodation	у	Ref Section 2.5.9, EIS
D.1.0	A fire control system, including water supply	у	Ref Drawing 3684- 01-226, EIS and Section 2. 5.12
D.1.p	Civic amenity facilities	n	Not applicable
D.1.q	Any other waste recovery infrastructure	у	Ref Section 2.5.3., Volume II EIS
D.1.r	Composting infrastructure	n	Not applicable
D.1.s	Construction and Demolition waste infrastructure	у	Ref Section 2.3.4, Volume II EIS
D.1.t	Incineration infrastructure (if applicable). Provide information to fulfil Article 4 (2) & (3) of the Incineration of Waste Directive Any other infrastructure	n	Not applicable
D.1.u	Any other infrastructure	n	Not applicable

D.2 Facility Operation

In **Attachment D 2** describe the plant, methods, processes and operations of the waste facility, as required by the *Guidance Note*.

Attachment included	yes 🖂	no	not applicable
---------------------	-------	----	----------------

LANDFILLS

The following Sections D3 to D7 should only be completed for Landfill Applications. Reference should be made to the Agency landfill manual 'Landfill Site Design (2000)' when completing this section.

D.3 Liner System

Complete the following table regarding the liner system to be used for the landfill/landfill extension and detail the information requested as **Attachment D.3**. *Items D3c to D3g should only be completed <u>for immediate projects only</u> (ie Years 1 & 2). A schedule of Liner construction activities for the medium to long term need*

temp Page 26 of 40



only be listed in item D3a below, since Condition 3 of any licences granted will provide reporting requirements for any future projects.

Table D.3 Liner System

		y/n	Comments
D.3.a	Provide information to fulfil Annex 1 of the Landfill Directive		
D.3.b	What type of liner system is specified?		
D.3.c	Has a Quality Control Plan been specified?		
D.3.d	Has a Quality Assurance Plan been specified?		
D.3.e	Have independent, third-party supervision, testing and controls been specified?		
D.3.f	Have basal gradients for all cells and access ramps to the cells been designed?	z.	
D.3.g	Has a leak detection survey been specified?		

D.4 Leachate Management

Complete the following table detailing leachate management arrangements. Further information should be included in **Attachment D.4.**

Table D.4.1 Leachate Management Arrangements

		y/n	Comments
D.4.a	Is there a Leachate Management Plan?		
D.4.b	Have annual quantities of leachate been calculated?		
D.4.c	Has the total quantity of leachate been calculated?		
D.4.d	Have the size of the cells been specified taking account of the water balance calculations?		
D.4.e	Has a leachate collection system been specified?		

Page 27 of 40

<u>~</u>	
C POCO	

D.4.f	Has a leachate storage system been specified?	
D.4.g	Has a system for monitoring the level of leachate in the waste been designed?	
D.4.h	Is leachate recirculation proposed/practised?	
D.4.i	Has leachate treatment on-site been specified?	
D.4.j	Has leachate removal been specified?	

D 5 Landfill Gas Management

All landfill sites should have suitable arrangements for the management of landfill gas. Attachment D.5 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.5. Items D5g to D5m should only be completed for immediate or current gas collection projects only (ie Years 1 & 2). A schedule of gas management aspects for the medium to long term need only be listed in them D5f below, since Condition 3 of any proposed decision/licence will provide reporting requirements for any future projects.

Page 28 of 40



Table D.5. Landfill Gas Management

10010 2	.s. Landin Gas Wanagement		
		y/n	Comments
D.5a	Is there a Landfill Gas Management Plan?		
	Provide estimates of the volumes of landfill gas which will be produced by the waste disposed of in the site for the next 20 years, and compare to the EPER list for methane:		
D.5b	Is there a passive venting system?		
D.5c	Does the passive system cover all of the filled area?		
D.5d	Have gas alarm systems been installed in the site buildings?	y other to	<u>ي</u>
D.5e	Have measures been installed to prevent landfill gas migration (e.g. barriers)?		
D.5f	Has a time-scale been proposed for the installation of landfill gas infrastructure?		
D.5g	Is gas flaring undertaken at the site?		
D.5h	Is there an active (i.e., pumped) landfill gas extraction system?		
D.5i	Does the active system cover all of the filled area?		
D.5j	Is landfill gas used to generate energy at the site?		
D.5k	Have emissions from the flarestack and utilisation plant been assessed for source, composition, quantity and level and rate?		

temp Page 29 of 40

a	
sba	ction liga

D.51	Has a maintenance programme for the control system been specified?	
D.5m	Has a condensate removal system been designed?	

D.6 Capping System

Complete the following table detailing the design of the capping system. Attachment D.6 should contain the appropriate documentation. *Items D6e to D6k should be completed for immediate projects only (ie Years 1 & 2).* Condition 10 of any proposed decision/licence will provide reporting requirements for capping requirements beyond this timeframe.

Table D.6 Capping System

	39.00	y/n	Comments
	Has the daily cover been specified Most different to the daily cover been specified to the daily cover been		
D.6a	Has the daily cover been specified?		
	ation to the		
D.6b	Has the intermediate cover been specified?		
	Forfite		
D.6c	Has the temporary capping been specified?		
	Consett		
D.6d	Has the Capping System been designed and		
	does it meet the requirements of the Landfill		
	Directive Annex 1 (3.3)?		
D.6e	Does the Capping System include a flexible		
	membrane liner?		
D.6f	Have all capping materials been specified?		
D.6g	Has a Method Statement for construction		
J	been produced?		
D.6h	Has a Quality Control Plan been produced?		
D.6i	Has a Quality Assurance Plan been		
	produced?		
	<u>.</u>		

temp Page 30 of 40



D.6j	Has a programme for monitoring landfill stability been developed?	
D.6k	Has a programme for monitoring landfill settlement been developed?	

Consent of copyright owner required for any other use.

Page 31 of 40



SECTION E EMISSIONS

Give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made.

The applicant should address in particular any emission point where the substances listed in the Schedule of S.I. 394 of 2004 are emitted.

E.1 Emissions to Atmosphere

See Tables in Section E of Annex 1.

E.2 Emissions to Surface Waters

Attachment E.2 Tables E.2(i) and E.2(ii) should be completed where relevant.

E.3 Emissions to Sewer

Attachment E.3 Tables E.3(i) and E.3(ii) should be completed, where relevant.

As part of this licence review we are seeking to increase the current limits set for parameters BOD and COD as conditioned in Waste Licence 192-1. The limits set in Waste Licence 192-1 were based on the limits of a former RILTA operation and are not relevant to the current operations at the facility in Greenogue.

The current limit for BOD in wastewater from the sewer is 1000mg/l for a grab sample (mg/l). This review proposes that this limit is increased to 3000mg/l similar to Waste Licence 185-1, also in Greenogue Business Park.

The current limit for COD in wastewater from the sewer is 3000mg/l for a grab sample (mg/l). This review proposes that this limit is increased to 6000mg/l similar to Waste Licence 185-1, also in Greenogue Business Park.

E.4 Emissions to Groundwater

Describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6, and 7 of Council Directive 80/68/EEC of 17 December 1979 on the protection of groundwater against pollution by certain dangerous substances.

Table E.4(i) should be completed, as relevant, for each source. There are no emissions to groundwater at RILTA Environmental Ltd., Greenogue.

temp Page 32 of 40



E.5 Noise Emissions

Give particulars of the source, location, nature, level, and the period or periods during which the noise emissions are made or are to be made.

Table E.5(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.5**

E.6 Environmental Nuisances

Attachment E.6 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings as relevant established in Table D.6. Additional advice on completing this section is provided in the *Guidance Note*.

Table E.6 Environmental Nuisances

Bird Control	Control method	ijie yes 🖂	no	not applicable
	specified	,		
	Attachment included	yes 🖂	no	not applicable
Dust Control	Control comethod	yes 🖂	no	not applicable \Box
	specified &			
	Attachment included	yes 🖂	no	not applicable
Fire Control	Control method	yes 🖂	no	not applicable \Box
	specified			
	Attachment included	yes 🖂	no	not applicable
Litter Control	Control method	yes 🖂	no	not applicable
	specified			
	Attachment included	yes 🖂	no	not applicable
Traffic Control	Control method	yes 🖂	no	not applicable
	specified			
	Attachment included	yes 🖂	no	not applicable
Vermin Control	Control method	yes 🖂	no	not applicable
	specified			
	Attachment included	yes 🖂	no	not applicable
Road Cleansing	Control method	yes 🖂	no	not applicable
	specified			
	Attachment included	yes 🖂	no	not applicable

Page 33 of 40



Consent of copyright owner required for any other use.

Page 34 of 40



SECTION F CONTROL & MONITORING

F.1: Treatment, Abatement and Control Systems

Describe the proposed technology and other techniques for preventing or, where this is not possible, reducing emissions from the installation/facility. Details of treatment/abatement systems (air and effluent emissions) should be included, together with appropriately scaled schematics (\leq A3) as appropriate.

For each Emission Point identified complete Table F.1 of the Annex, and include detailed descriptions and appropriately scaled schematics (≤A3) of all abatement systems.

Attachment F.1 should contain any supporting information.

F.2- F. 9. Monitoring and Sampling Points

Programmes for environmental monitoring should be submitted as part of the application. These programmes should be provided as **Attachments F.2 to F.6** and meet the advice published by the Agency in the relevant BAT Note. For Landfills the additional **Attachments F.7 to F.8** should be completed. Furthermore for a landfill application the applicant <u>must</u> refer to the Agency *Landfill Monitoring Manual* (2003) for further details on monitoring requirements for proposed facilities.

Include details of monitoring sampling locations and methods.

F.2 Air - to include Dust, Odour

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.3 Surface Water

Monitoring of surface water shall be carried out at not less than two points, one upstream from the waste facility and one downstream.

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable

temp Page 35 of 40

12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.4 Sewer Discharge

Monitoring of sewer discharge shall be carried out at the point specified by the local authority/Agency.

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.5 Groundwater

Groundwater monitoring is required at all landfill facilities; and certain other waste facilities depending on waste activities and the underlying aquifer vulnerability.

Monitoring Arrangements specified	ves 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

Cos

F.6 Noise

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable \Box
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.7 Meteorological Data

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable

Page 36 of 40



Application for Landfills require the additional Attachments F.7 to F.8, to be completed:

F.8 Leachate

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.9 Landfill Gas

Complete each of the following tables to show whether information has been included on aspects of landfill gas monitoring. **Attachment F.9** should also contain information to show whether the data given in Tables F.9.(a) and F.9(b) below represents actual or anticipated data. Complete Table F.9 as follows:

Table F.9 (a) Landfill Gas Monitoring for existing landfill gas flares / utilisation plants

Parameter	Concentration	Proposed	Information	Method of	Information
	(mg/Nm ³)	Frequency of	Included	Analysis	Included
	a of o	Analysis	Y/N		Y/N
Inlet	(mg/Nm ³) (mg/Nm ³) (mg/Nm ³) (mg/Nm ³)				
Methane (CH ₄) % v/v					
Carbon dioxide (CO ₂) %v/v					
Oxygen (O ₂) % v/v					
Outlet					
Volumetric Flow Rate					
SO_2					
Nox					
СО					
Particulates					
TA Luft Class I, II, III organics					
Hydrochloric acid					
Hydrogen Fluoride					

Table F.9(b) Landfill Gas Monitoring

Page 37 of 40



Parameter	Proposed of Analysis		Information Included Y/N	Method of Analysis	Information Included Y/N
	Gas boreholes / vents/ wells/ perimeter locations	Facility Office			
Methane (CH ₄) % v/v					
Carbon Dioxide (CO ₂) % v/v					
Oxygen (O ₂) % v/v					
Atmospheric Pressure					
Temperature					

Table F.9 (c) Landfill Gas	Infrastructure	थत. ^अ ध्ये	et use.	
Equipment	Monitoring	Information	Monitoring Action	Information
	Frequency	Included Y/N		Included Y/N
Gas Collection System	وفي	off let it		
	; inspen	6		
Gas Control System	For Aug			
	atofic			
	Course			

Monitoring Arrangements specified	yes 🗌	no	not applicable
Monitoring points identified, (plus	yes 🗌	no	not applicable
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable

SECTION G RESOURCES USE & ENERGY EFFICIENCY

G.1 Raw Materials, Substances, Preparations and Energy

Attachment G.1 should contain a list of all raw, product and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity. Information on any insecticides, herbicides or rat poisons etc. should also be provided with their respective data and safety sheets. The Standard Forms, provided in Annex 1, should be used in

Page 38 of 40 temp

WASTE Application Form

the description of these materials, substances, etc., where relevant. Additional advice on completing this section is provided in the *Guidance Note*.

Attachment	yes 🖂	no	not applicable
included			

G.2 Energy Efficiency

A description of the energy used in or generated by the activity must be provided in **Attachment G.2**.

Attachment	yes 🖂	no	not applicable
included			

Consent of copyright owner required for any other use.

Page 39 of 40



SECTION H MATERIALS HANDLING

H.1 Waste Types and Quantities – Existing & Proposed

Provide an estimation of the quantity of waste likely to be handled in relation to each class of activity applied for. This information should be included in Table H.1(a).

Table H.1(a). Quantities of Waste in Relation to Each Class of Activity Applied for

Waste Mar	nagement Act	Waste Management Act	
3rd Schedule (I	Disposal) Activities	4th Schedule (Re	ecovery) Activities
Class of	Quantity (tpa)	Class of	Quantity (tpa)
Activity		Activity	
Applied For		Applied For	
Class 1		Class 1	Ø1°
Class 2		Class 2	1,000
Class 3		Class 3	2,000
Class 4		Class 4	2,000
Class 5		wife dictass 5	
Class 6	citon	Class 6	2,000
Class 7	20,000	Class 7	
Class 8	FORVITE	Class 8	2,000
Class 9	atof	Class 9	
Class 10	20,000 State of the state of th	Class 10	
Class 11	1,000	Class 11	
Class 12	1,000	Class 12	
Class 13	10,000	Class 13	70,000

In Table H. 1 (B) provide the annual amount of waste handled/to be handled at the facility. Additional information should be included in **Attachment H.1.** The tonnage per annum should be given of that expected for the life of the licence, with at least the next five years tonnages provided. For Landfill Review applications provide an estimate of the quantity of waste already deposited in (i) lined cells; (ii) unlined cells.

Table H.1(B) Annual Quantities and Nature of Waste

Year	Non-hazardous waste	Hazardous	Total annual quantity
	(tonnes per annum)	waste	of
		(tonnes per annum)	waste

temp Page 40 of 40



			(tonnes per annum)
2007-2032	5000(commercial)	106,000	111,000

A detailed inventory of the types and quantities of wastes currently handled at the site and proposed to be handled should be submitted as Table H.1 (C).

Table H.1 (c) Waste Types and Quantities

WASTE TYPE	TONNES PER	TONNES PER	TOTAL (over life of site)
	ANNUM (existing)	ANNUM (proposed)	tonnes
Commercial Waste	500	500	12500
Construction and Demolition Waste	500	500	12500
Industrial Sludges	1000	1000	25000
Other Industrial Waste	3000	3000	75000
Hazardous Waste *(Specify detail in Table H 1.2)	57000	106,000	2,650,000
Inert Waste imported for restoration purposes	COMPLETE	FOS difference of the control of the	AMINATED LAND

* Table H.1.2 Hazardous Waste Types and Quantities

HAZARDOUS WASTE	DETAILED DESCRIPTION * REFERENCE SHOULD BE MADE TO THE RELEVANT EUROPEAN WASTE CATALOGUE CODES AS PRESENTED BY COMMISSION DECISION 2000/532/EC	Tonnes Per Annum (Existing)	(Tonnes Per Annum Proposed)
Waste Oil	20 01 26	8.35	Attachment H.1
Oil filters	16 01 07	5.6	Attachment H.1
Asbestos	17 06 01	99.22	Attachment H.1
Paint and Ink	08 01 11/ 08 01 13/ 08 01 99/ 08 03 07/ 08 03 12	568.3	Attachment H.1
Batteries	10 06 06/ 16 06 01	0.4/ 1.57	Attachment H.1
Fluorescent Light Bulbs	20 01 21*	0.2	Attachment H.1
Contaminated Soils	17 05 03	42,725.81	Attachment H.1

Page 41 of 40



OTHER HAZARDOUS WASTE (APPLICANT TO SPECIFY)

See Attachment H.1

Attachment H.1 should contain any relevant additional information. See Attachment H.1

It should be noted that an applicant may be issued with a licence which restricts the type of wastes which may be deposited.

H.2 Waste Acceptance Procedures

Procedures for checking waste loads as they arrive at the facility must be included. These should follow the requirements of the Agency's Waste Acceptance Manual. A copy of these procedures and other associated documentation should be included as Attachment H.2.

H.3 Waste Handling
Waste handling and the operating procedures waste facility including waste treatment processes should be described in Attachment H.3. Included in the attachment should be information on the plant used on site and on the methods and processes for handling waste on-site. Special requirements hold for contaminated soil facilities, see Guidance Note so

In addition, an application for a Landfill requires Section H.3.a to be completed:

H.3a Waste Handling at the Landfill Facility

State whether all waste will be subject to treatment prior to landfilling. Provide information as to the quantities of biodegradable municipal waste and how the targets of the Landfill Directive (1999/31/EC) relating to that waste type are to be achieved. In particular describe how the following will be achieved:

- (a) a reduction by 16/07/06 to 75% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (b)a reduction by 16/07/09 to 50% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (c) a reduction by 16/07/16 to 35% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (d)Evidence should be provided to show that energy will be used efficiently.

temp Page 42 of 40



H.4 Waste Arisings

Waste Arisings should be considered for all contaminated soil applications. Details of all waste materials generated on the site including, name, description and nature as well as the source(s) should be identified. The quantities of each type of waste generated on an annual/monthly basis should be calculated and stated in Tables H.1(i) and H. 1(ii) of the application form. Applicants should also provide conversion factors used to relate volume (m³) and tonnage (t) for their waste stream.

H.4: Refer to Attachment H.4.

SECTION I EXISTING ENVIRONMENT & IMPACT OF THE FACILITY

Detailed information is required to enable the Agency to assess the existing environment. This section requires the provision of information on the ambient environmental conditions at the site prior to the commencement of waste management activities or prior to the receipt of a review application.

Where development is proposed to be carried out, being development which is of a class for the time being specified under Article 24 (First Schedule) of the Environmental Impact Assessment Regulations, the information on the state of the existing environment should be addressed in the EIS. In such cases, it will suffice for the purposes of this section to provide adequate cross-references to the relevant sections in the EIS.

I.1. Assessment of atmospheric emissions

Describe the existing environment in terms of air quality with particular reference to ambient air quality standards.

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to the atmosphere are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Attachment I.1 should also contain full details of any dispersion modelling of atmospheric emissions from the activity, where required.

temp Page 43 of 40



I.2. Assessment of Impact on Receiving Surface Water

Describe the existing environment in terms of water quality with particular reference to environmental quality standards or other legislative standards. Table I.2(i) should be completed

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to water are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other relevant information on the receiving environment should be submitted as **Attachment I.2.**

I.3. Assessment of Impact of Sewage Discharge.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other supporting information should form **Attachment I.3.**

I.4 Assessment of impact of ground/groundwater emissions

The scope and detail of this assessment will depend to a large extent on the extent and type of ground emissions at any site, which in turn are related to the risk. Details should be included in **Attachment I.4**. Comprehensive guidelines are contained in the *Application Guidance Note*, and include particular requirements for landfill and brownfield facilities

Describe the existing groundwater quality. Tables I.4(i) should be completed.

I.5 Ground and/or groundwater contamination

Summary details of known ground and/or groundwater contamination, historical or current, on or under the site must be given.

temp Page 44 of 40



Full details including all relevant investigative studies, assessments, or reports, monitoring results, location and design of monitoring installations, appropriately scaled plans/drawings (≤A3), documentation, including containment engineering, remedial works, and any other supporting information should be included in **Attachment I.5**.

I.6 Noise Impact.

Give details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Ambient noise measurements

Complete Table I.6(i) in relation to the information required below:

- (i) State the maximum Sound Pressure Levels which will be experienced at typical points on the boundary of the operation (State sampling interval and duration)
- (ii) State the maximum Sound Pressure Levels which will be experienced at typical noise sensitive locations, outside the boundary of the operation.
- (iii) Give details of the background noise levels experienced at the site in the absence of noise from this operation.

Prediction models, appropriately scaled maps (\leq A3), diagrams and supporting documents, including details of noise attenuation and noise proposed control measures to be employed, should form **Attachment I.6.**

<u>I.7 Assessment of Ecological Impacts & Mitigation Measures</u>

The ecology of the site and the surrounding area should be assessed in the vicinity of the largescale waste facilities such as landfill or incinerator developments. An assessment of the ecology should form **Attachment I.7.** Comprehensive guidelines are contained in the *Application Guidance Note*

SECTION J ACCIDENT PREVENTION & EMERGENCY RESPONSE

Describe the existing or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage.

temp Page 45 of 40



Also outline what provisions have been made for response to emergency situations outside of normal working hours, i.e. during night-time, weekends and holiday periods.

Describe the arrangements for abnormal operating conditions including start-up, leaks, malfunctions or momentary stoppages.

Supporting information should form Attachment J.

Attachment included	yes 🖂	no	not applicable
---------------------	-------	----	----------------



SECTION K REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE

Describe the existing or proposed measures to minimise the impact on the environment after the activity or part of the activity ceases operation, including provision for post-closure care of any potentially polluting residuals.

For Landfill Applications, capping proposals are required, and reference should be made to the *Landfill Manual on 'Restoration and Aftercare'* published by the Agency, when completing this section.



temp Page 46 of 40




SECTION L STATUTORY REQUIREMENTS

L. 1 Section 40(4) WMA

Indicate how all the requirements of Section 40(4)[(a) to (i)] of the Waste Management Acts 1996 to 2003 will be met.

Applicants should also describe how the proposed facility will comply with the requirements of BAT. In particular reference should be made to the considerations referred to in Annex IV of Council Directive 96/61/EC concerning integrated pollution prevention and control.

Attachment L.1 should contain the documentation requested above, along any relevant additional information.



The WMA in Section 40(4)(d) specifies that the Agency shall not grant a licence unless it is satisfied that the applicant of the applicant is not a local authority) is a fit and proper person. Section 40(7) of the WMA specifies the information required to enable a determination to be made by the Agency.

- Indicate whether the applicant or other relevant person has been convicted under the Waste Management Acts 1996 to 2003, the EPA Act 1992 and 2003, the Local Government (Water Pollution) Acts 1977 and 1990 or the Air Pollution Act 1987.
- Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (Link to Section C.1 of the application).
- Provide information to show that the person is likely to be in a position to meet any financial commitments or liabilities that may have been or will be entered into or incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out that activity (Link to Section K of the application).

Supporting information should be included as Attachment L 2 with reference to

temp Page 47 of 40



where the information can be found in the application.

Attachment included yes \ no \ not applicable



Page 48 of 40



SECTION M DECLARATION

Declaration

I hereby make application for a licence / revised licence, pursuant to the provisions of the Waste Management Acts 1996 to 2003 and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices, and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

	ction purple diff	
gned by :	TELET ONL	
behalf of the organisation)	For Prigh	
rint signature name:	For helpstion purposition for the property of	
osition in organisation:		
		Company stamp or seal:

temp Page 49 of 40



ANNEX 1 STANDARD FORMS

Standard forms are provided in this section for the recording and presentation of environmental monitoring and site investigation results

TABLE E.1(i) LANDFILL GAS FLARE EMISSIONS TO ATMOSPHERE Emission Point:

Emission Point Ref. Nº:	
Location:	
Grid Ref. (12 digit, 6E,6N):	alter tise.
Vent Details Diameter:	For its period purposes only in any other
Height above Ground(m):	For its diffe
Date of commencement of emission:	and co.

Characteristics of Emission:

СО				mg/m ³
Total organic carbon (T	OC)			mg/m ³
NOx				mg/Nm ³
		0°C. 3%	6 O ₂ (Liquid or Gas), 6	% O ₂ (Solid Fuel)
Maximum volume of e	mission			m³/hr
Temperature	°C	(max)	°C(min)	°C(avg)

(i) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up/shutdown to be included*):



Periods of Emission (avg)	min/hr	hr/day	day/yr

TABLE E.1(ii) MAIN EMISSIONS TO ATMOSPHERE (1 Page for each emission point)

Emission Point Ref. Nº:	A1
Source of Emission:	Drum washer stack
Location:	Within Drum Centre
Grid Ref. (12 digit, 6E,6N):	E301620 N228440
Vent Details	
Diameter:	0.40m
	net use
Height above Ground(m):	es ally, suy offet fise.
Date of commencement:	authorized for the

${\bf Characteristics\ of\ Emission:}$

(i) Volume to be 6	emitted:		
Average/day	127, 008m³/d	Maximum/day	127,008m³/d
Maximum rate/hour	5292m³/h	Min efflux velocity	8.50m.sec ⁻¹
(ii) Other factors			
Temperature	20°C(max)	9°C(min)	13°C(avg)
For Combustion Source	ces:		
Volume terms express	sed as:	t. □ dry	%O ₂

(iii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up* /*shutdown to be included*):

WASTE Application Form

Periods of Emission (avg) 60 min/hr 12 hr/day 330 day/yr

Consent of copyright owner required for any other use.



Parameter		Prior to tr	reatment ⁽¹⁾		Brief			As discl	narged ⁽¹⁾		
	mg/	Nm ³	kg	g/h	description	mg/	Nm ³	kg	/h.	kg/y	/ear
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
Other VOC's Note: T.A. Luft Class 3 organic limit	<u>150</u>	<u>150</u>	0.772	0.772 For Fort Consent of Consen	is fection buildese south any other						

^{1.} Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.



TABLE E.1(iv): EMISSIONS TO ATMOSPHERE - Minor /Fugitive

Emission point	Description		Emission	details ¹		Abatement system employed
Reference Numbers		material	mg/Nm ³⁽²⁾	kg/h.	kg/year	
		material Gorginality	Routhose only.	and other like.		

¹ The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.



2 Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.

Consent of copyright owner required for any other use.



TABLE E.1(ii) MAIN EMISSIONS TO ATMOSPHERE (1 Page for each emission point)

Emission Point Ref. No:	A2		
Source of Emission:	Paint boo	th stack	
Location:	Within Di	rum Centre	
Grid Ref. (12 digit, 6E,6N)): E301630	N228445	
Vent Details Diameter:	0.714m		
Height above Ground (m)):		
Date of commencement:			
(i) Volume to be emitt	ted:	Turbered for any other use.	
(i) Volume to be emitted. Average/day	ted: 328,680m3 d	Maximum/day	328,680m³/d
	100	net lest	328,680m ³ /d 8.50m.sec ⁻¹
Average/day	328,680m3/d	Maximum/day	
Average/day Maximum rate/hour	328,680m3/d	Maximum/day	
Average/day Maximum rate/hour (ii) Other factors Temperature For Combustion Sources:	328,680m ³ d 292m ³ /h 20°C(max)	Maximum/day Min efflux velocity 9 °C(min)	8.50m.sec ⁻¹ 13°C(avg)
Average/day Maximum rate/hour (ii) Other factors Temperature For Combustion Sources: Volume terms expressed a	328,680m ³ d 292m ³ /h 20°C(max) s:	Maximum/day Min efflux velocity 9 °C(min) et.	8.50m.sec ⁻¹ 13°C(avg)



TABLE E.1(iii): MAIN EMISSION	S TO ATMOSPHERE -	Chemical characteristics of the emission	(1 table per emission point)
Emission Point Reference Number:	A2		

Parameter		Prior to tr	to treatment ⁽¹⁾		Brief	As discharged ⁽¹⁾					
	mg/	Nm ³	kg	g/h	description	mg/	Nm ³	kg	/h.	kg/	year
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
Total VOC's Note: T.A. Luft Class 3 organic limit	<u>150</u>	<u>150</u>	<u>2.10</u>	2.10 For Consent of Co	Spection purposes only any other constitution of the second of the secon						

^{1.} Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.



TABLE E.1(iv): EMISSIONS TO ATMOSPHERE - Minor /Fugitive

Emission point	Description		Emission	details ¹		Abatement system employed
Reference Numbers		material	mg/Nm ³⁽²⁾	kg/h.	kg/year	
		Consent of	of its pection purpose of the pection of the pectio	oses only any of	et tige.	



1 The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.

2 Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.

Consent of copyright owner required for any other use.



 TABLE E.1(ii)
 MAIN EMISSIONS TO ATMOSPHERE
 (1 Page for each emission point)

Emission Point Ref. N	<u>o</u> :	A3						
Source of Emission:		Drying tu	Drying tunnel stack					
Location:		Within Dr	rum Centre					
Grid Ref. (12 digit, 6E,	6N):	E301630	N228460					
Vent Details Diame	ter:	0.29m						
Height above Ground	(m):							
Date of commencemen	t:		್ತ.					
Characteristics of Emission:								
(i) Volume to be e	mitted:	For Syngh Or	ne .					
Average/day	6	0, 480m ³ /d	Maximum/day	60,408m³/d				
Maximum rate/hour	Cons	2520m ³ /h	Min efflux velocity	9m.sec ⁻¹				
(ii) Other factors								
Temperature		35°C(max)	20°C(min)	25°C(avg)				
For Combustion Sources:								
Volume terms expressed as : \square wet. \square dry%O ₂								
Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included):								
Periods of Emission (a	vg)	Periods of Emission (avg) 60 min/hr 12 hr/day 330 day/yr						



Parameter		Prior to treatment ⁽¹⁾		Brief		As discharged ⁽¹⁾					
	mg/	Nm ³	kį	g/h	description	mg/	Nm ³	kg/h.		kg/year	
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
Other VOC's Note: T.A. Luft Class 3 organic limit	<u>150</u>	<u>150</u>	0.378	0.378 For	nspection but does only any other						

^{1.} Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.



TABLE E.1(iv): EMISSIONS TO ATMOSPHERE - Minor /Fugitive

Emission point	Description		Emission	details ¹		Abatement system employed
Reference Numbers		material	mg/Nm ³⁽²⁾	kg/h.	kg/year	
		Consent of	of its pection purpose of the pection of the pectio	oses only any of	et tige.	



- 1 The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.
- 2 Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.

Consent of copyright owner required for any other use.



TABLE E.2(i):	EMISSIONS TO SURFACE WATERS
----------------------	-----------------------------

(One page for each emission)

Emission Point:

Emission Point Ref. Nº:	SW3
Source of Emission:	Surface water runoff
Location:	As shown on Environmental Monitoring Map in EIS, Figure 7.1.
Grid Ref. (10 digit, 5E,5N):	E301603 N228563
Name of receiving waters:	Griffeen River
Flow rate in receiving waters:	m³.sec ⁻¹ Dry Weather Flow m³.sec ⁻¹ 95%ile flow
Available waste assimilative capacity:	kg/day

Emission Details:

(i) Volume to be emitted							
Normal/day	m ³	Maximum/day	m ³				
Maximum rate/hour	m ³						

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up /shutdown to be included*):



TABLE E.2(ii): EMISSIONS TO SURFACE WATERS - Characteristics of the emission (1 table per emission point)

Emission point reference number: SW3

Parameter		Prior to treatment					% Efficiency		
	Max. hourly	Max. daily	kg/day	kg/year	Max. hourly average	Max. daily average	kg/day	kg/year	
	average	average			(mg/l) other	(mg/l)			
	(mg/l)	(mg/l)			4. B				
	0.125m³/hr or 125 litres pre hour max.	3m³/day or 3000 litres per day max.	C	insperior insperior in the control of coordinate of coordinate of coordinate of the	Rung ses and the ses and ses a				



Consell of copyright owner required for any other use.



TABLE E.3(i): EMISSIONS TO SEWER(One page for each emission)

Emission Point:

Emission Point Ref. Nº:	EFF
Location of connection to sewer:	Adjacent to the Hydrocarbon Treatment Centre
Grid Ref. (10 digit, 5E,5N):	E301655 N228530
Name of sewage undertaker:	South Dublin County Council/ Ringsend WWTP

Emission Details:

(i) Volume to be emitted	M' any other it	
Normal/day	75m ³ Maximum/day	200m ³
Maximum rate/hour	20mg of Refresh	

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up/shutdown to be included*):

Periods of Emission (avg)	<u>60</u> min/hr <u>6</u> hr/day <u>245</u> day/yr



TABLE E.3(ii): EMISSIONS TO SEWER - Characteristics of the emission (1 table per emission point)

Emission poin	nt reference number :	\pmb{EFF}

Please Note: Current Information re: limits for the parameters listed below are included in Waste Licence 192-1, Schedule C.5. Details regarding a review of these limits are included in Section E.3. above.

Parameter	Prior to treatment			net lise.	As discharged					
	Max. hourly	Max. daily	kg/day	kg/year	Max. hourly average	Max. daily average	kg/day	kg/year		
	average	average			(ing/l)	(mg/l)				
	(mg/l)	(mg/l)			Turbo (ing/l)					
BOD				as Recit	2000	1000	160	40000		
COD				Rend to Opingh	5000	3000	480	120000		
Mineral Oils				atolicor	20	10	0.15	36		
Suspended Solids			cs.	nseir	1000	500	7.5	550		
<u>Sulphates</u>					2000	1000	37	9000		
<u>Detergents</u>					200	100	4	1000		
<u>Temperature</u>					2	1	0.05	12.5		
<u>Toluene</u>					2	1	0.05	12.5		
O/m/p Xylenes					10	5	0.25	62.5		
Copper					10	5	0.25	62.5		



WASTE Application Form

Zinc					

Consell of copyright owner required for any other use.



TABLE E.4(i): EMISSIONS TO GROUNDWATER (1 Page for each emission point)

Emission Point or Area:

Not Applicable		

Emission Point/Area Ref. Nº:	Not Applicable
Emission Pathway: (borehole, well, percolation area, soakaway, landspreading, etc.)	Not Applicable
Location:	Not Applicable
Grid Ref. (10 digit, 5E,5N):	Not Applicable
Elevation of discharge: (relative to Ordnance Datum)	Not Applicable Not Applicable Not Applicable in the control of t
Aquifer classification for receiving groundwater body:	ion Vice
Groundwater vulnerability assessment (including vulnerability rating):	Not Applicable
Identity and proximity of groundwater sources at risk (wells, springs, etc):	Not Applicable
Identity and proximity of surface water bodies at risk:	Not Applicable

Emission Details:

(i) Volume to be emitted Not Applicable								
Normal/day	Not Applicable m ³	Maximum/day	Not Applicable m ³					

Maximum rate/hour	Not Applicable m ³		
-------------------	-------------------------------	--	--

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up* /*shutdown to be included*):

Periods of Emission (avg)	Not Applicable
	min/hrhr/dayday/yr

Consent of copyright owner required for any other use.



Table E.5(i): NOISE EMISSIONS - Noise sources summary sheet

All Day-Time and Night-Time results as conditioned in the Waste Licence 192-1 are included in the Annual Environmental Report for January to December 2006, in Attachment B3.

Source	Emission point Ref. No	Equipment Ref. No	Sound Pressure ¹ dBA at reference distance	Octave bands (Hz) Sound Pressure ¹ Levels dB(unweighted) per band						Impulsive or tonal qualities	Periods of Emission			
				31.5	63	125	250	500 €°.	1K	2K	4K	8K		
N1	E301536 N228449					Oil	A. any other							
N2	E301567 N228562				· Off Put	required,								
N3	E301664 N228566			Foting	ectionine									
N4	E301639 N228427			at of cop?										
			Car											

0							
	1	ĺ					

1. For items of plant sound power levels may be used.

Consent of copyright owner required for any other use.



TABLE F.1: ABATEMENT / TREATMENT CONTROL

Emission point reference number: A1,A2, A3

Control ¹ parameter	Equipment ²	Equipment maintenance	Equipment calibration	Equipment back-up
VOC Emissions	Air vent stacks	Weekly Clean	N/A	N/A

		44.4	
Control ¹ parameter	Monitoring to be carried out ³	Monitoring equipment	Monitoring equipment calibration
VOC Emissions	VOC Monitoring- Biannual as per licence	External	External

¹ List the operating parameters of the treatment / abatement system which control its function.

² List the equipment necessary for the proper function of the abatement / treatment system.

³ List the monitoring of the control parameter to be carried out.



TABLE F.1: ABATEMENT / TREATMENT CONTROL

			Juse.	
Control ¹	Equipment ²	Equipment	Sollie Equipment	Equipment
parameter		maintenance	calibration	back-up
Effluent Discharge	Interceptor/Fine Fo	The Bection Purpose division of the Bally Inspection/ Weekly Interceptor Clean	N/A	N/A

Control ¹ parameter	Monitoring to be carried out ³	Monitoring equipment	Monitoring equipment calibration
Effluent Discharge	Daily Visual Inspection/ Monthly Monitoring as per licence	External	External

¹ List the operating parameters of the treatment / abatement system which control its function.

TABLE F.1: ABATEMENT / TREATMENT CONTROL

Emission point reference numbers SW3

Control ¹ parameter	Equipment ²	Equipment maintenance	Equipment calibration	Equipment back-up
Surface water discharge	Automatic shut- off valve	Weekly Visual checks	N/A	Attenuation tank/ Interceptor

Control ¹ parameter	Monitoring to be carried out ³	Monitoring equipment	Monitoring equipment calibration

² List the equipment necessary for the proper function of the abatement / treatment system.

³ List the monitoring of the control parameter to be carried out.

Surface water discharge	Surface water (river) – quarterly as per licence	External	External

¹ List the operating parameters of the treatment / abatement system which control its function.

Consent of copyright owner required for any other use.

² List the equipment necessary for the proper function of the abatement / treatment system.

³ List the monitoring of the control parameter to be carried out.



Emission Point Reference No(s). : SW3

Parameter	Monitoring frequency	Accessibility of Sampling Points
Surface water		
discharge as specified	Quarterly sampling of the	Easily Accessible along the bank
in Waste Licence	Griffeen River	of the river
192-1		

TABLE Ff: Fugitive ENVIRONMENT MONITORING AND SAMPLING LOCATIONS (1 table per media)

Monitoring Point Reference No: D1, D2, D3, D4

Please Note: Dust Monitoring results only are listed here as solvent emissions are discharged through the emission points A1, A2 and A3 within the Drum Centre. There are no windows in this area of the facility and all solvent emissions in this area exit the building via the air emission points listed above.

t .		
Parameter	Monitoring frequency	Accessibility of Sampling point
Dust (D1)	3 times annually (twice from May to September)	Easily Accessible Along facility boundary



Dust (D2)	3 times annually (twice from May to September)	Easily Accessible Along facility boundary	
Dust (D3)	3 times annually (twice from May to September)	Easily Accessible Along facility boundary	r IIse.
Dust (D4)	3 times annually (twice from May to September)	Easily Accessible Along facility boundary Easily Accessible Along facility boundary with the contribution of the contribution	attoses only any other
	J 1	Consent of copyright o	

Table G.1 Details of Process related Raw Materials, Intermediates, Products, etc., used or generated on the site

Ref.	Material/ Substance ⁽¹⁾	CAS Number	Danger ⁽²⁾ Category	Amount Stored	Annual Usage	Nature of Use	R ⁽³⁾ - Phrase	S ⁽³⁾ - Phrase
Code		1 (4111001	outogory	(tonnes)	(tonnes)		1 III USC	111450
	Ferric Alum. Sulphate				5	Liquid Waste Treatment		



Caustic Soda	5 Liquid Waste Treatment
Polymer	30 Liquid Waste Treatment
Xylene	1 Drum Division
	Plant Maintenance

Notes: 1.

2.

3.

In cases where a material comprises a number of distinct and available dangerous substances, please give details for each component substance.

c.f. Article 2(2) of SI Nº 77/94

c.f. Schedules 2 and 3 of SI Nº 77/94

Consent of component substance.

TABLE H.1(i): WASTE Hazardous Waste Recovery/Disposal

ANNEX - Standard Forms temp



Waste material	EWC Code	Main source ¹	Qı	uantity	On-site Recovery/Disposal	Off-site Recovery, reuse or recycling	Off-site Disposal
					recevery/Bisposur	or recycling	
			Tonnes /	m ³ / month	(Method & Location)	(Method, Location &	(Method, Location &
			month			Undertaker)	Undertaker)
3 rd Schedule							
Class 7	VA*	Industrial/ Forecourt	1,667	and one has building of the fire of the distribution of the fire o	RILTA Existing Liquid		
		Interceptors		37 15°C	Waste Treatment		
Class 11	VA	Small Arisings	85	of other	RILTA Existing Liquid		
Class 12	VA	Small Arisings	85	as only all,	Waste Treatment		
Class 13	VA	Small Arisings	85	aiposocialited?	RILTA Existing Liquid		
			ion	of teach	Waste Treatment		
4 th Schedule			aspect out				
Class 2	VA	Small Arisings	85 For itt ght		RILTA Drum Division	Composting at B.E.	
Class 3	VA	Photographic Waste	170 5000		RILTA Drum Division	O.F.S Remondis, U.K.	
		/Drums	1.70				
Class 4	VA	Plastic Drums	9 70			REVATECH, Belgium	
Class 5	VA	Acids/Alkalis	170			RECTFUEL/ATM	
Class 6	VA	Absorbent Material	170				
Class 8	VA	Waste Oils	170		Rilta Environmental		
			5800		Ltd.	Various	
Class 13	VA	VA (Soils, Asbestos,					
		Paints etc.)					



TABLE F.2 to F.8: EMISSIONS MONITORING AND SAMPLING POINTS - (1 table per media)

Emission Point Reference No(s). : A1, A2, A3

Parameter	Monitoring frequency	Accessibility of Sampling Points
VOC Emissions as		
specified in Waste	Bi annually	Within Drum Recovery Centre
Licence 192-1		

Emission Point Reference No(s). : EFF

Parameter	Monitoring frequency	Accessibility of Sampling Points
Effluent Discharge-		Faulta Assaulta anidain
Parameters as	M 41	Easily Accessible within
specified in Waste	Monthly	Hydrocarbon Waste Treatment
Licence 192-1		Centre



TABLE H.1(ii) WASTE - Other Waste Recovery/Disposal

Waste mat	erial	EWC Code	Main source ¹	Quantity		On-site recovery/disposal ²	Off-site Recovery, reuse or recycling	Off-site Disposal
				Tonnes / month	m ³ / month	(Method & Location)	(Method, Location &	(Method, Location &
							Undertaker)	Undertaker)
				Consent di con	Section purposes only in al	A other use.		

¹ A reference should be made to the main activity/ process for each waste.

² The method of disposal or recovery should be clearly described and referenced to Attachment H.1



Table I.2(i) SURFACE WATER QUALITY

Table I.2(i) SURFACE WATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference: SW1, SW2, SW3

Note: All surface water results for January to December 2006, as sampled on a quarterly basis using the grab sample technique, are included in the Annual Environmental Report for January to December 2006, in Attachment B3.

Parameter	(mg/l) control				Sampling method ² (grab, drift	Normal Analytical Range ²	Analysis method / technique
					etc.)		
pН							
Temperature							
Electrical conductivity EC						_	
Ammoniacal nitrogen NH ₄ -N							

ANNEX - Standard Forms temp



Chemical oxygen demand				
Biochemical oxygen demand				
Dissolved oxygen DO				
Calcium Ca				
Cadmium Cd				
Chromium Cr				
Chloride Cl				
Copper Cu				
Iron Fe			einse	
Lead Pb		34	· of oth	
Magnesium Mg		es as	of ar	
Manganese Mn		alt Posities		
Mercury Hg		citon of ret		

Surface Water Quality (Sheet 2 of 2)

Parameter	(mg/l)				Sampling method (grab, drift etc.)	Normal Analytical Range	Analysis method / technique
Nickel Ni							
Potassium K							
Sodium Na							
Sulphate SO ₄							



temp

Zinc Zn				
Total alkalinity (as CaCO ₃)				
Total organic carbon TOC				
Total oxidised nitrogen TON				
Nitrite NO ₂				
Nitrate NO ₃				
Faecal coliforms (/100mls)				
Total coliforms (/100mls)				
Phosphate PO ₄			Let 150	

ANNEX - Standard Forms

1 A reference should be made to the main activity / process for each waste.

EWC Codes. VA Various codes Environmental = These are broken down in the Annual Report (AER).

Consent of copyright owner required for any other use.



Table I.4(i) GROUNDWATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference: BH1, BH2, BH3

Note: All groundwater results for January to December 2006, as sampled on a quarterly basis, following purging and sampling of each borehole using dedicated Waterra tubing and bailer, are included in the Annual Environmental Report for January to December 2006, in Attachment B3.

Parameter			esults ng/l)	only	Sampling method (composite etc.)	Normal Analytical Range	Analysis method / technique
	Date	Date	Date	Date			
pН				an Pitredi			
Temperature			£0°	CHOPILE			
Electrical conductivity EC			FOT ATT				
Ammoniacal nitrogen NH ₄ -N			of cot?				
Dissolved oxygen DO			Consent				
Residue on evaporation (180°C)			Cor				
Calcium Ca							
Cadmium Cd							
Chromium Cr							
Chloride Cl							
Copper Cu	·						



			ī	
Cyanide Cn, total				
Iron Fe				
Lead Pb				
Magnesium Mg				
Manganese Mn				
Mercury Hg				
Nickel Ni				
Potassium K				
Sodium Na			of 126	

Consent of copyright owner required for t



Groundwater Quality (sheet 2 of 2)

Parameter	Results (mg/l)			Sampling method (composite, dipper etc.)	Normal Analytical Range	Analysis method / technique	
	Date	Date	Date	Date			
Phosphate PO ₄							
Sulphate SO ₄							
Zinc Zn					at 15e.		
Total alkalinity (as CaCO ₃)					othe of othe		
Total organic carbon TOC				a de la companya de	only and		
Total oxidised nitrogen TON				ali Pose	No.		
Arsenic As				ion of feet	,		
Barium Ba				Spec Other			
Boron B			Ŷ	or pringle			
Fluoride F			્રં	0,			
Phenol			Consent				
Phosphorus P			C				
Selenium Se							
Silver Ag							
Nitrite NO ₂							
Nitrate NO ₃							
Faecal coliforms (/100mls)							
Total coliforms (/100mls)							



-				
TTT (I I (OD)				
Water level (m OD)				
I Water level (III (717)				

Consent of copyright owner required for any other use



Table I.6(i) Ambient Noise Assessment

Third Octave analysis for noise emissions should be used to determine tonal noises

	National Grid Reference	Se	Levels	
	(5N, 5E)	L(A) _{eq}	$L(A)_{10}$	$L(A)_{90}$
1. SITE				
BOUNDARY				
				in a differ use.
Location 1:				othe
Location 2:				रियं वर्षा
Location 3:			at Pose ite	> '
Location 4:			tion of red	
2. NOISE			For inspection purple reduits	
SENSITIVE			FOTTY TOUT	
LOCATIONS			of COX	
Location 1:		Conseni		
Location 2:				
Location 3:				
Location 4:				

NOTE: All locations should be identified on accompanying drawings.