

Walker & Co.
Solicitors
26 Westmoreland Street
Dublin 2

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland
Ceannteathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire
T: +353 53 916 0600
F: +353 53 916 0699
E: info@epa.ie
W: www.epa.ie
LoCall: 1890 33 55 99

06 March 2008

Reg No. W0232-01

re: Damien Cassidy, Ringsend Irishtown and Sandymount Environment Group

Dear Sir/Madam,


I refer to your letter of 29 February 2008, received by the Agency on 5 March 2008, in relation to the oral hearing commencing on 14 April 2008, to hear objections to the Agency's proposed decision on an application made by Dublin City Council to operate a non-hazardous waste to energy plant (incinerator) at Poolbeg in Dublin City.

The Agency received a waste licence application from Dublin City Council on 10th July 2006. Further information was sought from the applicant and was received by the EPA, completing the application on 12th June 2007.

All documentation relating to this application including all documentation received from the applicant, submissions and objections received from third parties, all notices issued by the Agency and copies of our inspectors reports and the proposed decision are available to view on the Agency's website at the following location: www.epa.ie. A hard copy file is also available to view at the Agency's Headquarters, Johnstown Castle, Wexford.

The Agency wishes to draw your attention in particular to our inspectors report and addendums which were submitted to the Board of the Agency in support of the recommended decision and give details of what was considered by our inspector in reaching this recommended decision. I would also draw your attention to the Agency's Proposed Decision which contains more than 109 individual conditions relating to the environmental management, operation, control and monitoring of the proposed facility.

Yours sincerely,



Noeleen Keavey
Programme Officer
Office of Climate, Licensing & Resource Use

