



Environmental Protection Agency
An Ghníomhaireacht um Chaomhruú Comhshaoil

Mr M F Garrick
Director
TOBIN Consulting Engineers
Market Square
Castlebar
County Mayo

Regional Inspectorate, Inniscarra
County Cork, Ireland
Cigireacht Réigiúnach, Inis Cara
Contae Chorcaí, Éire

T: +353 21 487 5540
F: +353 21 487 5545
E: info@epa.ie
W: www.epa.ie

Lo Call: 1890 33 55 99

13/03/08

W0021-02

re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations

Dear Mr Garrick,

I am to refer to the above referenced application for a waste licence relating to a facility at Derrinnumera Landfill Facility, Derrinnumera/Drumilra (Townlands), Newport, County Mayo. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 and Article 13 of the Waste Management (Licensing) Regulations.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below and as specified in the licence application form and guidance note:

ARTICLE 12 COMPLIANCE REQUIREMENTS

- Complete the relevant sections of the application form to supply the information required to comply with Art 12(1)(e), (f), (g), (h), (i), (j), (k), (l), (p), (q) and (r)(ii) including the following:
 - proposed discharges to sewer, including leachate analysis, the information required by table E.3(ii), proposals for proven leachate treatment technologies in order to meet proposed emission limit values, taking into account the results of detailed leachate analysis;
 - details of the existing environment in the location of the proposed treated leachate outfall and an assessment of the effects of proposed emissions, taking into account the information requested in relation to discharge to sewer;

- Details of all modelling carried out/ to be carried out in relation to the proposed locations of the treated leachate outfall;
- odour and odour impact assessment taking into account all proposed contemporaneous waste activities;
- information regarding the existing landfill, including it's current status, remaining void space and proposed lifespan, flare emissions monitoring etc;
- emissions assessment regarding the 'interim sludge proposal';
- a list of all agreed changes to the licence since the date of grant of the existing licence including details of any agreed landfill Conditioning Plan;
- a re-examination of distances to sensitive receptors;

ARTICLE 13 COMPLIANCE REQUIREMENTS

Review the EIS and update it to include the information required under 'Article 12 compliance requirements' above.

Your reply to this notice should include a revised non-technical summary (Application Form and EIS) which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one original plus two copies within two months of the date of this notice. In addition submit sixteen copies of the requested information to the Agency in electronic searchable PDF format on CD-ROM. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is **W0021-02**. Please direct all correspondence in relation to this matter to Administration, *Licensing Unit, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,

Maeve McHugh

Ms Maeve McHugh

Inspector

Office of Climate, Licensing & Resource Use

