



Environmental Protection Agency
An Ghníomhaireacht um Chaomhnú Comhshaoil

Mr. Martin Ryan
Dublin City Council
Drainage Division, Drainage Services
Environmental & Engineering Department
Civic Offices
Wood Quay
Dublin 8

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland
Ceannteathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire
T: +353 53 916 0600
F: +353 53 916 0699
E: info@epa.ie
W: www.epa.ie
LoCall: 1890 33 55 99

28/05/2008

Reg. No. D0034-01

Re: Waste Water Discharge Licence Application in respect of Dublin City Council for Ringsend Agglomeration.

Dear Mr. Ryan

I refer to correspondence and attachments (including 4 disks) received by the Agency on 28th May 2008 in relation to the above referenced application, and in particular to my conversation with Mr. Gerry Doherty this afternoon.

The information was submitted in response to a notification on 19th March 2008 by the Agency under Regulation 18(3)(b) of the Waste Water Discharge (Authorisation) Regulations 2007.

I am to advise that the correspondence and disks as submitted are not in accordance with the Agency's "Application Guidance Note". (See copy attached – Section 2, pages 12-18). Therefore the Agency is unable to fulfil its requirements under the Regulations to maintain the public file and publish the information to its website.

In light of this, I am returning all of the information received.

Please re-submit the required information in accordance with the above referenced "Application Guidance Note".

Yours sincerely

Ana Bolger
Programme Officer
Licensing Unit
Office of Climate, Licensing & Resource Use

cc. Mr. Gerry Doherty, Drainage Division, Floor 2, Block 1, Environmental & Engineering Department, Civic Offices, Wood Quay, Dublin 8

