


Waste Licence Application Form



This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts 1996 to 2003.

Environmental Protection Agency

P.O.Box 5000, Johnstown Castle Estate, County Wexford Telephone: 053-60600 Fax: 053-60699

Environmental Protection Agency Application for a Waste Licence

WASTE MANAGEMENT ACTS 1996 to 2003

CONTENTS

		Page
INTRODUCT	TON	3
CHECKLIST		4
PROCEDURE	$\mathbf{\Xi}\mathbf{S}$	10
SECTION A	NON-TECHNICAL SUMMARY	12
SECTION B	GENERAL	13
SECTION C	MANAGEMENT OF THE FACILITY of the Tipe.	19
	INFRASTRUCTURE & OPERATION	21
SECTION E	EMISSIONS INTERPRETATION OF THE PROPERTY OF TH	27
SECTION F	CONTROL & MONIFORING	29
SECTION G	RESOURCES USE & ENERGY EFFICIENCY	32
SECTION H	MATERIALS HANDLING	33
SECTION I	EXISTING ENVIRONMENT & IMPACT OF THE FACILITY	36
SECTION J	ACCIDENT PREVENTION & EMERGENCY RESPONSE	38
SECTION K	REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE	39
SECTION L	STATUTORY REQUIREMENTS	39
SECTION M	DECLARATION	41

ANNEX 1: STANDARD FORMS



INTRODUCTION

A valid application must contain the information prescribed in the Waste Management (Licensing) Regulations 2004 (SI No. 395 of 2004). The applicant is strongly advised to read the *Application Guidance Notes* for Waste Licensing, available from the EPA.

The applicant must conform to the format set out in the guidance notes for applications. Each page of the completed application form must be numbered, e.g. page 5 of 45, etc. Also duplicated pages from the application form should be uniquely numbered, e.g. page 5(i) of 45, etc. The basic information should for the most part be supplied in the spaces given in application form and any supporting documentation should be supplied as attachments, as specified. Consistent measurement units must be used throughout.

The applicant should note that the application form has been structured so that it requires information to be presented in an order of progressive detail.

When it is found necessary, additional information may be provided on supplementary attachments which should be clearly cross referenced with the relevant sections in the main document.

While all sections in the application form may not be relevant to the activity concerned, the applicant should look carefully through all aspects of the form and provide the required information, in the greatest possible detail.

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

Information supplied in this application, including supporting documentation will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to". In the event that information is considered to be of a confidential nature, then the nature of this information, and the reasons why it is considered confidential (with reference to the "Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.



CHECKLIST

Articles 12 and 13 of the Waste Management (Licensing) Regulations, 2004 (S.I. No. 395 of 2004) set out the information which must, in all cases, accompany a waste licence application. In order to ensure that the application fully complies with the legal requirements of Articles 12 and 13 of the 2004 Regulations, all applicants should **complete** the following.

In each case, refer to the attachment number(s) of your application which contain(s) the information requested in the appropriate sub-article.

Article 12(1) In the case of an application for a waste licence, the application shall -

(a) give the name, address and, where applicable, any telephone number and telefax of the applicant (and, if different, the operator of the facility concerned), the address to which correspondence relating to the application should be sent and, if the applicant or operator is a body corporate, the address of its registered office or principal office,

<i>J</i> 1	,	\mathcal{L}		1 1	
			్ల.		_
LOCATION		inet	3"		
CHECKED	Applicant	☐ 97. 217 of	Official		
(b) give the name of the planning authority in whose functional area the relevant activity is or will be carried on,					
LOCATION	of itight				
CHECKED	Applicant		Official		
	ant or				

(c) in the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority, give the name of the sanitary authority in which the sewer is vested or by which it is controlled,

LOCATION		
CHECKED	Applicant	Official

(d) give the location or postal address (including where appropriate, the name of the townland or townlands) and the National Grid reference of the facility or premises to which the application relates,

LOCATION			
CHECKED	Applicant	Official	

(e) describe the nature of the facility or premises concerned, including the proposed capacity of the facility or premises, and in the case of application in respect of a landfill of waste, the requirements specified in Annex 1 of the Landfill Directive,

LOCATION					
CHECKED	Applicant		Official		
the Third an application i	d Fourth Scheon respect of th	dules of the A le landfill of v	oncerned, in accordance with act, and in the case of an waste, specify the class of the Landfill Directive,		
LOCATION					
CHECKED	Applicant		Official		
codes as pre 2000, the qu	sented by Com	nmission Dec ture of the wa	ropean Waste Catalogue ision 2000/532/EC of 3 May ste or wastes which will be		
LOCATION					
CHECKED	Applicant		Official		
			substances, preparations, in or produced by the		
LOCATION	350 Carry	~			
CHECKED	Applicant		Official		
(i) describe the plant, methods, processes, ancillary processes, abatement recovery and treatment systems and operating procedures for the activity,					
LOCATION					
CHECKED	Applicant		Official		
(j) provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in paragraphs (a) to (g) of section 40(4) of the Act,					
to (g) of sect	ion 40(4) of th	e Act,			
to (g) of section	ion 40(4) of th	e Act,	1		
	ion 40(4) of th Applicant	e Act,	Official		



(k) give particulars of the source, location, nature, composition,
quantity, level and rate of emissions arising from the activity and,
where relevant, the period or periods during which such emissions
are made or are to be made,

LOCATION		
CHECKED	Applicant	Official

(l) give details, and an assessment of the effects, of any existing or proposed emissions on the environment, including any environmental medium other than those into which the emissions are, or are to be made, and of proposed measures to prevent or eliminate or, where that is not practicable, to limit or abate such emissions,

LOCATION		
CHECKED	Applicant	Official

(m) identify monitoring and sampling points and indicate proposed arrangements for the monitoring of emissions and the environmental consequences of any such emissions,

LOCATION		thy any		
CHECKED	Applicant	a diot	Official	

(n) describe any proposed arrangements for the prevention, minimisation and recovery of waste arising from the activity concerned,

LOCATION	ento	
CHECKED	Applicant	Official

(o) describe any proposed arrangements for the off-site treatment or disposal of solid or liquid wastes,

LOCATION			
CHECKED	Applicant	Official	

(p) describe the existing or proposed measures, including emergency procedures, to prevent unauthorised or unexpected emissions and minimise the impact on the environment of any such emission,

LOCATION		
CHECKED	Applicant	Official



(q) describe the proposed measures for the closure, restoration, remediation or aftercare of the facility concerned, after the cessation of the activity in question,

LOCATION			
CHECKED	Applicant	Official	

- (r) in the case of an application in respect of the landfilling of waste, give particulars of
 - (i) such financial provision as is proposed to be made by the applicant, having regard to the provisions of Articles (7)(i) and (8)(a)(iv) of the Landfill Directive and section 53(1) of the Act, and

LOCATION			
CHECKED	Applicant	Official	

(ii) such charges as are proposed or made, having regard to the requirements of section 53A of the Act.

LOCATION		ally any oth	
CHECKED	Applicant	a diot	Official

(s) state whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous Substances) Regulations, 2000 (S.I. No. 476 of 2000) apply,

LOCATION			
CHECKED	Applicant	Official	

MS.

(t) in the case of an activity which gives rise or could give rise to an emission into an aquifer containing the List I and II substances specified in the Annex to Council Directive 80/68/EEC of 17 December 1979, describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6,7,8,9 and 10 of the aforementioned Council Directive,

LOCATION			
CHECKED	Applicant	Official	



(u) include a non-	technical summa	ry of inform	ation pro	vided in 1	relation
to the matters s	pecified in parag	graphs (a) to	(t) of this	sub-artic	ele,

LOCATION		
CHECKED	Applicant	Official

- **Article 12(4)** Without prejudice to Article 13(1) and (2), an application for a licence shall be accompanied by -
 - (a) a copy of the relevant page of the newspaper(s) in which the notice in accordance with article 6 has been published,

LOCATION		
CHECKED	Applicant	Official

(b) a copy of the text of the notice or notices erected or fixed in accordance with article 7,

LOCATION	. N ₂ E.		
CHECKED	Applicant		official

(c) where appropriate, a copy of the notice given to a local planning under article 9,

LOCATION	in Special Ortho	
CHECKED	Applicant	Official

- (d) a copy of such plans (appropriately scaled and no larger than A3 size), including a site plan or plans and location map or maps, and such other particulars, reports and supporting documentation as are necessary to identify and describe, as appropriate -
 - (i) the position of the notice in accordance with article 7,

LOCATION		
CHECKED	Applicant	Official

(ii) the point or points from which emissions are made or are to be made, and

LOCATION			
CHECKED	Applicant	Official	



(iii) the point or points at which monitoring and sampling are undertaken or are to be undertaken,

LOCATION			
CHECKED	Applicant	Official	

(e) such fee as is appropriate having regard to the provisions of articles 40 and 41.

INCLUDED Y/N		
CHECKED	Applicant	Official

Article 12(5)(a) & (b) An application shall comprise 1 signed original of the application and 2 copies in hardcopy format plus 2 copies of all files in electronic searchable PDF format on CD-Rom.

HARDCOPIES PROVIDED Y/N	<u>.</u> &.
CHECKED	Applicant Official
	अप्र. बार्य
CD OF PDF FILES PROVIDED? Y/N	ope of tot.
CHECKED	Applicant Official
	chine

Article 13 Where a development requires an Environmental Impact Assessment to be carried out, 1 signed original and 2 copies in hardcopy format of the environmental impact statement plus 16 copies in electronic searchable PDF format on CD-ROM should accompany this application.

EIA REQUIRED? Y/N			
CHECKED	Applicant	Official	
3 HARD COPIES OF EIS INCLUDED? Y/N			
CHECKED	Applicant	Official	
16 CD versions of EIS, as PDF files, PROVIDED? Y/N			
CHECKED	Applicant	Official	



PROCEDURES

It is recommended that pre-application consultations with the Agency are undertaken before a formal submission of the waste licence application.

The procedure for making and processing of applications for waste licences, and for the processing of reviews of such licences, appear in the Waste Management (Licensing) Regulations 2004 (S.I. No. 395 of 2004) and are summarised below. The application fees that shall accompany an application are listed in the Second Schedule to the Regulations.

Prior to submitting an application the applicant must publish in a local newspaper, and erect on site, a notice of intention to apply. An applicant, other than a local authority in whose functional area the development is located, must also notify the Local Planning Authority, in writing, of their intention to apply.

An application for a licence must be submitted on the appropriate form (available from the Agency) with the correct fee, and should contain relevant supporting documentation as attachments. The application should be based on responses to the form, supporting written text and the appropriate use of tables and drawings. Where point source emissions occur, a system of unique reference numbers should be used to denote each emission point. These should be simple, logical, and traceable throughout the application.

The application form is divided into a number of sections of related information. The purpose of these divisions being to facilitate both the applicant and the Agency in the provision of the information and its assessment. Attachments should be clearly numbered, titled and paginated and must contain the required information as set out in the application form. Additional attachments may be included to supply any further information supporting the application. Any references made should be supported by a bibliography.

All questions should be answered. No waste management facility is exactly the same and hence each application will require different information. It is therefore possible that some of the sections of this application form may not be relevant to the activity concerned. Where information is requested in the application form, which is not relevant to the application, the words "not applicable" should be clearly written on the form. The abbreviation "N/A" should not be used.

Additional information may need to be submitted beyond that which is explicitly requested on this form. Any references made should be supported by a bibliography. The Agency may request further information if it considers that its provision is material to the assessment of the application. Advice should be sought from the Agency where there is doubt about the type of information required or the level of detail.

Information supplied in this application, including supporting documentation will be put on public display and be open to inspection by any person. **Should the applicant**



consider information to be confidential, then the nature of this information, and the reasons why it is considered confidential should be clearly stated in an attachment to the Application Form. This information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to (representative of the applicant)".

Applicants should be aware that a contravention of the conditions of a waste licence is an offence under Section 39 of the Waste Management Acts 1996 to 2003.

The provision of information in an application for a waste licence which is false or misleading is an offence under Section 45 of the Waste Management Acts 1996 to 2003.

Note: Drawings. The following guidelines are included to assist applicants:

- All drawings submitted should be titled and dated.
- They should have a <u>unique reference number</u> and should be signed by a clearly identifiable person.
- They should indicate a scale and the direction of north,
- All drawings should, generally, be to a scale of between 1:20 to 1:500, depending upon the degree of detail needed to be shown and the size of the facility. Drawings delineating the boundary can be to a smaller scale of between 1:1000 to 1:10560, but must clearly and accurately present the required level of detail. Drawings showing the site location can be to a scale of between 1:50 000 to 1:126 720. All drawings should, however, be A3 or less and of an appropriate scale such that they are clearly legible. Provide legends on all drawings and maps as appropriate.

The provision of information in an application for a waste licence, which is false or misleading, is an offence under s45 of the Acts.

SECTION A NON-TECHNICAL SUMMARY

A Non-Technical Summary is to be submitted. The summary should include information on those aspects outlined in the Guidance Note and must comply with the requirements of Article 12 (1) (u) of the Waste Management (Licensing) Regulations, S.I. 395 of 2004.

The Non-Technical Summary should form Attachment A.1

See Attachment A.1.



SECTION B GENERAL

B.1 Applicant's Details

Name*:	Mr. Binman Ltd.
Address:	Luddenmore,
	Grange,
	Kilmallock
	Co. Limerick
Tel:	061 351127
Fax:	061 351918
e-mail:	info@mrbinman.com

^{*} This should be the name of the applicant which is current on the date this Waste Licence Application is lodged with the Agency. It should be the name of the legal entity (which can be a limited company or a sole trader). A trading/business name is not acceptable.

Name and Address for Correspondence

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name:	Seamus Leahy	ally, ally
Address:	Luddenmore,	See Tion
	Grange,	out ditt
	Kilmallock	diantific
	Co. Limerick	September 1
Tel:	061 359053	Rot Wigg
Fax:	061359044	Nogh.
e-mail:	Seamus.Leahy@m	rbinman.com

Address of registered or principal office of Body Corporate (if applicable)

Address:	Luddenmore,
	Grange,
	Kilmallock,
	Co. Limerick.
Tel:	061351127
Fax:	061351918
e-mail:	info@mrbinman.com

If the applicant is a body corporate, the following information must be attached as **Attachment B1**:

- a) a Certified Copy of the Certificate of Incorporation or Memorandum and Article of Association;
- b) the Company's Registration Number from the Companies Registry Office; and
- c) a list of the Company Directors.

State the interest of the applicant in the land which is subject to the application. The applicant is (please check):

Landowner	\boxtimes	
Lessee		
Prospective Purchaser		
Other (please specify)		

Name and address of all occupiers of the land on which the Activity is situated (if different from applicant named above).

Name:	
Address:	
Tel:	
Fax:	
Tel: Fax: e-mail:	Ø.·
<u>-</u>	

Name and address of the current* owner(s) and lessees of the kind, buildings and ancillary plant on which the activity is or will be situated (if different from applicant named above). An appropriately scaled drawing($\leq A3$) showing the above details should be included in Attachment B1.

See Attachment B.2

Name:	Martin Sheahan	Fordigi
Address:	Mount Jude	A contract of the contract of
	Luddenmore, Grange	- sent e
	Kilmallock	Copt
	Co. Limerick	
Tel:	061 351127	
Fax:		

e-mail:

B.2 Location of Activity

Name:	Mr. Binman Ltd.
Address*:	Luddenmore,
	Grange,
	Kilmallock
	Co. Limerick
Tel:	061 351127
Fax:	061 351918
e-mail:	info@mrbinman.com
ΨΤ 1 1	1 1

^{*} Include any townland

^{*}Current at the time the application is submitted

National Grid Reference	E645N472
(8 digit 4E,4N)	

Location maps (\leq A3), appropriately scaled, with legible grid references should be enclosed in **Attachment B.2.** The site boundary must be outlined on the map in colour.

See Attachment B.2

B.3 Planning Authority

Give the name of the planning authority in whose functional area the activity is or will be carried out.

Name:	Limerick County Council
Address:	County Hall
	Dooradoyle
	Co. Limerick
Tel:	061 496000
Fax:	061496001 net T
	N. C.

Has the Planning Authority received written notification from the applicant of the application to The Environmental Protection Agency for a Waste Licence under Article 9 of the Waste Management (Licensing) Regulations?

Planning Authority notified Yes No No

Planning Permission relating to this application:-

Has been obtained	
is being processed	
is not yet applied for	
is not required	

Local Authority Planning	
File Reference №:	

Attachment B.3 should contain *the most recent* planning permission, including a copy of *all* conditions, and the required copies of any EIS should also be enclosed. For existing activities, **Attachment B.3** should also contain copies of of the most recent waste licence and any permits in force at the time of submission. Where planning permission is not required for the development, provide reasons, relevant correspondence, *etc*.

See Attachment B.3



B.4 Sanitary Authority

In the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority or other body, give the name of the sanitary authority in which the sewer is vested or by which it is controlled and the waste water treatment plant (if any) to which the sewer discharges.

Name:	Not applicable
Name: Address:	
Tel:	
Fax:	

The applicant must enclose, as **Attachment B.4**, a copy of any effluent discharge licence and/or agreement between the applicant and the body with responsibility for the sewer.

B.5 Other Authorities

The applicant should tick the appropriate box below to identify whether the activity is located within the Shannon Free Airport Development Company (SFADCo.) area.

Within SFA	ADCo. Area Yes 🔲 No 🔯 🔊
	Ed Tried
The applican	nt should indicate the Health Board Region where the activity is or will be located.
11	S. C.
Name:	Health & Safety Executive Oak House Millennium Park Naas Co. Kildare
Address:	Oak House, Millennium Park, Naas, Co. Kildare
Tel:	(0)45 880400
Fax:	• • • • • • • • • • • • • • • • • • • •

B.6 Notices and Advertisements

Articles 6 and 7 of the Waste Management (Licensing) Regulations 2004 requires all applicants to advertise the application in a newspaper and by way of a site notice. See Guidance Note.

Attachment B.6 should contain a copy of the site notice and an appropriately scaled drawing (≤A3) showing its location on site. The original application must include the complete newspaper in which the advertisement was placed. The relevant page of the newspaper containing the advertisement should be included with the original and three copies of the application. Site notice, paper ad and letter to planning authority complete



B.7 Type of Waste Activity, Tonnages & Fees

B.7.1 Specify the class or classes of activity in Table B.7.1, in accordance with the Third Schedule or Fourth Schedule to the Waste Management Acts 1996 to 2003, to which the application relates (check the relevant box(es) and mark the principal activity with a 'P').

Attachment B.7 should identify the principle activity and include a brief technical description of each of the other activities specified. There can only be one principal activity.

See Attachment B.7

TABLE B.7.1 THIRD AND FOURTH SCHEDULES OF THE WASTE MANAGEMENT ACTS 1996 TO 2003

Waste Management Acts 1996 to 2003				
THIRD SCHEDULE Waste Disposal Activities	Y/N	FOURTH SCHEDULE Waste Recovery Activities	Y/N	
Deposit on, in or under land (including landfill).		Solvent reclamation or regeneration.		
	Purposé	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).	X	
3. Deep injection of the soil, including injection of pumpable discards into wells, salt domes or naturally occurring repositories.	net	Recycling or reclamation of metals and metal compounds.	X	
4. Surface impoundment, including placement of liquid of studge discards into pits, ponds or lagoons.		Recycling or reclamation of other inorganic materials.	X	
5. Specially engineered landfill, including placement into lined discrete cells which are capped and isolated from one another and the environment.		Regeneration of acids or bases.		
6. Biological treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 7 to 10 of this Schedule.		Recovery of components used for pollution abatement.		
7. Physico-chemical treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 8 to 10 of this Schedule (including evaporation, drying and calcination).		Recovery of components from catalysts.		
8. Incineration on land or at sea.		8. Oil re-refining or other re-uses of oil.		
Permanent storage, including emplacement of containers in a mine.		Use of any waste principally as a fuel or other means to generate energy.		
10. Release of waste into a water body (including a seabed insertion).		10. The treatment of any waste on land with a consequential benefit for an agricultural activity or ecological system.	X	
11. Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.		11. Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule.		
12. Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.	P	12. Exchange of waste for submission to any activity referred to in a preceding paragraph of this Schedule.	X	
13. Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.	X	13. Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.	X	

TABLE B.7.2 MAXIMUM ANNUAL TONNAGE

The maximum annual tonnage of waste to be handled at the site should be indicated and the year to which the quantity relates indicated.

Maximum Annual Tonnage (tpa)	200000
Year	2011

B.7.3 FEES

State each class of activity for which a fee is being submitted as per Part I of the Second Schedule of the Waste Management (Licensing) Regulations 2004, S.I. No. 395 of 2004. Note: two fees are required if disposal and recovery are to occur.

Waste Activity	Fee (in €)
Disposal of Waste (appropriate	not applicable- no disposal activities
disposal activity $1.1 - 3.3$)	at facility as described in 1.1-3.3
Recovery of Waste (4)	6,000

TABLE B.7.4 (FOR A LANDFILL APPLICATION)

STATE WHICH OF THE FOLLOWING IS RELEVANT TO THE CURRENT APPLICATION.

of at	
(a) landfill for hazardous waste	
(b) landfill for non-hazardous waste	
(c) landfill for inert waste	
<u></u>	

B.8 SEVESO II DIRECTIVE

State whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous substances) Regulations, 2000 (S.I. No. 476 of 2000), apply.

Regulations Apply	Yes	No 🖂

If yes, **Attachment B.8** should include the relevant details. Supporting information, as well as copies of any Hazardous Operation Studies (HAZOP) carried out for the site, should also be included in the attachment.

SECTION C MANAGEMENT OF THE FACILITY

Advice on completing this section is provided in the *Guidance Note*.

C.1 Technical Competence and Site Management

This information should form **Attachment C 1**.

Details of the applicant's experience and qualifications, along with that of other relevant employees, should be summarised as shown below. Statements of duties, responsibilities, experience and qualifications should be submitted for each position named below. Additional information, including the management structure and an organisational chart, should be included in **Attachment C 1.**

See Attachment C.1

Name	Position	Duties and Responsibilities	Experience /Qualifications
Martin Sheahan Jr.	Managing Director	See Attachment C1	See Attachment C1
Seamus Leahy	Environment Manager	See Attachment C1 one	See Attachment C1
Margaret Egan	Environment Officer	See Attachment C1	See Attachment C1
Mark Sheahan	Site Administration (with Environment Support role)	See Attachment C1	See Attachment C1
Tom Barrett	Operations Comments Manager	See Attachment C1	See Attachment C1

C.2 Environmental Management System

Attachment C 2 should contain the Environmental Management System (EMS) details required.

This information was not requested as part of the Licence review.

C.3 Hours of Operation

Attachment C 3 should contain details of hours of operation for the waste facility, civic waste facilities and other facilities.

- (a) Proposed hours of operation.
- (b) Proposed hours of waste acceptance/handling.



- (c) Proposed hours of any construction and development works at the facility and timeframes (required for landfill facilities).
- (d) Any other relevant hours of operation expected.

See Attachment C.3

C.4 Conditioning Plan

Address as **Attachment C 4**, in the case of a LANDFILL Application, and only for the review of a Landfill Waste Licence.





SECTION D INFRASTRUCTURE & OPERATION

D.1 Infrastructure

Complete the following table detailing the site infrastructure. **Attachment D 1** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.1. Additional advice on completing this section is provided in the application *Guidance Note*.

Attachment D.1 details the site infrastructure relating to the proposed changes for the purpose of the Licence Review as established in Table D.1.

Table D.1. Infrastructure		y/n	Comments
D.1.a	Site security arrangements including gates and fencing	у	
D.1.b	Designs for site roads	у	Planned design for new entrance roadway and parking
D.1.c	Design of hardstanding areas Plant Consent of Control	у	Seal all hardstanding joints on hardstanding areas to protect groundwater.
D.1.d	Plant For inspect of the copyright of th	y	Proposed installation of shredder
D.1.e	Wheel-wash Consent	y	
D.1.f	Laboratory facilities	у	Proposed installation to ensure compliance
D.1.g	Design and location of fuel storage areas	у	
D.1.h	Waste quarantine areas	y	
D.1.i	Waste inspection areas	y	
D.1.j	Traffic control	у	Updated traffic management plan and proposed plan when new road installed
D.1.k	Sewerage and surface water drainage infrastructure	у	Roofwater diversion, oil interceptor and drainage upgrades, wwtp management

D.1.l	All other services	y	
D.1.m	Plant sheds, garages and equipment compound	у	Proposed enclosure of timber storage, dry recyclables storage to ensure capacity for transfer of dry recyclables to Clearpoint and brown bin material storage area prior to transfer to composting facility
D.1.n	Site accommodation	y	
D.1.0	A fire control system, including water supply	у	
D.1.p	Civic amenity facilities	у	Proposed upgrade for civic amenity facility
D.1.q	Any other waste recovery infrastructure	у	
D.1.r	Any other waste recovery infrastructure Composting infrastructure	у	
D.1.s	Construction and Demolition waste infrastructure	y	
D.1.t	Incineration infrastructure (if applicable). Provide information to fulfil Article 4 (2) & (3) of the Incineration of Waste Directive.	n	Not applicable
D.1.u	Any other infrastructure	y	

D.2 Facility Operation

In **Attachment D 2** describe the plant, methods, processes and operations of the waste facility, as required by the *Guidance Note*.

	Attachment included	ves 🖂	no	not applicable
--	---------------------	-------	----	----------------

Attachment D.2 details the proposed changes to the plant, methods, processes and operations which will significantly improve environmental protection.

LANDFILLS

The following Sections D3 to D7 should only be completed for Landfill Applications. Reference should be made to the Agency landfill manual 'Landfill Site Design (2000)' when completing this section.

D.3 Liner System

Complete the following table regarding the liner system to be used for the landfill/landfill extension and detail the information requested as **Attachment D.3**. **Items D3c to D3g should only be completed <u>for immediate projects only</u> (ie Years 1 & 2). A schedule of Liner construction activities for the medium to long term need only be listed in item D3a below, since Condition 3 of any licences granted will provide reporting requirements for any future projects.**

TABLE D.3 LINER SYSTEM

		y/n	Comments
D.3.a	Provide information to fulfil Annex 1 of the Landfill Directive		
D.3.b	What type of liner system is specified?		
D.3.c	Has a Quality Control Plan been specified?		
D.3.d	Has a Quality Assurance Plan been specified?	_گ .	
D.3.e	Have independent, third-party supervision, testing and controls been specified?		
D.3.f	Have basal gradients for all cells and access ramps to the cells been designed?		
D.3.g	Has a leak detection survey been specified?		

D.4 Leachate Management

Complete the following table detailing leachate management arrangements. Further information should be included in **Attachment D.4.**

TABLE D.4.1 LEACHATE MANAGEMENT ARRANGEMENTS

		y/n	Comments
D.4.a	Is there a Leachate Management Plan?		
D.4.b	Have annual quantities of leachate been calculated?		
D.4.c	Has the total quantity of leachate been calculated?		
D.4.d	Have the size of the cells been specified taking		



	account of the water balance calculations?		
D.4.e	Has a leachate collection system been specified?		
D.4.f	Has a leachate storage system been specified?		
D.4.g	Has a system for monitoring the level of leachate in the waste been designed?		
D.4.h	Is leachate recirculation proposed/practised?		
D.4.i	Has leachate treatment on-site been specified?		
D.4.j	Has leachate removal been specified?		

D 5 Landfill Gas Management

All landfill sites should have suitable arrangements for the management of landfill gas. Attachment D.5 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.5. Items D5g to D5m should only be completed for immediate or current gas collection projects only (ie Years 1 & 2). A schedule of gas management aspects for the medium to long term need only be listed in item D5f below, since Condition 3 of any proposed decision/licence will provide reporting requirements for any future projects.

Table D.5. Landfill Gas Management

10010 2	.5. Landini Gas Wanagement	y/n	Comments
		y/H	Comments
D.5a	Is there a Landfill Gas Management Plan?		
	Provide estimates of the volumes of landfill gas which will be produced by the waste disposed of in the site for the next 20 years, and compare to the EPER list for methane:		
D.5b	Is there a passive venting system?		
D.5c	Does the passive system cover all of the filled area?		
D.5d	Have gas alarm systems been installed in the site buildings?		
D.5e	Have measures been installed to prevent landfill gas migration (e.g. barriers)?	Nother 18	g.·
D.5f	Has a time-scale been proposed for the installation of landfill gas infrastructure?		
D.5g	Is gas flaring undertaken at the site?		
D.5h	Is there an active (i.e., pumped) landfill gas extraction system?		
D.5i	Does the active system cover all of the filled area?		
D.5j	Is landfill gas used to generate energy at the site?		
D.5k	Have emissions from the flarestack and utilisation plant been assessed for source, composition, quantity and level and rate?		
D.51	Has a maintenance programme for the control system been specified?		
D.5m	Has a condensate removal system been designed?		

D.6 Capping System

Complete the following table detailing the design of the capping system. Attachment D.6 should contain the appropriate documentation. *Items D6e to D6k should be completed for immediate projects only (ie Years 1 & 2).* Condition 10 of any proposed decision/licence will provide reporting requirements for capping requirements beyond this timeframe.

Table D.6 Capping System

		y/n	Comments
D.6a	Hag the deily cover been specified?		
D.oa	Has the daily cover been specified?		
D.6b	Has the intermediate cover been specified?		
D.6c	Has the temporary capping been specified?		
D.6d	Has the Capping System been designed and	भू पहुंचे.	
200	does it meet the requirements of the Landing		
	Directive Annex 1 (3.3)?		
D.6e	Does the Capping System include a flexible membrane liner?		
D.6f	Have all capping materials been specified?		
D.6g	Has a Method Statement for construction been produced?		
D.6h	Has a Quality Control Plan been produced?		
D.6i	Has a Quality Assurance Plan been produced?		
D.6j	Has a programme for monitoring landfill stability been developed?		
D.6k	Has a programme for monitoring landfill settlement been developed?		



SECTION E EMISSIONS

Give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made.

The applicant should address in particular any emission point where the substances listed in the Schedule of S.I. 394 of 2004 are emitted.

E.1 Emissions to Atmosphere

Details of all point emissions to atmosphere should be supplied. Table E.1.(i) (for Landfill Gas Flare emissions) must be completed for all landfills with a flare. Complete Table E.1(ii) and E.1(iii) for <u>all</u> other main emission points, including stack sources (incinerator stacks, landfill gas utilisation plants, air handling unit emissions etc.). Complete Table E.1(iv) for minor/fugitive/ground emission points.

Not applicable

E.2 Emissions to Surface Waters

Attachment E.2 Tables E.2(i) and E.2(ii) should be completed where relevant.

Not applicable

E.3 Emissions to Sewer

Attachment E.3 Tables E.3(i) and E3(ii) should be completed, where relevant.

Not applicable

E.4 Emissions to Groundwater

Describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6, and 7 of Council Directive 80/68/EEC of 17 December 1979 on the protection of groundwater against pollution by certain dangerous substances.

Table E.4(i) should be completed, as relevant, for each source.

Supporting information should form Attachment E.4

See Attachment E.4 for proposed changes associated with existing emissions to groundwater.

E.5 Noise Emissions

Give particulars of the source, location, nature, level, and the period or periods during which the noise emissions are made or are to be made.

Table E.5(i) should be completed, as relevant, for each source.

Supporting information should form Attachment E.5

See Attachment E.5

E.6 Environmental Nuisances

Attachment E.6 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings as relevant established in Table D.6. Additional advice on completing this section is provided in the *Guidance Note*.

TABLE E.6 ENVIRONMENTAL NUISANCES

Bird Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Dust Control	Control method specified	yes 🖂	no _	not applicable
	Attachment included	yes X	no	not applicable
Fire Control	Control method specified	es ves	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Litter Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Traffic Control	Control method specified of	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Vermin Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Road Cleansing	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable



SECTION F CONTROL & MONITORING

F.1: Treatment, Abatement and Control Systems

Describe the proposed technology and other techniques for preventing or, where this is not possible, reducing emissions from the installation/facility. Details of treatment/abatement systems (air and effluent emissions) should be included, together with appropriately scaled schematics ($\leq A3$) as appropriate.

For each Emission Point identified complete Table F.1 of the Annex, and include detailed descriptions and appropriately scaled schematics (≤A3) of all abatement systems.

Attachment F.1 should contain any supporting information.

See Attachment F.1 for proposed changes

F.2- F. 9. Monitoring and Sampling Points

Programmes for environmental monitoring should be submitted as part of the application. These programmes should be provided as **Attachments F.2 to F.6** and meet the advice published by the Agency in the relevant BAT Note. For Landfills the additional **Attachments F.7 to F.8** should be completed. Furthermore for a landfill application the applicant <u>must</u> refer to the Agency *Landfill Monitoring Manual* (2003) for further details on monitoring requirements for proposed facilities.

Include details of monitoring/sampling locations and methods.

F.2 Air

- to include Dust, Odour

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

See Attachment F.2 for proposed changes

F.3 Surface Water

Monitoring of surface water shall be carried out at not less than two points, one upstream from the waste facility and one downstream.

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)	-		
Attachment included	yes 🗌	no	not applicable⊠

F.4 Sewer Discharge

Monitoring of sewer discharge shall be carried out at the point specified by the local authority/Agency.

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)	-		
Attachment included	yes 🗌	no	not applicable 🗵

F.5 Groundwater

Groundwater monitoring is required at all landfill facilities; and certain other waste facilities depending on waste activities and the underlying aquifer vulnerability.

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no Se.	not applicable
12-figure grid references)		other	
Attachment included	yes 🖂 💥	orno 🗌	not applicable

See Attachment F.5 for proposed changes reduced by F.6 Noise

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

See Attachment F.6

F.7 Meteorological Data

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable⊠



Application for Landfills require the additional Attachments F.7 to F.8, to be completed:

F.8 Leachate

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable 🗵

F.9 Landfill Gas

Complete each of the following tables to show whether information has been included on aspects of landfill gas monitoring. **Attachment F.9** should also contain information to show whether the data given in Tables F.9.(a) and F.9(b) below represents actual or anticipated data. Complete Table F.9 as follows:

Table F.9 (a) Landfill Gas Monitoring for existing landfill gas flares / utilisation

plants			, 115°		
Parameter	Concentration (mg/Nm³)	Proposed Frequency of Analysis	Included Y/N	Method of Analysis	Information Included Y/N
Inlet		os of			
Methane (CH ₄) % v/v		JIP JUL			
Carbon dioxide (CO ₂) %v/v		46. 100,			
Oxygen (O ₂) % v/v	والأن	Tier			
Outlet	to itspett				
Volumetric Flow Rate	, ob,				
SO_2	of C				
Nox	.ent				
CO	COILS				
Particulates					
TA Luft Class I, II, III organics					
Hydrochloric acid					
Hydrogen Fluoride					

Table F.9(b) Landfill Gas Monitoring

Parameter	Proposed F of Analysis	_	Information Included Y/N	Method of Analysis	Information Included Y/N
	Gas boreholes / vents/ wells/ perimeter locations	Facility Office			
Methane (CH ₄) % v/v					
Carbon Dioxide (CO ₂) % v/v					
Oxygen (O ₂) % v/v					
Atmospheric Pressure					
Temperature					

Table F.9 (c) Landfill Gas Infrastructure

Equipment	Monitoring Frequency	Information Included Y/N	Monitoring Action	Information Included Y/N
Gas Collection System				



	" HOLE HP		0				
Gas Control System							
<u> </u>							
 							
			•	•			
Monitoring Arrangements	specified	yes 🗌	no	not applicable			
Monitoring points identifie	d, (plus	yes 🗌	no	not applicable]		
12-figure grid references)	_						
Attachment included		yes 🗌	no	not applicable]		
SECTION G RES	OURCES U	JSE & EN	ERGY	EFFICIENCY			
G.1 Raw Materials, Subs	tances, Prep	arations a	nd Ener	gy			
•							
Attachment G.1 should co	ntain a list i	of all raw	, nr oduc	et and ancillary			
materials, substances, prepara				-			
or produced by the activity.							
rat poisons etc. should also		-		-			
safety sheets. The Standard							
the description of these	,	,	,				
Additional advice on comple	eting this sec	ction is pr	ovided	n the Guiaance			
Note.							
		D OHY.	N. S.				
Attachment	yes	L See Vine	n	ot applicable 🔀			
included		Out of the					
	io	ust ten					
	espect of	MI					
G.2 Energy Efficiency	of idight						
G.2 Energy Efficiency A description of the energy used in or generated by the activity must be provided in							
Attachment G.2.							
C	ř						
Attachment	yes	no	n n	ot applicable 🗵			
included				11 1			
	4						



SECTION H MATERIALS HANDLING

H.1 Waste Types and Quantities – Existing & Proposed

Provide an estimation of the quantity of waste likely to be handled in relation to each class of activity applied for. This information should be included in Table H.1(a).

TABLE H.1(A). QUANTITIES OF WASTE IN RELATION TO EACH CLASS OF ACTIVITY APPLIED FOR

Waste Management Act		Waste Management Act			
3rd Schedule (Disposal) Activities		4th Schedule (Recovery) Activities			
Class of		Quantity (tpa)	Class of		Quantity (tpa)
Activity			Activity		
Applied For			Applied For		
Class 1			Class 1		So.
Class 2			Class 2	- ~	2 40000
Class 3			Class 3	OX.	5000
Class 4			Class 4 di	X	20000
Class 5			Class 5		
Class 6			Class 6		
Class 7			Glass 7		
Class 8		A	Class 8		
Class 9		Ford	Class 9		
Class 10		Fo. Oh	Class 10	X	4000
Class 11		120000 ent al color	Class 11		
Class 12	X	120000	Class 12	X	9500
Class 13	X	500	Class 13	X	1000

In Table H. 1 (B) provide the annual amount of waste handled/to be handled at the facility. Additional information should be included in **Attachment H.1.** The tonnage per annum should be given of that expected for the life of the licence, with at least the next five years tonnages provided. For Landfill Review applications provide an estimate of the quantity of waste already deposited in (i) lined cells; (ii) unlined cells.

TABLE H.1(B) ANNUAL QUANTITIES AND NATURE OF WASTE

Year	Non-hazardous waste (tonnes per annum)	Hazardous waste (tonnes per annum)	Total annual quantity of waste (tonnes per annum)
2008	130000	0	130000
2009	150000	0	150000
2010	170000	0	170000
2011	190000	0	190000



2012 200000 0 200000

A detailed inventory of the types and quantities of wastes currently handled at the site and proposed to be handled should be submitted as Table H.1 (C).

TABLE H.1 (C) WASTE TYPES AND QUANTITIES

WASTE TYPE	TONNES PER ANNUM (existing)	TONNES PER ANNUM (proposed)	TOTAL (over life of site) tonnes
Household	66997	112600	112600
Commercial	48433	81400	81400
Sewage Sludge	Not applicable		
Construction and Demolition	3570	6000	6000
Industrial Non- Hazardous Sludges	Not applicable		
Industrial Non- Hazardous Solids	Not applicable	Têg.	
Hazardous *(Specify detail in Table H 1.2)	Not applicable	stoses only any other use.	
Inert Waste imported for restoration purposes	COMP special company to the company	FOR LANDFILL & CONT FACILITIES ONLY	AMINATED LAND

* TABLE H.1.2 HAZARDOUS WASTE TYPES AND QUANTITIES

HAZARDOUS WASTE	DETAILED DESCRIPTION * REFERENCE SHOULD BE MADE TO THE RELEVANT EUROPEAN WASTE CATALOGUE CODES AS PRESENTED BY COMMISSION DECISION 2000/532/EC	Tonnes Per Annum (Existing)	(Tonnes Per Annum Proposed)			
Waste Oil						
Oil filters						
Asbestos						
Paint and Ink						
Batteries						
Fluorescent Light Bulbs						
Contaminated Soils						
OTHER HAZARDOUS WASTE (APPLICANT TO SPECIFY)						

Epod Planancia Principo Agri

WASTE Application Form

Attachment H.1 should contain any relevant additional information.

It should be noted that an applicant may be issued with a licence which restricts the type of wastes which may be deposited.

See Attachment H.1

H.2 Waste Acceptance Procedures

Procedures for checking waste loads as they arrive at the facility must be included. These should follow the requirements of the Agency's Waste Acceptance Manual. A copy of these procedures and other associated documentation should be included as **Attachment H.2.**

See Attachment H.2

H.3 Waste Handling

Waste handling and the operating procedures used at the facility including waste treatment processes should be described in **Attachment H.3**. Included in the attachment should be information on the plant used on site and on the methods and processes for handling waste on-site. Special requirements hold for contaminated soil facilities, see *Guidance Note*.

See Attachment H.3

In addition, an application for a Landfill requires Section H.3.a to be completed:

H.3a Waste Handling at the Landfill Facility

State whether all waste will be subject to treatment prior to landfilling. Provide information as to the quantities of biodegradable municipal waste and how the targets of the Landfill Directive (1999/31/EC) relating to that waste type are to be achieved. In particular describe how the following will be achieved:

- (a) a reduction by 16/07/06 to 75% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (b)a reduction by 16/07/09 to 50% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (c) a reduction by 16/07/16 to 35% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available:
- (d)Evidence should be provided to show that energy will be used efficiently.

H.4 Waste Arisings

Waste Arisings should be considered for all contaminated soil applications. Details of all waste materials generated on the site including, name, description and nature as well as the source(s) should be identified. The quantities of each type of waste generated on an annual/monthly basis should be calculated and stated in Tables H.1(i) and H. 1(ii) of the application form. Applicants should also provide conversion factors used to relate volume (m³) and tonnage (t) for their waste stream.

SECTION I EXISTING ENVIRONMENT & IMPACT OF THE FACILITY

Detailed information is required to enable the Agency to assess the existing environment. This section requires the provision of information on the ambient environmental conditions at the site prior to the commencement of waste management activities or prior to the receipt of a review application.

Where development is proposed to be carried out, being development which is of a class for the time being specified under Article 24 (First Schedule) of the Environmental Impact Assessment Regulations, the information on the state of the existing environment should be addressed in the EIS. In such cases, it will suffice for the purposes of this section to provide adequate cross-references to the

relevant sections in the EIS.

I.1. Assessment of atmospheric emissions of air quality with particular reference to ambient air quality standards.

Provide a statement whether of not emissions of main polluting substances (as defined in the Schedule of Sef. 394 of 2004) to the atmosphere are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Attachment I.1 should also contain full details of any dispersion modelling of atmospheric emissions from the activity, where required.

See Attachment I.1

I.2. Assessment of Impact on Receiving Surface Water

Describe the existing environment in terms of water quality with particular reference to environmental quality standards or other legislative standards. Table I.2(i) should be completed

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to water are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other relevant information on the receiving environment should be submitted as **Attachment I.2.**

Not applicable.

I.3. Assessment of Impact of Sewage Discharge.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other supporting information should form Attachment I.3.

Not applicable.

I.4 Assessment of impact of ground/groundwater emissions

The scope and detail of this assessment will depend to a large extent on the extent and type of ground emissions at any site, which in turn are related to the risk. Details should be included in Attachment I.4. Comprehensive guidelines are contained in the Application Suidance Note, and include particular requirements for landfill and brownfield facilities.

Describe the existing groundwater quality. Tables I.4(i) should be completed.

See Attachment I.4 and Attachment I.5 for details of groundwater monitoring quality.

I.5 Ground and/or groundwater contamination

Summary details of known ground and/or groundwater contamination, historical or current, on or under the site must be given.

Full details including all relevant investigative studies, assessments, or reports, monitoring results, location and design of monitoring installations, appropriately scaled plans/drawings ($\leq A3$), documentation, including containment engineering, remedial works, and any other supporting information should be included in Attachment I.5.

See Attachment I.5



I.6 Noise Impact.

Give details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Ambient noise measurements

Complete Table I.6(i) in relation to the information required below:

- (i) State the maximum Sound Pressure Levels which will be experienced at typical points on the boundary of the operation. (State sampling interval and duration)
- (ii) State the maximum Sound Pressure Levels which will be experienced at typical noise sensitive locations, outside the boundary of the operation.
- (iii) Give details of the background noise levels experienced at the site in the absence of noise from this operation.

Prediction models, appropriately scaled maps (\leq A3), diagrams and supporting documents, including details of noise attenuation and noise proposed control measures to be employed, should form **Attachment I.6**

See Attachment I.6

I.7 Assessment of Ecological Impacts & Mitigation Measures

The ecology of the site and the surrounding area should be assessed in the vicinity of the largescale waste facilities such as landfill or incinerator developments. An assessment of the ecology should form **Attachment I.7.** Comprehensive guidelines are contained in the *Application Guidance Note*

Not applicable for the proposed changes.

SECTION J ACCIDENT PREVENTION & EMERGENCY RESPONSE

Describe the existing or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage.

Also outline what provisions have been made for response to emergency situations outside of normal working hours, i.e. during night-time, weekends and holiday periods.

Describe the arrangements for abnormal operating conditions including start-up, leaks, malfunctions or momentary stoppages.

Supporting information should form **Attachment J.**

Attachment included	yes 🖂	no	not applicable



SECTION K REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE

Describe the existing or proposed measures to minimise the impact on the environment after the activity or part of the activity ceases operation, including provision for post-closure care of any potentially polluting residuals.

For Landfill Applications, capping proposals are required, and reference should be made to the *Landfill Manual on 'Restoration' and Aftercare'* published by the Agency, when completing this section.

Attachment included	\(\forall \) \(\f	no	not applicable
	antofee		
	Consor		
SECTION	L STATUTOI	RY REQ	UIREMENTS

L. 1 Section 40(4) WMA

Indicate how all the requirements of Section 40(4)[(a) to (i)] of the Waste Management Acts 1996 to 2003 will be met.

Applicants should also describe how the proposed facility will comply with the requirements of BAT. In particular reference should be made to the considerations referred to in Annex IV of Council Directive 96/61/EC concerning integrated pollution prevention and control.

Attachment L.1 should contain the documentation requested above, along any relevant additional information

	Attachment included	yes 🖂	no	not applicable
--	---------------------	-------	----	----------------

L.2 Fit and Proper Person

The WMA in Section 40(4)(d) specifies that the Agency shall not grant a licence unless it is satisfied that the applicant (if the applicant is not a local authority) is a fit and proper person. Section 40(7) of the WMA specifies the information required to enable a determination to be made by the Agency.

- Indicate whether the applicant or other relevant person has been convicted under the Waste Management Acts 1996 to 2003, the EPA Act 1992 and 2003, the Local Government (Water Pollution) Acts 1977 and 1990 or the Air Pollution Act 1987.
- Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (Link to Section C.1 of the application).
- Provide information to show that the person is likely to be in a position to
 meet any financial commitments or liabilities that may have been or will be
 entered into or incurred in carrying on the activity to which the application
 relates or in consequence of ceasing to carry out that activity (Link to
 Section K of the application).

Supporting information should be included as **Attachment L 2** with reference to where the information can be found in the application.

not applicable

SECTION M DECLARATION

Declaration

I hereby make application for a revised licence, pursuant to the provisions of the Waste Management Acts 1996 to 2003 and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices, and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

e.

	allerte
igned by :	Date:
n behalf of the organisation)	autostied!
rint signature name:	
Got italito	
osition in organisation:	
on sent o	
C	
	Company stamp or seal:



ANNEX 1 STANDARD FORMS

Standard forms are provided in this section for the recording and presentation of environmental monitoring and site investigation results

TARLE F 1(i) LANDELL CAS FLARE EMISSIONS TO ATMOSPHERE

Emission Point Ref. $N^{\underline{o}}$:			
Location :				
Grid Ref. (12 digit, 6E,6	5N):			
Vent Details Diameter	. Te	see only any of	net lise.	
Height above Ground(1	m):	<u> </u>		
Date of commencement emission:	of Fortight on			
Characteristics of Emis	giornie di			
Characteristics of Emis	sion ^{ngentod}			mg/m ³
				mg/m ³
СО			% O ₂ (Liquid or Gas), 6%	mg/m ³
CO Total organic carbon (Total organic carbo	OC)			mg/m ³
CO Total organic carbon (Total NOx	OC) mission			mg/m ³ mg/Nm ³ % O ₂ (Solid Fuel)
CO Total organic carbon (Total organic carbo	OC) mission	0°C. 3°C	% O₂(Liquid or Gas), 69 °C(min) nade, or are to b	mg/m³ mg/Nm³ % O ₂ (Solid Fuel) m³/hr °C(avg)



TABLE E.1(ii) MAIN EMISSIONS TO ATMOSPHERE (1 Page for each emission point)

Emission Point Ref. N	Jº:				
Source of Emission:					
Location:					
Grid Ref. (12 digit, 6E	E,6N):				
Vent Details Diam	eter:				
Height above Ground	d(m):				
Date of commencement	nt:				
(i) Volume to be			es office and	alter use.	
Average/day		m³/d	Maximum		m^3/d
Maximum rate/hour		mach on	Min efflux	x velocity	m.sec ⁻¹
(ii) Other factors	-	atof copy			
Temperature	Conse	°C(max)	0	C(min)	°C(avg)
For Combustion Sour		□ wet	:. C	dry	%O ₂
iii) Period or periods seasonal variation					including daily or
Periods of Emission (avg)		min/hr	hr/day	day/yr



TABLE E.1(iii): MAIN EMISSIONS TO ATMOSPHERE

Chemical characteristics of the emission (1 table per emission point)

Emission Point Reference Number:

	kg/year	Max	
	kg/	Avg	
narged ⁽¹⁾	kg/h.	Max	
As discharged ⁽¹⁾	kg	Avg	
	mg/Nm³	Max	
	[/8m	Avg	
Brief	description	of treatment	Consent of copyright owner required for any other use.
	kg/h	Max	Consent of copy
eatment ⁽¹⁾	kg	Avg	
Prior to treatment ⁽¹⁾	mg/Nm ³	Мах	
	[/gm	Avg	
Parameter			

1. Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.



ı TABLE E.1(iv): EMISSIONS TO ATMOSPHERE

Minor /Fugitive

Abatement system employed		
	kg/year	
letails ¹	kg/h.	offer use.
Emission details ¹	mg/Nm ³⁽²⁾	ion purposes outs and
	material	Consent of convinient converted that the Consent of the converted to the c
Description		
Emission point	Reference Numbers	

1 The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.

2 Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference

oxygen conditions for combustion sources.

Consent of copyright owner required for any other use.



EMISSIONS TO SURFACE WATERS (One page for each emission) TABLE E.2(i):

Emission Point:

Emission Point Ref. Nº:	S
Source of Emission:	Fisent of C
Location:	sidaged Sopried
Grid Ref. (10 digit, 5E,5N):	owner re
Name of receiving waters:	es only littled for
Flow rate in receiving waters:	m³.sec¹ Dry Weather Flow m³.sec¹ 95%ile flow
Available waste assimilative capacity:	kg/day

Emission Details:

Volume to be emitted $\overline{\Xi}$

Normal/day	m ³	Maximum/day	_s m
Maximum rate/hour	m ³		

Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included): (ii)

	-
day/yr	
Gentler hr/day	For of co
min/hr	
criods of Emission (avg)	
Pel	

inspection purposes only any other use

 $ANNEX-Standard\ Forms$



(1 table per emission point)
mission
es of the
Characteristic
1
NS TO SURFACE WATERS
NS TO SURFACE WATERS

Emission point reference number :

% Efficiency		
	kg/year	
	kg/day	
As discharged	Max. daily average (mg/l)	
	Max. hourly average (mg/l)	of insperior burges solly, any other use, and insperior fedined to any other use.
	kg/year	ody red of
reatment	kg/day O	
Prior to treatment	Max. hourly Max. daily average average (mg/l) (mg/l)	
	Max. hourly average (mg/l)	
Parameter		

TABLE E.3(i): EMISSIONS TO SEWER(One page for each emission)

Emission Point:

Emission Point Ref. Nº:	
Location of connection to sewer:	
Grid Ref. (10 digit, 5E,5N):	
Name of sewage undertaker:	

Emission Details:

(i) Volume to be emitted					
Normal/day	m ³	Maximum/day	m ³		
Maximum rate/hour	m ³	Eafly, stay of			

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up /shutdown to be included):

Periods of Emission (avg)	min/hr	hr/day	day/yr
Cop			



EMISSIONS TO SEWER - Characteristics of the emission (1 table per emission point) TABLE E.3(ii):

Emission point reference number :

>		
% Efficiency		
	kg/year	
	kg/day	
As discharged	Max. daily average (mg/l)	
	Max. hourly average (mg/l)	For inspection purposes only and for inspection purposes only and for inspection purposes on the format in the for
	kg/year	reent e
reatment	kg/day	
Prior to treatment	Max. hourlyMax. dailykg/dayaverageaverage(mg/l)(mg/l)	
	Max. hourly average (mg/1)	
Parameter		

Consent of copyright owner required for any other use.



TABLE E.4(i): EMISSIONS TO GROUNDWATER (1 Page for each emission point)

Emission Point or Area: Stormwater Discharge from Oil Interceptor

Elitasion fount of Area: Stormwater Discharge from Oil interceptor	rater Discharge from Oil interceptor
Emission Point/Area Ref. $N^{\underline{a}}$:	FE2
Emission Pathway: (borehole, well, percolation area, soakaway, landspreading, etc.)	Soakaway (proposed) adjacent to soakaway for current oil interceptor
Location :	South East corner of existing site boundary (See drawing)
Grid Ref. (10 digit, 5E,5N):	(164635E, 147221N)
Elevation of discharge: (relative to Ordnance Datum)	in orther of the first of the f
Aquifer classification for receiving groundwater body:	Refer to original EIS Report, Section 5 Property
Groundwater vulnerability assessment (including vulnerability rating):	Refer to original EIS Report, Section 5
Identity and proximity of groundwater sources at risk (wells, springs, etc):	Refer to original EIS Report, Section 5
Identity and proximity of surface water bodies at risk:	Refer to original EIS Report, Section 5

Emission Details:

(i) Volume to be emitted	itted		
Normal/day	$20m^3$	Maximum/day	40m ³
Maximum rate/hour	$2m^3$		

Period or periods during which emissions are made, or are including daily or seasonal variations (start-up /shutdown to be included):

(<u>ii</u>)

	day/yr
en	hr/day 1365
00.	1/hr 24
	60 mir
	Periods of Emission (avg)

school buffores outh, sun other tree



Table E.5(i): NOISE EMISSIONS -

Noise sources summary sheet

Periods of Emission								
Impulsive or tonal qualities								
pue	8K							
	4K							
) per ba	2K							
z) eighted	1K							
Octave bands (Hz) Sound Pressure ¹ Levels dB(unweighted) per band	200							
Octave ure¹ Leve	250					4	dy and	otheri
d Pressi	125				ai	Poses	for	
Sounc	63			a spe	ction	7000		
	31.5		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	or it is	di di			
Sound Pressure ¹ dBA at reference distance		C ^c	hiself.		zilon pi zilon ne			
Equipment Ref. No								
Emission point Ref. No								
Source								

1. For items of plant sound power levels may be used.

TABLE F.1: ABATEMENT / TREATMENT CONTROL

Emission	point	reference n	umber :_	
Emission	i point	reference n	umber :_	

Equipment ²	Equipment maintenance	Equipment calibration	Equipment back-up
	Equipment ²		

Control ¹ parameter	Monitoring to be carried out ³	Monitoring equipment	Monitoring equipment calibration
	to itispect	owner required for any other the	

List the operating parameters of the treatment / abatement system which control its function.

List the equipment necessary for the proper function of the abatement / treatment system.

List the monitoring of the control parameter to be carried out.

(1 table per media) TABLE F.2 to F.8: EMISSIONS MONITORING AND SAMPLING POINTS

Emission Point Reference No(s).:_____

				e only	y. any	ither lise	·
Accessibility of Sampling Points	çic Sent of c	inspect	don purf owner	or red			
Monitoring frequency							
Parameter							



TABLE Ff: Fugitive ENVIRONMENT MONITORING AND SAMPLING LOCATIONS (1 table per media)

Monitoring Point Reference No :______

	a flittle see only, any other use.
Accessibility of Sampling point	Consent of copyright owner control and other tase.
Monitoring frequency	
Parameter	



Table G.1 Details of Process related Raw Materials, Intermediates, Products, etc., used or generated on the site

Stored Usage (tonnes)
In cases where a material commises a number of distinct and away has been substances.
1 2
S
Plit.

on purposes only any other use.

TABLE H.1(i): WASTE - Hazardous Waste Recovery/Disposal

Off-site Disposal	(Method, Location & Undertaker)	
Off-site Recovery, reuse or recycling	(Method, Location & Undertaker)	
On-site Recovery/Disposal	(Method & Location)	
Quantity	m ³ / month	Consent of copyright owner required for any other tise.
ο̈́	Tonnes / month	For inspection new for inspection new for inspection of the first terms of the first term
Main source ¹		Co.
EWC Code		
Waste material		

¹ A reference should be made to the main activity / process for each waste.

Consent of copyright owner required for any other use.



TABLE H.1(ii) WASTE - Other Waste Recovery/Disposal

			1
Off-site Disposal	(Method, Location & Undertaker)		
Off-site Recovery, reuse or recycling	(Method, Location & Undertaker)		
On-site recovery/disposal ²	(Method & Location)	Consent of copyright outlet re	es ofth, sul other tree.
Quantity	m ³ / month	For inspection purpose	ced to Attachment F
Qua	Tonnes / month	Consent	s for each waste.
Main source ¹			main activity/ proces
EWC Code			disposal or recovery
Waste material			1 A reference sho 2 The method of



Table I.2(i) SURFACE WATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference:

Parameter		Res	Results		Sampling	Normal	Analysis
		m)	(mg/l)		method ² (grab, drift etc.)	Analytical Range ²	method/ technique
	Date	Date	Date	Date			
Hd			nsent				
Temperature			Ö	∳ ∂			
Electrical conductivity EC				inst opyti			
Ammoniacal nitrogen NH ₄ -N				otio into			
Chemical oxygen demand				MILET	all		
Biochemical oxygen demand				,	000 00 00 00 00 00 00 00 00 00 00 00 00		
Dissolved oxygen DO					of the state of th		
Calcium Ca					s all		
Cadmium Cd					oth		
Chromium Cr					7 115g		
Chloride Cl					o*		
Copper Cu							
Iron Fe							
Lead Pb							
Magnesium Mg							
Manganese Mn							
Mercury Hg							

WASTE Application Form

Surface Water Quality (Sheet 2 of 2)	2 of 2)						
Parameter		Re (n	Results (mg/l)		Sampling method (grab, drift etc.)	Normal Analytical Range	Analysis method / technique
	Date	Date	Date	Date	`		
Nickel Ni							
Potassium K							
Sodium Na							
Sulphate SO ₄			ď				
Zinc Zn			nsen				
Total alkalinity (as CaCO ₃)				Ç.C	\$i ⁰		
Total organic carbon TOC				inst			
Total oxidised nitrogen TON				edic ght			
Nitrite NO ₂				Whet	ait		
Nitrate NO ₃				\$	20 ⁵⁸		
Faecal coliforms (/100mls)					only		
Total coliforms (/100mls)					d. str		
Phosphate PO ₄					A ONE		



Table I.4(i) GROUNDWATER QUALITY (Sheet 1 of 2) Monitoring Point/ Grid Reference:

Cr Date Da	Parameter		Re	enlfe		Samuling	Normal	Anglyeie
ductivity EC ductivity EC nitrogen NH ₄ -N gen DO gen DO aporation aporation otal ig n n n n n n n n n n n n n			u)	1 (1) (1) (1) (1) (1) (1) (1)		method (composite etc.)	Analytical Range	method / technique
ductivity EC introgen NH4-N gen DO aporation otal lg lg n n		Date	Date	Date	Date			
ductivity EC introgen NH4-N gen DO aporation otal otal lg n n	Hd							
ductivity EC pitrogen NH4-N gen DO aporation otal lg n n	Temperature							
aporation otal ig n n n n n n n n n n n n n	Electrical conductivity EC							
aporation otal lg n n	Ammoniacal nitrogen NH ₄ -N							
aporation otal [g] n	Dissolved oxygen DO)	୍ଷ				
otal [g]	Residue on evaporation			Sent				
otal	$(180^{\circ}C)$			र्ज र्ज				
otal g	Calcium Ca			Pyti	Ø			
otal lg n	Cadmium Cd			do	otion of			
I, total I Mg KK	Chromium Cr				Pur			
h, total Min g	Chloride Cl				odii Oses			
h, total Mn g K	Copper Cu				officedfo	74		
Mn g K	Cyanide Cn, total				\$.°°°	. 7		
Mn g K	Iron Fe					othe		
Mn g K	Lead Pb					Jee Jee		
Manganese Mn Mercury Hg Mercury Hg Nickel Ni Potassium K Sodium Na	Magnesium Mg							
Mercury Hg Nickel Ni Potassium K Sodium Na	Manganese Mn							
Nickel NiPotassium KSodium NaSodium Na	Mercury Hg							
Potassium K Sodium Na	Nickel Ni							
Sodium Na	Potassium K							
	Sodium Na							

GROUNDWATER QUALITY (SHEET 2 OF 2)

Parameter		X	Results (mg/l)		Sampling method	Normal Analytical	Analysis method /
					(composite, dipper etc.)	Range	technique
	Date	Date	Date	Date			
Phosphate PO ₄							
Sulphate SO ₄							
Zinc Zn							
Total alkalinity (as CaCO ₃)							
Total organic carbon TOC							
Total oxidised nitrogen TON			Ö				
Arsenic As			Asent		a de la companya de l		
Barium Ba			Yo.	f or			
Boron B			,	insp.			
Fluoride F				ction of the contraction of the			
Phenol				Their was			
Phosphorus P				edil	r. P.		
Selenium Se				0,	only		
Silver Ag					, all		
Nitrite NO ₂					othe		
Nitrate NO ₃					ilse		
Faecal coliforms (/100mls)							
Total coliforms (/100mls)							
Water level (m OD)							



Table I.6(i) Ambient Noise Assessment

Third Octave analysis for noise emissions should be used to determine tonal noises

	National Grid Reference	S	ound Pressure L	evels
	(5N, 5E)	L(A) _{eq}	$L(A)_{10}$	L(A)90
1. SITE BOUNDARY				
Location 1:				
Location 2:				
Location 3:				
Location 4:				
2. NOISE				
SENSITIVE				
LOCATIONS				
Location 1:				
Location 2:				
Location 3:				
Location 4:			7 15 [©] .	
TE: All locations should be	Carean de con	anying drawings.	any or	