

Michael Wallace  
Wallace Recycling Ltd  
Units 14-17  
Mullingar Business Park  
Mullingar  
Co. Westmeath

Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000  
Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire

T: +353 53 916 0600  
F: +353 53 916 0699  
E: info@epa.ie  
W: www.epa.ie

LoCall: 1890 33 55 99

29<sup>th</sup> July 2008

**W0197-02**

re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations

Dear Mr. Wallace

I am to refer to the above referenced application for a waste licence relating to a facility at Wallace Recycling Ltd, Units 14-17, Mullingar Business Park, Mullingar, Co. Westmeath. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 of the Waste Management (Licensing) Regulations.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

#### **ARTICLE 12 COMPLIANCE REQUIREMENTS**

1. Provide confirmation in writing from the relevant Planning Authority that an Environmental Impact Assessment/ Environmental Impact Statement is not required to be prepared to facilitate the requested increase in annual waste acceptances to 100,000 tonnes per annum.
2. Indicate the principle class of activity on Table B.7.1 in the licence application form.
3. Complete Tables E.3(i) and E.3(ii) for all emissions to sewer i.e. EF1, EF2 & EF3. Provide details of the storm water drainage system on site.
4. Complete Table F.1 for all abatement and treatment control technologies/equipment employed on site.



5. Resubmit Table H.1(A) of the licence application form indicating the quantities of waste in relation to each class of activity applied for. The total quantity should equal 100,000 tonnes per annum.
6. Clarify the current waste acceptance amounts at the facility.
7. With regard to waste generated and accepted on-site, provide information on the quantity produced, and the reuse, recovery and/or disposal routes of each waste stream.
8. When are composting processes proposed to begin on site? Supply complete and comprehensive details of the source and treatment of compostables and putrescibles to be carried out on site. Clarify what grade of compost/stability standard is to be produced at the composting facility. Supply information on the infrastructure to be put in place on site for the composting of waste.
9. Supply complete and comprehensive details of the end of life vehicle depollution process to be carried out on site. Supply details of the source and treatment of the end of life vehicles on site and the destination of the depolluted parts.
10. Provide details on the expected completion dates for the end of life vehicle depollution shed.
11. Provide details of the sealed drainage infrastructure in the vehicle depollution shed.
12. Outline the potential noise impacts due to air bag deployment.
13. Provide details of the civic amenity site operated at the facility i.e. management, waste acceptance amounts, desired hours of operation, etc.
14. Submit details of the number of staff currently employed at the facility.
15. Submit information on the quantity of energy, electricity, oil, water, etc. used on site on an annual basis.
16. Submit numbered and fully labelled drawings showing the following:
  - Site layout plan, including proposed designation of use of all site buildings and external areas;
  - Raw materials and waste storage on site;
  - Nearest sensitive receptors to the site, stating the distance.
17. Is the facility located in or near any designated sites? State the distance to the nearest designated site and provide details of any potential impacts on the site.


Your reply to this notice should **include a revised non-technical summary** which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of one original plus one copy within **four weeks** of the date of this notice. In addition please submit two copies of the requested information in electronic searchable PDF format on a CD-ROM to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is **W0197-02**. Please direct all correspondence in relation to this matter to *Noeleen Keavey, Licensing Unit, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,

  
\_\_\_\_\_  
**Yvonne Furlong**  
**Inspector**

**Office of Climate, Licensing & Resource Use**

Cc. Ms Heather Loughlin, Associate Principal Consultant , AMC Environmental Limited, 3c Heron Wharf, Heron Road, Belfast BT3 9LE



