

**TABLE D.1(i)(a): EMISSIONS TO SURFACE/GROUND WATERS
(Primary Discharge Point)**

Discharge Point Code: SW01-CHVE

Source of Emission:	SW01-CHVE		
Location:	Rathgoggan North		
Grid Ref. (12 digit, 6E, 6N):	154249E 124560N		
Name of receiving waters:			
River Basin District:	South Western RBD		
Designation of receiving waters:			
Flow rate in receiving waters:		_____ Not available _____	$\text{m}^3 \cdot \text{sec}^{-1}$ Dry Weather Flow
		_____ Not available _____	$\text{m}^3 \cdot \text{sec}^{-1}$ 95%ile flow

Consent of copyright owner required for any other use.
For inspection purposes only.

Emission Details:

(i) Volume emitted			
Normal/day	m^3	Maximum/day	m^3
Maximum rate/hour	m^3	Period of emission (avg)	_____min/hr _____hr/day _____day/yr
Dry Weather Flow	m^3/sec		

**TABLE D.1(i)(b): EMISSIONS TO SURFACE/GROUND WATERS - Characteristics of the emission
(Primary Discharge Point)**

Discharge Point Code: SW01-CHVE

Number	Substance	As discharged	
		Max. daily average	
1	pH	8.25	*
2	Temperature	*	*
3	Electrical Conductivity(@25°C)	663.5	*
		Max. daily average (mg/l)	kg/day
4	Suspended Solids	7	73.416
5	Ammonia (as N)	1.55	16.2564
6	Biochemical Oxygen Demand	3.666667	38.456
7	Chemical Oxygen Demand	20.16667	211.508035
8	Total Nitrogen (as N)	8.45	88.6236
9	Nitrite (as N)	0.4	4.1952
10	Nitrate (as N)	7.26	76.14288
11	Total Phosphorus (as P)	1.466667	14.7531235
12	Orthophosphate (as P) ^{Note 1}	1.13	11.85144
13	Sulphate (SO ₄)	22.6	237.0288
14	Phenols (sum) ^{Note 2} (ug/l)	0.05	0.0005244

Note 1: For waste water samples this monitoring should be undertaken on a sample filtered on 0.45µm filter paper.

Note 2: USEPA Method 604, AWWA Standard Method 6240, or equivalent.

Consent to copyright is required for any other use.
For inspection purposes only.

TABLE D.1(i)(c): DANGEROUS SUBSTANCE EMISSIONS TO SURFACE/GROUND WATERS

Primary Discharge Point - Characteristics of the emission

Discharge Point Code: SW01-CHVE

Number	Substance	As discharged		
		Max. daily average (mg/l)	kg/day	kg/year
1	Atrazine	0.005	0.00005244	0.0191406
2	Dichloromethane	0.5	0.005244	1.91406
3	Simazine	0.005	0.00005244	0.0191406
4	Toluene	0.5	0.005244	1.91406
5	Tributyltin	*	*	*
6	Xylenes	0.5	0.005244	1.91406
7	Arsenic	1000	0.010488	3.82812
8	Chromium	10	0.00010488	0.0382812
9	Copper	10	0.00010488	0.0382812
10	Cyanide	2.5	0.02622	9.5703
11	Fluoride	380	3.98544	1454.686
12	Lead	36	0.377568	137.81232
13	Nickel	10	0.10488	38.2812
14	Zinc	10	0.10488	38.2812
15	Boron	48.5	0.508668	185.66382
16	Cadmium	10	0.10488	38.2812
17	Mercury	0.8	0.0083904	3.062496
18	Selenium	1	0.010488	3.82812
19	Barium	82	0.860016	313.90584

TABLE D.1(ii)(b): EMISSIONS TO SURFACE/GROUND WATERS - Characteristics of the emission (1 table per discharge point)
(Secondary Discharge Point)
Discharge Point Code: SW02 Charleville

Number	Substance	As discharged	
		Max. daily average	
1	pH	Not available	
2	Temperature	Not available	
3	Electrical Conductivity (@25°C)	Not available	
		Max. daily average (mg/l)	kg/day
4	Suspended Solids	Not available	Not available
5	Ammonia (as N)	Not available	Not available
6	Biochemical Oxygen Demand	Not available	Not available
7	Chemical Oxygen Demand	Not available	Not available
8	Total Nitrogen (as N)	Not available	Not available
9	Nitrite (as N)	Not available	Not available
10	Nitrate (as N)	Not available	Not available
11	Total Phosphorus (as P) ^{Note 1}	Not available	Not available
12	Orthophosphate (as P)	Not available	Not available
13	Sulphate (SO ₄)	Not available	Not available
14	Phenols (sum) ^{Note 2} (ug/l)	Not available	Not available

Note 1: For waste water samples this monitoring should be undertaken on a sample filtered on 0.45µm filter paper.

Note 2: USEPA Method 604, AWWA Standard Method 6240, or equivalent.

TABLE D.1(ii)(c): DANGEROUS SUBSTANCE EMISSIONS TO SURFACE/GROUND WATERS
Secondary Discharge Point - Characteristics of the emission (1 table per discharge point)
Discharge Point Code: SW02 Charleville

Number	Substance	As discharged		
		Max. daily average ($\mu\text{g/l}$)	kg/day	kg/year
1	Atrazine	Not available	Not available	Not available
2	Dichloromethane	Not available	Not available	Not available
3	Simazine	Not available	Not available	Not available
4	Toluene	Not available	Not available	Not available
5	Tributyltin	Not available	Not available	Not available
6	Xylenes	Not available	Not available	Not available
7	Arsenic	Not available	Not available	Not available
8	Chromium	Not available	Not available	Not available
9	Copper	Not available	Not available	Not available
10	Cyanide	Not available	Not available	Not available
11	Fluoride	Not available	Not available	Not available
12	Lead	Not available	Not available	Not available
13	Nickel	Not available	Not available	Not available
14	Zinc	Not available	Not available	Not available
15	Boron	Not available	Not available	Not available
16	Cadmium	Not available	Not available	Not available
17	Mercury	Not available	Not available	Not available
18	Selenium	Not available	Not available	Not available
19	Barium	Not available	Not available	Not available

TABLE D.1(ii)(a): EMISSIONS TO SURFACE/GROUND WATERS
(Secondary Discharge Point) (1 table per discharge point)
Discharge Point Code: SW03 Charleville

Source of Emission:	Emergency Overflow to old mill race
Location:	Rathgoggan Middle
Grid Ref. (12 digit, 6E, 6N):	153614E 123035N
Name of receiving waters:	Charleville Stream
River Basin District:	South Western RBD
Designation of receiving waters:	None
Flow rate in receiving waters:	_____ 0.0025 _____ m ³ .sec ⁻¹ Dry Weather Flow _____ 0.011 _____ m ³ .sec ⁻¹ 95%ile flow

Emission Details:

(i) Volume emitted		Not available	
Normal/day	Not Available	Maximum/day	Not Available
Maximum rate/hour	Not Available	Period of emission (avg)	Not Available _____ min/hr _____ hr/day _____ day/yr
Dry Weather Flow	Not Available		

TABLE D.1(ii)(b): EMISSIONS TO SURFACE/GROUND WATERS - Characteristics of the emission (1 table per discharge point)

(Secondary Discharge Point)

Discharge Point Code: SW03 Charleville

Number	Substance	As discharged	
		Max. daily average	
1	pH	Not available	
2	Temperature	Not available	
3	Electrical Conductivity (@25°C)	Not available	
		Max. daily average (mg/l)	kg/day
4	Suspended Solids	Not available	Not available
5	Ammonia (as N)	Not available	Not available
6	Biochemical Oxygen Demand	Not available	Not available
7	Chemical Oxygen Demand	Not available	Not available
8	Total Nitrogen (as N)	Not available	Not available
9	Nitrite (as N)	Not available	Not available
10	Nitrate (as N)	Not available	Not available
11	Total Phosphorus (as P) ^{Note 1}	Not available	Not available
12	Orthophosphate (as P)	Not available	Not available
13	Sulphate (SO ₄)	Not available	Not available
14	Phenols (sum) ^{Note 2} (ug/l)	Not available	Not available

Note 1: For waste water samples this monitoring should be undertaken on a sample filtered on 0.45µm filter paper.

Note 2: USEPA Method 604, AWWA Standard Method 6240, or equivalent.

TABLE D.1(ii)(c): DANGEROUS SUBSTANCE EMISSIONS TO SURFACE/GROUND WATERS
Secondary Discharge Point - Characteristics of the emission (1 table per discharge point)

Discharge Point Code: SW03 Charleville

Number	Substance	As discharged		
		Max. daily average ($\mu\text{g/l}$)	kg/day	kg/year
1	Atrazine	Not available	Not available	Not available
2	Dichloromethane	Not available	Not available	Not available
3	Simazine	Not available	Not available	Not available
4	Toluene	Not available	Not available	Not available
5	Tributyltin	Not available	Not available	Not available
6	Xylenes	Not available	Not available	Not available
7	Arsenic	Not available	Not available	Not available
8	Chromium	Not available	Not available	Not available
9	Copper	Not available	Not available	Not available
10	Cyanide	Not available	Not available	Not available
11	Fluoride	Not available	Not available	Not available
12	Lead	Not available	Not available	Not available
13	Nickel	Not available	Not available	Not available
14	Zinc	Not available	Not available	Not available
15	Boron	Not available	Not available	Not available
16	Cadmium	Not available	Not available	Not available
17	Mercury	Not available	Not available	Not available
18	Selenium	Not available	Not available	Not available
19	Barium	Not available	Not available	Not available

**TABLE D.1(ii)(a): EMISSIONS TO SURFACE/GROUND WATERS
(Secondary Discharge Point) (1 table per discharge point)**

Discharge Point Code: SW04Charleville

Source of Emission:	Emergency Overflow at Glen Bridge
Location:	Rathgoggan South
Grid Ref. (12 digit, 6E, 6N):	153673E 122489N
Name of receiving waters:	Charleville Stream
River Basin District:	South Western RBD
Designation of receiving waters:	None
Flow rate in receiving waters:	0.0025 m ³ .sec ⁻¹ Dry Weather Flow 0.011 m ³ .sec ⁻¹ 95%ile flow

Emission Details:

(i) Volume emitted		Not available	
Normal/day	Not Available	Maximum/day	Not Available
Maximum rate/hour	Not Available	Period of emission (avg)	Not Available
Dry Weather Flow	Not Available		

TABLE D.1(ii)(b): EMISSIONS TO SURFACE/GROUND WATERS - Characteristics of the emission (1 table per discharge point)
(Secondary Discharge Point)
Discharge Point Code: SW04 Charleville

Number	Substance	As discharged	
		Max. daily average	
1	pH	Not available	
2	Temperature	Not available	
3	Electrical Conductivity (@25°C)	Not available	
		Max. daily average (mg/l)	kg/day
4	Suspended Solids	Not available	Not available
5	Ammonia (as N)	Not available	Not available
6	Biochemical Oxygen Demand	Not available	Not available
7	Chemical Oxygen Demand	Not available	Not available
8	Total Nitrogen (as N)	Not available	Not available
9	Nitrite (as N)	Not available	Not available
10	Nitrate (as N)	Not available	Not available
11	Total Phosphorus (as P) ^{Note 1}	Not available	Not available
12	Orthophosphate (as P)	Not available	Not available
13	Sulphate (SO ₄)	Not available	Not available
14	Phenols (sum) ^{Note 2} (ug/l)	Not available	Not available

Note 1: For waste water samples this monitoring should be undertaken on a sample filtered on 0.45µm filter paper.

Note 2: USEPA Method 604, AWWA Standard Method 6240, or equivalent.

TABLE D.1(ii)(c): DANGEROUS SUBSTANCE EMISSIONS TO SURFACE/GROUND WATERS
Secondary Discharge Point - Characteristics of the emission (1 table per discharge point)
Discharge Point Code: SW04 Charleville

Number	Substance	As discharged		
		Max. daily average ($\mu\text{g/l}$)	kg/day	kg/year
1	Atrazine	Not available	Not available	Not available
2	Dichloromethane	Not available	Not available	Not available
3	Simazine	Not available	Not available	Not available
4	Toluene	Not available	Not available	Not available
5	Tributyltin	Not available	Not available	Not available
6	Xylenes	Not available	Not available	Not available
7	Arsenic	Not available	Not available	Not available
8	Chromium	Not available	Not available	Not available
9	Copper	Not available	Not available	Not available
10	Cyanide	Not available	Not available	Not available
11	Fluoride	Not available	Not available	Not available
12	Lead	Not available	Not available	Not available
13	Nickel	Not available	Not available	Not available
14	Zinc	Not available	Not available	Not available
15	Boron	Not available	Not available	Not available
16	Cadmium	Not available	Not available	Not available
17	Mercury	Not available	Not available	Not available
18	Selenium	Not available	Not available	Not available
19	Barium	Not available	Not available	Not available

**TABLE D.1(iii)(a): EMISSIONS TO SURFACE/GROUND WATERS
(Storm Water Overflow) (1 table per discharge point)**

Discharge Point Code: SW02-CHVE

Source of Emission:	Overflow from inlet flume		
Location:	Ballincolly		
Grid Ref. (12 digit, 6E, 6N):	154249E 124559N		
Name of receiving waters:			
River Basin District:	South Western RBD		
Designation of receiving waters:			
Flow rate in receiving waters:		_____ Not available _____	m ³ .sec ⁻¹ Dry Weather Flow
		_____ Not available _____	m ³ .sec ⁻¹ 95%ile flow

Emission Details:

(i) Volume emitted			
Normal/day	m ³	Maximum/day	m ³
Maximum rate/hour	m ³	Period of emission (avg)	_____min/hr _____hr/day _____day/yr

**TABLE D.1(iii)(a): EMISSIONS TO SURFACE/GROUND WATERS
(Storm Water Overflow) (1 table per discharge point)**

Discharge Point Code: SW03-CHVE

Source of Emission:	Overflow to old mill race		
Location:	Rathgoggan Middle		
Grid Ref. (12 digit, 6E, 6N):	153614E 123035N		
Name of receiving waters:			
River Basin District:	South Western RBD		
Designation of receiving waters:			
Flow rate in receiving waters:		_____m ³ .sec ⁻¹ Dry Weather Flow	
		_____m ³ .sec ⁻¹ 95%ile flow	

Emission Details:

(i) Volume emitted			
Normal/day	m ³	Maximum/day	m ³
Maximum rate/hour	m ³	Period of emission (avg)	_____min/hr _____hr/day _____day/yr

**TABLE D.1(iii)(a): EMISSIONS TO SURFACE/GROUND WATERS
(Storm Water Overflow) (1 table per discharge point)**

Discharge Point Code: SW04-CHVE

Source of Emission:	Overflow at Glen Bridge		
Location:	Rathgoggan South		
Grid Ref. (12 digit, 6E, 6N):	153673E 122489N		
Name of receiving waters:			
River Basin District:	South Western RBD		
Designation of receiving waters:			
Flow rate in receiving waters:		_____m ³ .sec ⁻¹ Dry Weather Flow	
		_____m ³ .sec ⁻¹ 95%ile flow	

Emission Details:

(i) Volume emitted			
Normal/day	m ³	Maximum/day	m ³
Maximum rate/hour	m ³	Period of emission (avg)	_____min/hr _____hr/day _____day/yr

For inspection purposes only. Consent of copyright owner required for any other use.

Attachment E4 Charleville Outlet-Table E

Sample Date	21/02/2007	08/03/2007	03/05/2007	13/09/2007	27/09/2007	03/10/2007	16/01/2008*	14/02/2008	8/4/2008*	10/04/2008	15/07/2008*	17/07/2008	Average	Kg/Day	kg/year
Sample	effluent	effluent	effluent	effluent	effluent	effluent	Effluent	Effluent	Effluent	Effluent	Effluent	Effluent	10488	*	*
Flow M ³ /Day	8656	*	4574	3483	3645	4795	*	10488	*	*	*	*	8.175	*	*
pH	7.6	7.9	8	7.8	7.7	7.6	8	8.3	8.2	*	*	8.2	8.175	*	*
Temperature °C	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Cond 20°C	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
SS mg/L	8	19	5	3	5	15	656	*	721	670	722	657	692.5	*	*
NH ₃ mg/L	*	*	*	*	0.4	1.1	17	9	6	6	8	6	7	90.8960035	33177.041
BOD mg/L	7.5	7.1	4.7	1.94	2.76	7.66	2.6	0.1	1.5	4.5	0.07	<0.1	1.5425	15.41736	5627.3364
COD mg/L	25	24	25	<21	23	<21	9	4.28	7	3.73	8	2.99	5.2	61.1799965	22330.699
TN mg/L	21.4	8.7	10.1	5.2	23.4	10.3	31	26	28	24	48	<21	31.5	292.790035	106868.36
Nitrite mg/L	*	*	*	*	*	*	*	*	*	10	*	6.9	8.45	88.6236	32347.614
Nitrate mg/L	*	*	*	*	*	*	*	*	*	*	*	0.4	0.4	4.1952	1531.248
TP mg/L	0.69	0.69	2.2	1.75	1.14	1.31	*	*	*	*	*	7.26	7.26	76.14288	27792.151
O-PO4-P mg/L	*	*	*	1.44	0.98	0.89	1.1	1.2	2	1.64	2	1.38	1.644	16.2913565	5946.3451
SO4 mg/L	*	*	*	<30	<30	<30	0.7	0.86	1	1.41	2	1.12	1.278	12.3933235	4523.5631
Phenols µg/L	*	*	*	*	*	*	*	<30	*	*	*	30.2	30.2	237.0288	86515.512
Atrazine µg/L	*	*	*	*	*	*	*	*	*	*	*	<0.1	<0.1	<0.0010488	<0.382812
Dichloromethane	*	*	*	*	*	*	*	*	*	*	*	<0.01	<0.01	<0.00010488	<0.0382812
Simazine µg/L	*	*	*	*	*	*	*	*	*	*	*	<1.0	<1.0	<0.010488	<3.82812
Toluene µg/L	*	*	*	*	*	*	*	*	*	*	*	<0.01	<0.01	<0.00010488	<0.0382812
Tributyltin µg/L	*	*	*	*	*	*	*	*	*	*	*	<1.0	<1.0	<0.010488	<3.82812
Xylenes µg/L	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Arsenic µg/L	*	*	*	*	*	*	*	*	*	*	*	<1.0	<1.0	<0.010488	<3.82812
Chromium mg/L	*	*	<0.02	<0.02	<0.02	<0.02	*	0.02	*	*	*	1	1	0.0104880	3.82812
Copper mg/L	*	*	<0.02	<0.02	<0.02	<0.02	*	<0.02	*	*	*	<0.02	<0.02	0.00010488	0.0382812
Cyanide µg/L	*	*	*	*	*	*	*	<0.02	*	*	*	<0.02	<0.02	0.00010488	0.0382812
Fluoride µg/L	*	*	*	*	*	*	*	*	*	*	*	<5	<5	<0.05244	<19.1406
Lead mg/L	*	*	<0.02	0.054	<0.02	<0.02	*	0.047	*	*	*	380	380	3.98544	1454.6856
Nickel mg/L	*	*	<0.02	<0.02	<0.02	<0.02	*	<0.02	*	*	*	0.025	0.036	0.377568	137.81232
Zinc mg/L	*	*	<0.02	0.044	<0.02	<0.02	*	<0.02	*	*	*	<0.02	<0.02	0.10488	38.2812
Boron mg/L	*	*	*	*	*	*	*	<0.02	*	*	*	<0.02	<0.02	0.10488	38.2812
Cadmium mg/L	*	*	<0.02	<0.02	<0.02	<0.02	*	0.041	*	*	*	0.056	0.0485	0.508668	185.66382
Mercury µg/L	*	*	*	*	*	*	*	<0.02	*	*	*	<0.02	<0.02	0.10488	38.2812
Selenium µg/L	*	*	*	*	*	*	*	*	*	*	*	0.8	0.8	0.0083904	3.062496
Barium mg/L	*	*	<0.02	0.074	0.073	0.056	*	0.078	*	*	*	1	1	0.0104880	3.82812
												0.086	0.082	0.860016	313.90584

Note * Indicates analysis by Water Services North

Attachment E4 Charleville Inlet-Table E

Sample Date	13/09/2007	27/09/2007	16/01/2008*	14/02/2008	8/4/2008*	10/04/2008	15/07/2008*	17/07/2008
Sample	influent	influent	influent	influent	influent	influent	influent	influent
Flow M ³ /Day	*	*	*	*	*	*	*	*
pH	*	*	7.7	*	7.8	*	7.7	7.9
Temperature °C	*	*	*	*	*	*	*	*
Cond 20°C	*	*	725	*	849	*	797	727
SS mg/L	*	*	36	*	14.4	*	102	112
NH ₃ mg/L	20.7	20.8	4.1	*	9	*	13	9.9
BOD mg/L	*	*	89	*	120	*	140	49.7
COD mg/L	153	138	223	172	1758	*	375	144
TN mg/L	*	*	*	*	*	*	*	12.7
Nitrite mg/L	*	*	*	*	*	*	*	*
Nitrate mg/L	*	*	*	*	*	*	*	*
TP mg/L	2.38	*	3.1	3.85	2.4	3.15	3	1.57
O-PO4-P mg/L	1.82	*	2.3	0.96	2	1.98	1	0.72
SO4 mg/L	<30	<30	*	<30	*	*	*	<30
Phenols µg/L	*	*	*	*	*	*	*	<0.1
Atrazine µg/L	*	*	*	*	*	*	*	<0.01
Dichloromethane µg/L	*	*	*	*	*	*	*	<1.0
Simazine µg/L	*	*	*	*	*	*	*	<0.01
Toluene µg/L	*	*	*	*	*	*	*	<1.0
Tributyltin µg/L	*	*	*	*	*	*	*	*
Xylenes µg/L	*	*	*	*	*	*	*	<1.0
Arsenic µg/L	*	*	*	*	*	*	*	1
Chromium mg/L	*	<0.02	*	<0.02	*	*	*	<0.02
Copper mg/L	*	0.032	*	<0.02	*	*	*	<0.02
Cyanide µg/L	*	*	*	*	*	*	*	<5
Fluoride	*	*	*	*	*	*	*	*
Lead mg/L	*	0.046	*	0.047	*	*	*	<0.02
Nickel mg/L	*	<0.02	*	<0.02	*	*	*	<0.02
Zinc mg/L	*	0.027	*	<0.02	*	*	*	<0.02
Boron mg/L	*	<0.02	*	<0.02	*	*	*	0.033
Cadmium mg/L	*	<0.02	*	<0.02	*	*	*	<0.02
Mercury µg/L	*	*	*	*	*	*	*	0.6
Selenium µg/L	*	*	*	*	*	*	*	1
Barium mg/L	*	0.11	*	0.0748	*	*	*	0.097

Note * Indicates analysis by Water Services North

Attachment E4 Charleville Upstream-Table E

Sample Date	21/02/2007	03/05/2007	13/09/2007	14/02/2008	10/04/2008	17/07/2008
Sample	river	river	river	River	River	River
Flow M ³ /Day	*	*	*	*	*	*
pH	8	*	8.4	8.5	*	8.3
Temperature °C	*	*	*	*	*	*
Cond 20°C	*	*	*	*	*	*
SS mg/L	<2.5	3	6	3	*	2.88
NH ₃ mg/L	<0.1	<0.1	<0.1	0.1	*	11
BOD mg/L	<1	<1	1.68	1.31	*	<0.1
COD mg/L	*	*	*	*	*	1.22
TN mg/L	17.7	7.65	8.9	*	*	<21
Nitrite mg/L	*	*	*	*	*	3.8
Nitrate mg/L	*	*	*	*	*	*
TP mg/L	<0.2	0.21	1	<0.2	*	*
O-PO4-P mg/L	*	*	0.33	0.09	0.08	0.38
SO4 mg/L	*	*	<30	<30	*	0.15
Phenols µg/L	*	*	*	*	*	<30
Atrazine µg/L	*	*	*	*	*	<0.1
Dichloromethane	*	*	*	*	*	<0.01
Simazine µg/L	*	*	*	*	*	<1.0
Toluene µg/L	*	*	*	*	*	<0.01
Tributyltin µg/L	*	*	*	*	*	<1.0
Xylenes µg/L	*	*	*	*	*	*
Arsenic µg/L	*	*	*	*	*	<1.0
Chromium mg/L	*	*	*	<0.02	*	2
Copper mg/L	*	*	*	<0.02	*	<0.02
Cyanide µg/L	*	*	*	<0.02	*	<0.02
Fluoride	*	*	*	*	*	<5
Lead mg/L	*	*	*	0.051	*	*
Nickel mg/L	*	*	*	<0.02	*	0.026
Zinc mg/L	*	*	*	<0.02	*	<0.02
Boron mg/L	*	*	*	<0.02	*	0.034
Cadmium mg/L	*	*	*	<0.02	*	<0.02
Mercury µg/L	*	*	*	*	*	<0.02
Selenium µg/L	*	*	*	*	*	<0.2
Barium mg/L	*	*	*	0.045	*	5
						0.066

For inspection purposes only.
Consent of copyright owner required for any other use.

Attachment E4 Charleville Downstream-Table E

Sample Date	21/02/2007	08/03/2007	03/05/2007	13/09/2007	16/01/2008*	14/02/2008	17/07/2008
Sample	river	river	river	river	River	River	River
Flow M ³ /Day	*	*	*	8	7.8	8.3	8
pH	7.8	7.9	*	*	696	*	1204
Temperature °C	*	*	*	*	3	9	5
Cond 20°C	*	6	*	4.1	0.4	<0.1	<0.1
SS mg/L	*	0.1	1.2	7.33	4	5.05	2.45
NH ₃ mg/L	*	2.4	2.5	*	<10	*	<21
BOD mg/L	7.7	<21	*	10.5	*	*	8
COD mg/L	*	5.8	8.6	*	*	*	*
TN mg/L	17.5	*	*	*	*	*	*
Nitrite mg/L	*	*	*	*	0.33	0.66	<0.2
Nitrate mg/L	0.43	0.3	1.24	1.94	0.26	0.6	0.9
TP mg/L	*	*	*	<30	*	<30	<30
O-PO4-P mg/L	*	*	*	*	*	*	<0.1
SO4 mg/L	*	*	*	*	*	*	<0.01
Phenols µg/L	*	*	*	*	*	*	<1.0
Atrazine µg/L	*	*	*	*	*	*	<0.01
Dichloromethane	*	*	*	*	*	*	<1.0
Simazine µg/L	*	*	*	*	*	*	*
Toluene µg/L	*	*	*	*	*	*	<1.0
Tributyltin µg/L	*	*	*	*	*	*	1
Xylenes µg/L	*	*	*	*	*	*	<0.02
Arsenic µg/L	*	*	*	*	*	*	<0.02
Chromium mg/L	*	*	*	*	*	*	<5
Copper mg/L	*	*	*	*	*	*	*
Cyanide µg/L	*	*	*	*	*	0.056	0.037
Fluoride	*	*	*	*	*	<0.02	<0.02
Lead mg/L	*	*	*	*	*	<0.02	<0.02
Nickel mg/L	*	*	*	*	*	<0.02	<0.02
Zinc mg/L	*	*	*	*	*	<0.02	<0.02
Boron mg/L	*	*	*	*	*	*	0.2
Cadmium mg/L	*	*	*	*	*	*	2
Mercury µg/L	*	*	*	*	*	*	*
Selenium µg/L	*	*	*	*	*	0.08	0.027
Barium mg/L	*	*	*	*	*	*	*

Note * Indicates analysis by Water Services North

For inspection purposes only.
Consent of copyright owner required for any other use.

Attachement E4 results from Water Quality Laboratory Inniscarra

Parameter	Molybdate	Ammonium	Nitrate	Nitrite	Appearance	Temperature	Dissolved O2	Dissolved % O2	pH	BOD O2	Colour Hz	Chloride Cl	Conductivity µS/cm	Hardness CaCO3 mg/l	Alkalinity CaCO3 mg/l	Mg Mg	Ca mg/l
Max.	Varies	Varies	Varies	0.05	--	--	15	150	Varies	Varies	Varies	--	--	--	--	--	--
Target	--	--	--	--	--	--	5	50	Varies	--	--	--	--	--	--	--	--
Min.	--	--	--	--	--	--	--	--	Varies	--	--	--	--	--	--	--	--
Sample Date	mg/l	mg/l	mg/l	mg/l	Descriptive	Degrees C	mg/l	% O2	pH units	mg/l	Hazen	mg/l	µS/cm	mg/l	mg/l	mg/l	mg/l
15-Mar-07	0.113	0.296	21	0.279	clear	9	10.8	93	8.3	0.4	33	27.1	591	326	260	8.46	116.6
15-Mar-07	0.052	0.118	15.5	0.091	clear	8.4	11.7	99	8.2	0.6	92	21.9	568	289	260	7.07	115.7
30-May-07	0.957	0.869	14.3	0.594	cloudy	12.3	7.6	73	8	5.9	38	107	1068	322	218	--	--
30-May-07	0.074	0.057	5.6	0.042	cloudy	12	9.4	90	7.9	6	49	12.2	269	146	114	--	--
07-Aug-07	0.084	0.081	6	0.068		15.4	8.9	88	8.2	1	47		611	176	264	--	--
07-Aug-07	0.257	0.219	9.2	0.123	clear	15	8.8	88	8.1	1.7	46		588	376	288	--	--
07-Aug-07	0.257	0.219	9.2	0.123	clear	15	8.9	88	8.2	1.3	46		614	354	256	--	--
11-Dec-07	0.015	0.087	13.2	0.153	clear	8	11.4	95	8.1	0.4	26		620	350	318	--	--
11-Dec-07	0.043	0.194	17.2	0.43	clear	8.3	11.3	90	8.2	0.7	36		643	340	304	--	--
11-Dec-07	0.132	0.182	11.8	0.138		8	11	97	8.1	2.1	76	31.7	556	272	232	--	--
11-Mar-08	0.07	0.209	9.2	0.075		7.7	11.7	101	8.2	1.9	67	23.9	510	292	284	--	--
10-Apr-08	0.014	0.125	9.6	0.059		7.6	12.6	108	8.3	0.2	22	25.2	590	279	306	--	--
10-Apr-08	0.427	1.217	14.4	0.325		8.8	11.7	104	8.2	3.9	30	225		371	312	--	--
Project	Location	Location	R Sample	Template													
Charleville	d/s of charleville	STP	(WFD)	Operational													
Charleville	Charleville	u/s	WFD	Operational													
Charleville	d/s of charleville	STP	(WFD)	Operational													
Charleville	Charleville	u/s	WFD	Operational													
Charleville	d/s of charleville	STP	(WFD)	Operational													
Charleville	Charleville	u/s	WFD	Operational													
Charleville	d/s of charleville	STP	(WFD)	Operational													
Charleville	Charleville	u/s	WFD	Operational													
Charleville	d/s of charleville	STP	(WFD)	Operational													
Charleville	Charleville	u/s	WFD	Operational													
Charleville	d/s of charleville	STP	(WFD)	Operational													
Charleville	Charleville	u/s	WFD	Operational													

For inspection purposes only.
Consent of copyright owner required for any other use.

SECTION F1: ASSESSMENT OF IMPACTS OF WASTE WATER DISCHARGES ON RECEIVING WATERS

Table F1-1: Table of Attachments

Item	Title	Page. No.
1*	Cork County Council Wastewater Laboratory Test Report for Wastewater Treatment Plant outlet	F1-2
2	Table F1-8: Charleville WWTP Assimilative Capacity Assessment	F1-6
3	Table F1-9: Cork County Council Wastewater Laboratory Recorded River Quality upstream of WWTP	F1-7
4	Table F1-10: Cork County Council Wastewater Laboratory Recorded River Quality downstream of WWTP	F1-8
5	Special Area of Conservation: Lower River Shannon Site Synopsis	F1-9

* Cork County Council cannot be copied to OCR format.

For inspection purposes only.
Consent of copyright owner required for any other use.



Laboratory Test Report
 Cork County Council
 Waste Water Laboratory
 Inniscarra, Co. Cork

Page 1 of 1
 July 10, 2008

Industry Name: Charleville Sewage Works
 Address: Charleville, Co. Cork

Industry Code No. 304
 Report Ref No. 610-07-03-167
 Issued to F. C. Hannan
SE Water Services Unit

License No. Type S

License Limit	Volume m ³	pH	B.O.D. mg/l	C.O.D. mg/l	Ses Solids mg/l	TP-P mg/l	Code	Comments
	999999	11.99	25	125	55	49		
Date								
21/02/07	8656	7.6	7.5	25	8	0.69	GR163	G TN-NS=21 Amg/l
08/03/07		7.9	7.1	34	19	0.69	GR204	C TN-NS=8.2mg/l
03/05/07	4574	8.0	4.7	25	5	2.2	GR356	C TN-NS=10.6mg/L THM<=0.1
13/09/07	5453	7.8	1.94	<21	3	1.75	GR853	G SD<=0.0mg/l TN-NS=5.2mg
27/09/07	3645	7.7	2.76	23	5	1.14	GR902	G CP04=0.98mg/l NH3=0.4mg
03/10/07	4795	7.6	7.66	<21	15	1.31	GR944	G CP06=0.39mg/l NH3=1.3mg
14/02/08	10480	8.3	4.28	26	9	1.2	GR102	C NH3-N=0.1mg/l O-PO4=0.86
10/04/08			3.7	24	6	1.54	GS328	C TN-NS=16mg/l OPO4=1.4
% Compl. Average	100 5938.83	100 7.84	100 4.95	100 16.38	100 8.75	100 22.70	G	*** **** **

Consent of copyright owner required for any other use.

The samples are received at the Laboratory on the day of sampling. The above test methods are based on Standard Methods for the examination of Water and Waste Water, 21st Edition 2005, APHA, AWWA, WEF. C = Composite Sample, G = Grab Sample.

The compliance value may be varied on items marked with an * by the application of uncertainty of measurement values on reverse Page. Chemical Procedure Numbers (CP No.) for INAB accredited tests are as follows:

- CP NO. 1 = B.O.D.
- CP NO. 3 = S.S.
- CP NO. 20 = TP-P
- CP NO. 5 = pH
- CP NO. 6 = C.O.D.
- CP NO. 7 = Cl
- CP NO. 12 = Ammonia (KONELAB)
- CP NO. 23 = OPO4-P (KONELAB)
- CP NO. 24 = Chloride (KONELAB)
- CP NO. 25 = Sulphate (KONELAB)

This report relates only to the samples listed above. This report shall not be reproduced except in full and only with the approval of the testing laboratory. Cork County Council is not accredited by INAB for tests marked with S. Kg testings based on flows as supplied by the company. ~ indicates results that have been added.

Reported by: F. C. Hannan Date: 10/07/08

Ms. V. Hannan Technical Manager
 Deputy Technical Manager

CYR 001 Issue No 5 November 2007

Wastewater Laboratory Cork County Council- Test Report Addendum

- a. Sample date reported in column 1 on this report is the date of collection of the sample from the industry name and address as outlined at the top of the report.
- b. Cork County Council wastewater laboratory are not accredited for sample collection.
- c. Data reported in (d) below is defined in section 5.10.3 (c) in wastewater laboratory quality manual.

d. Table of Uncertainty Of Measurement - Estimate Of Values For Accredited Tests

Chemical Procedure No.	range	Test Name	Estimated Uncertainty	Units
CP No. 1	1 - 9 mg/l	Biochemical Oxygen Demand (BOD)	± 0.38	mg/l
CP No. 1	9 - 70 mg/l	Biochemical Oxygen Demand (BOD)	± 3.2	mg/l
CP No. 1	71 - 750 mg/l	Biochemical Oxygen Demand (BOD)	± 40	mg/l
CP No. 3	35 mg/l	Suspended Solids (SS)	± 6.4	mg/l
CP No. 3	200 - 400 mg/l	Suspended Solids (SS)	± 45.6	mg/l
CP No. 3	700 - 1000 mg/l	Suspended Solids (SS)	± 80.8	mg/l
CP No. 5	9 - 12	pH	± 0.12	pH Units
CP No. 4	< 6 mg/l	Chemical Oxygen Demand (COD LR)	± 5.6	mg/l
CP No. 4	15 - 25 mg/l	Chemical Oxygen Demand (COD LR)	± 10.6	mg/l
CP No. 4	100 - 135 mg/l	Chemical Oxygen Demand (COD LR)	± 17.4	mg/l
CP No. 6	120 - 1500 mg/l	Chemical Oxygen Demand (COD) High Range	± 26.5	mg/l
CP No. 7	5.0 - 1.25 mg/l	Chloride (Cl)	± 0.55	mg/l
CP No. 20	0.2 - 2.5 mg/l	Total Phosphorus (TP-P)	± 0.24	mg/l
CP No. 22	0.1 - 0.9 mg/l	Arsenite (Konelab)	± 0.04	mg/l
CP No. 22	1.0 - 2.0 mg/l	Arsenite (Konelab)	± 0.10	mg/l
CP No. 22	2 - 10 mg/l	Arsenite (Konelab)	± 0.32	mg/l
CP No. 22	11 - 19 mg/l	Arsenite (Konelab)	± 0.72	mg/l
CP No. 23	20 - 25 mg/l	Arsenite (Konelab)	± 1.36	mg/l
CP No. 23	0.05 - 1.00 mg/l	Orthophosphate as P (Konelab)	± 0.04	mg/l
CP No. 24	25.00 - 99.00 mg/l	Chloride (Konelab)	± 3.64	mg/l
CP No. 24	100.00 - 200.00 mg/l	Chloride (Konelab)	± 11.16	mg/l
CP No. 25	30.00 - 199.00 mg/l	Sulphate (Konelab)	± 3.42	mg/l
CP No. 25	200.00 - 250.00 mg/l	Sulphate (Konelab)	± 8.70	mg/l

November 2007

The raw data used to evaluate the above estimations is stored in the Wastewater Laboratory, Cork County Council.

The method followed is located in the Uncertainty of Measurement file end in the Eurachem Guidelines for Quantifying Uncertainty in Analytical Measurement.



Laboratory Test Report
 Cork County Council
 Waste Water Laboratory
 Inniscarra, Co. Cork

Page 1 of 3
 July 10, 2008

Industry Name: Charleville Sewage Works
 Address: Charleville, Co. Cork

Industry Code No. 304
 Report Ref No. SC0-C7-08-168
 Issued to F. Cronin
Site Water Services Unit

Licence No. Type \$

Volume m3	pH	B.O.D. mg/l	C.O.D. mg/l	Sus Solids mg/l	TP-P mg/l	Code	Comments
999999	3.90	25	125	35	99		
Date							
21/02/07	8656	7.6	7.5	25	8	GR165	G TN-N3=21.4mg/l
08/03/07		7.9	7.1	24	19	GR264	C TN-N3=8.7mg/L
03/05/07	4574	8.0	4.7	25	5	GR356	C TN-N3=10.8mg/L, TP-P=C
13/09/07	3483	7.8	3.94	<21	3	GR853	G SO4<<=30mg/l TN-N3=5.2mg/l
27/09/07	3645	7.7	2.76	23	5	GR902	G OPO4=0.98mg/l NH4=0.4mg
03/10/07	4795	7.6	7.66	<21	15	GR944	G OPO4=0.88mg/l NH4=1.1mg
% Comp.	100	100	100	100	100		
Average	5030.60	7.57	5.28	16.17	9.17		

For inspection purposes only.
 Consent of copyright owner required for any other use.

The samples are received at the laboratory on the day of sampling. The above test methods are based on Standard Methods for the examination of Water and Waste Water, 21st Edition 2005, APHA, AWWA, WEF. C = Composite Sample, G = Grab Sample.

The compliance value may be varied on tests marked with an * by the application of uncertainty of measurement values on reverse Page Chemical Procedure Numbers (CP No.) for INAB accredited tests are as follows:

- CP NO. 1 = B.O.D.
- CP NO. 2 = S.S.
- CP NO. 20 = TP-P
- CP NO. 3 = pH
- CP NO. 6 = C.O.D.
- CP NO. 7 = Cl
- CP NO. 22 = Ammonia (KONELAB)
- CP NO. 23 = OPO4-P (KONELAB)
- CP NO. 24 = Chloride (KONELAB)
- CP NO. 25 = Sulphate (KONELAB)

This report relates only to the samples listed above. This report shall not be reproduced except in full and only with the approval of the testing laboratory. Cork County Council is not accredited by INAB for tests marked with \$. Rg loadings based on flows as supplied by the company. ~ indicates results that have been edited.

Reported by: V. Hannon Date: 10/7/08

Ms. V. Hannon Technical Manager
 Deputy Technical Manager

Wastewater Laboratory Cork County Council- Test Report Addendum

- Sample date reported in column 1 on this report is the date of collection of the sample from the industry name and address as outlined at the top of the report.
- Cork County Council wastewater laboratory are not accredited for sample collection.
- Data reported in (d) below is defined in section 5.10.3 (c) in wastewater laboratory quality manual.

d. Table of Uncertainty Of Measurement - Estimate Of Values For Accredited Tests

Chemical Procedure No.	range	Test Name	Estimated Uncertainty	Units
CP No. 1	1 - 8 mg/l	Biochemical Oxygen Demand (BOD)	± 0.36	mg/l
CP No. 1	9 - 79 mg/l	Biochemical Oxygen Demand (BOD)	± 3.2	mg/l
CP No. 1	71 - 709 mg/l	Biochemical Oxygen Demand (BOD)	± 40	mg/l
CP No. 3	35 mg/l	Suspended Solids (SS)	± 6.4	mg/l
CP No. 3	300 - 400 mg/l	Suspended Solids (SS)	± 41.6	mg/l
CP No. 3	700 - 1000 mg/l	Suspended Solids (SS)	± 80.0	mg/l
CP No. 4	2 - 12	pH	± 0.12	pH Units
CP No. 6	< 6 mg/l	Chemical Oxygen Demand (COD LR)	± 5.6	mg/l
CP No. 6	15 - 75 mg/l	Chemical Oxygen Demand (COD LR)	± 30.6	mg/l
CP No. 6	100 - 135 mg/l	Chemical Oxygen Demand (COD LR)	± 37.4	mg/l
CP No. 6	120 - 350 mg/l	Chemical Oxygen Demand (COD High Range)	± 25.8	mg/l
CP No. 7	5.0 - 1.25 mg/l	Chloride (Cl)	± 0.85	mg/l
CP No. 20	0.2 - 2.5 mg/l	Total Phosphorus (TP-P)	± 0.22	mg/l
CP No. 22	0.1 - 0.9 mg/l	Ammonia (Konelab)	± 0.04	mg/l
CP No. 22	1.0 - 2.0 mg/l	Ammonia (Konelab)	± 0.16	mg/l
CP No. 22	3 - 10 mg/l	Ammonia (Konelab)	± 0.32	mg/l
CP No. 22	11 - 19 mg/l	Ammonia (Konelab)	± 0.72	mg/l
CP No. 22	20 - 25 mg/l	Ammonia (Konelab)	± 1.56	mg/l
CP No. 23	0.05 - 1.00 mg/l	Orthophosphate P (Konelab)	± 0.04	mg/l
CP No. 24	25.00 - 99.00 mg/l	Chloride (Konelab)	± 3.64	mg/l
CP No. 24	100.00 - 200.00 mg/l	Chloride (Konelab)	± 11.16	mg/l
CP No. 25	30.00 - 190.00 mg/l	Sulfate (Konelab)	± 7.42	mg/l
CP No. 25	200.00 - 250.00 mg/l	Sulfate (Konelab)	± 8.70	mg/l

November 2007

The raw data used to evaluate the above estimations is stored in the Wastewater Laboratory, Cork County Council.

The method followed is located in the Uncertainty of Measurement file and in the Eurachem Guidelines for Quantifying Uncertainty in Analytical Measurement.

Table F1-8: Charleville Assimilative Capacity Assessment											
P.E.	Parameter	Receiving waters Background concentration	Upstream			WWTP		Downstream Water Quality		Receiving Water Quality Limiting Value	Q- Rating
			Upstream River Flow See Note 1 below	Discharge Flow	Effluent Discharge Standard	Flow	Expected Water Quality				
		mg/l	l/s	m ³ /d	m ³ /d	mg/l	m ³ /d	mg/l	mg/l		
21/02/2007	BOD	1.7	11.00	950.40	8656	7.50	9606.40	6.93	2.7	03	
	SS	3	11.00	950.40	8656	8.00	9606.40	7.51	25		
	Phosphorus	0.105	960.00	82944.00	8656	-	91600.00	-	0.07		
03/05/2007	BOD	1.7	11.00	950.40	4574	4.70	5524.40	4.18	2.7	03	
	SS	3	11.00	950.40	4574	5.00	5524.40	4.66	25		
	Phosphorus	0.105	960.00	82944.00	4574	-	87518.00	-	0.07		
13/09/2007	BOD	1.7	11.00	950.40	3483	1.94	4433.40	1.89	2.7	03	
	SS	3	11.00	950.40	3483	3.00	4433.40	3.00	25		
	Phosphorus	0.105	960.00	82944.00	3483	1.44	86427.00	0.16	0.07		
27/09/2007	BOD	1.7	11.00	950.40	3645	2.76	4595.40	2.54	2.7	03	
	SS	3	11.00	950.40	3645	5.00	4595.40	4.59	25		
	Phosphorus	0.105	960.00	82944.00	3645	0.98	86589.00	0.14	0.07		
03/10/2007	BOD	1.7	11.00	950.40	4795	7.66	5745.40	6.67	2.7	03	
	SS	3	11.00	950.40	4795	15.00	5745.40	13.01	25		
	Phosphorus	0.105	960.00	82944.00	4795	0.89	87739.00	0.15	0.07		
14/02/2008	BOD	1.7	11.00	950.40	10488	4.28	11438.40	4.07	2.7	03	
	SS	3	11.00	950.40	10488	9.00	11438.40	8.50	25		
	Phosphorus	0.105	960.00	82944.00	10488	0.86	93432.00	0.19	0.07		
17/07/2008	Atrazine	0.000005	2.50	216.00	3600	0.00001	3816.00	0.00001	0.001	03	
	Dichloromethane	0.0005	2.50	216.00	3600	0.00050	3816.00	0.00050	0.01		
	Simazine	0.000005	2.50	216.00	3600	0.00001	3816.00	0.00001	0.001		
	Toluene	0.0005	2.50	216.00	3600	0.00050	3816.00	0.00050	0.01		
	Xylenes	0.0005	2.50	216.00	3600	0.00050	3816.00	0.00050	0.01		
	Arsenic	0.002	2.50	216.00	3600	0.00100	3816.00	0.00106	0.025		
	Copper	0.01	2.50	216.00	3600	0.01000	3816.00	0.01000	0.03		
	Cyanide	0.0025	2.50	216.00	3600	0.00250	3816.00	0.00250	0.01		
	Lead	0.01	2.50	216.00	3600	0.01000	3816.00	0.01000	0.01		
	Nickel	0.01	2.50	216.00	3600	0.01000	3816.00	0.01000	0.05		
	Zinc	0.01	2.50	216.00	3600	0.01000	3816.00	0.01000	0.1		
Note 1:	Median Flow is used to calculate assimilative capacity for Orthophosphate, DWF is used for dangerous substances and 95%-ile flow is used for all other substances.										
	BOD limiting value is based on the BOD background + 1mg/l as recommended by Royal Commission in it's report on Water Quality Guidelines.										
	SS limiting value is 25mg/l which is based on the Freshwater Fish Directive in the absence of alternative guidance.										
	Phosphorus standard for a Q3 rated river is 0.07mg/l.										
	Limiting Values for dangerous substances from Dangerous Substances Act 2001 (based on Charleville Stream CaCO3 content >100mg/l)										

Table F1-9: River Allow Water Quality (Upstream of Charleville WWTP)

Sample Date	21/02/2007	03/05/2007	13/09/2007	14/02/2008	10/04/2008
Sample	river	river	river	River	River
Flow M ³ /Day	*	*	*	*	*
pH	8	*	8.4	8.5	*
Temperature °C	*	*	*	*	*
Cond 20°C	*	*	*	*	*
SS mg/L	<2.5	3	6	3	*
NH ₃ mg/L	<0.1	<0.1	<0.1	0.1	*
BOD mg/L	<1	<1	1.68	1.31	*
COD mg/L	*	*	*	*	*
TN mg/L	17.7	7.65	8.9	*	*
Nitrite mg/L	*	*	*	*	*
Nitrate mg/L	*	*	*	*	*
TP mg/L	<0.2	0.21	1	<0.2	*
O-PO4-P mg/L	*	*	0.33	0.09	0.08
SO4 mg/L	*	*	<30	<30	*
Chromium mg/L	*	*	*	<0.02	*
Copper mg/L	*	*	*	<0.02	*
Cyanide µg/L	*	*	*	*	*
Fluoride	*	*	*	*	*
Lead mg/L	*	*	*	0.051	*
Nickel mg/L	*	*	*	<0.02	*
Zinc mg/L	*	*	*	<0.02	*
Boron mg/L	*	*	*	<0.02	*
Cadmium mg/L	*	*	*	<0.02	*
Mercury µg/L	*	*	*	*	*
Selenium µg/L	*	*	*	*	*
Barium mg/L	*	*	*	0.045	*

Table F1-10: River Allow Water Quality (Downstream of Charleville WWTP)

Sample Date	21/02/2007	08/03/2007	03/05/2007	13/09/2007	14/02/2008
Sample	river	river	river	river	River
Flow M ³ /Day	*	*	*	*	*
pH	7.8	7.9	*	8	8.3
Temperature °C	*	*	*	*	*
Cond 20°C	*	*	*	*	*
SS mg/L	*	6	*	*	9
NH ₃ mg/L	*	0.1	1.2	4.1	<0.1
BOD mg/L	7.7	2.4	2.5	7.33	5.05
COD mg/L	*	<21	*	*	*
TN mg/L	17.5	5.8	8.6	10.5	*
Nitrite mg/L	*	*	*	*	*
Nitrate mg/L	*	*	*	*	*
TP mg/L	0.43	0.3	1.24	1.94	0.66
O-PO4-P mg/L	*	*	*	*	0.6
SO4 mg/L	*	*	*	<30	<30
Chromium mg/L	*	*	*	*	<0.02
Copper mg/L	*	*	*	*	<0.02
Cyanide µg/L	*	*	*	*	*
Fluoride	*	*	*	*	*
Lead mg/L	*	*	*	*	0.056
Nickel mg/L	*	*	*	*	<0.02
Zinc mg/L	*	*	*	*	<0.02
Boron mg/L	*	*	*	*	<0.02
Cadmium mg/L	*	*	*	*	<0.02
Mercury µg/L	*	*	*	*	*
Selenium µg/L	*	*	*	*	*
Barium mg/L	*	*	*	*	0.08

Consent of copyright owner required for any other use.
For inspection purposes only.

SITE SYNOPSIS

SITE NAME : LOWER RIVER SHANNON

SITE CODE : 002165

This very large site stretches along the Shannon valley from Killafoe to Loop Head/ Kerry Head, a distance of some 120 km. The site thus encompasses the Shannon, Feale, Mulkear and Fergus Estuaries, the freshwater lower reaches of the River Shannon (between Killafoe and Limerick), the freshwater stretches of much of the Feale and Mulkear catchments and the marine area between Loop Head and Kerry Head. The Shannon and Fergus flow through Carboniferous limestone as far as Foynes, but west of Foynes Namurian shales and flagstones predominate (except at Kerry Head, which is formed from Old Red Sandstone). The eastern sections of the Feale catchment flow through Namurian Rocks and the western stretches through Carboniferous Limestone. The Mulkear flows through Lower Palaeozoic Rocks in the upper reaches before passing through Namurian Rocks, followed by Lower Carboniferous Shales and Carboniferous Limestone. The Mulkear River itself, immediately north of Pallas Green, passes through an area of Rhyolites, Tuffs and Agglomerates. Rivers within the sub-catchment of the Feale include the Gafey, Smearlagh, Oulagh, Allaughan, Owveg, Ciydagh, Caber, Breanagh and Glenacorney. Rivers within the sub-catchment of the Mulkear include the Killecnagariff, Annagh, Newport, the Dead River, the Bilboa, Gtashactoonarvuela, Gortageeragh and Cahernahalla.

The site is a candidate SAC selected for lagoons and alluvial wet woodlands, both habitats listed on Annex I of the E.U. Habitats Directive. The site is also selected for floating river vegetation, *Molinia* meadows, estuaries, tidal mudflats, Atlantic salt meadows, Mediterranean salt meadows, *Salicornia* mudflats, sand banks, perennial vegetation of stony banks, sea cliffs, reefs and large shallow inlets and bays all habitats listed on Annex I of the E.U. Habitats Directive. The site is also selected for the following species listed on Annex II of the same directive – Bottle-nosed Dolphin, Sea Lamprey, River Lamprey, Brook Lamprey, Freshwater Pearl Mussel, Atlantic Salmon and Otter.

The Shannon and Fergus Estuaries form the largest estuarine complex in Ireland. They form a unit stretching from the upper tidal limits of the Shannon and Fergus Rivers to the mouth of the Shannon estuary (considered to be a line across the narrow strait between Kileredans Point and Kilconly Point). Within this main unit there are several tributaries with their own 'sub-estuaries' e.g. the Deel River, Mulkear River, and Mague River. To the west of Foynes, a number of small estuaries form indentations in the predominantly hard coastline, namely Poulasherry Bay, Ballylongford Bay, Clonderalaw Bay and the Feale or Cashen River Estuary.

Both the Fergus and inner Shannon estuaries feature vast expanses of intertidal mudflats, often fringed with saltmarsh vegetation. The smaller estuaries also feature mudflats, but have their own unique characteristics, e.g. Poulasherry Bay is stony and unusually rich in species and biotopes. Plant species are typically scarce on the mudflats, although there are some Eel-grass beds (*Zostera* spp.) and patches of green

algae (e.g. *Ulva* sp. and *Enteromorpha* sp.). The main macro-invertebrate community, which has been noted from the inner Shannon and Fergus estuaries, is a *Macoma-Scrobicularia-Nereis* community.

In the transition zone between mudflats and saltmarsh, specialised colonisers of mud predominate: swards of Common Cord-grass (*Spartina anglica*) frequently occur in the upper parts of the estuaries. Less common are swards of Glasswort (*Salicornia europaea* agg.). In the innermost parts of the estuaries, the tidal channels or creeks are fringed with species such as Common Reed (*Phragmites australis*) and Club-rushes (*Scirpus maritimus*, *S. tabernaemontani* and *S. triquetrus*). In addition to the nationally rare Triangular Club-rush (*Scirpus triquetrus*), two scarce species are found in some of these creeks (e.g. Ballinacuna Creek): Lesser Bulrush (*Typha angustifolia*) and Summer Snowflake (*Leucjum aestivum*).

Saltmarsh vegetation frequently fringes the mudflats. Over twenty areas of estuarine saltmarsh have been identified within the site, the most important of which are around the Fergus Estuary and at Kingmoyle Quay. The dominant type of saltmarsh present is Atlantic salt meadow occurring over mud. Characteristic species occurring include Common Saltmarsh Grass (*Puccinellia maritima*), Sea Aster (*Aster tripolium*), Thrift (*Armeria maritima*), Sea-milkwort (*Glaux maritima*), Sea Plantain (*Plantago maritima*), Red Fescue (*Festuca rubra*), Creeping Beet (*Agrostis stolonifera*), Saltmarsh Rush (*Juncus gerardi*), Long-bracted Sedge (*Carex exensa*), Lesser Sea-spurrey (*Spergularia marina*) and Sea Arrowgrass (*Triglochin maritima*). Areas of Mediterranean salt meadows, characterised by clumps of Sea Rush (*Juncus maritimus*) occur occasionally. Two scarce species are found on saltmarshes in the vicinity of the Fergus Estuary: a type of robust Saltmarsh-grass (*Puccinellia juncoides*), sometimes placed within the compass of Common Saltmarsh-grass (*Puccinellia maritima*) and Hard-grass (*Parapholis strigosa*).

Saltmarsh vegetation also occurs around a number of lagoons within the site. The two which have been surveyed as part of a National Inventory of Lagoons are Shannon Airport Lagoon and Clooncooneen Pool. Clooncooneen Pool (4-5 ha) is a natural sedimentary lagoon impounded by a low cobble barrier. Seawater enters by percolation through the barrier and by overwash. This lagoon represents a type which may be unique to Ireland since the substrate is composed almost entirely of peat. The adjacent shore features one of the best examples of a drowned forest in Ireland. Aquatic vegetation in the lagoon includes typical species such as Beaked Tasselweed (*Ruppia maritima*) and green algae (*Cladophora* sp.). The fauna is not diverse, but is typical of a high salinity lagoon and includes six lagoon specialists (*Hydrobia ventrosa*, *Cerastoderma glaucum*, *Lekanesphaera hookeri*, *Palaemonetes varians*, *Sigara stagnalis* and *Enochrus bicolor*). In contrast, Shannon Airport Lagoon (2 ha) is an artificial saline lake with an artificial barrier and sluiced outlet. However, it supports two Red Data Book species of Stonewort (*Chara eunoscens* and *Chara cf. connivens*).

Most of the site west of Kilcredam Point/Kilconly Point is bounded by high rocky sea cliffs. The cliffs in the outer part of the site are sparsely vegetated with lichens, Red Fescue, Sea Beet (*Beta vulgaris*), Sea Campion (*Silene maritima*), Thrift and Plantains (*Plantago* spp.). A rare endemic Sea Lavender (*Limonium recurvum* subsp.

pseudotranswallianum) occurs on cliffs near Loop Head. Cliff-top vegetation usually consists of either grassland or maritime heath. The boulder clay cliffs further up the estuary tend to be more densely vegetated, with swards of Red Fescue and species such as Kidney Vetch (*Anhyllis vulneraria*) and Bird's-foot Trefoil (*Lotus corniculatus*).

The site supports an excellent example of a large shallow inlet and bay. Littoral sediment communities in the mouth of the Shannon Estuary occur in areas that are exposed to wave action and also in areas extremely sheltered from wave action. Characteristically, exposed sediment communities are composed of coarse sand and have a sparse fauna. Species richness increases as conditions become more sheltered. All shores in the site have a zone of sand hoppers at the top and below this each of the shores has different characteristic species giving a range of different shore types in the psSAC.

The intertidal reefs in the Shannon Estuary are exposed or moderately exposed to wave action and subject to moderate tidal streams. Known sites are steeply sloping and show a good zonation down the shore. Well developed lichen zones and littoral reef communities offering a high species richness in the sublittoral fringe and strong populations of *Paracentrotus lividus* are found. The communities found are tolerant to sand scour and tidal streams. The infralittoral reefs range from sloping platforms with some vertical steps to ridged bedrock with gullies of sand between the ridges to ridged bedrock with boulders or a mixture of cobbles, gravel and sand. Kelp is very common to about 18m. Below this it becomes rare and the community is characterised by coralline crusts and red foliose algae.

Other coastal habitats that occur within the site include the following:

- stony beaches and bedrock shores - these shores support a typical zonation of seaweeds (*Fucus* spp., *Asciophyllum nodosum* and kelps).
- shingle beaches - the more stable areas of shingle support characteristic species such as Sea Beal, Sea Mayweed (*Matricaria maritima*), Sea Campion and Curled Dock (*Rumex crispus*).
- Sandbanks which are slightly covered by sea water at all times - there is a known occurrence of sand/gravel beds in the area from Kerry Head to Beal Head.
- sand dunes - a small area of sand dunes occurs at Beal Point. The dominant species is Marram Grass (*Ammophila arenaria*).

Flowing into the estuaries are a number of tidal rivers.

Freshwater rivers have been included in the site, most notably the Peale and Mulkear catchments, the Shannon from Killaloe to Limerick (along with some of its tributaries, including a short stretch of the Kilmastulla River), the Fergus up as far as Bonis, and the Cloon River. These systems are very different in character: the Shannon being broad, generally slow-flowing and naturally eutrophic; the Fergus being smaller and alkaline; while the narrow, fast-flowing Cloon is acid in nature. The Peale and Mulkear catchments exhibit all the aspects of a river from source to mouth. Semi-natural habitats, such as wet grassland, wet woodland and marsh occur by the rivers, however, improved grassland is most common. One grassland type of particular

conservation significance, *Molinia* meadows, occurs in several parts of the site and the examples at Worldsend on the River Shannon are especially noteworthy. Here are found areas of wet meadow dominated by rushes and sedges and supporting a diverse and species-rich vegetation, including such uncommon species as Blue-eyed Grass (*Sisyrinchium bermudiana*) and Pale Sedge (*Carex pallescens*).

Floating river vegetation characterised by species of Water-crowfoot (*Ranunculus* spp.), Pondweeds (*Potamogeton* spp.) and the moss *Fontinalis antipyretica* are present throughout the major river systems within the site. The rivers contain an interesting bryoflora with *Schistidium alpicola* var. *alpicola* recorded from in-stream boulders on the Bilboa, new to county Limerick.

Alluvial woodland occurs on the banks of the Shannon and on islands in the vicinity of the University of Limerick. The woodland is up to 50m wide on the banks and somewhat wider on the largest island. The most prominent woodland type is gallery woodland where White Willow (*Salix alba*) dominates the tree layer with occasional Alder (*Alnus glutinosa*). The shrub layer consists of various willow species with sally (*Salix cinerea* ssp. *oleifolia*) and what appear to be hybrids of *S. alba* x *S. viminalis*. The herbaceous layer consists of tall perennial herbs. A fringe of Bulrush (*Typha* sp.) occurs on the riverside of the woodland. On slightly higher ground above the wet woodland and on the raised embankment remnants of mixed oak-ash-alder woodland occur. These are poorly developed and contain numerous exotic species but locally there are signs that it is invading open grassland. Alder is the principal tree species with occasional Oak (*Quercus robur*), Elm (*Ulmus glabra*, *U. procera*), Hazel (*Corylus avellana*), Hawthorn (*Crataegus monogyna*) and the shrubs Guckler-rose (*Viburnum opulus*) and willows. The ground flora is species-rich.

Woodland is infrequent within the site, however Cahincon Wood contains a strip of old Oak woodland. Sessile Oak (*Quercus petraea*) forms the canopy, with an understorey of Hazel and Holly (*Ilex aquifolium*). Great Wood-rush (*Luzula sylvatica*) dominates the ground flora. Less common species present include Great Horsetail (*Equisetum telmateia*) and Pendulous Sedge (*Carex pendula*).

In the low hills to the south of the Slievefelim mountains, the Cahernahalla River cuts a valley through the Upper Silurian rocks. For approximately 2km south of Cappagh Bridge at Knockanavar, the valley sides are wooded. The woodland consists of Birch (*Betula* spp.), Hazel, Oak, Rowan (*Sorbus aucuparia*), some Ash (*Fraxinus excelsior*) and Willow (*Salix* spp.). Most of the valley is not grazed by stock, and as a result the trees are regenerating well. The ground flora feature prominent Greater wood-rush and Bilberry (*Vaccinium myrtillus*) with a typical range of woodland herbs. Where there is more light available, Bracken (*Pteridium aquilinum*) features.

The valley sides of the Bilboa and Gortnageragh Rivers, on higher ground north east of Cappanore, support patches of semi-natural broadleaf woodland dominated by Ash, Hazel, Oak and Birch. There is a good scrub layer with Hawthorn, Willow, Holly and Blackthorn (*Prunus spinosa*) common. The herb layer in these woodlands is often open with a typically rich mixture of woodland herbs and ferns. Moss species diversity is high. The woodlands are ungrazed. The hazel is actively coppiced in places.

There is a small area of actively regenerating cut away raised bog at Ballyrocheen. It is situated approx. 5km north west of Cappamore Co. Limerick. The bog contains some wet areas with good moss (*Sphagnum*) cover. Species of particular interest include the Cranberry (*Vaccinium oxycoccos*) and the White Sedge (*Carex curta*) along with two other regionally rare mosses including *S. fimbriatum*. The site is being invaded by Birch (*Betula pubescens*) scrub woodland. Both commercial forestry and the spread of rhododendron has greatly reduced the overall value of the site.

A number of plant species that are Irish Red Data Book species occur within the site - several are protected under the Flora (Protection) Order, 1999:

- Triangular Club-rush (*Scirpus triquetrus*) - in Ireland this protected species is only found in the Shannon Estuary, where it borders creeks in the inner estuary.
- Opposite-leaved Pondweed (*Groenlandia densa*) - this protected pondweed is found in the Shannon where it passes through Limerick City.
- Meadow Barley (*Hordeum secalinum*) - this protected species is abundant in saltmarshes at Ringmoyle and Mantlehill.
- Hairy Violet (*Viola hirta*) - this protected violet occurs in the Askeaton/Foynes area.
- Golden Dock (*Rumex maritimus*) - noted as occurring in the River Fergus Estuary.
- Bearded Stonewort (*Chara canescens*) - a brackish water specialist found in Shannon Airport lagoon.
- Convergent Stonewort (*Chara contrivertens*) - presence in Shannon Airport Lagoon to be confirmed.

Overall, the Shannon and Fergus Estuaries support the largest numbers of wintering waterfowl in Ireland. The highest count in 1995-96 was 51,423 while in 1994-95 it was 62,701. Species listed on Annex I of the E.U. Birds Directive which contributed to these totals include: Great Northern Diver (3; 1994/95), Whooper Swan (201; 1995/96), Pale-bellied Brent Goose (246; 1995/96), Golden Plover (11,067; 1994/95) and Bar-tailed Godwit (476; 1995/96). In the past, three separate flocks of Greenland White-fronted Goose were regularly found but none were seen in 1993/94.

Other wintering waders and wildfowl present include Greylag Goose (216; 1995/96), Shelduck (1,060; 1995/96), Wigeon (5,976; 1995/96); Teal (2,319; 1995-96); Mallard (528; 1995/96), Pintail (45; 1995/96), Shoveler (84; 1995/96), Tufted Duck (272; 1995/96), Scaup (121; 1995/96), Ringed Plover (240; 1995/96), Grey Plover (750; 1995/96), Lapwing (24,581; 1995/96), Knot (800; 1995/96), Dornin (20,100; 1995/96), Snipe (719; 1995/96), Black-tailed Godwit (1062; 1995/96), Curlew (1504; 1995/96), Redshank (3228; 1995/96), Greenshank (36; 1995/96) and Turnstone (107; 1995/96). A number of wintering gulls are also present, including Black-headed Gull (2,216; 1995/96), Common Gull (366; 1995/96) and Lesser Black-backed Gull (100; 1994/95). This is the most important coastal site in Ireland for a number of the waders including Lapwing, Dornin, Snipe and Redshank. It also provides an important staging ground for species such as Black-tailed Godwit and Greenshank.

A number of species listed on Annex I of the E.U. Birds Directive breed within the site. These include Peregrine Falcon (2-3 pairs), Sandwich Tern (34 pairs on Rat Island, 1995), Common Tern (15 pairs: 2 on Sturamus Island and 13 on Rat Island, 1995), Chough (14-41 pairs, 1992) and Kingfisher. Other breeding birds of note include Kittiwake (690 pairs at Loop Head, 1987) and Guillemot (4010 individuals at Loop Head, 1987).

There is a resident population of Bottle-nosed Dolphin in the Shannon Estuary consisting of at least 56-68 animals (1996). This is the only known resident population of this E.U. Habitats Directive Annex II species in Ireland. Otter, a species also listed on Annex II of this directive, is commonly found on the site.

Five species of fish listed on Annex II of the E.U. Habitats Directive are found within the site. These are Sea Lamprey (*Petromyzon marinus*), Brook Lamprey (*Lampetra planeri*), River Lamprey (*Lampetra fluviatilis*), Twaité Shad (*Alosa fallax fallax*) and Salmon (*Salmo salar*). The three lampreys and Salmon have all been observed spawning in the lower Shannon or its tributaries. The Fergus is important in its lower reaches for spring salmon while the Mulkear catchment excels as a grilse fishery though spring fish are caught on the actual Mulkear River. The Feale is important for both types. Twaité Shad is not thought to spawn within the site. There are few other river systems in Ireland which contain all three species of Lamprey.

Two additional fish of note, listed in the Irish Red Data Book, also occur, namely Smelt (*Osmerus eperlanus*) and Pollan (*Coregonus autumnalis pollan*). Only the former has been observed spawning in the Shannon.

Freshwater Pearl-mussel (*Margaritifera margaritifera*), a species listed on Annex II of the E.U. Habitats Directive, occurs abundantly in parts of the Cloon River.

There is a wide range of landuses within the site. The most common use of the terrestrial parts is grazing by cattle and some areas have been damaged through over-grazing and poaching. Much of the land adjacent to the rivers and estuaries has been improved or reclaimed and is protected by embankments (especially along the Fergus Estuary). Further, reclamation continues to pose a threat as do flood relief works (e.g. dredging of rivers). Gravel extraction poses a major threat on the Feale.

In the past, Cord-grass (*Spartina* sp.) was planted to assist in land reclamation. This has spread widely, and may oust less vigorous colonisers of mud and may also reduce the area of mudflat available to feeding birds.

Domestic and industrial wastes are discharged into the Shannon, but water quality is generally satisfactory - except in the upper estuary, reflecting the sewage load from Limerick City. Analyses for trace metals suggest a relatively clean estuary with no influences by industrial discharges apparent. Further industrial development along the Shannon and water polluting operations are potential threats.

Fishing is a main tourist attraction on the Shannon and there are a large number of Angler Associations, some with a number of boats. Fishing stands and styles have been erected in places. The River Feale is a designated Salmonid Water under the

E.U. Freshwater Fish Directive. Other uses of the site include commercial angling, oyster farming, boating (including dolphin-watching trips) and shooting. Some of these may pose threats to the birds and dolphins through disturbance. Specific threats to the dolphins include underwater acoustic disturbance, entanglement in fishing gear and collisions with fast moving craft.

This site is of great ecological interest as it contains a high number of habitats and species listed on Annexes I and II of the E.U. Habitats Directive, including the priority habitat lagoon, the only known resident population of Bottle-nosed Dolphin in Ireland and all three Irish lamprey species. A good number of Red Data Book species are also present, perhaps most notably the thriving populations of Triangular Club-rush. A number of species listed on Annex I of the E.U. Birds Directive are also present, either wintering or breeding. Indeed, the Shannon and Fergus Estuaries form the largest estuarine complex in Ireland and support more wintering wildfowl and waders than any other site in the country. Most of the estuarine part of the site has been designated a Special Protection Area (SPA), under the E.U. Birds Directive, primarily to protect the large numbers of migratory birds present in winter.

For inspection purposes only.
Consent of copyright owner required for any other use.

17.05.2005

TABLE F.1(i)(a): SURFACE/GROUND WATER MONITORING
(Primary Discharge Point – one table per upstream and downstream location)

Discharge Point Code: _____

MONITORING POINT CODE: ASWO1u- CHVE

Parameter	Results (mg/l ^{Note 1})				Sampling method (grab, drift etc.)	Limit of Quantitation	Analysis method / technique
	13/09/07	14/02/08	10/04/08	17/07/08			
pH	*	*	*	*	Grab	2	Electrochemical
Temperature	8.4	8.5	*	8.3	Grab	N/A	N/A
Electrical Conductivity (@20°C)	*	*	*	*	Grab	0.5 µmhos/cm	Electrochemical
Suspended Solids	*	*	*	2.88	Grab	0.5 mg/L	Gravimetric
Ammonia (as N)	6	3	*	11	Grab	0.02 mg/L	Colorimetric
Biochemical Oxygen Demand	<0.1	0.1	*	<0.1	Grab	0.06 mg/L	Electrochemical
Chemical Oxygen Demand	1.68	1.31	*	1.22	Grab	8 mg/L	Digestion + Calorimetric
Dissolved Oxygen	*	*	*	*	Grab	N/A	N/A
Hardness (as CaCO ₃)	*	*	*	*	Grab	N/A	N/A
Total Nitrogen (as N)	8.9	*	*	3.8	Grab	0.5 mg/L	Digestion + Calorimetric
Nitrite (as N)	*	*	*	0.0148	Grab	0.004mg/L	Colorimetric
Nitrate (as N)	*	*	*	4.36	Grab	0.4 mg/L	Colorimetric
Total Phosphorus (as P)	1	<0.2	*	0.38	Grab	0.2 mg/L	Digestion + Calorimetric
Orthophosphate (as P) - unfiltered	0.33	0.09	0.08	0.15	Grab	0.02 mg/L	Colorimetric
Sulphate (SO ₄)	<30	<30	*	<30	Grab	30 mg/L	Turbidimetric
Phenols (sum) ^{Note 2} (ug/l)	*	*	*	<0.1	Grab	0.1 µg/L	GC-MS 2

Note 1: Or other unit as appropriate – please specify.

Note 2: USEPA Method 604, AWWA Standard Method 6240, or equivalent.

TABLE F.1(i)(b): SURFACE/GROUND WATER MONITORING (Dangerous Substances)
(Primary Discharge Point - one table per upstream and downstream location)

Discharge Point Code: _____

MONITORING POINT CODE: ASWO1u-CHVE

Parameter	Results (µg/l)				Sampling method (grab, drift etc.)	Limit of Quantitation	Analysis method / technique
	13/09/07	14/02/2008	10/04/08	17/07/08			
Atrazine	*	*	*	<0.01	Grab	0.96 µg/L	HPLC
Dichloromethane	*	*	*	<1.0	Grab	1 µg/L	GC-MS 1
Simazine	*	*	*	<0.01	Grab	0.01 µg/L	HPLC
Toluene	*	*	*	<1.0	Grab	0.02 µg/L	GC-MS 1
Tributyltin	*	*	*	*	Grab	1 µg/L as Sn	GC-MS 1
Xylenes	*	*	*	<1.0	Grab	0.96 µg/L	GC-MS 1
Arsenic	*	*	*	2	Grab	0.02 mg/L	ICP-MS
Chromium	*	<20	*	*	Grab	0.02 mg/L	ICP-OES
Copper	*	<20	*	*	Grab	5 mg/L	ICP-OES
Cyanide	*	*	*	<5	Grab	0.01 µg/L	Colorimetric
Fluoride	*	*	*	170	Grab	100 µg/L	ISE
Lead	*	51	*	*	Grab	0.02 mg/L	ICP-OES
Nickel	*	<20	*	*	Grab	0.02 mg/L	ICP-OES
Zinc	*	<20	*	*	Grab	0.02 mg/L	ICP-OES
Boron	*	<20	*	*	Grab	0.02 mg/L	ICP-OES
Cadmium	*	<20	*	*	Grab	0.02 mg/L	ICP-OES
Mercury	*	*	*	<0.2	Grab	0.02 µg/L	ICP-MS
Selenium	*	*	*	5	Grab	0.74 µg/L	ICP-MS
Barium	*	45	*	*	Grab	0.02 mg/L	ICP-OES

TABLE F.1(i)(a): SURFACE/GROUND WATER MONITORING
(Primary Discharge Point – one table per upstream and downstream location)

Discharge Point Code: _____

MONITORING POINT CODE: ASWO1d-CHVE

Parameter	Results (mg/l ^{Note 1})				Sampling method (grab, drift etc.)	Limit of Quantitation	Analysis method / technique
	03/05/07	13/09/07	14/02/08	17/07/08			
pH	*	8	8.3	8	Grab	2	Electrochemical
Temperature	*	*	*	*	Grab	N/A	N/A
Electrical Conductivity (@20°C)	*	*	*	1204	Grab	0.5 µmhos/cm	Electrochemical
Suspended Solids	*	*	9	5	Grab	0.5 mg/L	Gravimetric
Ammonia (as N)	1.2	4.1	<0.1	<0.1	Grab	0.02 mg/L	Colorimetric
Biochemical Oxygen Demand	2.5	7.33	5.05	2.45	Grab	0.06 mg/L	Electrochemical
Chemical Oxygen Demand	*	*	*	<21	Grab	8 mg/L	Digestion + Calorimetric
Dissolved Oxygen	*	*	*	*	Grab	N/A	N/A
Hardness (as CaCO ₃)			*	*	Grab	N/A	N/A
Total Nitrogen (as N)	8.6	10.5		8	Grab	0.5 mg/L	Digestion + Calorimetric
Nitrite (as N)	*	*	*	0.12	Grab	0.004mg/L	Colorimetric
Nitrate (as N)	*	*	*	6.49	Grab	0.4 mg/L	Colorimetric
Total Phosphorus (as P)	1.24	1.94	0.66	<0.2	Grab	0.2 mg/L	Digestion + Calorimetric
Orthophosphate (as P) - unfiltered	*	*	0.6	0.9	Grab	0.02 mg/L	Colorimetric
Sulphate (SO ₄)	*	<30	<30	<30	Grab	30 mg/L	Turbidimetric
Phenols (sum) ^{Note 2} (ug/l)	*	*	*	<0.1	Grab	0.1 µg/L	GC-MS 2

Note 1: Or other unit as appropriate – please specify.

Note 2: USEPA Method 604, AWWA Standard Method 6240, or equivalent.

TABLE F.1(i)(b): SURFACE/GROUND WATER MONITORING (Dangerous Substances)
(Primary Discharge Point - one table per upstream and downstream location)

Discharge Point Code: _____

MONITORING POINT CODE: ASWO1d-CHVE

Parameter	Results (µg/l)				Sampling method (grab, drift etc.)	Limit of Quantitation	Analysis method / technique
	03/05/07	13/09/07	14/02/08	17/07/08			
Atrazine	*	*	*	<0.01	Grab	0.96 µg/L	HPLC
Dichloromethane	*	*	*	<1.0	Grab	1 µg/L	GC-MS 1
Simazine	*	*	*	<0.01	Grab	0.01 µg/L	HPLC
Toluene	*	*	*	<1.0	Grab	0.02 µg/L	GC-MS 1
Tributyltin	*	*	*	*	Grab	1 µg/L as Sn	GC-MS 1
Xylenes	*	*	*	<1.0	Grab	0.96 µg/L	GC-MS 1
Arsenic	*	*	*	1	Grab	0.02 mg/L	ICP-MS
Chromium	*	*	<20	<20	Grab	0.02 mg/L	ICP-OES
Copper	*	*	<20	<20	Grab	5 mg/L	ICP-OES
Cyanide	*	*	*	<5	Grab	0.01 µg/L	Colorimetric
Fluoride	*	*	*	280	Grab	100 µg/L	ISE
Lead	*	*	56	37	Grab	0.02 mg/L	ICP-OES
Nickel	*	*	<20	<20	Grab	0.02 mg/L	ICP-OES
Zinc	*	*	<20	<20	Grab	0.02 mg/L	ICP-OES
Boron	*	*	<20	<20	Grab	0.02 mg/L	ICP-OES
Cadmium	*	*	<20	<20	Grab	0.02 mg/L	ICP-OES
Mercury	*	*	*	0.2	Grab	0.02 µg/L	ICP-MS
Selenium	*	*	*	2	Grab	0.74 µg/L	ICP-MS
Barium	*	*	80	27	Grab	0.02 mg/L	ICP-OES