

EPA Regional Inspectorate Dublin

McCumiskey House Richview Clonskeagh Road Dublin 14

28th October 2008

Ref: Waste License Application for John Morrin

Dear Sirs

Please find enclosed an application for a waste license on behalf of Mr. John Morrin. The application contain an original, a hard copy and a CD containing 2 electronic versions of all documents and maps. We declare that the content of the electronic files on the accompanying CD-ROM is a true copy of the original application form.

The application fee to accompany this application is being sent directly by the applicant under separate cover.

Please send a receipt of application to car offices and refer any queries on the application to the same address.

Many thanks

Centification Europe



Waste Licence Application of orm Location of orm Locati

This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts 1996 to 2003.

Environmental Protection Agency

P.O.Box 5000, Johnstown Castle Estate, County Wexford Telephone: 053-60600 Fax: 053-60699

Environmental Protection Agency Application for a Waste Licence

WASTE MANAGEMENT ACTS 1996 to 2003

CONTENTS

		Page
INTRODUCT	TON	3
CHECKLIST		4
PROCEDURE	ES	10
SECTION A	NON-TECHNICAL SUMMARY	12
SECTION B	GENERAL	13
SECTION C	MANAGEMENT OF THE FACILITY Office His Confidence of the Facility of the History o	18
SECTION D	INFRASTRUCTURE & OPERATION	20
SECTION E	EMISSIONS Specifor Level of the Control of the Cont	25
SECTION F	CONTROL & MONITORING	27
SECTION G	RESOURCES USE & ENERGY EFFICIENCY	30
SECTION H	MATERIALS HANDLING	31
SECTION I	EXISTING ENVIRONMENT & IMPACT OF THE FACILITY	35
SECTION J	ACCIDENT PREVENTION & EMERGENCY RESPONSE	38
SECTION K	REMEDIATION, DECOMMISSIONING, RESTORATION ANI AFTERCARE	D 39
SECTION L	STATUTORY REQUIREMENTS	40
SECTION M	DECLARATION	41

ANNEX 1: STANDARD FORMS



INTRODUCTION

A valid application must contain the information prescribed in the Waste Management (Licensing) Regulations 2004 (SI No. 395 of 2004). The applicant is strongly advised to read the *Application Guidance Notes* for Waste Licensing, available from the EPA.

The applicant must conform to the format set out in the guidance notes for applications. Each page of the completed application form must be numbered, e.g. page 5 of 45, etc. Also duplicated pages from the application form should be uniquely numbered, e.g. page 5(i) of 45, etc. The basic information should for the most part be supplied in the spaces given in application form and any supporting documentation should be supplied as attachments, as specified. Consistent measurement units must be used throughout.

The applicant should note that the application form has been structured so that it requires information to be presented in an order of progressive detail.

When it is found necessary, additional information may be provided on supplementary attachments which should be clearly cross referenced with the relevant sections in the main document.

While all sections in the application form may not be relevant to the activity concerned, the applicant should look carefully through all aspects of the form and provide the required information, in the greatest possible detail.

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

Information supplied in this application, including supporting documentation will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to". In the event that information is considered to be of a confidential nature, then the nature of this information, and the reasons why it is considered confidential (with reference to the "Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.

CHECKLIST

Articles 12 and 13 of the Waste Management (Licensing) Regulations, 2004 (S.I. No. 395 of 2004) set out the information which must, in all cases, accompany a waste licence application. In order to ensure that the application fully complies with the legal requirements of Articles 12 and 13 of the 2004 Regulations, all applicants should **complete** the following.

In each case, refer to the attachment number(s) of your application which contain(s) the information requested in the appropriate sub-article.

Article 12(1) In the case of an application for a waste licence, the application shall -

(a) give the name, address and, where applicable, any telephone number and telefax of the applicant (and, if different, the operator of the facility concerned), the address to which correspondence relating to the application should be sent and, if the applicant or operator is a body corporate, the address of its registered office or principal office,

	nge nga	
LOCATION	Section B.1 of	
	Application No. 2017	
CHECKED	Applicant Official	

(b) give the name of the planning authority in whose functional area the relevant activity is or will be carried on,

LOCATION	Section B.3 of Application	
CHECKED	Applicant 🛚 🖂	Official

The ght

(c) in the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority, give the name of the sanitary authority in which the sewer is vested or by which it is controlled,

LOCATION	Not Applicable	
CHECKED	Applicant 🔀	Official

(d) give the location or postal address (including where appropriate, the name of the townland or townlands) and the National Grid reference of the facility or premises to which the application relates,

CHECKED	Application Applicant	Official
LOCATION		
LOCATION	Section B.2 of	



(e) describe the nature of the facility or premises concerned, including the proposed capacity of the facility or premises, and in the case of application in respect of a landfill of waste, the requirements specified in Annex 1 of the Landfill Directive,

LOCATION	Section B.7 of Application	
CHECKED	Applicant 🖂	Official

(f) specify the class or classes of activity concerned, in accordance with the Third and Fourth Schedules of the Act, and in the case of an application in respect of the landfill of waste, specify the class of landfill in accordance with Article 4 of the Landfill Directive,

LOCATION	Section B.7.1 of Application	
CHECKED	Applicant 🖂	Official

(g) specify, by reference to the relevant European Waste Catalogue codes as presented by Commission Decision 2000/532/EC of 3 May 2000, the quantity and nature of the waste or wastes which will be treated, recovered or disposed of the code of the waste or wastes which will be

LOCATION	Section A and D.2 of Attachments	
CHECKED	Applicant 🖂	Official

(h) specify the raw and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity,

LOCATION	Table G.1 (Annex 1) of Application	
CHECKED	Applicant 🔀	Official

(i) describe the plant, methods, processes, ancillary processes, abatement, recovery and treatment systems and operating procedures for the activity,

LOCATION	Section D.1 and D.2 of Attachments	
CHECKED	Applicant 🔀	Official

(j) provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in paragraphs (a) to (g) of section 40(4) of the Act,

LOCATION	Section L of Attachments	
CHECKED	Applicant 🔀	Official

(k) give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made,

LOCATION	Section E of Application and Section E of	
	Attachments	
CHECKED	Applicant	Official

(l) give details, and an assessment of the effects, of any existing or proposed emissions on the environment, including any environmental medium other than those into which the emissions are, or are to be made, and of proposed measures to prevent or eliminate or, where that is not practicable, to limit or abate such emissions,

		* No
LOCATION	Section of Attachments	,
	and table E.4(i) & E.5(i) in Annex of Application	
	in Annex of Application	
CHECKED	Applicant Applicant	Official

(m) identify monitoring and sampling points and indicate proposed arrangements for the monitoring of emissions and the environmental consequences of any such emissions,

LOCATION	Table Ff in Annex of	
	Application	
CHECKED	Applicant 🔀	Official

(n) describe any proposed arrangements for the prevention, minimisation and recovery of waste arising from the activity concerned.

LOCATION	Attachment Section D.2	
CHECKED	Applicant \boxtimes	Official

(o) describe any proposed arrangements for the off-site treatment or disposal of solid or liquid wastes,

LOCATION	Section D.2 of	
	Attachments (Process 4)	
CHECKED	Applicant	Official



(p) describe the existing or proposed measures, including emergency procedures, to prevent unauthorised or unexpected emissions and minimise the impact on the environment of any such emission,

LOCATION	Section E, F and J of Attachments	
CHECKED	Applicant \boxtimes	Official

(q) describe the proposed measures for the closure, restoration, remediation or aftercare of the facility concerned, after the cessation of the activity in question,

LOCATION	Section K of Attachments	
CHECKED	Applicant \boxtimes	Official

- (r) in the case of an application in respect of the landfilling of waste, give particulars of
 - (i) such financial provision as is proposed to be made by the applicant, having regard to the provisions of Articles (7)(i) and (8)(a)(iv) of the Landfill Directive and section 53(1) of the Act, and

LOCATION	Not Applicable direction	
CHECKED	Applicant	Official

(ii) such charges as are proposed or made, having regard to the requirements of section 53A of the Act,

LOCATION	Not Applicable	
CHECKED	Applicant 🖂	Official

(s) state whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous Substances) Regulations, 2000 (S.I. No. 476 of 2000) apply,

LOCATION	Not Applicable See	
	section B.8 of Application	
CHECKED	Applicant \boxtimes	Official

(t) in the case of an activity which gives rise or could give rise to an emission into an aquifer containing the List I and II substances specified in the Annex to Council Directive 80/68/EEC of 17 December 1979, describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6,7,8,9 and 10 of the aforementioned Council Directive,

LOCATION	Not Applicable	
CHECKED	Applicant 🔀	Official

(u) include a non-technical summary of information provided in relation to the matters specified in paragraphs (a) to (t) of this sub-article,

LOCATION	Not Applicable	
CHECKED	Applicant 🖂	Official

Article 12(4) Without prejudice to Article 13(1) and (2), an application for a licence shall be accompanied by -

(a) a copy of the relevant page of the newspaper(s) in which the notice in accordance with article 6 has been published,

LOCATION	Section B6.1 of Attachments
CHECKED	Applicant Official

(b) a copy of the text of the notice or notices erected or fixed in accordance with article 7, pure treatment of the notices are rected or fixed in accordance with article 7, pure treatment of the notices are rected or fixed in accordance with article 7, pure treatment of the notices are rected or fixed in accordance with article 7, pure treatment of the notices are rected or fixed in accordance with article 7, pure treatment of the notices are rected or fixed in accordance with article 7, pure treatment of the notices are rected or fixed in accordance with article 7, pure treatment of the notices are rected or fixed in accordance with article 7, pure treatment of the notices are rected or fixed in accordance with article 7.

LOCATION	Section B.6 of Attachments	
CHECKED	Applicant 🛚	Official

(c) where appropriate, a copy of the notice given to a local planning under article 9,

LOCATION	Section B.6.1 of	
	Attachments	
CHECKED	Applicant \boxtimes	Official

(d) a copy of such plans (appropriately scaled and no larger than A3 size), including a site plan or plans and location map or maps, and such other particulars, reports and supporting documentation as are necessary to identify and describe, as appropriate -

(i) the position of the notice in accordance with article 7,

LOCATION	Drawing B.6 in section B	
	of Attachments	
CHECKED	Applicant 🔀	Official

(ii) the point or points from which emissions are made or are to be made, and

LOCATION	Drawing E.1 in section E of attachments	
CHECKED	Applicant \boxtimes	Official

(iii) the point or points at which monitoring and sampling are undertaken or are to be undertaken,

LOCATION	Drawing E.1 in section E of attachments	
CHECKED	Applicant 🖂	Official

(e) such fee as is appropriate having regard to the provisions of articles 40 and 41.

INCLUDED Y/N	N – Sent under separate	
	cover	
CHECKED	Applicant	Official

Article 12(5)(a) & (b) An application shall comprise resigned original of the application and 2 copies in hardcopy format plus 2 copies of all files in electronic searchable RDF format on CD-Rom.

	Ollivalli			
HARDCOPIES PROVIDED	3,000 et 10			
Y/N	oect with			
CHECKED	Applicant	\boxtimes	Official	
CODY	7			
CD OF PDF FILES	Yes			
PROVIDED? Y/N				
CHECKED	Applicant		Official	

Article 13 Where a development requires an Environmental Impact Assessment to be carried out, 1 signed original and 2 copies in hardcopy format of the environmental impact statement plus 16 copies in electronic searchable PDF format on CD-ROM should accompany this application.

EIA REQUIRED? Y/N	No. Not Req	uired		
CHECKED	Applicant	\boxtimes	Official	
3 HARD COPIES OF EIS INCLUDED ? Y/N	No			
CHECKED	Applicant	\boxtimes	Official	
16 CD versions of EIS, as PDF files, PROVIDED? Y/N	No.			



PROCEDURES

It is recommended that pre-application consultations with the Agency are undertaken before a formal submission of the waste licence application.

The procedure for making and processing of applications for waste licences, and for the processing of reviews of such licences, appear in the Waste Management (Licensing) Regulations 2004 (S.I. No. 395 of 2004) and are summarised below. The application fees that shall accompany an application are listed in the Second Schedule to the Regulations.

Prior to submitting an application the applicant must publish in a local newspaper, and erect on site, a notice of intention to apply. An applicant, other than a local authority in whose functional area the development is located, must also notify the Local Planning Authority, in writing, of their intention to apply.

An application for a licence must be submitted on the appropriate form (available from the Agency) with the correct fee, and should contain relevant supporting documentation as attachments. The application should be based on responses to the form, supporting written text and the appropriate use of tables and drawings. Where point source emissions occur, a system of unique reference numbers should be used to denote each emission point. These should be simple, logical, and traceable throughout the application.

The application form is divided into a number of sections of related information. The purpose of these divisions being to facilitate both the applicant and the Agency in the provision of the information and its assessment. Attachments should be clearly numbered, titled and paginated and must contain the required information as set out in the application form. Additional attachments may be included to supply any further information supporting the application. Any references made should be supported by a bibliography.

All questions should be answered. No waste management facility is exactly the same and hence each application will require different information. It is therefore possible that some of the sections of this application form may not be relevant to the activity concerned. Where information is requested in the application form, which is not relevant to the application, the words "not applicable" should be clearly written on the form. The abbreviation "N/A" should not be used.

Additional information may need to be submitted beyond that which is explicitly requested on this form. Any references made should be supported by a bibliography. The Agency may request further information if it considers that its provision is material to the assessment of the application. Advice should be sought from the Agency where there is doubt about the type of information required or the level of detail.

Information supplied in this application, including supporting documentation will be put on public display and be open to inspection by any person. **Should the applicant**



consider information to be confidential, then the nature of this information, and the reasons why it is considered confidential should be clearly stated in an attachment to the Application Form. This information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to (representative of the applicant)".

Applicants should be aware that a contravention of the conditions of a waste licence is an offence under Section 39 of the Waste Management Acts 1996 to 2003.

The provision of information in an application for a waste licence which is false or misleading is an offence under Section 45 of the Waste Management Acts 1996 to 2003.

Note: <u>Drawings</u>. The following guidelines are included to assist applicants:

- All drawings submitted should be titled and dated.
- They should have a <u>unique reference number</u> and should be signed by a clearly identifiable person.
- They should indicate a scale and the direction of north
- All drawings should, generally, be to a scale of between 1:20 to 1:500, depending upon the degree of detail needed to be shown and the size of the facility. Drawings delineating the boundary can be to a smaller scale of between 1:1000 to 1:10560, but must clearly and accurately present the required level of detail. Drawings showing the site location can be to a scale of between 1:50 000 to 1:126 720. All drawings should, however, be A3 or less and of an appropriate scale such that they are clearly legible. Provide legends on all drawings and maps as appropriate.

The provision of information in an application for a waste licence, which is false or misleading, is an offence under s45 of the Acts.



SECTION A NON-TECHNICAL SUMMARY

A Non-Technical Summary is to be submitted. The summary should include information on those aspects outlined in the Guidance Note and must comply with the requirements of Article 12 (1) (u) of the Waste Management (Licensing) Regulations, S.I. 395 of 2004.

The Non-Technical Summary should form **Attachment A.1**.



SECTION B GENERAL

B.1 Applicant's Details

Name*:	John Morrin
Address:	Wolfestown
	Eadestown
	Naas
	Co. Kildare
Tel:	087 2753 777
Fax:	Not applicable
e-mail:	Not applicable

^{*} This should be the name of the applicant which is current on the date this Waste Licence Application is lodged with the Agency. It should be the name of the legal entity (which can be a limited company or a sole trader). A trading/business name is not acceptable.

Name and Address for Correspondence

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name:	Ciarán O'Malley/John Ryan	arty, arty
Address:	Certification Europe	Sec. 16.
	The Digital Hub	duffelijie
	157 Thomas St.	tion let re
	Dublin 8	and the second s
Tel:	01 679 6666	cot stight
Fax:	01 679 3235	COS,
e-mail:	ciaranomalley@certificationet	lrope.com; jryan@certificationeurope.com

Address of registered or principal office of Body Corporate (if applicable)

Address:	Not Applicable			
Tel: Fax:				
Fax:				
e-mail:		_	_	

If the applicant is a body corporate, the following information must be attached as **Attachment B1**:

- a) a Certified Copy of the Certificate of Incorporation or Memorandum and Article of Association;
- b) the Company's Registration Number from the Companies Registry Office; and
- c) a list of the Company Directors.



State the interest of the applicant in the land which is subject to the application. The applicant is (please check):

Lessee
Prospective Purchaser
Other (please specify)
Name and address of all occupiers of the land on which the Activity is situated (if different from applicant named above).
Name: Not Applicable
Address:
Tel:
Fax:
e-mail:
on which the activity is or will be situated (if different from applicant named above). An appropriately scaled drawing (\leq A3) showing the above details should be included in Attachment B1
Name: Not Applicable
Name: Not Applicable Address:
Address: Fot problem of the control
Address: Consent of
Address: Tel: Fax: e-mail:
Address: Consent of
Address: Tel: Fax: e-mail:
Address: For high to the state of the state
Tel: Fax: e-mail: *Current at the time the application is submitted B.2 Location of Activity
Address: For high to the state of the state
Address: Tel: Fax: e-mail: *Current at the time the application is submitted B.2 Location of Activity Name: John Morrin Address*: Wolfestown

Tel:

Fax: e-mail:

087 2753 777 Not applicable

Not applicable

^{*} Include any townland



National Grid Reference	Center Easting: 296303
(8 digit 4E,4N)	Center Northing: 217546

Location maps (≤A3), appropriately scaled, with legible grid references should be enclosed in **Attachment B.2.** The site boundary must be outlined on the map in colour.

B.3 Planning Authority

Give the name of the planning authority in whose functional area the activity is or will be carried out.

Name:	Kildare County Council
Address:	Áras Chill Dara,
	Devoy Park, Naas,
	Co Kildare
Tel:	(045) 980200
Fax:	(045) 980240

Has the Planning Authority received written notification from the applicant of the application to The Environmental Protection Agency for a Waste Licence under Articles of the Waste Management (Licensing) Regulations?

Planning Authority notified Yes 🖂
Sep No 🗌
70° -70°

	1	1. I Opino
Planning Permission re	lating to t	nis application:- ito suffer s
has been obtained		to insight
is being processed		Consent of cop?
is not yet applied for		ent or
is not required		Couse

Local Authority Planning	NO. 295/05
File Reference №:	

Attachment B.3 should contain the most recent planning permission, including a copy of all conditions, and the required copies of any EIS should also be enclosed. For existing activities, Attachment B.3 should also contain copies of the most recent waste licence and any permits in force at the time of submission. Where planning permission is not required for the development, provide reasons, relevant correspondence, etc.



B.4 Sanitary Authority

In the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority or other body, give the name of the sanitary authority in which the sewer is vested or by which it is controlled and the waste water treatment plant (if any) to which the sewer discharges.

Name: Not Applicable as no discharges from site
Address:
Tel:
Fax:
The applicant must enclose, as Attachment B.4, a copy of any effluent discharge licence and/or agreement
between the applicant and the body with responsibility for the sewer.
B.5 Other Authorities
The applicant should tick the appropriate box below to identify whether the activity is located within the
T T T T T T T T T T T T T T T T T T T
Within SFADCo, Area Yes No
Only, any
The applicant should indicate the Health Board Region where the activity is or will be located.
Shannon Free Airport Development Company (SFADCo.) area. Within SFADCo. Area Yes No The applicant should indicate the Health Board Region where the activity is or will be located.
Name: South Western Area Health Board

B.6 Notices and Advertisements

Address:

Tel:

Fax:

Oak House, Limetree Avenue,

Millennium Park Naas, Co. Kildare

045 880 400 045 880 480

Articles 6 and 7 of the Waste Management (Licensing) Regulations 2004 requires all applicants to advertise the application in a newspaper and by way of a site notice. See *Guidance Note*.

Attachment B.6 should contain a copy of the site notice and an appropriately scaled drawing (\leq A3) showing its location on site. The original application must include the complete newspaper in which the advertisement was placed. The relevant page of the newspaper containing the advertisement should be included with the original and three copies of the application.

B.7 Type of Waste Activity, Tonnages & Fees

B.7.1 Specify the class or classes of activity in Table B.7.1, in accordance with the Third Schedule or Fourth Schedule to the Waste Management Acts 1996 to 2003, to which the application relates (check the relevant box(es) and mark the principal activity with a 'P').

Attachment B.7 should identify the principle activity and include a brief technical description of each of the other activities specified. **There can only be one principal activity.**

TABLE B.7.1 THIRD AND FOURTH SCHEDULES OF THE WASTE MANAGEMENT ACTS 1996 TO 2003

Waste Management Acts 1996 to 2003			
THIRD SCHEDULE Waste Disposal Activities	Y/N	FOURTH SCHEDULE Waste Recovery Activities	Y/N
Deposit on, in or under land (including landfill).		Solvent reclamation or regeneration.	
2. Land treatment, including biodegradation of liquid or sludge discards in soils.		Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).	
	Purpos		
4. Surface impoundment, including placement of liquid or sludged discards into pits, ponds or lagoons.	Met	Recycling or reclamation of other inorganic materials.	P
5. Specially engineered landfill, including placement into light discrete cells which are capped and isolated from one another and the environment.		5. Regeneration of acids or bases.	
6. Biological treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 7 to 10 of this Schedule.		6. Recovery of components used for pollution abatement.	
7. Physico-chemical treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 8 to 10 of this Schedule (including evaporation, drying and calcination).		7. Recovery of components from catalysts.	
8. Incineration on land or at sea.		8. Oil re-refining or other re-uses of oil.	
9. Permanent storage, including emplacement of containers in a mine.		Use of any waste principally as a fuel or other means to generate energy.	
10. Release of waste into a water body (including a seabed insertion).		10. The treatment of any waste on land with a consequential benefit for an agricultural activity or ecological system.	
11. Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.		11. Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule.	
12. Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.		12. Exchange of waste for submission to any activity referred to in a preceding paragraph of this Schedule.	
13. Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.		13. Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.	

TABLE B.7.2 MAXIMUM ANNUAL TONNAGE

The maximum annual tonnage of waste to be handled at the site should be indicated and the year to which the quantity relates indicated.

Maximum Annual Tonnage (tpa)	500,000
Year	2009

B.7.3 FEES

State each class of activity for which a fee is being submitted as per Part I of the Second Schedule of the Waste Management (Licensing) Regulations 2004, S.I. No. 395 of 2004. Note: two fees are required if disposal and recovery are to occur.

Waste Activity	Fee (in €)
Disposal of Waste (appropriate	0
disposal activity 1.1 – 3.3)	
Recovery of Waste (4)	10,000

TABLE B.7.4 (FOR A LANDFILL APPLICATION)

STATE WHICH OF THE FOLLOWING IS RELEVANT TO THE CURRENT APPLICATION.

(a) landfill for hazardous wastes	
(b) landfill for non-hazardous waste	
(c) landfill for inert waste	\boxtimes

B.8 SEVESO II DIRECTIVE

State whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous substances) Regulations, 2000 (S.I. No. 476 of 2000), apply.

Regulations Apply	Yes	No ⊠
regulations ripply	105	110

If yes, **Attachment B.8** should include the relevant details. Supporting information, as well as copies of any Hazardous Operation Studies (HAZOP) carried out for the site, should also be included in the attachment.

SECTION C MANAGEMENT OF THE FACILITY

Advice on completing this section is provided in the Guidance Note.

C.1 Technical Competence and Site Management

This information should form **Attachment C 1**.



Details of the applicant's experience and qualifications, along with that of other relevant employees, should be summarised as shown below. Statements of duties, responsibilities, experience and qualifications should be submitted for each position named below. Additional information, including the management structure and an organisational chart, should be included in **Attachment C 1.**

Name	Position	Duties and	Experience /Qualifications
		Responsibilities	
Site Supervisor	Site Manager	Overall Management Site in accordance with Waste Licence Conditions	FAS Waste Management Training Course
General operative	Deputy Site Manager	Fulfil Site managers role in their absence	FAS Waste Management Training Course
General Operative	General Operative	Ad Hoc duties involved in operating the site in accordance with site Managers instructions	Site Environmental Induction training
John Morrin	Site owner	Ensure all operations are conducted in compliance, with license conditions	<u> </u>

C.2 Environmental Management System

Attachment C 2 should contain the Environmental Management System (EMS) details required.

C.3 Hours of Operation

Attachment C 3 should contain details of hours of operation for the waste facility, civic waste facilities and other facilities.

- (a) Proposed hours of operation.
- (b) Proposed hours of waste acceptance/handling.
- (c) Proposed hours of any construction and development works at the facility and timeframes (required for landfill facilities).
- (d) Any other relevant hours of operation expected.

C.4 Conditioning Plan

Address as **Attachment C 4**, in the case of a LANDFILL Application, and only for the review of a Landfill Waste Licence.



SECTION D INFRASTRUCTURE & OPERATION

D.1 Infrastructure

Complete the following table detailing the site infrastructure. **Attachment D 1** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.1. Additional advice on completing this section is provided in the application *Guidance Note*.

Table	D.1. Infrastructure	y/n	Comments
D.1.a	Site security arrangements including gates and fencing	Y	
D.1.b	Designs for site roads	Y	
D.1.c	Design of hardstanding areas	Y	
D.1.d	Plant	Y	
D.1.e	Wheel-wash	Y	
D.1.f	Laboratory facilities	N	
D.1.g	Laboratory facilities Design and location of fuel storage areas Weste quarantine areas	Y	
D.1.h	Waste quarantine areas Waste inspection areas	Y	
D.1.i	Waste inspection areas	Y	
D.1.j	Traffic control	Y	
D.1.k	Sewerage and surface water drainage infrastructure	N	
D.1.l	All other services	N	
D.1.m	Plant sheds, garages and equipment compound	N	
D.1.n	Site accommodation	Y	
D.1.0	A fire control system, including water supply	N	
D.1.p	Civic amenity facilities	N	
D.1.q	Any other waste recovery infrastructure	N	
D.1.r	Composting infrastructure	N	
D.1.s	Construction and Demolition waste infrastructure	N	
D.1.t	Incineration infrastructure (if applicable). Provide information to fulfil Article 4 (2) & (3) of the Incineration of Waste Directive	N	
D.1.u	Any other infrastructure	N	

D.2 Facility Operation

In **Attachment D 2** describe the plant, methods, processes and operations of the waste facility, as required by the *Guidance Note*.

Attachment included	yes \(\sqrt{no}	not applicable
---------------------	------------------	----------------

LANDFILLS

The following Sections D3 to D7 should only be completed for Landfill Applications. Reference should be made to the Agency landfill manual 'Landfill Site Design (2000)' when completing this section.

D.3 Liner System

Complete the following table regarding the liner system to be used for the landfill/landfill extension and detail the information requested as **Attachment D.3**. **Items D3c to D3g should only be completed <u>for immediate projects only</u> (ie Years 1 & 2). A schedule of Liner construction activities for the medium to long term need only be listed in item D3a below, since Condition 3 of any licences granted will provide reporting requirements for any future projects.**

TABLE D.3 LINER SYSTEM

_	itis per out	y/n	Comments
	FORTIE	N	
D.3.a	Provide information to fulfil Annex 1 of the		
	Landfill Directive		
	Cong	N	
D.3.b	What type of liner system is specified?		
		N	
D.3.c	Has a Quality Control Plan been specified?		
		N	
D.3.d	Has a Quality Assurance Plan been specified?		
		N	
D.3.e	Have independent, third-party supervision,		
	testing and controls been specified?		
		N	
D.3.f	Have basal gradients for all cells and access		
	ramps to the cells been designed?		
		N	
D.3.g	Has a leak detection survey been specified?		

D.4 Leachate Management

Complete the following table detailing leachate management arrangements. Further information should be included in **Attachment D.4.**

TABLE D.4.1 LEACHATE MANAGEMENT ARRANGEMENTS

		y/n	Comments
		N	
D.4.a	Is there a Leachate Management Plan?		
		N	
D.4.b	Have annual quantities of leachate been calculated?		
D.4.c	Has the total quantity of leachate been calculated?	N	
		N	
D.4.d	Have the size of the cells been specified taking account of the water balance calculations?		
		N	
D.4.e	Has a leachate collection system been specified?		
D.4.f	Has a leachate storage system been specified?	N	
D.4.g	Has a system for monitoring the level of leachate in the waste been designed?	N	
D.4.h	Is leachate recirculation proposed/practised?	N	
D.4.i	Has leachate treatment on site been specified?	N	
D.4.j	Has leachate removal been specified?	N	

D 5 Landfill Gas Management

All landfill sites should have suitable arrangements for the management of landfill gas. **Attachment D.5** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.5. *Items D5g to D5m should only be completed for immediate or current gas collection projects only* (*ie Years 1 & 2*). A schedule of gas management aspects for the medium to long term need only be listed in item D5f below, since Condition 3 of any proposed decision/licence will provide reporting requirements for any future projects.

Table D.5. Landfill Gas Management

_	,	y/n	Comments
D.5a	Is there a Landfill Gas Management Plan?	N	
	Provide estimates of the volumes of landfill gas which will be produced by the waste disposed of in the site for the next 20 years, and compare to the EPER list for methane:		
D.5b	Is there a passive venting system?	N	
D.5c	Does the passive system cover all of the filled area?	N	
D.5d	Have gas alarm systems been installed in the site buildings?	N	
D.5e	Have measures been installed to prevent landfill gas migration (e.g. barriers)?	my other	n _e .
D.5f	Has a time-scale been proposed for the installation of landfill gas infrastructure?	N	
D.5 g	Is gas flaring undertaken at the site?	N	
D.5h	Is there an active (i.e., pumped) landfill gas extraction system?	N	
D.5i	Does the active system cover all of the filled area?	N	
D.5j	Is landfill gas used to generate energy at the site?	N	
D.5k	Have emissions from the flarestack and utilisation plant been assessed for source, composition, quantity and level and rate?	N	
D.51	Has a maintenance programme for the control system been specified?	N	
D.5m	Has a condensate removal system been designed?	N	

D.6 Capping System

Complete the following table detailing the design of the capping system. Attachment D.6 should contain the appropriate documentation. *Items D6e to D6k should be completed for immediate projects only* (ie Years 1 & 2). Condition 10 of any proposed decision/licence will provide reporting requirements for capping requirements beyond this timeframe.

Table D.6 Capping System

		y/n	Comments
		N	
D.6a	Has the daily cover been specified?		
		N	
D.6b	Has the intermediate cover been specified?		
		N	
D.6c	Has the temporary capping been specified?		
		Net Nee.	
D.6d		her	
	does it meet the requirements of the Landfill		
	Directive Annex 1 (3.3)?	N.T	
D.C.	Described Control of Manager Line	N	
D.6e	Does the Capping System include a flexible membrane liner?		
	inspiro	N	
D.6f	Have all capping materials been specified?		
		N	
D.6g	Has a Method Statement for construction been produced?		
		N	
D.6h	Has a Quality Control Plan been produced?		
		N	
D.6i	Has a Quality Assurance Plan been produced?		
		N	
D.6j	Has a programme for monitoring landfill stability been developed?		
		N	
D.6k	Has a programme for monitoring landfill settlement been developed?		

SECTION E EMISSIONS

Give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made.

The applicant should address in particular any emission point where the substances listed in the Schedule of S.I. 394 of 2004 are emitted.

E.1 Emissions to Atmosphere

Details of all point emissions to atmosphere should be supplied. Table E.1.(i) (for Landfill Gas Flare emissions) must be completed for all landfills with a flare. Complete Table E.1(ii) and E.1(iii) for <u>all</u> other main emission points, including stack sources (incinerator stacks, landfill gas utilisation plants, air handling unit emissions etc.). Complete Table E.1(iv) for minor/fugitive/ground emission points.

E.2 Emissions to Surface Waters

Attachment E.2 Tables E.2(i) and E.2(ii) should be completed where relevant.

E.3 Emissions to Sewer

Attachment E.3 Tables E.3(i) and E.3(ii) should be completed, where relevant.

E.4 Emissions to Groundwater

Describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6, and 7 of Council Directive 80/68/EEC of 17 December 1979 on the protection of groundwater against pollution by certain dangerous substances.

Table E.4(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.4**

E.5 Noise Emissions

Give particulars of the source, location, nature, level, and the period or periods during which the noise emissions are made or are to be made.

Table E.5(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.5**

E.6 Environmental Nuisances

Attachment E.6 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings as relevant established in Table D.6. Additional advice on completing this section is provided in the *Guidance Note*.

TABLE E.6 ENVIRONMENTAL NUISANCES

Bird Control	Control method specified	yes 🗌	no	not applicable⊠
	Attachment included	yes 🗌	no	not applicable⊠
Dust Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Fire Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Litter Control	Control method specified	yes 🖂	no 🗌	not applicable
	Attachment included	yes Sinc	no	not applicable
Traffic Control	Control method specified	yes N	no	not applicable
	Attachment included	dili yes 🖂	no	not applicable
Vermin Control	Control method giodnet specified	yes 🗌	no	not applicable⊠
	Attachment included	yes 🗌	no	not applicable⊠
Road Cleansing	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable



SECTION F CONTROL & MONITORING

F.1: Treatment, Abatement and Control Systems

Describe the proposed technology and other techniques for preventing or, where this is not possible, reducing emissions from the installation/facility. Details of treatment/abatement systems (air and effluent emissions) should be included, together with appropriately scaled schematics ($\leq A3$) as appropriate.

For each Emission Point identified complete Table F.1 of the Annex, and include detailed descriptions and appropriately scaled schematics (≤A3) of all abatement systems.

Attachment F.1 should contain any supporting information.

F.2- F. 9. Monitoring and Sampling Points

Programmes for environmental monitoring should be submitted as part of the application. These programmes should be provided as **Attachments F.2 to F.6** and meet the advice published by the Agency in the relevant BAT Note. For Landfills the additional **Attachments F.7 to F.8** should be completed. Furthermore for a landfill application the applicant <u>must</u> refer to the Agency *Landfill Monitoring Manual* (2003) for further details on monitoring requirements for proposed facilities.

Include details of monitoring/sampling locations and methods.

F.2 Air

- to include Dust, Odour

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.3 Surface Water

Monitoring of surface water shall be carried out at not less than two points, one upstream from the waste facility and one downstream.

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable



F.4 Sewer Discharge

Monitoring of sewer discharge shall be carried out at the point specified by the local authority/Agency.

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.5 Groundwater

Groundwater monitoring is required at all landfill facilities; and certain other waste facilities depending on waste activities and the underlying aquifer vulnerability.

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.6 Noise

Monitoring Arrangements specified	yes of no	not applicable
Monitoring points identified, (plus	yes no no	not applicable
12-figure grid references)	an purcedu	
Attachment included	yes 🛛 no 🗌	not applicable

F.7 Meteorological Data

Monitoring Arrangements specified	yes 🗌	no	not applicable 🗵
Monitoring points identified, (plus	yes 🗌	no	not applicable $oxtime $
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable⊠

Application for Landfills require the additional Attachments F.7 to F.8, to be completed:

F.8 Leachate

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable 🛛
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

F.9 Landfill Gas

Complete each of the following tables to show whether information has been included on aspects of landfill gas monitoring. **Attachment F.9** should also contain information to show whether the data given in Tables F.9.(a) and F.9(b) below represents actual or anticipated data. Complete Table F.9 as follows:

Table F.9 (a) Landfill Gas Monitoring for existing landfill gas flares / utilisation plants

Parameter	Concentration (mg/Nm³)	Proposed Frequency of Analysis	Information Included Y/N	Method of Analysis	Information Included Y/N
Inlet	NOT APPLICABLE				
Methane (CH ₄) % v/v				1	
Carbon dioxide (CO ₂) %v/v					
Oxygen (O2) % v/v					
Outlet					
Volumetric Flow Rate					
SO_2					
Nox					
CO	1				
Particulates					
TA Luft Class I, II, III organics			750.		
Hydrochloric acid			est		
Hydrogen Fluoride			diff		

Table F.9(b) Landfill Gas Monitoring

Parameter	Proposed Frequency of Analysis	Information Included Y/N	Method of Analysis	Included Y/N
	Gas boreholes / Facility Office vents/ wells/ perimeter locations			
Methane (CH ₄) % v/v	NOT APPLICABLE			
Carbon Dioxide (CO ₂) % v/v	a selli			
Oxygen (O ₂) % v/v	Cov			
Atmospheric Pressure				
Temperature				

Table F.9 (c) Landfill Gas Infrastructure

Equipment	Monitoring Frequency	Information Included Y/N	Monitoring Action	Information Included Y/N
Gas Collection System	NOT APPLICABLE			
Gas Control System				

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable⊠

SECTION G RESOURCES USE & ENERGY EFFICIENCY

G.1 Raw Materials, Substances, Preparations and Energy

Attachment G.1 should contain a list of all raw, product and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity. Information on any insecticides, herbicides or rat poisons etc. should also be provided with their respective data and safety sheets. The Standard Forms, provided in Annex 1, should be used in the description of these materials, substances, etc., where relevant. Additional advice on completing this section is provided in the *Guidance Note*.

Attachment	yes 🖂	no	not applicable
included			

G.2 Energy Efficiency

A description of the energy used in or generated by the activity must be provided in **Attachment G.2**.

Attachment yes westerno not applicable included to the fact the first of the fact th



SECTION H MATERIALS HANDLING

H.1 Waste Types and Quantities – Existing & Proposed

Provide an estimation of the quantity of waste likely to be handled in relation to each class of activity applied for. This information should be included in Table H.1(a).

TABLE H.1(A). QUANTITIES OF WASTE IN RELATION TO EACH CLASS OF ACTIVITY APPLIED FOR

Waste Management Act		Waste Management Act		
3rd Schedule (Disposal) Activities		4th Schedule (Recovery) Activities		
Class of	Quantity (tpa)	Class of	Quantity (tpa)	
Activity	_	Activity		
Applied For		Applied For		
Class 1	0	Class 1	0	
Class 2	0	Class 2	یق. 0	
Class 3	0	Class 3	et in 0	
Class 4	0	Class 4	500,000	
Class 5	0	Class 500 a	0	
Class 6	0	Class 6	0	
Class 7	0	Classif	0	
Class 8	0	Class 8	0	
Class 9	0	Class 9	0	
Class 10	0	Class 10	0	
Class 11	0 60 1	Class 11	0	
Class 12	0 ,000,	Class 12	0	
Class 13	0 0	Class 13	0	

In Table H. 1 (B) provide the annual amount of waste handled/to be handled at the facility. Additional information should be included in **Attachment H.1.** The tonnage per annum should be given of that expected for the life of the licence, with at least the next five years tonnages provided. For Landfill Review applications provide an estimate of the quantity of waste already deposited in (i) lined cells; (ii) unlined cells.

TABLE H.1(B) ANNUAL QUANTITIES AND NATURE OF WASTE

Year	Non-hazardous waste (tonnes per annum)	Hazardous waste (tonnes per annum)	Total annual quantity of waste
			(tonnes per annum)
2008	150,000	0	150,000 (estimation if
			licence is granted in
			time by Agency)
2009	500,000	0	500,000
2010	500,000	0	500,000
2011	500,000	0	500,000



A detailed inventory of the types and quantities of wastes currently handled at the site and proposed to be handled should be submitted as Table H.1 (C).

<u>Note:</u> due to market fluctuation and the lack of consistency in materials in the market is expected that a combination of C+D and inert material will be received. Only appropriate inert material past use will be infilled; material that can be recovered for use as haul roads or aggregates for reuse in the marketplace will be so used. Therefore, the following information can only be presented as INDICATIVE at this time.

TABLE H.1 (C) WASTE TYPES AND QUANTITIES

WASTE TYPE	TONNES PER ANNUM (existing)	TONNES PER ANNUM (proposed)	TOTAL (over life of site) tonnes
Household	0	0	0
Commercial	0	0	0
Sewage Sludge	0	0	0
Construction and Demolition	0	200,000	2,000,000
Industrial Non- Hazardous Sludges	0	0 Onest of the last of the las	0
Industrial Non- Hazardous Solids	0	O see diffe	0
Hazardous *(Specify detail in Table H 1.2)	O For its petion	\$0	0
Inert Waste imported for restoration purposes	Course	500,000	5,000,000 (estimated)

* TABLE H.1.2 HAZARDOUS WASTE TYPES AND QUANTITIES

HAZARDOUS WASTE	DETAILED DESCRIPTION * REFERENCE SHOULD BE MADE TO THE RELEVANT EUROPEAN WASTE CATALOGUE CODES AS PRESENTED BY COMMISSION DECISION 2000/532/EC	Tonnes Per Annum (Existing)	(Tonnes Per Annum Proposed)
Waste Oil	0	0	0
Oil filters	0	0	0
Asbestos	0	0	0
Paint and Ink	0	0	0
Batteries	0	0	0
Fluorescent Light Bulbs	0	0	0



Contaminated Soils	0	0	0		
OTHER HAZARDOUS WASTE (APPLICANT TO SPECIFY)					
NOT Applicable					

Attachment H.1 should contain any relevant additional information.

It should be noted that an applicant may be issued with a licence which restricts the type of wastes which may be deposited.

H.2 Waste Acceptance Procedures

Procedures for checking waste loads as they arrive at the facility must be included. These should follow the requirements of the Agency's Waste Acceptance Manual. A copy of these procedures and other associated documentation should be included as **Attachment H.2.**

H.3 Waste Handling

Waste handling and the operating procedures used at the facility including waste treatment processes should be described in **Attachment H.3**. Included in the attachment should be information on the plant used on site and on the methods and processes for handling waste on-site. Special requirements hold for contaminated soil facilities, see *Guidance Note*.

In addition, an application for Landfill requires Section H.3.a to be completed:

H.3a Waste Handling at the Landfill Facility

State whether all waste will be subject to treatment prior to landfilling. Provide information as to the quantities of biodegradable municipal waste and how the targets of the Landfill Directive (1999/31/EC) relating to that waste type are to be achieved. In particular describe how the following will be achieved:

- (a) a reduction by 16/07/06 to 75% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (b)a reduction by 16/07/09 to 50% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (c)a reduction by 16/07/16 to 35% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (d)Evidence should be provided to show that energy will be used efficiently.



H.4 Waste Arisings

Waste Arisings should be considered for all contaminated soil applications. Details of all waste materials generated on the site including, name, description and nature as well as the source(s) should be identified. The quantities of each type of waste generated on an annual/monthly basis should be calculated and stated in Tables H.1(i) and H. 1(ii) of the application form. Applicants should also provide conversion factors used to relate volume (m³) and tonnage (t) for their waste stream.

Consent of convident owner required for any other use.

SECTION I EXISTING ENVIRONMENT & IMPACT OF THE FACILITY

Detailed information is required to enable the Agency to assess the existing environment. This section requires the provision of information on the ambient environmental conditions at the site prior to the commencement of waste management activities or prior to the receipt of a review application.

Where development is proposed to be carried out, being development which is of a class for the time being specified under Article 24 (First Schedule) of the Environmental Impact Assessment Regulations, the information on the state of the existing environment should be addressed in the EIS. In such cases, it will suffice for the purposes of this section to provide adequate cross-references to the relevant sections in the EIS.

I.1.Assessment of atmospheric emissions

Describe the existing environment in terms of air quality with particular reference to ambient air quality standards.

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to the atmosphere are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Attachment I.1 should also contain full details of any dispersion modelling of atmospheric emissions from the activity, where required.

I.2. Assessment of Impact on Receiving Surface Water

Describe the existing environment in terms of water quality with particular reference to environmental quality standards or other legislative standards. Table I.2(i) should be completed

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to water are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other relevant information on the receiving environment should be submitted as **Attachment I.2.**

I.3. Assessment of Impact of Sewage Discharge.

epa epa

WASTE Application Form

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other supporting information should form Attachment I.3.

I.4 Assessment of impact of ground/groundwater emissions

The scope and detail of this assessment will depend to a large extent on the extent and type of ground emissions at any site, which in turn are related to the risk. Details should be included in Attachment I.4. Comprehensive guidelines are contained in the Application Guidance Note, and include particular requirements for landfill and brownfield facilities.

Describe the existing groundwater quality. Tables I.4(i) should be completed.

I.5 Ground and/or groundwater contamination

Summary details of known ground and/or groundwater contamination, historical or current, on or under the site must be given.

Full details including all relevant investigative studies, assessments, or reports, monitoring results, location and design of monitoring installations, appropriately scaled plans/drawings ($\leq A3$), documentation, including containment engineering, remedial works, and any other supporting information should be included in

Attachment I.5.

I.6 Noise Impact.

Give details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Ambient noise measurements

Complete Table I.6(i) in relation to the information required below:

- (i) State the maximum Sound Pressure Levels which will be experienced at typical points on the boundary of the operation. (State sampling interval and duration)
- State the maximum Sound Pressure Levels which will be experienced at (ii) typical noise sensitive locations, outside the boundary of the operation.
- (iii) Give details of the background noise levels experienced at the site in the absence of noise from this operation.

Prediction models, appropriately scaled maps ($\leq A3$), diagrams and supporting documents, including details of noise attenuation and noise proposed control measures to be employed, should form Attachment I.6.



I.7 Assessment of Ecological Impacts & Mitigation Measures

The ecology of the site and the surrounding area should be assessed in the vicinity of the largescale waste facilities such as landfill or incinerator developments. An assessment of the ecology should form **Attachment I.7.** Comprehensive guidelines are contained in the *Application Guidance Note*

Consent of copyright owner required for any other use.


SECTION J ACCIDENT PREVENTION & EMERGENCY RESPONSE

Describe the existing or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage.

Also outline what provisions have been made for response to emergency situations outside of normal working hours, i.e. during night-time, weekends and holiday periods.

Describe the arrangements for abnormal operating conditions including start-up, leaks, malfunctions or momentary stoppages.

Supporting information should form **Attachment J.**



SECTION K REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE

Describe the existing or proposed measures to minimise the impact on the environment after the activity or part of the activity ceases operation, including provision for post-closure care of any potentially polluting residuals.

For Landfill Applications, capping proposals are required, and reference should be made to the *Landfill Manual on 'Restoration and Aftercare'* published by the Agency, when completing this section.

Attachment included	voc 🗸	no	not applicable
Attachment included	yes 🖂	no	not applicable

Consent of copyright owner required for any other use.

SECTION L STATUTORY REQUIREMENTS

L. 1 Section 40(4) WMA

Indicate how all the requirements of Section 40(4)[(a) to (i)] of the Waste Management Acts 1996 to 2003 will be met.

Applicants should also describe how the proposed facility will comply with the requirements of BAT. In particular reference should be made to the considerations referred to in Annex IV of Council Directive 96/61/EC concerning integrated pollution prevention and control.

Attachment L.1 should contain the documentation requested above, along any relevant additional information.

|--|

L.2 Fit and Proper Person

The WMA in Section 40(4)(d) specifies that the Agency shall not grant a licence unless it is satisfied that the applicant (if the applicant is not a local authority) is a fit and proper person. Section 40(7) of the WMA specifies the information required to enable a determination to be made by the Agency.

- Indicate whether the applicant or other relevant person has been convicted under the Waste Management Acts 1996 to 2003, the EPA Act 1992 and 2003, the Local Government (Water Pollution) Acts 1977 and 1990 or the Air Pollution Act 1987.
- Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (Link to Section C.1 of the application).
- Provide information to show that the person is likely to be in a position to meet any financial commitments or liabilities that may have been or will be entered into or incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out that activity (Link to Section K of the application).

Supporting information should be included as Attachment L 2 with reference to where the information can be found in the application.

Attachment included	yes 🖂	no	not applicable

SECTION M DECLARATION

Declaration

I hereby make application for a licence / revised licence, pursuant to the provisions of the Waste Management Acts 1996 to 2003 and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices, and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

æ.

	otherti
Signed by :	odly and Date :
(on behalf of the organisation)	nut Carried .
Print signature name:	are test
of the difference	*
Position in organisation:	
Consent or	Date:
	Company stamp or seal:



ANNEX 1 STANDARD FORMS

Standard forms are provided in this section for the recording and presentation of environmental monitoring and site investigation results

TABLE E.1(i) LANDFILL GAS FLARE EMISSIONS TO ATMOSPHERE Emission Point:

Emission Point Ref. Nº:	NOT applicable
Location:	NOT applicable
Grid Ref. (12 digit, 6E,6N):	NOT applicable
Vent Details	NOT applicable
Diameter:	NOT applicable NOT applicable NOT applicable NOT applicable
Height above Ground(m):	ion piroditie
Date of commencement of emission:	NOT applicable

Characteristics of Emission:

СО			NOT ap	oplicable mg/m ³
Total organic carbon (T	OC)		NOT ap	oplicable mg/m ³
NOx		0°C.	NOT appli 3% O ₂ (Liquid or Gas),	icable mg/Nm ³ 6% O ₂ (Solid Fuel)
Maximum volume of e	mission		NOT ap	oplicable m ³ /hr
Temperature	NOT applicable °C	(max)	NOT applicable °C(min)	NOT applicable °C(avg)

(i) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up/shutdown to be included*):

Periods of Emission (avg)	NOT applicable_	min/hr	NOT applicable
---------------------------	-----------------	--------	----------------



lau/dov	dardra
nr/day	aay/yr

oint)

TABLE E.1(ii) MA	IN EM	ISSIONS T	TO ATMOSPHERE	(1 Page for each emission po				
Emission Point Ref. N	[º:	NOT applica	able					
Source of Emission:		NOT applica	able					
Location:		NOT applica	able					
Grid Ref. (12 digit, 6E	,6N):	NOT applicable						
Vent Details		NOT applica	able					
Diame	eter:							
Height above Ground	(m):							
Date of commencemen	nt:	NOT applica	able met use.					
Characteristics of Emi		- illes	Apiliposes only any ones use.					
(i) Volume to be e	mitted	: NOT applica	ible					
Average/day	NOT	applicable m ³ /d	Maximum/day	m³/d				
Maximum rate/hour	NOT applicable m³/h		Min efflux velocity	m.sec ⁻¹				
(ii) Other factors								
Temperature	NOT	applicable °C(max)	NOT applicable °C(min)	NOT applicable °C(avg)				
For Combustion Source Volume terms express		we	t. 🗆 dry.	%O ₂				
(iii) Period or periods seasonal variation	_		ns are made, or are to be mad to be included):	e, including daily or				
Periods of Emission (avg) NOT applicablemin/hr _NOT applicablehr/dayday/yr								

Periods of Emission (avg)	NOT applicablemin/hr _NOT
	applicable hr/day day/yr



TABLE E.1(iii): MAIN EMISSIONS TO ATMOSPHERE - Chemical characteristics of the emission (1 table per emission point)

Emission Point Reference Number: _____NOT applicable ______

Parameter	Prior to treatment ⁽¹⁾		Brief	As discharged ⁽¹⁾							
	mg/	Nm ³	kg	g/h	description	mg/	Nm ³	kg	/h.	kg/	year
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
NOT applicable				Consent of con	NOT applicable NOT applicable Rection purposes after any other use.						

1. Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0° C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.

TABLE E.1(iv): EMISSIONS TO ATMOSPHERE - Minor /Fugitive

Emission point	Description		Emission	details ¹		Abatement system employed
Reference Numbers		material	mg/Nm ³⁽²⁾	kg/h.	kg/year	
	C	Heart of Copyright of	A Purd serviced for	MAN OTHER TISE.		

¹ The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.

² Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.

Consent of copyright owner required for any other use.



TABLE E.2(i): EMISSIONS TO SURFACE WATERS

(One page for each emission)

Emission Point:

Ellission I ont.		_
Emission Point Ref. Nº:	NOT applicable	
Source of Emission:	NOT applicable	
Location:	NOT applicable	حو.
Grid Ref. (10 digit, 5E,5N):	NOT applicable	ner il
Name of receiving waters:	NOT applicable	
Flow rate in receiving	NOT applicablem³.sec Do Weather Flow	
waters:	NOT applicable	
Available waste assimilative capacity:	Cangent of NOT applicable kg/day	

Emission Details:

(i) Volume to be e	emitted	NOT applicat	ble
Normal/day	NOT applicable m ³	Maximum/day	NOT applicable m ³
Maximum rate/hour	NOT applicable m ³		



(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up /shutdown to be included*):

Periods of Emission (avg)NOT a	plicablemin/hrhr/day day/yr
--------------------------------	-----------------------------

Consent of copyright outlet required for any other use.



 TABLE E.2(ii): EMISSIONS TO SURFACE WATERS
 - Characteristics of the emission (1 table per emission point)

Emission point reference number : ____NOT applicable

Parameter	er Prior to treatment As discharged				% Efficiency				
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average. (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	
			Çoʻ	For inspection	N Purposes only are so where technical for a result of the second of the				

TABLE E.3(i): EMISSIONS TO SEWER(One page for each emission)

Emission Point:

Emission Point Ref. Nº:	NOT applicable
Location of connection to sewer:	NOT applicable
Grid Ref. (10 digit, 5E,5N):	NOT applicable
Name of sewage undertaker:	NOT applicable

Emission Details:

(i) Volume to be emitted					
Normal/day	NOT applicable m ³	Maximum/dayuse.	m ³		
Maximum rate/hour	m ³	oses of for all			

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up /shutdown to be included):

Periods of Emission (avg)	NOT applicable	min/hr	hr/day day/yr
---------------------------	----------------	--------	------------------



TABLE E.3(ii): EMISSIONS TO SEWER - Characteristics of the emission (1 table per emission point)

Emission point reference number : _____NOT applicable _____

Parameter	Prior to treatment				As discharged			% Efficiency	
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	
					For its feeting the required for a copyright owner technique of the copyright owner technique to the copyright owner technique	ov other .			

Consent of copyright owner required for any other use.

 TABLE E.4(i):
 EMISSIONS TO GROUNDWATER
 (1 Page for each emission point)

Emission Point or Area:

<u> </u>		
Emission Point/Area Ref. Nº:	SA1	
Emission Pathway: (borehole, well, percolation area, soakaway, landspreading, etc.)	Soakaway	Š
Location:	South of Land restoration activity, West of new entrance	Set.
Grid Ref. (10 digit, 5E,5N):	Center Easting: 696169 Center Northing: 717551	
Elevation of discharge: (relative to Ordnance Datum)	190m to 220m above ordnance datum	
Aquifer classification for receiving groundwater body:	1. The volume of groundwater moving in this thin zone would not be sufficient 2. The overall distribution of rock outcrops are close to the surface	
Groundwater vulnerability assessment (including vulnerability rating):	Low vulnerability to pollution based on the GSI draft classification (1995)	
Identity and proximity of groundwater sources at risk (wells, springs, etc):	Two wells are about 250m from the entrance of the land restoration facility	



Identity and proximity of surface water bodies at risk:	Not connected watercourses in the immediate area

Emission Details:

(i) Volume to be emitted						
Normal/day	Not Determined, however as the area in which the surface water will be generated it is not envisaged to be a significant amount m ³	Maximum/day for instruction of converted conv	Not Determined however as the area in which the surface water will be generated it is not envisaged to be a significant amount m ³	RETUR		
Maximum rate/hour	Not Determined, however as the area in which the surface water will be generated it is not envisaged to be a significant amount m ³	Contr	Not Determined, however as the area in which the surface water will be generated it is not envisaged to be a significant amount			



(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up /shutdown to be included*):

Periods of Emission (avg)	_60min/hr 24 hr/day 365 day/yrmin/hr
	hr/dayday/yr

Consent of copyright outlet required for any other use.



Table E.5(i): NOISE EMISSIONS - Noise sources summary sheet

Source	Emission point Ref. No	Equipment Ref. No	Sound Pressure ¹ dBA at reference distance	Octave bands (Hz) Sound Pressure ¹ Levels dB(unweighted) per band						Impulsive or tonal qualities	Periods of Emission			
				31.5	63	125	250	500	1K	2K	4K	8K		
Mobile Plant	Not applicable as mobile source		Up to 115 dB at source										Impulsive	During working hours
Screening and crushing equipment	Not Applicable as mobile source		at 10 meters ranges from 78.0- 88.8 dB				4. ay oth	7 15°E.					Impulsive	During working hours
						ses d	ioi di							
					10 X	require								
				1750	octionino intomino									
				FOTATI	8									
			ngi	t of										
			Con											

^{1.} For items of plant sound power levels may be used.

TABLE F.1: ABATEMENT / TREATMENT CONTROL

Emission point reference number : Not Applicable

Control ¹ parameter	Equipment ²	Equipment maintenance	Equipment calibration	Equipment back-up

Control ¹ parameter	Monitoring to be carried out ³	Monitoring equipment	Monitoring equipment calibration
	ant inspect	on purposes only any other to owner required for any other to	

List the operating parameters of the treatment / abatement system which control its function.

List the equipment necessary for the proper function of the abatement / treatment system.

List the monitoring of the control parameter to be carried out.



TABLE F.2 to F.8: EMISSIONS MONITORING AND SAMPLING POINTS - (1 table per media)

Emission Point Reference No(s). : Not Applicable as all emissions are ambient

Parameter	Monitoring frequency	Accessibility of Sampling Points	
			Jee.
			thert
			only any other use.
		\(\sigma_1\)	edior
		inspiriton particity	
		or its per our	
		of conf	
		Consonie	•



TABLE Ff: Fugitive ENVIRONMENT MONITORING AND SAMPLING LOCATIONS (1 table per media)

Monitoring Point Reference No:	Ambient Dust	See Grid co-ordinates in table below	
= -			

Table Ff (i)

Monitoring Reference Number	Parameter	Monitoring frequency	Location (Grid Co-ordinates)	Accessibility of Sampling point
D1	Dust	Annual	E295981 N217725&	Accessible boundary location
D2	Dust	Annual	E296303 N218011	Accessible boundary location
D3	Dust	Annual	E29598P N217725	Accessible boundary location
D4	Dust	Annual	E296655 N217365	Accessible boundary location

Table Ff (ii)

Monitoring Point Reference No: Surface Water See Grid coordinates in table below

Monitoring Reference Number	Parameter	Monitoring frequency	Location (Grid Co-ordinates)	Accessibility of Sampling point
SW1	Note 1	Annual	E296271 N217863	Accessible point at Morell River

Note 1: Surface water test parameters to include Temperature, pH, Dissolved Oxygen, Conductivity, Sodium, Potassium, Chloride, Ammoniacal Nitrogen, Sulphate, Dissolved Metals (Ca, Cu, Fe, Pb, Mg, Mn, Ni and Zn) and Total Alkalinity



Table Ff (iii)

Monitoring Point Reference No: Groundwater See Grid co-ordinates in table below

Grandwater See Gra to Grandwater in the Grandwat								
Monitoring Reference Number	Parameter	Monitoring frequency	Location (Grid Co-ordinates)	Accessibility of Sampling point				
BH1 (up gradient)	Note 1	Annual	E 296138 N 217486	Accessible bore hole				
BH2 (middle)	Note 1	Annual	E 296323 N 217486	Accessible bore hole				
BH3 (down gradient)	Note 1	Annual	E 296531 N 217578	Accessible bore hole				
BH 4 (down gradient)	Note 1	Annual	E 296202 N 217332	Accessible bore hole				

Note 1: Surface water test parameters to include Temperature, pH, Dissolved Oxygen, Conductivity, Sodium, Potassium, Chloride, Ammoniacal Nitrogen, Sulphate, Dissolved Metals (Ca, Cu, Fe, Pb, Mg, Mn, Ni and Zn) and Total Alkalinity

Concent of Content o

Table Ff (iv)



Monitoring Point Reference No: Noise co-ordinates in table below

36			· · ·	1
Monitoring Reference	Parameter	Monitoring frequency	Location	Accessibility of
Number			(Grid Co-ordinates)	Sampling point
			,	1 51
D1	Sound Level dBA	Annual (Day time)	E295981 N217725	Accessible boundary
		` ,		location
D2	Sound Level dBA	Annual (Day time)	E296303 N218011	Accessible boundary
	,	` , , ,	ي.	location
D3	Sound Level dBA	Annual (Day time)	E295981 N217725	Accessible boundary
			Office	location
D4	Sound Level dBA	Annual (Day time)	E296655 N217365	Accessible boundary
			es a for	location
H1	Sound Level dBA	Annual (Day time)	E296321 N217050	Accessible Noise sensitive
			ar folder	location outside dwelling
H2	Sound Level dBA	Annual (Day time)	E295900 N216982	Accessible Noise sensitive
		Edo, Oth		location outside dwelling
HE	Sound Level dBA	Annual (Day time)	E295356 N217774	Accessible Noise sensitive
		\$10 gylle		location outside dwelling

Table G.1 Details of Process related Raw Materials, Intermediates, Products, etc., used or generated on the site

Ref.	Material/	CAS	Danger ⁽²⁾	Amount	Annual	Nature of	${\bf R}^{(3)}$ -	S ⁽³⁾ -
$N^{\underline{o}}$ or	Substance ⁽¹⁾	Number	Category	Stored	Usage	Use	Phrase	Phrase
Code				(tonnes)	(tonnes)			
1	White Diesel			0	To be conformed	Fuel		
					with 12 months of			
					operation			
2	Green Diesel			0		Fuel		
				The Coses of for	with 12 months of			
				25° 2501	operation			
3	Hydraulic Oil			To be contirmed	To be conformed	Oil Lubricant		
				with 12 months of	with 12 months of			
				operation	operation			
4	Engine Oil			To be confirmed	To be conformed	Oil Lubricant		
			Ç ¹	with 12 months of	with 12 months of			
)	operation	operation			
			Not of					

Notes: 1. In cases where a material comprises a number of district and available dangerous substances, please give details for each component substance.

- 2. c.f. Article 2(2) of SI N° 77/94
- 3. c.f. Schedules 2 and 3 of SI N° 77/94

TABLE H.1(i): WASTE - Hazardous Waste Recovery/Disposal

Waste material	EWC Code	Main source ¹	Qı	antity	On-site Recovery/Disposal	Off-site Recovery, reuse or recycling	Off-site Disposal
		-	Tonnes / month	m ³ / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
Not Applicable		C		MIROSES ORIN' ANY ORIENTES	8.		

¹ A reference should be made to the main activity / process for each waste.

Consent of copyright owner required for any other use.



TABLE H.1(ii) WASTE - Other Waste Recovery/Disposal

Waste material	EWC Code	Main source ¹	Qua	ntity	On-site recovery/disposal ²	Off-site Recovery, reuse or recycling	Off-site Disposal
			Tonnes / month	m ³ / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
Not Applicable							
					otte use.		
				go ^{SS}	outh, sundor		
				ction purient			

A reference should be made to the main activity/ process for each waste.

The method of disposal or recovery should be clearly described and referenced to Attachment H.1

Consent disposal Conse



Table I.2(i) SURFACE WATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference: ___Not Applicable_____

Parameter	Results (mg/l)			Sampling method ² (grab, drift etc.)	Normal Analytical Range ²	Analysis method/ technique	
	Date	Date	Date	Date	nge.		
pН					ather		
Temperature					914. M14.		
Electrical conductivity EC					of selfor		
Ammoniacal nitrogen NH ₄ -N				3	Posited		
Chemical oxygen demand				.017	Kog .		
Biochemical oxygen demand				The Think			
Dissolved oxygen DO				of install			
Calcium Ca				LOD ALTO			
Cadmium Cd			,	of			
Chromium Cr			Consent				
Chloride Cl			Co.				
Copper Cu							
Iron Fe							
Lead Pb							
Magnesium Mg							
Manganese Mn							
Mercury Hg							



Surface Water Quality (Sheet 2 of 2)

Parameter	Results (mg/l)			Sampling method (grab, drift etc.)	Normal Analytical Range	Analysis method / technique	
	Date	Date	Date	Date			
Nickel Ni							
Potassium K							
Sodium Na							
Sulphate SO ₄					150.		
Zinc Zn					ther		
Total alkalinity (as CaCO ₃)					74. 404 os		
Total organic carbon TOC					es officers		
Total oxidised nitrogen TON					20 sited		
Nitrite NO ₂				on pu	t _{org}		
Nitrate NO ₃				section when			
Faecal coliforms (/100mJs)				inst di			
Total coliforms (/100mls)				to Shi			
Phosphate PO ₄				de			



Table I.4(i) GROUNDWATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference: _____BH1= 9605 1740, BH2 = 9620 1737, BH3 9630 1740

Parameter	Results (mg/l)			Sampling method (composite etc.)	Normal Analytical Range	Analysis method / technique	
	BH1 04/06/08	BH2 04/06/08	BH3 04/06/08	BH4 04/06/08			
рН	7.02	6.96	Dry	Dry	Grab		meter
Temperature			Dry	Dry	Grab		
Electrical conductivity EC	0.810mS/ cm	0.599mS/ cm	Dry	Dry	Grab		meter
Ammoniacal nitrogen NH ₄ -N	4.8 (as N)mg/l	1.7 (as N)mg/l	Dry	Dry	Grab use		Spectro
Dissolved Solids	452mg/l	390mg/l	Dry	Dry 💸	Grah		Gravimetric
Residue on evaporation (180°C)	Not tested	Not tested	Dry	Dry	Grab		
Calcium Ca	153700 ug/l	111700 ug/l	Dry	Dry con Dry redified	Grab		ICP MS
Cadmium Cd	<0.4ug/l	<0.4ug/l	Dry 1157	Dry	Grab		ICP MS
Chromium Cr	2ug/l	2ug/l	Dry cot with	Dry	Grab		ICP MS
Chloride Cl	15mg/l	13mg/l	Dry CON	Dry	Grab		KONE
Copper Cu	5ug/l	<1ug/l	Dry	Dry	Grab		ICP MS
Cyanide Cn, total	<0.05 mg/l	<0.05 mg/l	Dry	Dry	Grab		Spectro
Iron Fe	19ug/l	2ug/l	Dry	Dry	Grab		ICP MS
Lead Pb	<1ug/l	3ug/l	Dry	Dry	Grab		ICP MS
Magnesium Mg	15340 ug/l	10760 ug/l	Dry	Dry	Grab		ICP MS
Manganese Mn	41ug/l	999ug/l	Dry	Dry	Grab		ICP MS
Mercury Hg	<0.05 ug/l	<0.05 ug/l	Dry	Dry	Grab		CV AA
Nickel Ni	2ug/l	6ug/l	Dry	Dry	Grab		ICP MS
Potassium K	6.3mg/l	3.0mg/l	Dry	Dry	Grab		ICP MS
Sodium Na	14.1mg/l	12.5mg/l	Dry	Dry	Grab		ICP OES



GROUNDWATER QUALITY (SHEET 2 OF 2)

Parameter		Results (mg/l)			Sampling method (composite, dipper etc.)	Normal Analytical Range	Analysis method / technique
	BH1 04/06/08	BH2 04/06/08	BH3 04/06/08	BH4 04/06/08			
Phosphate PO ₄	0.05mg/l	0.04mg/l	Dry	Dry	Grab		KONE
Sulphate SO ₄	294mg/l	134 mg/l	Dry	Dry	Grab		KONE
Zinc Zn	30ug/l	10ug/l	Dry	Dry	Grab		ICP MS
Total alkalinity (as CaCO ₃)	410mg/l	320mg/l	Dry	Dry	Grab		titration
Total organic carbon TOC	5mg/l	13mg/l	Dry	Dry	Grab		IR
Total oxidised nitrogen TON	2.1 mg/l	0.6mg/l	Dry	Dry	G rab		Calculation
Arsenic As	<1ug/l	2ug/l	Dry	Dry Mc	Grab		ICP MS
Barium Ba	Not analysed	Not analysed	Dry	Dry and			
Boron B	109ug/l	44ug/l	Dry	- Drý	Grab		ICP MS
Fluoride F	<0.1mg/l	0.1mg/l	Dry Ro	Dry	Grab		KONE
Phenol	<0.01mg/l	<0.01mg/l	Dry Pro	Dry			
Phosphorus P	tbc	tbc	Dry wiler	Dry			
Selenium Se	Not analysed	Not analysed	Dry	Dry			
Silver Ag	Not analysed	Not analysed	Dry	Dry			
Nitrite NO ₂	Not analysed	Not analysed	Dry	Dry			
Nitrate NO ₃	9.2mg/l	2.1mg/l	Dry	Dry	Grab		KONE
Faecal coliforms (/100mls)	61 cfu/250ml	124 cons cfu/250ml	Dry	Dry	Grab		Filtration Membrane
Total coliforms (/100mls)	61cfu/250 ml	4900 cfu/250ml	Dry	Dry	Grab		Filtration Membrane
Total Aqueous 16 EPA PAHs	<0.2mg/l	<0.2mg/l	Dry	Dry	Grab		GCMS
VOC	All<1ug/l	All<1ug/l	Dry	Dry	Grab		GCMS
Semi VOC	All <1ug/l	All <1ug/l	Dry	Dry	Grab		GCMS
MTBE	<10ug/l	<10ug/l	Dry	Dry	Grab		GC
BTEX	All <10ug/l	All <10ug/l	Dry	Dry	Grab		GC
PRO C10-12	<10ug/l	<10ug/l	Dry	Dry	Grab		GC
PRO C5-9	<10ug/l	<10ug/l	Dry	Dry	Grab		GC
DRO	<10ug/l	227ug/l	Dry	Dry	Grab		GC
Mineral Oil	<10ug/l	<10ug/l	Dry	Dry	Grab		GC

epa_waste_licence_application_Morrin Oct 2008

ANNEX - Standard Forms



Table I.6(i) Ambient Noise Assessment

Third Octave analysis for noise emissions should be used to determine tonal noises

	National Grid Reference	Sound Pressure Levels					
	(5N, 5E)	L(A) _{eq}	$L(A)_{10}$	L(A) ₉₀			
1. SITE BOUNDARY	To be carried out within 6 months of granting of Licence. Envisaged that no tonal noise will emitted fro the facility						
Location 1:							
Location 2:							
Location 3:							
Location 4:							
2. NOISE SENSITIVE LOCATIONS			ollerise.				
Location 1:		ally.	any				
Location 2:		Sep. 9 10					
Location 3:		outpe diffe					
Location 4:		ion eric					

NOTE: All locations should be identified on accompanying drawings.