

Ms. Marcella Doyle  
Senior Executive Officer  
An Bord Pleanála  
64 Marlborough Street  
Dublin 1.



Regional Inspectorate, Inniscarra  
County Cork, Ireland  
Cigireacht Réigiúnach, Inis Cara  
Contae Chorcaí, Éire

T: +353 21 487 5540  
F: +353 21 487 5545  
E: [info@epa.ie](mailto:info@epa.ie)  
W: [www.epa.ie](http://www.epa.ie)

Lo Call: 1890 33 55 99

17<sup>th</sup> December 2008

Your Ref: 04.YA0006

re. Your request for observations under Regulation 44 of S.I. 684 of 2007 Waste Water Discharge (Authorisation) Regulations 2007.

Dear Ms Doyle,

I refer to your letter dated 11<sup>th</sup> December 2008, received by the Agency on 12 December 2008 in relation to the Proposed Wastewater Treatment Plant at Carrigtohill, Co. Cork.

Pursuant to the provisions of the Waste Water Discharge (Authorisation) Regulations, 2007 (S.I. No. 684 of 2007) the Agency has received an application from Cork County Council on 14/12/07 in relation to the discharges from the Carrigtohill wastewater treatment works and is currently in the process of assessing the application.

The Agency has not, as yet, completed the assessment of the application made in relation to the discharges from the Carrigtohill wastewater treatment works. In light of this, I am to advise that the Agency will not be making any observation on the above referenced proposed development prior to the decision on the relevant waste water discharge licence.

I would like to draw your attention to the waste water discharge licence application documentation in relation to the Carrigtohill wastewater treatment works, which may be viewed at [www.epa.ie](http://www.epa.ie), under Registration Number: **D0044-01**.

Yours sincerely,

Marie O'Connor  
Senior Inspector  
Environmental Licensing Programme  
Office of Climate, Licensing & Resource Use