

## **ATTACHMANT J ACCIDENT PREVENTION & EMERGENCY RESPONSE**

### **Storage of Raw Materials, Product and Waste**

Raw material and products from the recovery operation will be stored on a hard standing area. An inspection area will be used to store any material which is suspected of being contaminated. If material is found to be contaminated a quarantine area will be used. Both inspection and quarantine areas will be sealed by 150mm thick reinforced concrete slab over 150mm of granular sub-base and bunded to a design storm volume. Materials stored in the quarantine area will also be covered.

Waste generated on site will be stored in covered skips ready for transport off site. These skips will be positioned and stored on a concrete slab adjacent to the quarantine area.

### **Emergency Containment Measures**

An emergency spill kit to deal with any spill occurring on site will be located at the site office. All operatives on site will be trained in the use of this spill kit.

### **Storage**

In reference to Section D, no fuel will be stored on site. A small bunded oil storage tank will be positioned adjacent to the quarantine area. The bunding of this tank will provide adequate protection against hazardous spills.

Regard to storage from the quarantine and inspection area a sealed bunded tank will be provided.

When refuelling and maintaining machinery on site an appropriate sized drip collection tray will be provided as a catchment for any spill that may occur.

### **Hazards / Contingencies Plans**

The applicant has current Safety Statement on site which deals with hazards and emergencies which may arise and provides contingencies for dealing with these occurrences. Attached is copy of the company Safety Statement appendix 4.