

WATERFORD COUNTY COUNCIL

COMHAIRLE CONTAE PHORT LÁIRGE



ANNUAL ENVIRONMENTAL REPORT 2008

MATERIALS RECOVERY FACILITY

SHANDON, DUNGARVAN
CO. WATERFORD

Waste Licence Register No. W0189-01

Report Compiled by:

Mr Paul Carroll, Executive Scientific Officer, Adamstown Laboratory

Mr Michéal Fahey, Facility Manager, Materials Recovery Facility

Table of Contents

Introduction

1.	Reporting Period	5
2.	Waste Activities Carried Out at the Facility	5
3.	Quantities and Composition of Material Received, Disposed of and Recovered during 2008	6
4.	Environmental Monitoring	6
4.1	Foul Water	7
4.2	Noise	13
5.	Schedule of Environmental Objectives and Targets for the forthcoming year.	20
6.	Report on the Progress towards Achievement of the Environmental objectives and targets undertaken in the previous year.	21
7.	Nuisance Monitoring	22
8.	Full Title and a written summary of any procedures developed by the licensee in the year which relates to the facility operation	23
9.	Reported incident and complaints summaries	30
10.	Management and Staffing Structure of the Facility	30
11.	Report of Training of Staff	30

List of Appendices

- | | |
|-------------------|---|
| Appendix A | Quantities and Composition of Material Received, Disposed of, and Recovered during 2008 |
| Appendix B | Map of Monitoring Locations |
| Appendix C | Integrity of Bunds |
| Appendix D | Management Structure |
| Appendix E | AER Returns Worksheet |

Introduction

Waterford County Council was granted a Waste Licence (Ref W0189-01) by the Environmental Protection Agency on the 22nd March 2004 for the acceptance of non-hazardous household, commercial and industrial sourced dry recyclable wastes including; paper, Cardboard, natural and manmade fibres, glass, plastics, ferrous and non-ferrous metals at the Materials Recovery Facility in Shandon, Dungarvan, County Waterford. Material was not accepted at the Materials Recovery Facility until 2005. This is the fourth Annual Environmental Report for the facility and includes the monitoring period 1st January 2008 – 31st December 2008. The report has been prepared in accordance with Condition 11.4 and Schedule F of the Waste Licence.

1. **Reporting Period**

This is the fourth Annual Environmental Report for the Materials Recovery Facility, which covers the period 1st January 2008 to 31st December 2008.

2. **Waste Activities carried out at the Facility**

Part 1 of the Waste Licence details the activities authorised:

Waste Management Act 1996: Third Schedule

Class 12. Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.

This activity is limited to the bulking and transfer of waste off-site.

Class 13. Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned was produced:

This activity is limited to the storage of the waste prior to bulking and transfer off-site.

Waste Management Act, 1996, Fourth Schedule

Class 2. Recycling or reclamation of organic substances, which are not used as solvents (including composting and other biological transformation processes):

This activity is limited to the recovery of dry recyclables specified in Schedule A: Waste Acceptance, of the licence.

Class 3. Recycling or reclamation of metals and metal compounds:

This activity is limited to the segregation of steel and metals prior to recovery off-site.

Class 4. Recycling or reclamation of other inorganic materials:

This activity is limited to the segregation of glass, textiles and other inert waste prior to recovery off-site.

Class 11. Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule:

This activity is limited to the handling of dry recyclables specified in Schedule A: Waste Acceptance, of the licence.

Class 13. Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than the temporary storage, pending collection, on the premises where such waste is produced:

This activity is limited to the storage of the waste prior to recovery on or off-site.

3. Quantity and Composition of Waste received, disposed of and removed during the reporting period and each year previous

The quantity and composition of waste received, disposed of and removed for the reporting period 1st January 2008 – 31st December 2008 is attached in Appendix A.

4. Environmental Monitoring

Introduction

This report is a compilation of environmental monitoring carried out on behalf of Waterford County Council at Materials Recovery Facility during 2008.

Monitoring of waters and noise was carried out in accordance with the waste licence (W0189-01), conditions 8, and schedule D. Drawing of monitoring locations attached.

Inspections of the foul water emission location were conducted on four dates in 2008.

Noise monitoring was conducted at four locations on the boundary of the site.

Dust monitoring, although not required by a licence condition, was also carried out at four locations on the boundary of the site.

Drawing of monitoring locations is attached as Appendix B.

Section 4.1

Foul Water Monitoring

4.1.1 Introduction

Inspections of the foul water emission location were conducted on four dates in 2008. However no samples were taken as there was no flow on any of the sampling dates or throughout the year. The licence directs that *sampling is to coincide with discharge of floor wash-down*. There were no floor wash-downs during the year.

4.1.2 Laboratory reports

*Waterford County Council,
Water Testing Laboratory,
Kilmeaden,
Co Waterford*

*Materials Recovery Facility, Dungarvan
Discharge to Sewer Monitoring Report*

<i>Emission</i>	<i>Parameter</i>	<i>Result</i>
<i>Limit</i>	<i>SAMPLING POINT</i>	SW1 MRF Dungarvan
	<i>DATE OF SAMPLING</i>	29/1/08
	<i>TIME OF SAMPLING</i>	11:30:00
	<i>SAMPLE NUMBER</i>	
	<i>SAMPLED BY</i>	
	<i>TESTING LABORATORY</i>	Adamstown

<i>6-9</i>	<i>pH</i>	
<i>400</i>	<i>BOD mg/l</i>	
<i>1000</i>	<i>COD mg/l</i>	
<i>250</i>	<i>Suspended Solids</i>	
<i>10</i>	<i>Mineral oils mg/l</i>	
<i>15 - 30</i>	<i>Temperature deg C</i>	
<i>400</i>	<i>Sulphate</i>	
<i>100</i>	<i>Ammoniacal Nitrogen</i>	
<i>100</i>	<i>Detergents mg/l</i>	

Flow 0

Remarks: No flow present

29/1/08 *Signed off on behalf of* P Carroll
Laboratory:

**Waterford County Council,
Water Testing Laboratory,
Kilmeaden,
Co Waterford**

**Materials Recovery Facility, Dungarvan
Discharge to Sewer Monitoring Report**

Emission	Parameter	Result
Limit	SAMPLING POINT	SW1 MRF Dungarvan
	DATE OF SAMPLING	22/4/08
	TIME OF SAMPLING	11:30:00
	SAMPLE NUMBER	
	SAMPLED BY	
	TESTING LABORATORY	Adamstown

6-9	pH	
400	BOD mg/l	
1000	COD mg/l	
250	Suspended Solids	
10	Mineral oils mg/l	
15 - 30	Temperature deg C	
400	Sulphate	
100	Ammoniacal Nitrogen	
100	Detergents mg/l	

Flow 0

Remarks: No flow present

22/4/08

**Signed off on behalf of
laboratory:** P Carroll

**Waterford County Council,
Water Testing Laboratory,
Kilmeaden,
Co Waterford**

**Materials Recovery Facility, Dungarvan
Discharge to Sewer Monitoring Report**

Emission	Parameter	Result
Limit	SAMPLING POINT	SW1 MRF Dungarvan
	DATE OF SAMPLING	5/8/08
	TIME OF SAMPLING	11:30:00
	SAMPLE NUMBER	
	SAMPLED BY	
	TESTING LABORATORY	Adamstown

6-9	pH
400	BOD mg/l
1000	COD mg/l
250	Suspended Solids
10	Mineral oils mg/l
15 - 30	Temperature deg C
400	Sulphate
100	Ammoniacal Nitrogen
100	Detergents mg/l

Flow 0

Remarks: No flow present

5/8/08

**Signed off on behalf of
laboratory:** P Carroll

**Waterford County Council,
Water Testing Laboratory,
Kilmeaden,
Co Waterford**

**Materials Recovery Facility, Dungarvan
Discharge to Sewer Monitoring Report**

Emission	Parameter	Result
Limit	SAMPLING POINT	SW1 MRF Dungarvan
	DATE OF SAMPLING	24-Oct-08
	TIME OF SAMPLING	11:30:00
	SAMPLE NUMBER	
	SAMPLED BY	
	TESTING LABORATORY	Adamstown

6-9	pH
400	BOD mg/l
1000	COD mg/l
250	Suspended Solids
10	Mineral oils mg/l
15 - 30	Temperature deg C
400	Sulphate
100	Ammoniacal Nitrogen
100	Detergents mg/l

Flow 0

Remarks: No flow present

24/10/08

**Signed off on behalf of
laboratory: P Carroll**

Section 4.2

Noise Measurement

4.2. Noise Measurement Report

4.2.1 Introduction

A noise survey was undertaken on 24th of October 2008 and 4th December 2008 in the vicinity of Waterford County Council's Material Recovery Facility at Shandon, Dungarvan. The following locations were surveyed as shown on the attached drawing, Appendix 1.

- N1- At boundary 40 m east of MRF building.
- N2- 40 metres north of building, at end of existing car park.
- N3- At boundary 35m west of building
- N4- At boundary of access road to industrial estate 90m south.

Measurements were taken using a Type 1 sound level meter (Cirrus Model CR:831A) calibrated to traceable national standards(Calibration certificate No: 128438). The meter was further calibrated on site prior to use. The monitoring period was thirty minutes.

A heavy vehicle was on site unloading a load of recyclable material at the time of the survey.

4.2.2 Results

4.2.2.1 Broadband measurements

Table 1 Broadband measurements.

Type	Broadband	Broadband	Broadband	Broadband
Notes	N1	N2	N3	N4
Date	17/09/2008	17/09/2008	03/12/2008	03/12/2008
Time	10:05:34	11:11:02	09:35:21	10:45:19
RunTime	00:30:00	00:30:00	00:30:00	00:30:00
Leq	43.8	41.6	44.8	44.9
Lepd	31.8	30.5	30.7	32.2
Lmax	71.6	72.1	69.5	54.0
Peak	103.6	95.4	83.2	77.0
Ln1	47.9	48.4	46.9	48.1
n1	1.0	1.0	1.0	1.0
Ln2	45.2	44.0	46.2	46.6
n2	10.0	10.0	10.0	10.0
Ln3	44.3	44.0	44.4	45.5
n3	50.0	50.0	50.0	50.0
Ln4	43.6	43.4	43.4	44.8
n4	90.0	90.0	90.0	90.0
Ln5	43.5	43.3	43.2	44.6
n5	95.0	95.0	95.0	95.0
Ln6	43.4	43.1	43.1	45.2
n6	99.0	99.0	99.0	99.0
SEL	76.2	74.9	75.1	76.6
Latm	999.0	999.0	999.0	999.0
Leql	999.0	999.0	999.0	999.0
SPLTime	Fast	Fast	Fast	Fast
FreqWgt	A	A	A	A
Range	3.0	3.0	3.0	3.0
O/L	0.0	0.0	0.0	0.0

4.2.2.2 Frequency analysis

One-third octave frequency analysis was conducted at the locations above. The monitoring period was thirty minutes. Results are presented below for each location.

Fig 1. Location N1. 1/3 octave analysis A weighted.




Table 2. Location N1. 1/3 octave analysis A weighted.

N1
 Date 17/09/2008
 Time 10:36:59
 Run Time 00:29:53

25 Hz	14.5 dBA	160 Hz	30.1 dBA	1 kHz	39.5 dBA	6.3 kHz	32.2 dBA
31 Hz	19.9 dBA	200 Hz	34.4 dBA	1.25 kHz	41.0 dBA	8 kHz	31.3 dBA
40 Hz	22.6 dBA	250 Hz	41.6 dBA	1.6 kHz	37.8 dBA	10 kHz	29.7 dBA
50 Hz	31.1 dBA	315 Hz	37.8 dBA	2 kHz	38.9 dBA	12.5 kHz	27.6 dBA
63 Hz	30.9 dBA	400 Hz	37.3 dBA	2.5 kHz	36.3 dBA	16 kHz	25.4 dBA
80 Hz	37.3 dBA	500 Hz	35.6 dBA	3.15 kHz	34.5 dBA	LAeq	44.7 dB
100 Hz	35.1 dBA	630 Hz	36.3 dBA	4 kHz	34.3 dBA	LCeq	59.9 dB
125 Hz	32.6 dBA	800 Hz	39.0 dBA	5 kHz	37.6 dBA	LZeq	63.6 dB

Fig 2. Location N2. 1/3 octave analysis A weighted.




Table 3. Location N2. 1/3 octave analysis A weighted.

N2

Date 17/09/2008

Time 11:42:31

Run Time 00:29:52

25 Hz	8.2 dBA	160 Hz	32.6 dBA	1 kHz	36.7 dBA	6.3 kHz	29.0 dBA
31 Hz	12.3 dBA	200 Hz	34.2 dBA	1.25 kHz	38.7 dBA	8 kHz	29.9 dBA
40 Hz	18.3 dBA	250 Hz	30.2 dBA	1.6 kHz	40.7 dBA	10 kHz	27.8 dBA
50 Hz	20.7 dBA	315 Hz	28.8 dBA	2 kHz	41.7 dBA	12.5 kHz	25.6 dBA
63 Hz	27.6 dBA	400 Hz	33.7 dBA	2.5 kHz	36.5 dBA	16 kHz	23.0 dBA
80 Hz	29.8 dBA	500 Hz	34.1 dBA	3.15 kHz	32.4 dBA	LAeq	41.0 dB
100 Hz	28.8 dBA	630 Hz	36.7 dBA	4 kHz	37.0 dBA	LCeq	55.9 dBC
125 Hz	32.0 dBA	800 Hz	35.6 dBA	5 kHz	30.3 dBA	LZeq	60.4 dBZ

Fig 3. Location N3 1/3 octave analysis A weighted.




Table 4. Location N3. 1/3 octave analysis A weighted.

N3

Date 03/12/2008

Time 10:08:26

Run Time 00:29:55

25 Hz	30.7 dBA	160 Hz	32.1 dBA	1 kHz	41.7 dBA	6.3 kHz	32.4 dBA
31 Hz	16.9 dBA	200 Hz	32.1 dBA	1.25 kHz	39.2 dBA	8 kHz	31.1 dBA
40 Hz	21.6 dBA	250 Hz	32.6 dBA	1.6 kHz	38.0 dBA	10 kHz	29.7 dBA
50 Hz	46.0 dBA	315 Hz	32.5 dBA	2 kHz	37.7 dBA	12.5 kHz	27.5 dBA
63 Hz	35.1 dBA	400 Hz	35.8 dBA	2.5 kHz	36.5 dBA	16 kHz	25.5 dBA
80 Hz	35.8 dBA	500 Hz	38.2 dBA	3.15 kHz	35.3 dBA	LAeq	44.6 dB
100 Hz	35.3 dBA	630 Hz	37.9 dBA	4 kHz	34.4 dBA	LCeq	59.6 dBC
125 Hz	32.9 dBA	800 Hz	39.4 dBA	5 kHz	37.9 dBA	LZeq	64.3 dBZ

Fig 4. Location N4 1/3 octave analysis A weighted.




Table 5. Location N4. 1/3 octave analysis A weighted.

N4

Date 03/12/2008

Time 11:17:52

Run Time 00:29:54

25 Hz	28.5 dBA	160 Hz	29.6 dBA	1 kHz	41.3 dBA	6.3 kHz	32.0 dBA
31 Hz	18.7 dBA	200 Hz	30.8 dBA	1.25 kHz	41.9 dBA	8 kHz	30.9 dBA
40 Hz	18.0 dBA	250 Hz	31.5 dBA	1.6 kHz	41.7 dBA	10 kHz	29.4 dBA
50 Hz	28.2 dBA	315 Hz	32.2 dBA	2 kHz	39.5 dBA	12.5 kHz	27.3 dBA
63 Hz	31.7 dBA	400 Hz	36.7 dBA	2.5 kHz	38.1 dBA	16 kHz	24.9 dBA
80 Hz	33.5 dBA	500 Hz	37.6 dBA	3.15 kHz	35.4 dBA	L _{Aeq}	48.0 dB
100 Hz	33.1 dBA	630 Hz	38.6 dBA	4 kHz	38.4 dBA	L _{Ceq}	60.7 dBC
125 Hz	32.2 dBA	800 Hz	39.2 dBA	5 kHz	33.3 dBA	L _{Zeq}	72.8 dBZ

4.2.3 Comments

The L_{Aeq} broadband measurements (table 1) complied with the facility licence daytime noise emission limit of 55 dB(A) (30 minutes).

The frequency analysis indicated the absence of significant peaks at high frequencies and that there was no nuisance high pitch tonal noises at the facility

Conclusions

Inspections of the foul water emission location were conducted on four dates in 2008. However no samples were taken as there was no flow on any of the sampling dates or throughout the year. The licence directs that *sampling is to coincide with discharge of floor wash-down*. There were no floor wash-downs during the year.

Noise monitoring was conducted at four locations on the boundary of the site. All locations were within the daytime noise emission limits of 55 dB L_{Aeq} 30 mins.

In summary, there was no evidence of detrimental impact on the environment due to this facility.

5. Schedule of Environmental Objectives and Targets for the forthcoming year.

Aspects associated with significant impacts

Objective 1 – Air- Minimisation of odour associated with operation of facility

Target 1.1 Less than 10 complaints per year. – (Review at the end of year)

Objective 2 –Water- Minimisation of impact on ground and surface water quality

Target 2.1 No breaches of surface water emission criteria. – (Ongoing)

Objective 3 – Water- Minimisation of impact on ground and surface water quality

Target 3.1 –. No uncontrolled spillage to ground or surface waters. – (Ongoing)

Objective 4 – Land and Soil- Minimisation of impact of facility on land and soil

Target 4.1- No spillages to land or soil-(Ongoing)

Resource depletion

Objective 5 Minimise power usage commensurate with proper operation of facility

Target 5.1 Average 5% reduction in energy requirements per unit processed per annum. First operational year (2005) used as baseline. Target reduction of 25% after 5 years. (2006 to 2010)

Local environmental and community issues

Objective 6- Complaints- Minimise complaints by members of public regarding litter, noise, dust, odours, traffic

Target 6.1 Less than 20 complaints per year

Objective 7-Response to complaint- Respond quickly to any complaints

Target 7.1 Acknowledge 90% of complaints within 2 working days; follow up with report of ameliorative action taken, within 5 working days. (2006)

Acknowledge 100% of complaints within 2 working days, follow up with report of ameliorative action taken, within 5 working days. (2010)

Legal and other requirements

Objective 8 Compliance with licence requirements

Target 8.1 Full Compliance (Ongoing)

6. Report on the Progress towards Achievement of the Environmental objectives and targets undertaken in the previous year.

Aspects associated with significant impacts

Objective 1 – Air- Minimisation of odour associated with operation of facility

Target 1.1 - Less than 10 complaints per year

2008 - No complaints received. Target achieved.

Objective 2 –Water-Minimisation of impact on ground and surface water.

Target 2.1 – No breach of surface water emissions criteria.

2008 - No breaches. Target achieved.

Objective 3 – Water-Minimisation of impact on ground and surface water.

Target 3.1 – No uncontrolled spillages to ground or surface waters.

2008 - No spillages. Target achieved

Objective 4 – Land and Soil – Minimisation of impact of facility on land and soil.

Target 1.1 – No spillages to land or soil.

2008 - No spillages. Target achieved

Resource Depletion

Objective 5 – Minimise power usage commensurate with proper operation of facility.

Target 5.1 – Average 5% reduction in energy requirements per unit processed per annum.

First operational year (2005 - 600 amps) used as baseline. Target reduction of 25% after 5 years.

2008 – Max demand complied with, reduction from 600 amps to 75 amps. Target achieved.

Local environmental and community issues

Objective 6- Complaints- Minimise complaints by members of public regarding litter, noise, dust, odours, traffic

Target 6.1 Less than 20 complaints per year

2008 - No complaints. Target achieved

Objective 7 – Response to complaint- Respond quickly to any complaints

Target 7.1 Acknowledge 90% of complaints within 2 working days, follow up with report of ameliorative action taken, within 5 working days.

Acknowledge 100% of complaints within 2 working days; follow up with report of ameliorative action taken, within 5 working days.

2008 - No complaints. Target achieved.

Legal and other requirements

Objective 8 Compliance with licence requirements

Target 8.1 Full Compliance.

2008 – Non-compliance EPA Ref No. W0189-01/nc04de

7. Nuisance Monitoring

Nuisance Control is carried out in accordance with Condition 7 and 8.12 of the Waste Licence. The site is inspected daily and weekly by the Facility Manager and recorded on the weekly inspection sheets. The weekly inspection sheet records environmental nuisances such as birds, loose litter, odour, dust, mud and vermin. A litter picker cleans the facility once a week or in the case of abnormal amounts of litter arising, on a more frequent basis. A road sweeper cleans the site on a weekly basis.

Vermin Control

A pest control company sets poison in specially manufactured bait boxes on the site every month all year round.

Vermin control was carried out in accordance with Condition 11.5 of the waste licence. Vermin activity was very low for the reporting period due to implementation of a good eradication programme.

8. Full title and a written summary of any procedures developed during the reporting period

8.1 Emergency Procedures

8.1.1 Purpose

The purpose of this document is to set out the procedure and plans to be followed in the event of an emergency.

Procedures are designed to ensure the safety of people in buildings during emergencies by co-ordinating and controlling building evacuations until the appropriate emergency services arrive. An emergency can be defined as any event, natural or man-made, which by its occurrence endangers the lives of staff and visitors within the building and which requires an immediate response.

8.1.2 Reference Documents

Safety Statement

8.1.3 Responsibilities

8.1.4 Management Responsibility

The persons responsible for the implementation and management of emergency evacuation procedures are those with appropriate management authority over the building. For these procedures the responsible person will be the Project Leader/Senior Engineer.

The Plant Manager is responsible for:

- a) The appointment of a Fire Warden and deputy.
- b) Ensuring that resources are available to all wardens to fulfil their role.
- c) Ensuring that Fire Wardens' recommendations are implemented.
- d) Ensuring the effective implementation and management of the emergency evacuation procedures in buildings under his control.

Fire Wardens are responsible for:

- a) Carrying out their duties in the event of an emergency as described in these procedures.
- b) Attending a debrief following any emergency evacuation drill.
- c) Reporting to the Plant Manager any observed fire or evacuation hazards or unsafe conditions present within the plant or as identified during a fire drill.
- d) Conducting regular fire and evacuation safety inspections.
- e) Attending Fire Warden training at least biannually.
- f) The regular inspection and maintenance of all fire alarms.
- g) Activating the fire alarm to enable a drill to be conducted.

Team Leaders are responsible for:

- a) Inducting new members of staff around the building pointing out room exits, the location of escape stairwells and final exit points and assembly points.
- b) Instructing their staff to evacuate immediately in the event of an alarm activation.
- c) Informing Fire Wardens/Gardai/Fire Brigade of any known missing persons.

The Health and Safety Officer is responsible for:

- a) The co-ordination, implementation and review of the Emergency and Evacuation Procedure.
- b) Liaison with the emergency services to maintain emergency preparedness.
- c) Co-ordinating the training programme for Fire Wardens.
- d) Maintaining a master list of Fire Wardens and schedule evacuation drills.
- e) Organising a Fire Warden debrief following scheduled drills.

8.1.5 *Fire Alarm System*

NB: The building fire alarm is automatically activated where more than one detector is activated or where a "Break Glass" unit is activated.

8.1.6 *Emergency Procedure*

8.1.6.1 *Any person discovering a fire shall:*

- a) Activate the nearest fire alarm "Break Glass" unit IMMEDIATELY.
- b) Extinguish the fire if it is safe to do so (no more than one extinguisher to be operated. If fire has not been extinguished, evacuate immediately).
- c) Call emergency number 999 or reception on Extn 2333 and make your way to the Fire Assembly Point.
- d) Provide details to reception/Fire Brigade of exact location and extent of fire.

8.1.6.2 *On hearing the fire alarm, building occupants shall:*

- a) Evacuate the building immediately via the nearest available fire exit.
- b) Comply with all directions given by Fire Wardens.
- c) Where possible assist less able bodied persons/visitors to evacuate to safety.
- d) Proceed to the "Fire Assembly Point" for the building.
- e) Remain outside the building until the all clear is given.

8.1.6.3 *On hearing the fire alarm, Fire Wardens shall:*

- a) Don high visibility “Fire Warden” vests.
- b) Enter all accessible rooms on their floor and instruct occupants to evacuate the building, closing all doors whilst progressing through the floor.
- c) Direct building occupants to their nearest emergency escape routes.
- d) Proceed to the “Fire Assembly Point” when the floor has been evacuated.
- e) Take control at the assembly point and ensure that no-one re-enters the building until the all clear has been given by security/Fire Brigade and the emergency stood down.
- f) Attend the post-evacuation debrief and report any particular difficulties encountered during the evacuation.

8.1.7 Evacuation Drill Frequency

Each building shall conduct at least one evacuation drill per year. Key Holders List;

Name	Contact No.
1. Ace Security	(052)-21506
2. Michéal Fahey	(086)-170-3780
3. Bernard Moloney	(086)-805-7670

8.2 Freedom of Access to Information on the Environment

The European Council Directive 90/313/EEC on the *Freedom of Access to Information on the Environment* recognises the significance of the public’s access to information relating to the environment. At present, copies of all documents and correspondence relating to Waste Licence W0189-01 are held at the Material Recovery Facility.

A communications programme will be put in place as required under condition 2.4.1 of the Waste Licence to ensure that members of the public can obtain information concerning the environmental performance of the Dungarvan Materials Recovery Facility. This in turn will address any local community concerns and allow the public the opportunity to provide feedback on the facility.

The Facility Manager will be responsible for the implementation of this programme, which shall form part of the routine operation and management of the facility. Further support will be provided from the Environment Section of Waterford County Council if required.

Programme

Information to be provided at the Facility

The following information will be available for inspection at the Material Recovery Facility, and will be maintained by the Facility Manager.

- Map of the Facility showing all environmental monitoring points
- Current Waste Licence for the Facility
- All records relating to the Facility
- Nuisance Inspection
- Integrity Tests of Bunds
- Complaints Register
- Incidents Register
- Environmental Monitoring Records (Groundwater, Surface water and Noise Data).
- Emergency Response Procedure
- Programme for the control and Eradication of Vermin
- Annual Environmental Report
- Visitors Book

The Waste Acceptance hours under condition 1.8.1 of the Waste Licence are

Monday – Saturday 0800-2000

All visitors are required to sign a Visitors Book at the site office outlining their reason for visiting. Unauthorised personnel are not allowed access to the site.

Members of the public may arrange a site visit by contacting the Facility Manager prior to their visit. For Health and Safety reasons all visitors must have appropriate clothing (High Vis-jacket, Safety Helmets Walking boots/Wellingtons). The Facility Manager or suitable qualified persons shall accompany all visitors on site visits.

Written Requests for Information

All requests concerning the environmental performance of the facility should be made in writing to:

Facility Manager
Materials Recovery Facility
Dungarvan
Co. Waterford

The Facility Manager shall copy all requests to:

Senior Engineer
Environment Section
Waterford County Council
Civic Offices
Dungarvan
Co. Waterford

Each request should indicate the name, address and contact telephone number of the concerned party, an outline of the required information and the manner in which they require the information i.e. copy of record, e-mail etc.

Waterford County Council shall make replies in writing within twenty working days of receiving the written request.

The information required shall be issued in paper format unless otherwise requested by the concerned party. Requests that require information in digital format may require more time than the twenty working days as outlined previously.

If requested Waterford County Council will provide a clear explanation of the information provided.

- 8.2.1 If the concerned party requests the examination of a particular report/document relating to the facility, then it will be made available for viewing at the Material Recovery Facility.

Media Requests

The Director of Services within the Environment Section of Waterford County Council shall nominate a liaison person to respond to requests made by the media for information relating to the environmental performance of the facility.

Feedback from the public

The Facility Manager will record any comments or suggestions made by the public during their visits and the opportunity will also be available to submit a written comment to the Material Recovery Facility. Copies of such minutes or submissions will be kept in a register by the Facility Manager and will also be copied to the Environment Section, for the attention of the Senior Engineer. If requested a reply will be provided by the Council within twenty working days.

Emergency Response Procedures

Scope

The Emergency Response Procedures apply but is not limited to the following incidents occurring:

- Fire / Explosions
- Spillages
- Environmental Pollution
- Injury or serious accident to persons
- Any other incident, which may pose a significant threat to persons or the environment.

Responsibility

1. The Facility Manager is responsible for the implementation of the Emergency Response Procedure and for the training of all Material Recovery Facility personnel and contractors in effective emergency response procedures.
2. In the event of a major fire or an explosion, the Monitoring Station alarm will be activated. The Senior Rostered Fire Officer will be notified immediately via the Regional Fire Department.

3. In the event of a serious accident or injury to a person the ambulance service should be contacted.

4. In the event of other incidents e.g. spillages or environmental pollution the Senior Environment Engineer will be notified and will assume responsibility along with the Facility Manager.

Procedure

In the event of an accident occurring the following procedure will be adopted:

- Evacuate the immediate area within the site if necessary
- Inform other site users
- Remain upwind of any hazard area
- Contact site office and advise in detail of the emergency
- Ensure entrance/exit gate is not obstructed
- Contact fire brigade, ambulance, Gardaí, and / or Senior Engineer, Waterford County Council as required by dialing 999 or 112
- If incident occurs outside office hours an emergency telephone contact number will be provided on the site notice board. The Material Recovery Facility also has on-site security and drive-by security.
- Personnel shall report to the designated assembly point on the Material Recovery Facility
- All areas affected by the incident shall remain closed until given the all-clear by an authorised person

In the event of a spillage, the Facility Manager shall apply a suitable absorbent material to contain and absorb any spillage at the facility. Once contained the Facility Manager shall have regard to the Corrective Action Procedure.

In the event of a serious threat to the environment, the Facility Manager shall take all necessary short-term action to minimise any further impact and allow the Corrective Action Procedure.

Records

Details of any incident will be recorded in a written register, which will be maintained at the site office

9. **Reported incident and complaints summaries**

No Incidents or Complaints occurred during the reporting period.

10. **Management and Staffing of the Facility**

Management and staffing of the facility is attached in Appendix D.

11. **Report on training of staff**

The Facility Manager has completed the Fás Waste Management Course. All Waterford County Council employees have participated in the Fás Safe Pass Course. All staff have been trained on how to respond if a fire occurs. PEMAC (Preventive Maintenance Program) has also been implemented at the Material Recovery Facility. This is a software program which controls the day-to-day running of the Material Recovery Facility.

APPENDIX A

Quantity and Composition of Waste Received, Disposed of and Recovered during 2008

Total Incoming Tonnages Per Customer 2008

	Jan-08	Feb-08	Mar-08	Apr-08	May-08	Jun-08	Jul-08	Aug-08	Sep-08	Oct-08	Nov-08	Dec-08
Wat Co. Co.	234.56	119.16	231.60	122.92	239.30	122.76	219.00	144.50	169.00	184.64	115.26	161.83
Fennells (CAS)	28.60	19.64	20.86	17.74	20.38	22.60	23.72	23.68	22.20	20.56	16.70	25.74
Dungarvan T.C.	49.60	25.04	48.86	26.16	49.44	25.98	45.04	31.72	34.16	39.56	24.32	39.60
Wat City Co.	270.02	228.40	194.84	205.76	220.52	186.74	215.62	183.01	217.10	207.38	189.34	221.32
South Tipperary Co. Co.	335.78	234.66	186.62	269.70	218.88	244.02	275.88	202.02	238.24	251.92	215.06	196.40
Wexford Co. Co.	401.30	348.68	392.08	497.80	287.12	285.38	380.79	392.56	336.16	426.92	306.54	238.30
Commercial	31.62	22.56	15.28	18.16	15.16	19.52	18.84	17.24	15.50	13.72	12.20	15.19
	1,351.48	998.14	1,090.14	1,158.24	1,050.80	907.00	1,178.89	994.73	1,032.36	1,144.70	879.42	898.38

Total Incoming Tonnage 2008 12,684.28


Total Outgoing Material 2008

Company	Product	Jan-08	Feb-08	Mar-08	Apr-08	May-08	Jun-08	Jul-08	Aug-08	Sep-08	Oct-08	Nov-08	Dec-08	
Green Dragon Ltd.	Aluminium Cans				14.32				20.54	5.58	5.64	4.84	4.6	55.52
Green Dragon Ltd.	Ferrous Cans							24.40						24.40
Alternative Waste Solutions	Ferrous Cans			24.28	23.90	24.76			23.48					96.42
Marwin Environmental	Ferrous Cans		23.48								23.58			47.06
Dungarvan CAS	Mixed Municipal Waste		2.02	1.40		3.50	3.04				4.16			14.12
Marwin Environmental	Cardboard	24.56								25.62				50.18
Gaelic Environmental	Cardboard		25.34		25.04			25.28					25.36	101.02
Cardboard Connection	Mixed Paper	26.50	248.86				52.16	258.20	268.18	260.80	263.76			1,378.46
Gaelic Environmental	Mixed Paper	448.18	194.82	201.36	245.58	76.10	245.00	152.26	129.80	149.34	123.68	119.78	365.58	2,451.48
Peute Papierrecycling	Mixed Paper		148.74	144.54	147.24	157.36	149.16	159.24				247.10		1,153.38
Marwin Environmental	Mixed Paper	490.58	98.84	390.16	339.94	364.40	145.98	203.56	325.18	271.18	277.56	442.30	271.94	3,621.62
Marwin Environmental	Plastic Bottles	34.18	33.68		32.96	15.92	15.78	30.82	15.40					178.74
AWS Eco Plastics Ltd.	Plastic Bottles			18.96					32.76	33.34	16.24	31.92	32.58	165.80
Marwin Environmental	Plastic Film	21.04				20.32							22.98	64.34
Cherry Polymers	Plastic Bottles											31.20	15.94	47.14
Cardboard Connection	Plastic Bottles	56.84	55.12	54.48	54.76	53.04	49.70	33.88	33.40	33.10	47.46	14.44		486.22
Clothes Bank	Clothes		1.84			1.64				0.26	0.54	0.40	0.52	5.20
Marwin Environmental	Mixed Dry Recyclables					162.82	55.84							264.54
Powerstown Landfill	Mixed Municipal Waste	206.00	205.70	202.14	243.12	196.46	144.32	228.06	204.32	153.50	199.98	150.12	149.26	2,282.98
Cardboard Connection	Mixed Municipal Waste	23.90												23.90
		1,331.78	1,038.44	1,037.32	1,126.86	1,076.32	860.98	1,115.70	1,053.06					12,512.52

Total Outgoing Material 2008 12,512.52

Appendix B

Map of Monitoring Locations



Appendix C

Bund Integrity Test

LABORATORY REPORT

MRF Oil Tank Bund Check

INTRODUCTION

The integrity of the bund surrounding the oil storage tank at the Materials Recovery Facility (MRF), Dungarvan, Co Waterford, was checked on **30/01/09**, as per condition 3.11.5 of the Waste Licence 189-1. The depth of standing water within the bund was checked over a period of 5 hours. Weather was dry on the day of the test.

RESULTS –

Operator(s)	Date	Time	Depth (mm) to Top Water Level
P Carroll/M Fahey	30/01/09	11.30	875
D Helping/M Fahey	30/01/09	16.30	875

COMMENTS

The bund was watertight.


Signed: _____ Paul Carroll

Date: **02/02/09**

Appendix D

Management Structure

Management Structure of Waterford County Council



Appendix E

AER Returns Worksheet