

Borehole Name	Aquifer Type	Casing Level (mMOD)	Ground level (mAO) releveled	Unit of measurement	Jun-04 Depth to water from top of casing (m)	Jun-04 Groundwater level (mMOD)	Jul-04 Depth to water from top of casing (m)	Jul-04 Groundwater level (mMOD)	Dec-04 Depth to water from top of casing (m)	Dec-04 Groundwater level (mMOD)	Apr-05 Depth to water from top of casing (m)	Apr-05 Groundwater level (mMOD)
HR1a	Shallow Bedrock	35 072	34.671	mbgl	-	-	-	-	-	-	-	-
HR1b	Gravel	35 367	34.498	mbgl	-	-	-	-	-	-	-	-
HR2a	Shallow Bedrock	37 774		mbtoc	-	-	-	-	-	-	-	-
HR2b	Gravel	37 790		mbtoc	-	-	-	-	-	-	-	-
HR3	Shallow Bedrock	60.042		mbtoc	-	-	-	-	-	-	-	-
HR4	Shallow Bedrock	73.073		mbtoc	-	-	-	-	-	-	-	-
HR5	Shallow Bedrock	74.691		mbtoc	-	-	-	-	-	-	-	-
HR6	Shallow Bedrock	46.107		bar	-	-	-	-	-	-	-	-
HR7	Shallow Bedrock	35.931		bar	-	-	-	-	-	-	-	-
HR8	Shallow Bedrock	39.756		mbtoc	-	-	-	-	-	-	-	-
HR9	Gravel	38.008		mbtoc	-	-	-	-	-	-	-	-
HR10	Shallow Bedrock	35.728		mbtoc	-	-	-	-	-	-	-	-
HR11a	Shallow Bedrock	28.095		mbtoc	-	-	-	-	-	-	-	-
HR11b	Gravel	28.109		mbtoc	-	-	-	-	-	-	-	-
HR12	Shallow Bedrock	26.419		mbtoc	-	-	-	-	-	-	-	-
HR13a	Gravel	41.837		bar	-	-	-	-	-	-	-	-
HR13b	Shallow Bedrock	41.851		mbtoc	-	-	-	-	-	-	-	-
SHR1	Deep bedrock	57.462		mbtoc	-	-	-	-	-	-	-	-
SHR2	Deep bedrock	35.456		mbtoc	-	-	-	-	-	-	-	-
SHR3	Deep bedrock	49.861		mbtoc	-	-	-	-	-	-	-	-
SHR3a	Deep bedrock	53.177		mbtoc	-	-	-	-	-	-	-	-
SHR4	Deep bedrock	31.265		mbtoc	-	-	-	-	-	-	-	-
SHR5	Deep bedrock	35.379		mbtoc	-	-	-	-	-	-	-	-
AGB2	Shallow Bedrock	49.888		mbtoc	-	-	-	-	-	-	-	-
BSA1	Shallow Bedrock	56.94		mbtoc	2.09	54.85	2.48	54.46	1.97	54.97	1.75	55.19
BSA2	Clay	31.826		mbtoc	3.83	27.996	3.08	28.746	3.46	28.371	0.61	31.211
BSA3a	Clay	39.363		mbtoc	9.40	29.963	9.64	29.723	9.08	30.283	9.25	30.113
BSA4	Clay	46.242		mbtoc	1.28	44.962	2.59	43.652	2.41	43.832	1.58	44.862
BSA5	Gravel	59.97		mbtoc	3.97	56.00	4.40	55.57	3.56	56.41	3.47	56.50
BSA6	Clay	47.555		mbtoc	2.78	44.775	2.78	44.775	1.93	45.625	2.27	45.285
BRC1	Shallow Bedrock	56.94		mbtoc	4.82	52.118	4.99	51.948	-	-	5.40	51.538
BRC2	Shallow Bedrock	53.75		mbtoc	3.35	50.399	3.88	49.869	2.27	51.479	2.10	51.649
BRC3	Shallow Bedrock	35.959		mbtoc	6.37	28.589	4.40	31.559	6.01	29.949	6.31	29.649
BRC4	Gravel	27.679		mbtoc	0.49	27.189	0.70	26.979	0.29	27.389	0.69	26.989
BRC5	Shallow Bedrock	54.54		mbtoc	11.77	42.77	11.77	42.77	11.96	42.585	11.74	42.805

OH(2) Sub No. 28  
 Recd From: PATRICK BOYLE  
 Date: 27/04/09 2.25pm.

Consent of copyright owner required for any reproduction for inspection purposes only

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) (relevelled)	Unit of measurement	Jun-05 Depth to water from top of casing (m)	Jun-05 Groundwater level (mAOD)	Jul-05 Depth to water from top of casing (m)	Jul-05 Groundwater level (mAOD)	Aug-05 Depth to water from top of casing (m)	Aug-05 Groundwater level (mAOD)	Sep-05 Depth to water from top of casing (m)	Sep-05 Groundwater level (mAOD)
HR1a	Shallow Bedrock	35.072	34.671	mbgl	2.39	32.682	2.66	32.412	2.675	32.397	2.73	32.342
HR1b	Gravel	35.367	34.498	mbgl	2.69	32.677	3.992	31.415	2.975	32.392	3.035	32.332
HR2a	Shallow Bedrock	37.774		mbtoc	1.150	36.624	1.272	36.502	2.092	35.682	1.23	36.544
HR2b	Gravel	37.790		mbtoc	2.020	35.77	2.14	35.65	2.213	35.577	2.13	35.66
HR3	Shallow Bedrock	60.042		mbtoc	0.940	59.102	1.09	58.952	1.225	58.817	1.43	58.612
HR4	Shallow Bedrock	73.073		mbtoc	10.33	62.74	10.427	62.646	10.468	62.805	10.55	62.523
HR5	Shallow Bedrock	74.691		mbtoc	4.53	70.158	4.672	70.019	4.85	69.841	4.85	69.841
HR6	Shallow Bedrock	46.107		bar	0.56	45.547	0	46.107	0	46.107	artesian	>46.107
HR7	Shallow Bedrock	35.931		bar	0.32	35.611	0.25	35.681	0	35.931	0.185	35.746
HR8	Shallow Bedrock	39.756		mbtoc	1.65	38.106	1.694	38.062	1.7	38.056	1.705	38.051
HR9	Gravel	38.008		mbtoc	7.94	30.072	8.041	29.967	8.135	29.873	8.24	29.768
HR10	Shallow Bedrock	35.728		mbtoc	1.69	34.041	1.811	33.917	1.821	33.907	1.905	33.823
HR11a	Shallow Bedrock	28.095		mbtoc	0.9	27.195	1.19	26.905	1.21	26.885	1.315	26.78
HR11b	Gravel	28.109		mbtoc	1.1	27.009	1.19	26.919	1.22	26.889	1.34	26.769
HR12	Shallow Bedrock	26.419		mbtoc	0.97	25.452	1.017	25.402	1.028	25.391	1.135	25.284
HR13a	Gravel	41.837		bar	2.12	39.722	2.186	39.651	2.197	39.64	2.245	39.592
HR13b	Shallow Bedrock	41.851		mbtoc	not constructed	not constructed	2.185	39.666	2.195	39.656	2.235	39.616
SHR1	Deep bedrock	57.462		mbtoc	3.305	54.157	3.12	54.342	3.205	54.257	4.274	53.188
SHR2	Deep bedrock	35.456		mbtoc	5.88	29.581	5.882	29.574	6.03	29.426	6.11	29.346
SHR3	Deep bedrock	49.861		mbtoc	15.51	34.351	14.64	32.221	17.74	32.121	17.84	32.021
SHR3a	Deep bedrock	53.177		mbtoc	not constructed	not constructed	not constructed	not constructed	not constructed	not constructed	20.12	33.057
SHR4	Deep bedrock	31.265		mbtoc	1.94	29.33	1.97	29.295	2.53	28.735	2.18	29.085
SHR5	Deep bedrock	35.379		mbtoc	5.75	29.629	5.95	29.429	6.33	29.049	6.469	28.91
AGB2	Shallow Bedrock	49.888		mbtoc	not constructed	not constructed	16.92	32.968	17.165	32.723	17.285	32.603
BSA1	Shallow Bedrock	56.94		mbtoc	2.061	54.88	2.07	54.871	2.045	54.896	2.085	54.856
BSA2	Clay	31.826		mbtoc	2.33	29.496	2.94	28.896	3.04	28.786	3.147	28.679
BSA3a	Clay	39.363		mbtoc	9.4	29.963	9.98	29.363	9.998	29.365	10.093	29.27
BSA4	Clay	46.242		mbtoc	1.18	45.062	1.62	44.622	1.84	44.602	1.875	44.367
BSA5	Gravel	59.97		mbtoc	4	55.989	4.12	55.849	4.265	55.704	4.43	55.539
BSA6	Clay	47.555		mbtoc	2.514	45.041	2.52	45.035	2.39	45.165	2.355	45.2
BRC1	Shallow Bedrock	56.94		mbtoc	5.48	51.458	5.55	51.388	5.62	51.318	5.635	51.303
BRC2	Shallow Bedrock	53.75		mbtoc	2.745	51.004	3.02	50.729	3.094	50.655	3.421	50.328
BRC3	Shallow Bedrock	35.959		mbtoc	6.503	29.456	6.5	29.459	6.61	29.349	6.7	29.269
BRC4	Gravel	27.679		mbtoc	0.615	27.064	0.67	27.009	0.7	26.979	0.8	26.879
BRC5	Shallow Bedrock	54.54		mbtoc	11.789	42.751	Not Accessible	Not Accessible	11.905	42.635	12.01	42.53

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Oct-05 Depth to water from top of casing (m)	Oct-05 Groundwater level (mAOD)	Nov-05 Depth to water from top of casing (m)	Nov-05 Groundwater level (mAOD)	Dec-05 Depth to water from top of casing (m)	Dec-05 Groundwater level (mAOD)	Jan-06 Depth to water from top of casing (m)	Jan-06 Groundwater level (mAOD)
HR1a	Shallow Bedrock	35.072	34.671	mbgl	2.885	32.187	2.42	32.652	2.06	33.012	2.099	32.973
HR1b	Gravel	35.367	34.498	mbgl	3.177	32.19	2.72	32.647	2.34	33.027	2.56	32.807
HR2a	Shallow Bedrock	37.774		mbtoc	1.295	36.479	0.75	37.024	0.575	37.199	0.682	37.082
HR2b	Gravel	37.790		mbtoc	2.183	35.607	1.9	35.890	1.858	35.932	1.896	35.894
HR3	Shallow Bedrock	60.042		mbtoc	1.615	58.427	0.42	59.622	0.34	59.702	0.28	59.782
HR4	Shallow Bedrock	73.073		mbtoc	10.61	62.463	10.2	62.873	9.965	63.108	9.928	63.145
HR5	Shallow Bedrock	74.691		mbtoc	4.81	69.881	4.4	70.291	4.32	70.371	4.289	70.402
HR6	Shallow Bedrock	46.107		bar	artesian	>46.107	artesian	>46.107	artesian	>46.107	artesian	>46.107
HR7	Shallow Bedrock	35.931		bar	0.2	35.731	0	35.931	0.00	35.931	0.15	35.781
HR8	Shallow Bedrock	39.756		mbtoc	1.705	38.051	1.39	38.366	1.29	38.466	1.405	38.351
HR9	Gravel	38.008		mbtoc	8.36	29.648	8.55	29.458	8.25	29.758	8.05	29.958
HR10	Shallow Bedrock	35.728		mbtoc	1.92	33.808	1.52	34.208	1.44	34.288	1.505	34.223
HR11a	Shallow Bedrock	28.095		mbtoc	1.36	28.735	1.405	26.690	0.925	27.170	0.935	27.16
HR11b	Gravel	28.109		mbtoc	1.348	26.761	1.4	26.709	0.92	27.189	0.954	27.155
HR12	Shallow Bedrock	26.419		mbtoc	1.164	25.255	0.535	25.884	0.31	26.109	0.71	25.709
HR13a	Gravel	41.837		bar	2.287	39.550	2.23	39.807	2.125	39.712	Not Accessible	Not Accessible
HR13b	Shallow Bedrock	41.851		mbtoc	2.395	39.356	2.23	39.621	2.13	39.721	Not Accessible	Not Accessible
SHR1	Deep bedrock	57.462		mbtoc	5.443	52.019	4.045	53.417	3.835	53.627	3.709	53.733
SHR2	Deep bedrock	35.456		mbtoc	6.206	29.250	6.27	29.186	6.05	29.406	5.889	29.587
SHR3	Deep bedrock	49.861		mbtoc	17.893	31.968	18.81	31.551	18.15	31.711	17.895	31.968
SHR3a	Deep bedrock	53.177		mbtoc	20.073	33.104	20.5	32.677	20.465	32.712	20.26	32.917
SHR4	Deep bedrock	31.265		mbtoc	2.301	28.964	2.38	28.885	2.19	29.075	2.032	29.233
SHR5	Deep bedrock	35.379		mbtoc	6.554	28.625	6.442	28.937	6.205	29.174	6.061	29.318
AGB2	Shallow Bedrock	49.888		mbtoc	17.433	32.455	17.905	31.983	17.12	32.768	18.135	31.753
BSA1	Shallow Bedrock	56.94		mbtoc	4.693	52.25	3.022	53.92	2.665	54.28	2.471	54.47
BSA2	Clay	31.826		mbtoc	3.321	28.505	3.19	28.636	3.05	28.78	2.838	28.988
BSA3a	Clay	39.363		mbtoc	10.187	29.176	10.285	29.078	10.09	29.27	9.9	29.463
BSA4	Clay	46.242		mbtoc	2.12	44.122	1.305	44.937	1.17	45.07	0.962	45.28
BSA5	Gravel	59.97		mbtoc	4.715	55.25	4.05	55.92	3.91	56.06	3.789	56.18
BSA6	Clay	47.555		mbtoc	2.22	45.335	2	45.555	1.56	46.00	1.935	45.62
BRC1	Shallow Bedrock	56.94		mbtoc	0	56.94	5.94	51.00	5.84	51.10	6.7	50.238
BRC2	Shallow Bedrock	53.75		mbtoc	3.398	50.35	2.01	51.74	2.02	51.73	2.069	51.68
BRC3	Shallow Bedrock	35.959		mbtoc	6.802	29.16	6.815	29.144	6.6	29.36	6.453	29.506
BRC4	Gravel	27.679		mbtoc	0.83	26.85	0.51	27.169	0.4	27.28	0.4	27.279
BRC5	Shallow Bedrock	54.54		mbtoc	12.277	42.26	12.215	42.325	12.18	42.36	12.11	42.43

Borehole Name	Aquifer Type	Casing Level (MAOD)	Ground level (MAOD) relevelled	Unit of measurement	Mar-06 Depth to water from top of casing (m)	Mar-06 Groundwater level (MAOD)	Apr-06 Depth to water from top of casing (m)	Apr-06 Groundwater level (MAOD)	May-06 Depth to water from top of casing (m)	May-06 Groundwater level (MAOD)	Jun-06 Depth to water from top of casing (m)	Jun-06 Groundwater level (MAOD)
HR1a	Shallow Bedrock	35.072	34.671	mbgl	2.138	32.934	2.13	32.942	well buried	well buried	well buried	well buried
HR1b	Gravel	35.367	34.498	mbgl	2.548	32.818	2.483	32.874	well buried	well buried	well buried	well buried
HR2a	Shallow Bedrock	37.774		mbtoc	0.573	37.201	0.74	37.034	1	36.774	0.884	36.890
HR2b	Gravel	37.790		mbtoc	1.871	36.919	1.85	36.94	1.95	35.840	1.900	35.890
HR3	Shallow Bedrock	60.042		mbtoc					well destroyed	well destroyed	well destroyed	well destroyed
HR4	Shallow Bedrock	73.073		mbtoc	9.988	63.105	9.77	63.303	10.114	62.959	9.912	63.161
HR5	Shallow Bedrock	74.691		mbtoc	4.319	70.372	4.185	70.506	4.364	70.327	4.289	70.402
HR6	Shallow Bedrock	46.107		bar	artesian	>46.107	artesian	>46.107	artesian	>46.107	artesian	>46.107
HR7	Shallow Bedrock	35.931		bar	0.085	35.846	0.1	35.831	0.22	35.711	0.020	35.911
HR8	Shallow Bedrock	39.756		mbtoc	1.261	38.495	1.363	38.393	1.457	38.299	1.409	38.347
HR9	Gravel	38.008		mbtoc	8.2	29.808	7.742	30.266	7.916	30.090	7.716	30.292
HR10	Shallow Bedrock	35.728		mbtoc	1.44	34.289	1.399	34.329	1.588	34.160	1.480	34.248
HR11a	Shallow Bedrock	28.095		mbtoc	0.86	27.235	0.841	27.254	0.95	27.145	0.910	27.185
HR11b	Gravel	28.109		mbtoc	0.84	27.269	0.857	27.252	1.1	27.009	0.930	27.179
HR12	Shallow Bedrock	26.419		mbtoc	0.47	25.949	0.67	25.749	0.95	25.489	0.830	25.589
HR13a	Gravel	41.837		bar	2.015	39.822	1.96	39.877	2.02	39.817	0.030	41.807
HR13b	Shallow Bedrock	41.851		mbtoc	2.01	39.841	1.96	39.891	2.25	39.601	2.000	39.851
SHR1	Deep bedrock	57.462		mbtoc	3.745	53.717	3.738	53.724	3.76	53.702	3.690	53.772
SHR2	Deep bedrock	35.456		mbtoc	6.81	28.646	5.59	29.866	5.783	29.693	5.630	29.826
SHR3	Deep bedrock	49.861		mbtoc	17.85	32.011	14.735	32.126	17.8	32.061	17.785	32.076
SHR3a	Deep bedrock	53.177		mbtoc	20.22	32.957	20.14	33.037	20.13	33.047	20.120	33.057
SHR4	Deep bedrock	31.265		mbtoc	2.04	29.225	1.896	29.369	2.02	29.245	1.960	29.305
SHR5	Deep bedrock	35.379		mbtoc	6.06	29.319	5.875	29.504	6.08	29.299	5.925	29.454
AGB2	Shallow Bedrock	49.888		mbtoc	18	31.888	17.793	32.105	17.944	31.944	17.895	31.993
BSA1	Shallow Bedrock	56.94		mbtoc	2.42	54.521	2.39	54.551	2.43	54.511	2.115	54.826
BSA2	Clay	31.826		mbtoc	2.87	28.956	2.749	29.077	2.85	28.976	2.770	29.056
BSA3a	Clay	39.363		mbtoc	9.74	29.623	9.579	29.784	9.885	29.508	9.770	29.593
BSA4	Clay	46.242		mbtoc	1.105	45.137	1.11	45.132	1.3	44.942	1.260	44.982
BSA5	Gravel	59.97		mbtoc	3.716	56.253	3.658	56.311	3.85	56.119	3.784	56.185
BSA6	Clay	47.555		mbtoc	2.31	45.245	2.433	45.122	2.614	44.941	2.650	44.905
BRC1	Shallow Bedrock	56.94		mbtoc	5.6	51.398	5.547	51.391	5.54	51.398	5.530	51.408
BRC2	Shallow Bedrock	53.75		mbtoc	1.855	51.894	2.052	51.697	2.39	51.359	2.160	51.589
BRC3	Shallow Bedrock	35.959		mbtoc	6.45	29.509	6.31	29.649	6.415	29.544	6.351	29.608
BRC4	Gravel	27.679		mbtoc	0.33	27.349	0.319	27.36	0.48	27.199	0.460	27.219
BRC5	Shallow Bedrock	54.54		mbtoc	12.089	42.451	11.98	42.56	12.085	42.475	12.055	42.485

Borehole Name	Aquifer Type	Casing Level (mAOB)	Ground level (mAOB) (relevelled)	Unit of measurement	Jul-06 Depth to water from top of casing (m)	Jul-06 Groundwater level (mAOB)	Aug-06 Depth to water from top of casing (m)	Aug-06 Groundwater level (mAOB)	Sep-06 Depth to water from top of casing (m)	Sep-06 Groundwater level (mAOB)	Dec-06 Depth to water from top of casing (m)	Dec-07 Groundwater level (mAOB)
HR1a	Shallow Bedrock	35.072	34.671	mbgl	1.96	32.711	2.245	32.426	2.305	32.366	1.83	32.841
HR1b	Gravel	35.367	34.498	mbgl	1.72	32.778	2	32.498	2.045	32.453	1.52	32.978
HR2a	Shallow Bedrock	37.774		mbtoc	1.058	36.716	1.215	36.559	1.2	36.574	0.720	37.054
HR2b	Gravel	37.790		mbtoc	2.028	35.762	2.13	35.860	2.08	35.710	1.840	35.950
HR3	Shallow Bedrock	60.042		mbtoc	well destroyed	well destroyed	well destroyed	well destroyed	well destroyed	well destroyed	well destroyed	well destroyed
HR4	Shallow Bedrock	73.073		mbtoc	10.175	62.898	10.375	62.898	10.54	62.533	9.71	63.363
HR5	Shallow Bedrock	74.691		mbtoc	4.52	70.171	4.68	70.011	4.7	69.991	4.161	70.530
HR6	Shallow Bedrock	46.107		bar	0.12	47.257	0.12	47.257	Gauge malfunction	Gauge malfunction	0.12	47.25748
HR7	Shallow Bedrock	35.931		bar	0.02	36.200	0.02	36.200	Gauge malfunction	Gauge malfunction	0.35	39.5694
HR8	Shallow Bedrock	39.756		mbtoc	1.57	38.186	1.695	38.061	1.599	38.157	1.290	38.486
HR9	Gravel	38.008		mbtoc	7.9	30.108	8.065	29.943	8.25	29.758	7.854	30.154
HR10	Shallow Bedrock	35.728		mbtoc	1.64	34.088	1.83	33.898	1.785	33.943	1.360	34.368
HR11a	Shallow Bedrock	28.095		mbtoc	1.06	27.035	1.23	26.865	1.22	26.875	0.844	27.251
HR11b	Gravel	28.109		mbtoc	1.08	27.029	1.25	26.859	1.25	26.859	0.864	27.245
HR12	Shallow Bedrock	26.419		mbtoc	1.045	25.374	1.19	25.329	1.18	25.239	0.516	25.903
HR13a	Gravel	41.837		bar	0.025	42.378	Atesian	Gauge malfunction	0.03	42.200	0.025	42.178
HR13b	Shallow Bedrock	41.851		mbtoc	2.091	38.768	2.145	39.706	2.15	39.701	2.038	39.813
SHR1	Deep bedrock	57.462		mbtoc	3.67	53.792	3.661	53.801	3.7	53.762	3.590	53.872
SHR2	Deep bedrock	35.456		mbtoc	5.76	29.696	5.82	29.536	6.04	29.416	5.750	29.696
SHR3	Deep bedrock	49.861		mbtoc	17.77	32.091	17.83	32.031	17.991	31.870	17.778	32.083
SHR3a	Deep bedrock	53.177		mbtoc	20.03	33.147	20.02	33.157	20.135	33.042	20.021	33.156
SHR4	Deep bedrock	31.265		mbtoc	2.08	29.185	2.198	29.067	2.325	28.940	2.015	29.250
SHR5	Deep bedrock	35.379		mbtoc	6.08	29.319	6.219	29.160	6.35	29.029	6.040	29.339
AGB2	Shallow Bedrock	49.888		mbtoc	17.95	31.938	18.01	31.878	18.17	31.718	17.600	32.288
BSA1	Shallow Bedrock	56.94		mbtoc	2.348	54.593	2.33	54.611	2.02	54.821	2.030	54.911
BSA2	Clay	31.826		mbtoc	2.92	28.906	3.065	28.761	3.2	28.626	2.880	28.946
BSA3a	Clay	39.363		mbtoc	9.885	29.478	10.05	29.313	10.16	29.203	9.841	29.522
BSA4	Clay	46.242		mbtoc	1.6	44.642	1.79	44.452	2.133	44.109	1.110	45.132
BSA5	Gravel	59.97		mbtoc	4.02	55.949	4.208	55.761	4.198	55.771	3.645	56.324
BSA6	Clay	47.555		mbtoc	2.702	44.853	2.63	44.925	2.45	45.105	1.858	45.697
BRC1	Shallow Bedrock	56.94		mbtoc	5.55	51.388	5.61	51.328	5.615	51.323	5.750	51.188
BRC2	Shallow Bedrock	53.75		mbtoc	2.67	51.079	3.046	50.703	3.2	50.549	1.940	51.809
BRC3	Shallow Bedrock	35.959		mbtoc	6.45	29.509	6.59	29.369	6.715	29.244	6.430	29.529
BRC4	Gravel	27.679		mbtoc	0.58	27.099	0.735	26.924	0.74	26.939	0.330	27.349
BRC5	Shallow Bedrock	54.54		mbtoc	12.05	42.490	12.045	42.495	12.164	42.376	12.070	42.470

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Apr-07		Jul-07		Nov-07		Apr-08	
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
HR1a	Shallow Bedrock	35.072	34.671	mbgl	1.755	32.916	1.71	32.961	2.175	32.496	1.48	33.592
HR1b	Gravel	35.367	34.498	mbgl	1.436	33.062	1.365	33.133	1.865	32.633	1.28	34.087
HR2a	Shallow Bedrock	37.774		mbtoc	0.870	36.904	0.420	37.354	1.630	36.144	1.240	36.534
HR2b	Gravel	37.790		mbtoc	1.910	35.880	1.749	36.041	2.795	34.995	2.575	35.215
HR3	Shallow Bedrock	60.042		mbtoc	well destroyed	well destroyed	well destroyed	well destroyed	well destroyed	well destroyed	-	-
HR4	Shallow Bedrock	73.073		mbtoc	9.875	63.198	9.66	63.413	10.295	62.778	9.902	63.171
HR5	Shallow Bedrock	74.691		mbtoc	4.304	70.387	9.115	65.576	4.544	70.147	4.280	70.411
HR6	Shallow Bedrock	46.107		bar	0.130	47.860	0.080	46.645	0.080	46.850	0.110	46.155
HR7	Shallow Bedrock	35.931		bar	0.200	38.039	0.040	36.406	0.025	36.250	0.020	36.200
HR8	Shallow Bedrock	39.756		mbtoc	1.400	38.356	1.410	38.346	1.530	38.226	1.220	38.536
HR9	Gravel	38.008		mbtoc	7.54	30.468	7.860	30.148	8.030	29.978	5.791	32.217
HR10	Shallow Bedrock	35.728		mbtoc	1.49	34.238	1.520	34.208	1.681	34.047	1.411	34.317
HR11a	Shallow Bedrock	28.095		mbtoc	0.906	27.189	0.900	27.195	1.010	27.085	0.855	27.240
HR11b	Gravel	28.109		mbtoc	0.925	27.184	0.927	27.182	0.980	27.129	0.823	27.286
HR12	Shallow Bedrock	26.419		mbtoc	0.923	25.496	0.750	25.689	1.030	25.389	0.525	25.894
HR13a	Gravel	41.837		bar	Not Accessible	Not Accessible	0.030	42.229	0.025	42.180	-	-
HR13b	Shallow Bedrock	41.851		mbtoc	Not Accessible	Not Accessible	2.060	39.791	2.700	39.151	-	-
SHR1	Deep bedrock	57.462		mbtoc	3.645	53.817	3.620	53.842	3.675	53.787	3.790	53.672
SHR2	Deep bedrock	35.456		mbtoc	5.480	29.976	5.675	29.781	5.830	29.626	5.530	29.926
SHR3	Deep bedrock	49.861		mbtoc	17.575	32.286	17.645	32.216	17.672	32.189	17.583	32.278
SHR3a	Deep bedrock	53.177		mbtoc	19.835	33.342	19.770	33.407	19.733	33.444	19.800	33.377
SHR4	Deep bedrock	31.265		mbtoc	1.806	29.459	1.915	29.350	2.000	29.265	1.824	29.441
SHR5	Deep bedrock	35.379		mbtoc	5.840	29.539	6.010	29.369	6.110	29.269	5.945	29.434
AGB2	Shallow Bedrock	49.888		mbtoc	17.437	32.451	17.82	32.068	17.780	32.108	17.680	32.208
BSA1	Shallow Bedrock	56.94		mbtoc	2.221	54.720	1.975	54.866	2.270	54.671	2.091	54.850
BSA2	Clay	31.826		mbtoc	2.725	29.101	2.675	28.951	2.985	28.841	2.845	28.981
BSA3a	Clay	39.363		mbtoc	9.685	29.698	9.750	29.613	9.640	29.723	9.652	29.711
BSA4	Clay	46.242		mbtoc	1.280	44.962	0.960	45.282	1.395	44.847	1.080	45.162
BSA5	Gravel	59.97		mbtoc	3.628	56.341	3.465	56.504	3.600	56.389	3.472	56.497
BSA6	Clay	47.555		mbtoc	2.325	45.230	2.335	45.220	0.850	46.705	2.240	46.315
BRC1	Shallow Bedrock	56.94		mbtoc	5.770	51.168	5.8	51.138	7.992	48.946	6.050	50.688
BRC2	Shallow Bedrock	53.75		mbtoc	2.316	51.433	1.93	51.819	2.350	51.399	1.858	51.891
BRC3	Shallow Bedrock	35.959		mbtoc	6.260	29.699	6.38	29.579	6.433	29.526	6.310	29.649
BRC4	Gravel	27.679		mbtoc	0.435	27.244	0.42	27.259	0.512	27.167	0.340	27.339
BRC5	Shallow Bedrock	54.54		mbtoc	12.120	42.420	12.07	42.470	12.140	42.400	12.239	42.301

Borehole Name	Aquifer Type	Casing Level (mMOD)	Ground level (mMOD) relevelled	Unit of measurement	Jun-04		Jul-04		Dec-04		Apr-05	
					Depth to water from top of casing (m)	Groundwater level (mMOD)	Depth to water from top of casing (m)	Groundwater level (mMOD)	Depth to water from top of casing (m)	Groundwater level (mMOD)	Depth to water from top of casing (m)	Groundwater level (mMOD)
BGB2a	Shallow Bedrock	59.89		mbtoc	4.34	55.55	4.08	55.81	59.89	56.36	3.53	56.36
BGB2b	Clay	59.89		mbtoc	4.10	55.79	4.03	55.88	3.51	56.36	2.70	57.19
BGB3a	Clay	37.77		mbtoc	7.80	29.97	7.57	30.20	11.14	26.63	1.37	36.40
BGB3b	Clay	37.77		mbtoc	6.85	30.92	6.54	31.23	4.55	33.22	7.99	29.78
ER1	Shallow Bedrock	51.444		bar	-	-	-	-	-	-	-	-
ER3	Shallow Bedrock	57.202		mbtoc	-	-	-	-	-	-	-	-
ER5	Clay	51.834		mbtoc	-	-	-	-	-	-	-	-
ER6	Clay	44.852		mbtoc	-	-	-	-	-	-	-	-
ER7	Shallow Bedrock	35.393		mbtoc	-	-	-	-	-	-	-	-
ER8	Shallow Bedrock	52.449	51.927	mbtoc	-	-	-	-	-	-	-	-
ER9	Shallow Bedrock	52.97		mbtoc	-	-	-	-	-	-	-	-
ER10	Shallow Bedrock	52.97		mbtoc	-	-	-	-	-	-	-	-
ER12	Shallow Bedrock	35.128		mbtoc	-	-	-	-	-	-	-	-
ER13	Clay	58.070		mbtoc	-	-	-	-	-	-	-	-
ER14	Gravel	57.49		mbtoc	-	-	-	-	-	-	-	-
ER15	Gravel	31.2		mbtoc	-	-	-	-	-	-	-	-
GR1	Clay	48.342		mbtoc	-	-	-	-	-	-	-	-
GR2	Clay	42.610		mbtoc	-	-	-	-	-	-	-	-
GR5	Clay	41.688		mbtoc	-	-	-	-	-	-	-	-
GR7	Gravel	34.334		mbtoc	-	-	-	-	-	-	-	-
GR16	Shallow Bedrock	32.493		mbtoc	-	-	-	-	-	-	-	-
ES1	Clay	47.641		mbtoc	-	-	-	-	-	-	-	-
ES2	Clay	57.438		mbtoc	-	-	-	-	-	-	-	-
ES3	Clay	40.965		mbtoc	-	-	-	-	-	-	-	-
ES4	Clay	48.183		mbtoc	-	-	-	-	-	-	-	-
ES5	Clay	44.255		mbtoc	-	-	-	-	-	-	-	-
ES6	Gravel	35.529		mbtoc	-	-	-	-	-	-	-	-
ES7	Clay	40.434		mbtoc	-	-	-	-	-	-	-	-
ES8	Clay	49.624		mbtoc	-	-	-	-	-	-	-	-
ASA1	Gravel	38.852		mbtoc	-	-	-	-	-	-	-	-
ASA2	Gravel	35.377		mbtoc	-	-	-	-	-	-	-	-
ASA3	Gravel	48.178		mbtoc	-	-	-	-	-	-	-	-
GS2	Clay	35.103		mbtoc	-	-	-	-	-	-	-	-
GS4	Clay	46.247		mbtoc	-	-	-	-	-	-	-	-
GS6	Clay	33.992		mbtoc	-	-	-	-	-	-	-	-

Consent of copyright owner required for any use. Kindly contact the copyright owner for any use.

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Jun-05		Jul-05		Aug-05		Sep-05	
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
BGB2a	Shallow Bedrock	59.89		mbtoc	3.87	56.022	4.02	55.872	4.15	55.742	4.325	55.567
BGB2b	Clay	59.89		mbtoc	3.89	56.002	4.01	55.882	4.15	55.742	4.32	55.572
BGB3a	Clay	37.77		mbtoc	7.95	29.821	8.031	29.74	8.2	29.571	8.33	29.441
BGB3b	Clay	37.77		mbtoc	2.115	35.656	2.264	35.507	2.3	35.471	2.51	35.281
ER1	Shallow Bedrock	51.444		bar		>51.444	artesian	>51.444	artesian	>51.444	artesian	>51.444
ER3	Shallow Bedrock	57.202		mbtoc	2.800	54.402	1.92	55.282	3.035	54.167	4.04	53.162
ER5	Clay	51.834		mbtoc	1.3	50.534	Not Accessible	Not Accessible	4.745	47.089	Not Accessible	Not Accessible
ER6	Clay	44.852		mbtoc	1.660	43.192	1.77	43.082	2.18	42.672	2.25	42.602
ER7	Shallow Bedrock	35.393		mbtoc	5.860	29.533	5.891	29.512	6	29.393	6.1	29.283
ER8	Shallow Bedrock	52.449	51.927	mbtoc	17.100	35.349	17.57	34.879	17.68	34.789	17.725	34.724
ER9	Shallow Bedrock	52.97		mbtoc	not constructed	not constructed	not constructed	not constructed	not constructed	not constructed	Not Accessible	Not Accessible
ER10	Shallow Bedrock	52.97		mbtoc	13.590	39.376	13.67	39.30	13.81	39.16	13.89	39.08
ER12	Shallow Bedrock	35.128		mbtoc	5.92	29.208	6.23	28.898	6.6	28.528	6.188	28.94
ER13	Clay	58.070		mbtoc	not constructed	not constructed	not constructed	not constructed	3.821	54.249	3.995	54.075
ER14	Gravel	57.49		mbtoc	not constructed	not constructed	not constructed	not constructed	not constructed	not constructed	4.3	53.19
ER15	Gravel	31.2		mbtoc	not constructed	not constructed	not constructed	not constructed	not constructed	not constructed	2.678	28.522
GR1	Clay	48.342		mbtoc	2.080	46.252	2.23	46.112	2.2	46.142	2.455	45.887
GR2	Clay	42.610		mbtoc	1.970	40.64	2.02	40.59	2.08	40.53	2.359	40.251
GR5	Clay	41.688		mbtoc	2.250	39.438	2.13	39.558	1.99	39.698	2.085	39.603
GR7	Gravel	34.334		mbtoc	5.230	29.104	5.22	29.064	5.38	28.954	5.48	28.854
GR16	Shallow Bedrock	32.493		mbtoc	3.721	28.772	3.77	28.723	3.88	28.613	3.983	28.51
ES1	Clay	47.641		mbtoc	0.450	47.191	0.51	47.131	0.47	47.171	0.675	46.966
ES2	Clay	57.438		mbtoc	1.220	56.218	2.95	54.488	1.915	55.523	1.865	55.573
ES3	Clay	40.965		mbtoc	11.68	29.202	11.763	29.202	11.87	29.095	12.002	28.963
ES4	Clay	48.183		mbtoc	2.730	45.453	2.73	45.453	2.695	45.488	2.71	45.473
ES5	Clay	44.255		mbtoc	12.910	31.345	12.94	31.315	13.04	31.215	13.115	31.14
ES6	Gravel	35.529		mbtoc	6.260	29.289	6.297	29.232	6.42	29.109	6.495	29.034
ES7	Clay	40.434		mbtoc	Not Accessible	Not Accessible	10.21	30.224	8.145	32.289	6.755	33.679
ES8	Clay	49.624		mbtoc	8.420	41.204	8.16	41.464	7.51	42.114	7.039	42.585
ASA1	Gravel	38.852		mbtoc	not constructed	not constructed	9.711	29.141	9.81	29.042	9.93	28.922
ASA2	Gravel	35.377		mbtoc	5.237	30.14	6.28	29.087	6.4	28.977	6.551	28.826
ASA3	Gravel	48.178		mbtoc	2.274	45.904	4.621	43.557	Not Accessible	Not Accessible	2.274	45.904
GS2	Clay	35.103		mbtoc	3.180	31.923	3.38	31.723	3.54	31.563	3.664	31.439
GS4	Clay	46.247		mbtoc	1.390	44.657	1.6	44.647	1.6	44.647	1.915	44.332
GS6	Clay	33.992		mbtoc	3.850	30.142	4.02	29.972	4.14	29.852	4.189	29.803



Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Oct-05	Oct-05	Nov-05	Nov-05	Dec-05	Dec-05	Jan-06	Jan-06
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
BGB2a	Shallow Bedrock	59.89		mbtoc	4.637	55.26	3.95	55.94	3.84	56.05	3.71	56.182
BGB2b	Clay	59.89		mbtoc	4.637	55.26	3.94	55.95	3.84	56.05	3.712	56.180
BGB3a	Clay	37.77		mbtoc	8.419	29.35	6.5	29.27	8.28	29.49	8.085	29.708
BGB3b	Clay	37.77		mbtoc	2.68	35.09	1.61	36.16	1.02	36.75	1.23	36.541
ER1	Shallow Bedrock	51.444		bar		>51.444		>51.444		>51.444		>51.444
ER3	Shallow Bedrock	57.202		mbtoc	5.223	51.979	3.82	53.382	3.6	53.802	3.494	53.708
ER5	Clay	51.834		mbtoc	7.324	44.51	6.828	45.006	6.585	45.239	6.5	45.334
ER6	Clay	44.852		mbtoc	2.721	42.131	1.37	43.482	1.315	43.537	1.27	43.582
ER7	Shallow Bedrock	35.393		mbtoc	6.202	29.191	6.258	29.135	6.04	29.353	5.84	29.553
ER8	Shallow Bedrock	52.449	51.927	mbtoc	17.8	34.649	18.13	34.319	18	34.449	17.79	34.659
ER9	Shallow Bedrock	52.97		mbtoc	Not Accessible	Not Accessible	Not Accessible	Not Accessible	20.975	31.991	20.74	32.226
ER10	Shallow Bedrock	52.97		mbtoc	13.91	39.06	14.32	38.65	14.22	38.746	13.965	39.001
ER12	Shallow Bedrock	35.128		mbtoc	6.284	28.844	6.188	28.96	5.93	29.198	5.792	29.336
ER13	Clay	58.070		mbtoc	4.243	33.827	3.87	54.200	3.68	54.390	3.58	54.480
ER14	Gravel	57.49		mbtoc	5.485	51.89	4.09	53.40	3.88	53.609	3.743	53.746
ER15	Gravel	31.2		mbtoc	2.77	28.45	2.682	28.518	2.51	28.690	2.383	28.817
GR1	Clay	48.342		mbtoc	2.885	45.657	1.61	46.732	1.285	47.077	1.025	47.317
GR2	Clay	42.610		mbtoc	2.492	40.118	1.765	40.845	1.64	40.970	1.38	41.230
GR5	Clay	41.688		mbtoc	2.107	39.581	1.534	40.154	1.56	40.128	1.5	40.188
GR7	Gravel	34.334		mbtoc	5.865	28.789	5.47	28.864	5.24	29.094	5.098	29.236
GR16	Shallow Bedrock	32.493		mbtoc	4.077	28.416	4.9	27.593	3.685	28.638	3.68	28.813
ES1	Clay	47.641		mbtoc	1.11	46.531	0.1	47.541	0.145	47.496	0.16	47.481
ES2	Clay	57.438		mbtoc	2.974	54.464	1.48	55.958	1.65	55.788	1.578	55.860
ES3	Clay	40.965		mbtoc	12.089	28.876	13.375	27.59	11.815	29.150	11.609	29.356
ES4	Clay	48.183		mbtoc	2.725	45.458	2.54	45.643	2.28	45.903	2.15	46.033
ES5	Clay	44.255		mbtoc	13.272	30.983	13.682	30.573	13.1	31.155	13.173	31.082
ES6	Gravel	35.529		mbtoc	6.576	28.953	6.57	28.959	6.37	29.159	6.179	29.350
ES7	Clay	40.434		mbtoc	5.545	34.889	4.8	35.634	4.1	36.334	3.099	37.335
ES8	Clay	49.624		mbtoc	6.555	43.089	6.16	43.484	5.89	43.734	5.66	43.964
ASA1	Gravel	38.852		mbtoc	10.14	28.712	9.93	28.922	9.74	29.112	9.54	29.312
ASA2	Gravel	35.377		mbtoc	6.576	28.801	6.469	28.908	6.23	29.147	6.089	29.288
ASA3	Gravel	48.178		mbtoc	2.07	46.108	1.215	46.963	1.31	46.868	1.315	46.863
GSS2	Clay	35.103		mbtoc	3.905	31.198	4.073	31.030	4.04	31.083	4.075	31.028
GSA4	Clay	46.247		mbtoc	2.073	44.174	0.91	45.337	0.75	45.497	0.8	45.447
GSS6	Clay	33.992		mbtoc	4.32	29.672	1.045	32.947	1	32.992	3.364	30.628

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Mar-06		Apr-06		May-06		Jun-06	
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
BGB2a	Shallow Bedrock	59.89		mbtoc	3.693	56.20	3.656	56.236	3.86	56.012	3.780	56.112
BGB2b	Clay	59.89		mbtoc	3.698	56.19	3.656	56.236	3.88	56.012	3.780	56.112
BGB3a	Clay	37.77		mbtoc	2.027	35.74	7.823	29.948	7.969	29.802	7.825	29.946
BGB3b	Clay	37.77		mbtoc	0.815	36.96	1.25	36.521	1.53	36.241	1.530	36.241
ER1	Shallow Bedrock	51.444		bar	artesian	>51.444	artesian	>51.444	artesian	>51.444	artesian	>51.444
ER3	Shallow Bedrock	57.202		mbtoc	3.514	53.69	3.499	53.703	3.47	53.732	3.460	53.742
ER5	Clay	51.834		mbtoc	6.51	45.32	5.702	46.132	5.811	46.023	5.658	46.176
ER6	Clay	44.852		mbtoc	1.15	43.70	1.29	43.562	1.38	43.472	1.175	43.677
ER7	Shallow Bedrock	35.393		mbtoc	5.785	29.61	5.585	29.808	5.746	29.647	5.595	29.798
ER8	Shallow Bedrock	52.449	51.927	mbtoc	17.735	34.71	17.685	34.784	17.67	34.779	17.670	34.779
ER9	Shallow Bedrock	52.97		mbtoc	11.22	41.75	20.574	32.392	11.615	41.351	20.590	32.376
ER10	Shallow Bedrock	52.97		mbtoc	13.9	39.07	13.835	39.131	13.86	39.106	13.830	39.136
ER12	Shallow Bedrock	35.128		mbtoc	5.78	29.35	5.59	29.538	5.75	29.378	5.650	29.478
ER13	Clay	58.070		mbtoc	3.41	54.66	3.385	54.685	3.511	54.559	3.480	54.590
ER14	Gravel	57.49		mbtoc	3.782	53.71	3.776	53.713	3.74	53.749	3.730	53.759
ER15	Gravel	31.2		mbtoc	2.38	28.83	2.251	28.949	2.4	28.800	2.315	28.985
GR1	Clay	48.342		mbtoc	0.92	47.42	1.06	47.282	1.21	47.132	1.440	46.902
GR2	Clay	42.610		mbtoc	1.41	41.20	1.472	41.138	1.66	40.850	1.670	40.940
GR5	Clay	41.688		mbtoc	1.5	40.19	1.585	40.103	1.67	40.016	1.860	39.828
GR7	Gravel	34.334		mbtoc	5.1	29.23	4.909	29.426	3.785	30.549	5.941	28.393
GR16	Shallow Bedrock	32.493		mbtoc	3.67	28.62	3.539	28.957	3.88	28.813	3.585	28.908
ES1	Clay	47.641		mbtoc	1.12	46.52	0.145	47.496	Not Accessible	Not Accessible	0.288	47.343
ES2	Clay	57.438		mbtoc	1.557	55.88	1.662	55.776	11.583	45.855	1.680	55.746
ES3	Clay	40.965		mbtoc	11.61	29.36	11.428	29.537	11.583	29.382	11.470	29.495
ES4	Clay	48.183		mbtoc	2.289	45.89	2.325	45.658	2.496	45.687	2.485	45.698
ES5	Clay	44.255		mbtoc	13.184	31.07	13.03	31.225	13.085	31.170	13.020	31.235
ES6	Gravel	35.529		mbtoc	6.14	29.39	5.947	29.582	5.9	29.629	5.971	29.558
ES7	Clay	40.434		mbtoc	5.94	34.49	5.135	35.299	5.9	34.534	4.200	36.234
ES8	Clay	49.624		mbtoc	6.57	43.05	6.238	43.386	6.108	43.516	5.625	43.999
ASA1	Gravel	38.852		mbtoc	9.53	29.32	9.36	29.492	9.515	29.337	9.391	29.461
ASA2	Gravel	35.377		mbtoc	6.07	29.31	5.89	29.487	6.05	29.327	5.947	29.430
ASA3	Gravel	48.178		mbtoc	1.18	47.00	1.324	46.854	1.5	46.678	1.495	46.683
GS2	Clay	35.103		mbtoc	4.07	31.03	3.89	31.213	3.86	31.243	3.641	31.462
GS4	Clay	46.247		mbtoc	0.65	45.60	0.82	45.427	0.97	45.277	1.212	45.035
GS6	Clay	33.992		mbtoc	1.16	32.83	2.587	31.405	3.795	30.197	2.705	31.287

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Jul-06 Depth to water from top of casing (m)	Jul-06 Groundwater level (mAOD)	Aug-06 Depth to water from top of casing (m)	Aug-06 Groundwater level (mAOD)	Sep-06 Depth to water from top of casing (m)	Sep-06 Groundwater level (mAOD)	Dec-06 Depth to water from top of casing (m)	Dec-07 Groundwater level (mAOD)
BGB2a	Shallow Bedrock	59.89		mbtoc	4.02	55.872	4.22	55.672	4.213	55.679	3.600	56.292
BGB2b	Clay	59.89		mbtoc	4.02	55.872	4.22	55.672	4.213	55.679	3.600	56.292
BGB3a	Clay	37.77		mbtoc	7.96	29.811	8.114	29.657	8.25	29.521	7.960	29.811
BGB3b	Clay	37.77		mbtoc	1.849	35.922	2.031	35.740	2.23	35.541	0.975	36.796
ER1	Shallow Bedrock	51.444		bar	0.23	53.814	0.21	53.61	Gauge malfunction	Gauge malfunction	Gauge malfunction	Gauge malfunction
ER3	Shallow Bedrock	57.202		mbtoc	3.44	53.762	3.435	53.767	3.462	53.740	3.380	53.822
ER5	Clay	51.834		mbtoc	6.28	45.554	7.092	44.742	7.665	44.169	6.350	45.484
ER6	Clay	44.852		mbtoc	1.455	43.397	1.86	42.992	2.36	42.482	1.174	43.678
ER7	Shallow Bedrock	35.393		mbtoc	5.732	29.661	5.892	29.501	6.02	29.373	5.730	29.663
ER8	Shallow Bedrock	52.449	51.927	mbtoc	17.62	34.829	17.62	34.829	17.82	34.629	17.613	34.836
ER9	Shallow Bedrock	52.97		mbtoc	20.565	32.401	20.6	32.366	20.72	32.246	20.090	32.876
ER10	Shallow Bedrock	52.97		mbtoc	13.83	39.136	13.85	39.116	14.01	38.956	13.831	39.135
ER12	Shallow Bedrock	35.128		mbtoc	5.775	29.353	5.948	29.180	6.08	29.048	5.760	29.368
ER13	Clay	58.070		mbtoc	3.7	54.370	3.79	54.280	3.875	54.195	3.611	54.459
ER14	Gravel	57.49		mbtoc	3.77	53.719	3.71	53.779	3.745	53.744	3.650	53.839
ER15	Gravel	31.2		mbtoc	2.45	28.753	2.617	28.583	2.75	28.450	2.435	28.765
GR1	Clay	48.342		mbtoc	1.845	46.497	2.055	46.287	2.25	46.092	1.090	47.252
GR2	Clay	42.610		mbtoc	2.03	40.580	2.19	40.420	2.483	40.127	1.479	41.131
GR5	Clay	41.688		mbtoc	2.03	39.658	2.24	39.448	1.9	39.788	1.495	40.193
GR7	Gravel	34.334		mbtoc	5.09	29.244	5.26	29.084	5.38	28.954	5.094	29.240
GR16	Shallow Bedrock	32.493		mbtoc	3.72	28.773	3.873	28.620	4.01	28.483	3.686	28.807
ES1	Clay	47.641		mbtoc	0.494	47.147	0.625	47.016	0.6	47.041	0.140	47.501
ES2	Clay	57.438		mbtoc	1.9	55.538	2.05	55.388	1.824	55.614	1.480	55.958
ES3	Clay	40.965		mbtoc	11.62	29.345	11.78	29.185	11.91	29.055	11.620	29.345
ES4	Clay	48.183		mbtoc	2.636	45.547	2.72	45.463	2.74	45.443	2.230	45.953
ES5	Clay	44.255		mbtoc	13.11	31.145	13.17	31.085	13.33	30.925	13.080	31.195
ES6	Gravel	35.529		mbtoc	6.11	29.419	6.268	29.261	6.38	29.149	6.100	29.429
ES7	Clay	40.434		mbtoc	3.8	36.634	3.535	36.899	3.515	36.919	3.082	37.372
ES8	Clay	49.624		mbtoc	5.365	44.259	5.12	44.504	4.78	44.844	4.446	45.178
ASA1	Gravel	38.852		mbtoc	9.548	29.304	9.7	29.152	9.82	29.032	9.550	29.302
ASA2	Gravel	35.377		mbtoc	6.07	29.307	6.248	29.129	6.41	28.967	6.070	29.307
ASA3	Gravel	48.178		mbtoc	1.72	46.458	2.08	46.098	1.8	46.378	1.278	46.900
GSA2	Clay	35.103		mbtoc	3.65	31.453	3.724	31.379	6.83	28.273	3.830	31.273
GSA4	Clay	46.247		mbtoc	1.575	44.672	1.885	44.362	2.101	44.146	1.776	44.471
GSA6	Clay	33.992		mbtoc	3.74	30.252	3.951	30.041	4.085	29.907	3.354	30.638

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) (relevelled)	Unit of measurement	Apr-07		Jul-07		Nov-07		Apr-08	
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
BGB2a	Shallow Bedrock	59.89		mbtoc	3.635	56.257	3.485	56.407	3.606	56.286	3.475	56.417
BGB2b	Clay	59.89		mbtoc	3.635	56.257	3.485	56.407	3.612	56.280	3.475	56.417
BGB3a	Clay	37.77		mbtoc	7.690	30.091	7.9	29.871	8.010	29.761	7.750	30.021
BGB3b	Clay	37.77		mbtoc	1.544	36.227	1.405	36.366	0.800	36.971	1.136	36.636
ER1	Shallow Bedrock	51.444		bar	0.24	53.91596	0.24	53.915	0.28	54.32	-	-
ER3	Shallow Bedrock	57.202		mbtoc	3.431	53.771	3.395	53.807	3.435	53.767	3.572	53.630
ER5	Clay	51.834		mbtoc	5.980	45.854	6.615	45.219	6.880	44.954	6.115	45.719
ER6	Clay	44.852		mbtoc	1.404	43.448	1.055	43.797	1.170	43.682	1.000	43.852
ER7	Shallow Bedrock	35.393		mbtoc	5.465	29.928	5.660	29.733	5.805	29.588	5.532	29.861
ER8	Shallow Bedrock	52.449	51.927	mbtoc	17.475	34.974			17.490	34.959	17.461	34.988
ER9	Shallow Bedrock	52.97		mbtoc	collapsed borehole	collapsed borehole	collapsed borehole	collapsed borehole	collapsed borehole	collapsed borehole	20.280	32.706
ER10	Shallow Bedrock	52.97		mbtoc	13.620	39.346	13.670	39.296	13.710	39.256	13.650	39.316
ER12	Shallow Bedrock	35.128		mbtoc	5.570	29.558	5.720	29.408	5.830	29.298	5.672	29.456
ER13	Clay	58.070		mbtoc	3.774	54.286	3.755	54.315	4.357	53.713	3.955	54.115
ER14	Gravel	57.49		mbtoc	3.700	53.789	3.680	53.809	3.745	53.744	3.854	53.635
ER15	Gravel	31.2		mbtoc	2.280	28.920	2.415	28.785	2.500	28.700	2.404	28.796
GR1	Clay	48.342		mbtoc	1.395	46.947	1.118	47.224	1.800	46.542	1.037	47.305
GR2	Clay	42.610		mbtoc			1.690	40.920	2.240	40.370	1.910	40.700
GR5	Clay	41.688		mbtoc	1.670	40.018	4.515	40.173	1.560	40.128	1.535	40.153
GR7	Gravel	34.334		mbtoc	4.870	29.464	5.090	29.304	5.120	29.214	4.976	29.358
GR16	Shallow Bedrock	32.493		mbtoc	3.515	28.976	3.210	29.283	3.720	28.773	3.650	28.843
ES1	Clay	47.641		mbtoc	0.250	47.391	0.002	47.639	0.190	47.451	0.145	47.486
ES2	Clay	57.438		mbtoc	1.780	55.658	1.470	55.988	1.724	55.714	2.637	54.801
ES3	Clay	40.965		mbtoc	11.382	29.583	11.560	29.405	11.620	29.345	-	-
ES4	Clay	48.183		mbtoc	2.402	45.781	2.640	45.543	2.490	45.693	2.540	45.643
ES5	Clay	44.255		mbtoc	12.640	31.615	13.040	31.215	13.060	31.195	12.852	31.403
ES6	Gravel	35.529		mbtoc	5.835	29.684	6.015	29.514	6.130	29.399	5.879	29.650
ES7	Clay	40.434		mbtoc	12.445	27.989	3.155	37.279	3.300	37.134	3.492	36.942
ES8	Clay	49.624		mbtoc	4.370	45.254	4.140	45.484	4.023	45.601	4.250	45.374
ASA1	Gravel	38.852		mbtoc	9.391	29.461	No water detected	No water detected	9.585	29.267	9.403	29.449
ASA2	Gravel	35.377		mbtoc	5.870	29.507	6.040	29.337			5.800	29.577
ASA3	Gravel	48.178		mbtoc	1.430	46.748	1.335	46.843	1.357	46.821	1.278	46.900
GS2	Clay	35.103		mbtoc	3.720	31.383	3.600	31.503	3.985	31.118	3.641	31.462
GS4	Clay	46.247		mbtoc	0.978	45.269	0.980	45.267	1.020	45.227	0.754	45.483
GS6	Clay	33.992		mbtoc	3.790	30.202	1.965	32.027	4.240	29.752	1.767	32.225

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Jun-04	Jun-04	Jul-04	Jul-04	Dec-04	Dec-04	Apr-05	Apr-05
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
GS7	Gravel	31.045		mbtoc	-	-	-	-	-	-	-	-
GS9	Clay	34.126		mbtoc	-	-	-	-	-	-	-	-
GS11	Clay	38.968		mbtoc	-	-	-	-	-	-	-	-
GS18	Gravel	35.442		mbtoc	-	-	-	-	-	-	-	-
PW1	Shallow Bedrock	56.711		mbtoc	-	-	-	-	-	-	-	-
PW2	Shallow Bedrock	36.147		mbtoc	-	-	-	-	-	-	-	-
PW3	Shallow Bedrock	34.3		mbtoc	-	-	-	-	-	-	-	-
AGB9a	Clay	45.73		mbtoc	-	-	-	-	-	-	-	-
AGB10	Clay	46.173		mbtoc	-	-	-	-	-	-	-	-

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Jun-05		Jul-05		Aug-05		Sep-05	
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
GS7	Gravel	31.045		mbtoc	3.920	27.125	3.92	27.125	3.98	27.065	4.095	26.96
GS9	Clay	34.126		mbtoc	2.700	31.426	2.72	31.406	Not Accessible	Not Accessible	2.894	31.232
GS11	Clay	38.968		mbtoc	3.980	34.988	2.46	36.508	2.46	36.508	2.827	36.141
GS18	Gravel	35.442		mbtoc	6.540	28.902	Not Accessible	Not Accessible	6.88	28.562	7.02	28.422
PW1	Shallow Bedrock	56.711		mbtoc	not constructed	not constructed	not constructed	not constructed	not constructed	not constructed	3.51	53.201
PW2	Shallow Bedrock	36.147		mbtoc	not constructed	not constructed	not constructed	not constructed	not constructed	not constructed	6.76	29.387
PW3	Shallow Bedrock	34.3		mbtoc	not constructed	not constructed	not constructed	not constructed	not constructed	not constructed	5.682	28.618
AGB9a	Clay	45.73		mbtoc	-	-	-	-	-	-	-	-
AGB10	Clay	46.173		mbtoc	-	-	-	-	-	-	-	-

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Oct-05		Nov-05		Dec-05		Jan-06	
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
GS7	Gravel	31.045		mbtoc	4.15	28.895	3.855	27.190	3.69	27.355	3.705	27.340
GSS9	Clay	34.126		mbtoc	2.995	31.131	3.36	30.766	3.12	31.006	2.95	31.176
GS11	Clay	38.968		mbtoc	3.086	35.882	2.413	36.555	2.235	36.733	1.93	37.038
GS18	Gravel	35.442		mbtoc	7	28.442	6.345	29.097	5.94	29.502	6.116	29.326
PW1	Shallow Bedrock	56.711		mbtoc	5.1	51.611	3.3	53.411	3	53.711	2.964	53.747
PW2	Shallow Bedrock	36.147		mbtoc	6.885	29.262	6.94	29.207	6.71	29.437	6.5	29.647
PW3	Shallow Bedrock	34.3		mbtoc	5.481	28.819	5.33	28.97	5.09	29.210	4.964	29.336
AGB9a	Clay	45.73		mbtoc	-	-	-	-	-	-	-	-
AGB10	Clay	46.173		mbtoc	-	-	-	-	-	-	-	-

For inspection purposes only.  
 Consent of copyright owner required for any other use.

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Mar-06		Apr-06		May-06		Jun-06	
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
GS7	Gravel	31.045		mbtoc	4.67	26.38	3.59	27.455	5.05	25.995	3.675	27.370
GS9	Clay	34.126		mbtoc	2.91	31.22	2.77	31.356	2.84	31.286	2.790	31.336
GS11	Clay	38.968		mbtoc	1.85	37.12	1.814	37.154	1.99	36.978	1.916	37.052
GS18	Gravel	35.442		mbtoc	6.24	29.20	5.98	29.462	6.15	29.292	5.890	29.552
PW1	Shallow Bedrock	56.711		mbtoc	3.024	53.69	2.99	53.721	2.96	53.751	2.949	53.762
PW2	Shallow Bedrock	36.147		mbtoc	6.459	29.69	6.245	29.902	6.416	29.731	6.252	29.895
PW3	Shallow Bedrock	34.3		mbtoc	4.94	29.36	4.768	29.532	4.95	29.350	4.814	29.486
AGB9a	Clay	45.73		mbtoc	4.24	41.49	-	-	4.993	40.737	5.064	40.666
AGB10	Clay	46.173		mbtoc	12.76	33.41	-	-	13.39	32.783	13.35	32.823

For inspection purposes only.  
Consent of copyright owner required for any other use.



Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Jul-06		Aug-06		Sep-06		Dec-06		Dec-07
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)
GS7	Gravel	31.045		mbtoc	3.81	27.235	4	27.045	3.99	27.055	3.637	27.408	
GS9	Clay	34.126		mbtoc	2.805	31.321	2.89	31.236	3.04	31.086	2.811	31.315	
GS11	Clay	38.968		mbtoc	2.27	36.698	2.485	36.473	2.753	36.215	1.943	37.025	
GS18	Gravel	35.442		mbtoc	6.2	29.242	6.43	29.012	6.595	28.847	5.854	29.588	
PW1	Shallow Bedrock	56.711		mbtoc	2.935	53.776	2.926	53.785	2.96	53.751	2.866	53.845	
PW2	Shallow Bedrock	36.147		mbtoc	6.39	29.757	6.546	29.601	6.67	29.477	6.390	29.757	
PW3	Shallow Bedrock	34.3		mbtoc	4.96	29.340	5.12	29.180	5.25	29.050	4.930	29.370	
AGB9a	Clay	45.73		mbtoc							4.038	41.692	
AGB10	Clay	46.173		mbtoc							11.69	34.483	

For inspection purposes only.  
Consent of copyright owner required for any other use.

Borehole Name	Aquifer Type	Casing Level (mAOD)	Ground level (mAOD) relevelled	Unit of measurement	Apr-07		Jul-07		Nov-07		Apr-08	
					Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)	Depth to water from top of casing (m)	Groundwater level (mAOD)
GS7	Gravel	31.045		mbtoc	3.650	27.395	3.663	27.392	3.760	27.285	3.618	27.427
GS9	Clay	34.126		mbtoc	2.610	31.516	2.720	31.406	2.790	31.346	2.630	31.496
GS11	Clay	38.968		mbtoc	2.000	36.968	1.800	37.168	2.090	36.878	1.853	37.115
GS18	Gravel	35.442		mbtoc	Not Accessible	Not Accessible	6.120	29.322	6.520	28.922	5.950	29.492
PW1	Shallow Bedrock	56.711		mbtoc	2.920	53.791	2.900	53.811	2.945	53.786	3.069	53.642
PW2	Shallow Bedrock	36.147		mbtoc	6.115	30.032	6.325	29.822	6.459	29.688	6.175	29.972
PW3	Shallow Bedrock	34.3		mbtoc	4.740	29.560	4.890	29.410	5.000	29.300	4.837	29.463
AGB9a	Clay	45.73		mbtoc	4.139	41.591	0.755	44.975	1.170	44.560	0.800	44.93
AGB10	Clay	46.173		mbtoc	12.45	33.723	12.775	33.398	8.250	37.923	11.704	34.489

For inspection purposes only.  
Consent of copyright owner required for any other use.