

W0024-04
Applicant
Submission

Ann Kehoe

From: PEADAR MacRORY [PMACRORY@donegalcoco.ie]
Sent: 17 July 2009 13:49
To: Ann Kehoe; Brian Meaney; Wexford Receptionist
Cc: LIAM MCCARRON; SEAMUS NEELY
Subject: Licence Reg No. W0024-03 Ballynacarrick Landfill Site
Attachments: license review submission 17th July 2009.doc

Re. Licence Reg No. W0024-03 Ballynacarrick Landfill Site

Your letter 18th June gives notice of intent to review this licence. You invite submissions. Attached please find the submission from the Council.

Regards,

Peadar MacRory,
Senior Engineer,
Divisional Manager,
Water & Environment Service.

This email has been scanned by the MessageLabs Email Security System.
For more information please visit <http://www.messagelabs.com/email>

For inspection purposes only.
Consent of copyright owner required for any other use.

20/07/2009

17th July 2009.

Environmental Protection Agency,
Headquarters,
PO Box 3000,
Johnstown Castle Estate,
Co Wexford.

Ref: Licence Reg No. W0024-03, Ballynacarrick Landfill Site.

Re Notice under Section 42(1) (b) of the Waste Management Acts 1996 to 2008 and Article 10 of the Waste Management (Licensing) Regulations 2004.

We refer to your letter of 18th June giving notice that the EPA intends initiating a review of the licence register no. W0024-03, Ballynacarrick Landfill Site. The Council wishes to make the following submission.


We wish to remind you that the licence for Ballynacarrick landfill was reviewed in 2008, towards the end of the year. A Proposed Decision issued on 26th September 2008 and the Decision to Grant issued on 27th November that year. The conditions on license W0024-03 have taken account of articles 5 & 6 of Council Directive 1999/31/EC.

We were aware, from a letter from Dr. J. Derham, Licensing Unit, dated 9th October 2008, that all existing licences to facilities accepting municipal waste for final disposal would be reviewed following the conclusion of the round of public consultation and publication of a guidance document. We understood at the time that the Agency had taken the opportunity of the Ballynacarrick license review, ongoing at that time, to review the licence along the terms now described.

Therefore we consider a further review at this time not to be necessary.

Yours sincerely,

Peadar MacRory,
Senior Engineer,
Divisional Manager,
Water & Environment Services.



COMHAIRLE CHONTAE DHÚN NA NGALL
DONEGAL COUNTY COUNCIL

Environment Section

Telephone: (074) 9172256, 9172257, 912538, 9172476 Fax: (074) 912819

F A C S I M I L E

OUTGOING FAX NUMBER:

053 9160699

FOR THE ATTENTION OF:

EPA

FROM:

Peadair MacRory

DATE:

17/07/09

TOTAL NUMBER OF PAGES
INCLUDING THIS COVER SHEET:

2

Message:

See the attached letter regarding
Licence Reg no. W0024-03, Ballynasavicle
landfill site.

Regards,



Comhairle Chontae Dhún na nGall Donegal County Council

Uisce, Timpeallacht agus Seirbhísí Éigeandála
Water, Environment and Emergency Services

Tel/Guthán: (074) 91 72222 Fax/Facs: (074) 91 42073

www.donegalcoco.ie www.ccdhunnangall.ie

Fax - 053 916 0699

17th July 2009.

Environmental Protection Agency,
Headquarters,
PO Box 3000,
Johnstown Castle Estate,
Co Wexford.

Ref: Licence Reg No. W0024-03, Ballynacarrick Landfill Site.

Re Notice under Section 42(1) (b) of the Waste Management Acts 1996 to 2008 and Article 10 of the Waste Management (Licensing) Regulations 2004.


We refer to your letter of 18th June giving notice that the EPA intends initiating a review of the licence register no. W0024-03, Ballynacarrick Landfill Site. The Council wishes to make the following submission.

We wish to remind you that the licence for Ballynacarrick landfill was reviewed in 2008, towards the end of the year. A Proposed Decision issued on 26th September 2008 and the Decision to Grant issued on 27th November that year. The conditions on license W0024-03 have taken account of articles 5 & 6 of Council Directive 1999/31/EC.

We were aware, from a letter from Dr. J. Derham, Licensing Unit, dated 9th October 2008, that all existing licences to facilities accepting municipal waste for final disposal would be reviewed following the conclusion of the round of public consultation and publication of a guidance document. We understood at the time that the Agency had taken the opportunity of the Ballynacarrick license review, ongoing at that time, to review the licence along the terms now described.

Therefore we consider a further review at this time not to be necessary.

Yours sincerely,


Peadar MacRory,
Senior Engineer,
Divisional Manager,
Water & Environment Services.