

Ms Patricia Power
Director of Services: Operational Area South
Cork County Council
Floor 5
County Hall
Carrigrohane Road
Cork

Regional Inspectorate, Inniscarra County Cork, Ireland Cigireacht Réigiúnach, Inis Cara Contae Chorcaí, Éire

T: +353 21 487 5540 F: +353 21 487 5545 E: info@epa.ie W:www.epa.ie

Lo Call: 1890 33 55 99

17 July 2009

D0429-01

re: Notice in accordance with Regulation 12 of the Waste Water Discharge (Authorisation) Regulations 2007

Dear Ms Power

I am to refer to the above referenced application for a waste water discharge licence in respect of Agglomeration Named Innishannon. I am directed to advise you of a failure of compliance with Regulation 9 of the Waste Water Discharge (Authorisation) Regulations 2007.

No site notice was in evidence at the locations specified on the map in the licence application during a site notice inspection on 15th July 2009.

The Agency therefore requires you, in accordance with Regulation 12 of the regulations,

• to erect a site notice as required in compliance with Regulation 11, as specified in your licence application and for a period of 1 month from 23rd July 2009.

The Agency further requires you to submit evidence in relation to compliance with the above requirement:

• Copy of the notice and dated/verified photograph of notice in-situ.

The evidence requested should be submitted within 2 weeks of the date of this notice, in the form of one original copy plus one further copy. In addition, please submit one copy in an electronic searchable PDF format on CD-ROM to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please direct all correspondence in relation to this matter to Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use,



Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford quoting register number D0429-01.

Yours sincerely,

Marie O'Connor

l Senior Inspector

Environmental Licensing Programme

Office of Climate, Licensing & Resource Use