

Manager BUCHPA Limited 59 Avoca Park Blackrock County Dublin Headquarters, PO Box 3000 Johnstown Castle Estate County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000 Eastát Chaisleán Bhaile Sheáin Contae Loch Garman, Éire

T: +353 53 916 0600

F: +353 53 916 0699

E: info@epa.ie W: www.epa.ie

LoCall: 1890 33 55 99

11 August, 2009

W0252-01

re: Notification in accordance with Section 42(2) of the Waste Management Acts, 1996 to 2008, of a proposed decision on a waste licence application in respect of a facility at BUCHPA Limited (The Norse Family), Kilmartin, Coynes Cross, Newcastle, County Wicklow

Dear Manager,

Please find enclosed the notification of the Agency's proposed decision on your waste licence application in respect of a facility at BUCHPA Limited (The Norse Family), Kilmartin, Coynes Cross, Newcastle, County Wicklow.

The notification and the accompanying copy of the proposed decision, set out the details of the proposed decision, in accordance with Section 42 of the Waste Management Acts, 1996 to 2008 and the relevant Waste Management (Licensing) Regulations. The Inspector's Report, Proposed Decision and associated documents are available for inspection on our website at www.epa.ie.

It is important to note that any objection to a proposed decision/request for an oral hearing must be received by the Agency before the expiration of the appropriate period as specified in the accompanying notification. An objection/request for an oral hearing must be made on-line on the Agency's website at www.epa.ie or by sending the objection or request by prepaid post to the Agency, or by leaving the objection or request with an employee of the Agency at the Headquarters of the Agency in Wexford during office hours, i.e. 9 a.m. to 5 p.m. Monday to Friday.

In accordance with Section 42(A) of the Waste Management Acts 1996 to 2008, the latest date for receipt of the Applicant objection is 5.00 pm on 7 September 2009.

Yours sincerely,

Ann Kehoe

Programme Officer

Office of Climate, Licensing & Resource Use

2