



COMHAIRLE CHONTAE LAOISE LAOIS COUNTY COUNCIL

W0026-02

Comhairle Chontae
Laoise
Áras/án Chontae
Portlaoise
Contae Laoise


Laois County Council
Áras/án Chontae
Portlaoise
Co. Laois

Tel: (057) 8664000
Fax: (057) 8622313
corpaffairs@laoiscoco.ie
www.laois.ie

OUR REF:

YOUR REF:

Ewa Babiarczyk
Inspector
Environmental Licensing Programme
Environmental Protection Agency
Headquarters
PO Box 3000
Johnstown Castle Estate
Co. Wexford



18th August 2009

Re: **Kyletalesha Landfill W0026-02 – EPA Response**

Direct Phone Nos.

Accounts Payable	8664063
Arts	8674342
Central Area Office	8664168
Co. Dev. Board	8674338
Driving Licence	8664303
Economic Dev.	8664106
Environment	8674322
	8674332
Fire Charges	8674323
Heritage Office	8674348
Higher Education	
Grants	8664137
Housing	8664110
	8664090
Human Resources	8664219
Internal Audit	8664027
Information	
Technology	8664051
Library	8674315
Loan Repayments	8664119
	8664056
Motor Taxation	8664009
Planning	8664039
Planning	
Enforcement	8664017
	8664057
Rates	8664055
Reception	8664000
Register of Electors	8664105
Rent Repayments	8664084
	8664091
Roads	8664142
Road Design	8664239
Water Charges	8664119
	8664059
Sports, Leisure	
& Play	8664007
	8664038
Water Services	8664120

Dear Inspector,

Further to your letter dated the 28th of July 2009, in relation to Article 16(3)(a)(i) of the Waste Management (Licensing) Regulations 2004, please find below the figure, in cubic metres, for the total quantity of waste to be placed at the landfill over the authorised life of the facility. This figure is then further explained as to how it was calculated.

Landfill waste Quantity = 1,888,937.30 cubic metres

Breakdown:

Cell 6 through to 11 have not as of yet been constructed at the landfill, and the proposed development area for these cells is located in an area of raised bog. For these cells, a preliminary design was carried out, basing the cell base levels on those of the recent lined cells which have been constructed at the landfill. However, this is a preliminary design, and the cell base levels may change upon a more detailed design, once site investigation works are carried out for each phase of development in the future. This may change the overall figure for waste acceptance at the landfill.

Cell 15 has been designed, and construction works will be commencing this year. Cell 15 is to be split into three sections, and will have a three year filling capacity, with two of the mini-cells being built this year and into early 2010. The entire capacity of Cell 15 has been included in this assessment.

The landfill weighbridge records were utilised for the waste quantity which has been placed at the landfill from the date the licence was granted to Laois County Council to operate Kyletalesha Landfill. Weighbridge records were used from when the licence was granted to the most current up to date records. An estimate was then carried out of the remaining void capacity that remains in Cell 14 at the landfill.

I trust that this is in order, however if you have any further questions, please do not hesitate to contact me.

Yours sincerely,

John O' Donoghue
A/Director of Services
Environment and Planning.



Tá Fáilte Romhat
Gnó a Dhéanamh
as Gaeilge

'I bpáirt leis an bpobal'

