

1/B
scan.

reply 1

W0088-03

Josephine Kennedy

From: Ewa Babiarczyk
Sent: 25 August 2009 14:39
To: Josephine Kennedy
Subject: FW: Message from KMBT_C451
Attachments: SKMBT_C45109081909170.pdf

From: PJ Carey [mailto:pjcarey@westmeathcoco.ie]
Sent: 19 August 2009 10:30
To: Ewa Babiarczyk
Cc: Hugh O'Reilly
Subject: FW: Message from KMBT_C451

Ewa
Please find attached reply to your letter of the 27th July 2009 regarding landfill capacity.
Regards,

P.J.Carey
Senior Executive Engineer
Environment Section
TEL 04493 32177
0872680712.

Open for inspection purposes only.
Original copyright owner required for any other use.

DISCLAIMER: This message is intended only for the use of the person(s) to whom it is addressed. It may contain information which is privileged and confidential within the meaning of applicable law. If you are not the intended recipient, please be advised that you have received this e-mail in error and that any use, dissemination, forwarding, printing or copying of this email, or any part of it, is strictly forbidden. If you have received this email in error, please contact the sender as soon as possible. The views expressed in this email may not necessarily be the views held by Westmeath County Council / Athlone Town Council. Any attachments have been checked by a virus scanner and appear to be clean. Please ensure that you also scan all messages, as the Council does not accept any liability for contamination or damage to your systems.

SÉANADH: Is d'úsáid an duine/na ndaoine chuig a bhfuil sí seolta agus sin amháin atá an teachtaireacht seo. D'fhéadfadh go bhfuil faisnéis faoi phribhléid nó faoi rún de réir bhri an dlí is infheidhme inti. Mura tusa an seolai a bhí beartaithe, bí ar an eolas go bhfuair tú an ríomhphost seo de bharr earráide agus go bhfuil cosc iomlán ar an ríomhphost seo, nó aon chuid de, a úsáid, a scaipeadh, a chur ar aghaidh nó a chóipeáil. Má fuair tú an ríomhphost seo de bharr earráide, téigh i dteagmháil leis an seoltóir chomh luath agus is féidir, le do thoil. Ní gá gurb ionann na dearcaí a léirítear sa ríomhphost seo agus dearcaí Chomhairle Chontae na hIarmhí / Comhairle Bhaile Átha Luain. Tá aon iatáin seiceáilte ag scanóir viris agus dealraíonn sé go bhfuil siad glan. Bí cinnte go ndéanfaidh tusa scanáil ar gach teachtaireacht chomh maith, le do thoil, mar ní ghlacann an Chomhairle dliteanas ar bith i leith éilliú ná dámáiste do do chuid córas.

This email has been scanned by the MessageLabs Email Security System.
For more information please visit <http://www.messagelabs.com/email>

For inspection purposes only.
Consent of copyright owner required for any other use.



17th August 2009.

Ms. Ewa Babiarczyk,
Inspector,
Environmental Licensing Programme,
Environmental Protection Agency,
Johnstown Castle Estate,
County Wexford.

Re: Notice under Article 16(3)(a)(i) of the Waste Management (Licensing) Regulations 2004.

Dear Ms. Babiarczyk,

The total quantity of waste to be placed at Ballydonagh Landfill is **45,657 cum**.

Capacity Calculation.

The design capacity of Phase 3 extension for Ballydonagh Landfill is 160,000 tonnes.

Filling of the extension began in March 2007 with the waste deposits recorded on the weighbridge as follows:-

15th March 2008 to 31st December 2008 = 48,671 tonnes.

1st January to 1st June 2008 = 17,632 tonnes.

1st June to 14th August = 57,170.14 tonnes

Total waste deposited to date in the Phase 3 extension = 123,473 tonnes

Remaining capacity is 160,000 - 123,473 = 36,527 tonnes

We use a 40tonne compactor with a compaction rate of 0.8 tonnes/cum. This will give the remaining volume of **45,657 cum**

County Buildings, Mullingar, Co. Westmeath. Tel (044) 9332000 Fax (044) 9342330


Áras an Chontae, An Muileann gCearr, Contae na h-Iarmhí.

Email: secretar@westmeathcoco.ie Web: www.westmeathcoco.ie



Should require any further information please contact Mr. P.J.Carey Senior Executive Engineer at 04493 32177.

Yours Sincerely



Hugh O'Reilly
Senior Executive Officer,
Environment Section.

PP.

For inspection purposes only.
Consent of copyright owner required for any other use.