

SECTION 6: WATER

6.1 INTRODUCTION

SLR Consulting Limited (SLR) has been appointed by Roadstone Dublin Ltd. to undertake a hydrogeological and hydrological impact assessment for the backfilling and restoration of a limestone quarry at Milverton, County Dublin using imported inert soil.

This section details the local hydrology and hydrogeology of the application site and surrounding area (up to 4km radius around the site boundary) and identifies potential hydrogeological and hydrological impacts associated with the proposed development.

Unmitigated impacts, assuming that no mitigation is in place for the initial assessment, are considered before discussing appropriate mitigation measures and reassessing potential impacts. The assessment is based on a detailed baseline description of the local geological, hydrological and hydrogeological regimes.

6.1.1 Background

Extraction of limestone rock and associated production of construction materials was suspended at Milverton in late summer 2008. The proposal to restore the quarry by importing inert soils to substantially backfill the existing quarry void to its original ground level is technically classified as recovery of waste through deposition on land. The large volume of imported inert soil and stone required to complete this task requires a Waste Licence Application to be submitted to the Environmental Protection Agency, together with a supporting Environmental Impact Statement.

This chapter presents an assessment of the environmental impact of the restoration of the site using inert soil and stones on the hydrogeological and hydrological environment. Further information on the waste types and proposed waste recovery facility is provided in Chapter 2 of this EIS.

6.1.2 Scope of Work

This chapter identifies the local hydrogeological and hydrological environment based on available information in the vicinity of the site. A qualitative assessment has been undertaken of the potential impacts on this environment arising from backfilling of the limestone quarry using inert materials. The assessment considers the proposed phasing of the infilling, the waste types and any proposals for water management at the site. The methodology of the assessment is described in detail in Section 6.3.1.

6.1.3 Sources of Information

The following sources of information have been consulted in order to investigate the hydrogeology and hydrology of the area surrounding the application site:

- The Environmental Protection Agency for Ireland website (www.epa.ie) for maps and environmental information;
- Geological Survey of Ireland website (www.gsi.ie);
- Geology of Meath, Sheet 13, 1:100,000 scale, Geological Survey of Ireland, 1999;
- Groundwater Protection Schemes, Department of the Environment and Local Government, Environmental Protection Agency, and Geological Survey of Ireland, 1999, and Appendix Groundwater Protection Response for Landfills; and
- Bog of the Ring Groundwater Source Protection Zones, GSI, 2005

6.1.4 Contributors

This study of surface water and groundwater was undertaken and prepared by:

Les Brown, B.Sc., M.Sc. Ph.D., Hydrogeologist, SLR Consulting Ireland

6.2 RECEIVING ENVIRONMENT

6.2.1 Available Information : Geology and Soils

A detailed description of the local and regional soil, subsoil and bedrock geology is provided in Section 5. A summary is provided below

Soils and Subsoils

The Environmental Protection Agency (EPA) website publishes soils and subsoils maps created by the Spatial Analysis Unit, Teagasc in collaboration with the Geological Survey of Ireland. These maps indicate that the majority of the site is underlain by shallow well drained mineral soils, which are classified as grey brown podzolics. These soils are derived from the underlying glacial till which extends across the region. The glacial till is derived from limestone and shale parent material (refer to Figure 5.1 in Chapter 5 of this EIS).

Solid Geology

The superficial deposits under the entire site and surrounding area are underlain by bedrock of the lower Carboniferous Holmpatrick Formation (refer to Figure 5.2 in Chapter 5 of this EIS). The Holmpatrick Formation forms part of the Milverton Group and comprises well-bedded bioclastic limestones.

Local Geology

Three groundwater monitoring wells (designated BH01, BH02 and BH03) were installed across the application site in December 2008. The location of these monitoring wells is shown in Figure 6.1. The monitoring wells were constructed using rotary drilling techniques, and therefore only general descriptions were obtained of bedrock encountered. As the boreholes were drilled within the quarry area where the subsoil had been stripped, they did not encounter soil and subsoil. However, BH03, encountered 13m of Made Ground and glacial till (described as sandy gravelly clay) before encountering rock head. The boreholes were drilled to a final depth of between 21m and 30m. Groundwater monitoring piezometers were installed so that the specified response zones were isolated from other water ingress. The materials encountered during drilling have been described as follows:

- MADE GROUND (Sandy gravelly clay);
- Sandy gravelly CLAY (Glacial Till)
- Grey fine to medium grained LIMESTONE

The well construction records are presented in Appendix 6.1

6.2.2 Available Information : Hydrogeology

Aquifer Characteristics and Groundwater Vulnerability

The site is located within the Lusk Groundwater Body (GWB), which extends from Dunshaughlin in Meath to the North Dublin coast. The Lusk GWB includes the Bog of the Ring groundwater supply that abstracts a yield of 4ML/d from the Calp Limestone. The outer limit of the source protection zone for the Bog of the Ring lies 4km away from Milverton quarry in a westerly direction.

The bedrock at Milverton is limestone of the Holmpatrick Formation. As is typical of bedrock in the region, groundwater flow is controlled by secondary fissure permeability. The Holmpatrick Formation is classified by the GSI (GSI, 2005) as locally important karstified bedrock (Lk), as indicated on Figure 6.2. The bulk permeability of the formation is low, with groundwater storage and movement mainly constrained to the upper weathered horizons of this unit and fractures / faults. Based on a review of the GSI karst database, there are no karst landforms or caves within 1km of the application site. The nearest recorded karst landforms are two springs, both of which are located 2km to the west.

The Quaternary deposits that overlie the bedrock tend to be relatively thin but play an important role in groundwater recharge. Where Quaternary deposits comprise sand and gravel, they allow a high level of recharge and can provide additional storage to the underlying bedrock aquifer. In this region, the extent and thickness of sand and gravel deposits is insufficient for them to be considered an aquifer in its own right.

Groundwater vulnerability maps published on the EPA website indicate that the site is located in an area with high to extreme Groundwater Vulnerability status. An extract of the Groundwater Vulnerability map is presented as Figure 6.3. The groundwater vulnerability reflects the potential for rapid groundwater movement through the quaternary deposits into the underlying bedrock aquifer.

The excavation has intersected the groundwater table and had sequentially lowered it around the periphery of the excavation with each quarry bench. There are minor groundwater inflows to the quarry that drain to the floor, where they are contained. Water is pumped from the quarry floor as and when required in order to maintain dry conditions on the floor. When active, the pumps have an estimated discharge rate of 5l/s.

Recharge Mechanisms

The published geological memoir reports that the rainfall in the area is around 900mm/year. Potential recharge to the aquifer ranges from 325mm/yr to 550 mm/yr. The bulk of this recharge occurs between late October and early March.

Groundwater Levels and Flow

The published geological memoir reports that in this region of Ireland, groundwater is generally within 10m of the surface and has an annual fluctuation of less than 5m.

During the groundwater well installation works in December 2008, groundwater strikes were recorded in each well during drilling. A summary of water strikes is presented in Table 6.1 below:

| Borehole Name | Water Strike (mbgl) | Water Strike (mOD) | Well depth (m) | Deposits recorded at water strike |
|---------------|---------------------|--------------------|----------------|-----------------------------------|
| BH01 | 18 | -3 | 21 | Grey fine grained LIMESTONE |
| BH02 | 19 | 0.5 | 30 | Grey fine grained LIMESTONE |
| BH03 | 18 | 8 | 24 | Grey fine grained LIMESTONE |

Table 6.1. Groundwater Strikes Recorded during Drilling

Water levels were recorded on the 8th January 2009 (approximately three weeks after the completion of drilling) and are detailed below:

- BH01 – -0.7mOD (14.3mbgl)
- BH02 – 15.2mOD (10.8mbgl)
- BH03 – 7.2mOD (12.2mbgl)

Groundwater contours based on the rest levels recorded in the groundwater monitoring wells have been used to determine groundwater flow contours, which are presented on Figure 6.4. These data indicate that the indicative groundwater flow direction is across the site, from north to south. These data indicate that the quarry floor (at -12m AOD) is 27m below the groundwater table at the northern part of the excavation and 17m below the water table at the southern end of the excavation.

Groundwater Abstractions, Use and Quality

The GSI records two existing wells within 1km of the site boundary. Both wells are located within the Holmpatrick Formation, to the south of the site within the townland of Loughland. These wells service residences that lie along the local road between Baldongan townland and Skerries. All other local residences are connected to mains water.

Abstractions for the aggregate washing and processing at the site had historically been sourced from sumps on the quarry floor. These sumps continue to be pumped to maintain dry conditions on the quarry floor. It is estimated that approximately 5l/s (100m³/day) is pumped from the site to maintain a dry quarry floor.

Samples were obtained from BH01, BH02 and BH03 in January 2009 for hydrochemical analysis. All wells were purged prior to sampling. Additionally, a water sample was collected from the

surface watercourse to the west of the site, adjacent to the R127 Regional Road. All samples were sent to an independent accredited laboratory for analysis. A summary of water quality test parameters is presented in Table 6.2 below:

| Parameters | Sampling Locations | | | | EU Drinking Water Standard (98/83/EC) |
|----------------------------|--------------------|-------|-------|-------|---------------------------------------|
| | BH01 | BH02 | BH03 | SW01 | |
| <i>Field Tests</i> | | | | | |
| Temperature °C | 9.8 | 10.6 | 10.48 | 1.33 | - |
| Conductivity µS/cm | 739 | 943 | 968 | 300 | 2500 |
| pH | 7.89 | 7.42 | 7.61 | 8.59 | 2500 |
| Dissolved Oxygen | 9.28 | 6.77 | 6.81 | 14.94 | - |
| <i>Laboratory Tests</i> | | | | | |
| Total Hardness (mg/l) | 242 | 234 | 318 | 354 | - |
| Total Alkalinity (mg/l) | 270 | 230 | 250 | 80 | - |
| TOC (mg/l) | 4 | 3 | 3 | - | No ab. ch. |
| BOD (mg/l) | - | - | - | <2 | - |
| DRO (µg/l) | - | - | - | <10 | - |
| PRO (µg/l) | - | - | - | <10 | - |
| Mineral Oil (µg/l) | - | - | - | <10 | - |
| Benzene (µg/l) | - | - | - | <10 | - |
| Toluene (µg/l) | - | - | - | <10 | - |
| Ethylbenzene (µg/l) | - | - | - | <10 | - |
| Total Xylene (µg/l) | - | - | - | <10 | - |
| Dissolved Sodium (mg/l) | 61.9 | 19.5 | 42.6 | 13.7 | 200 |
| Dissolved Potassium (mg/l) | 3.9 | 8.8 | 10.8 | 4.4 | 12 |
| Dissolved Calcium (mg/l) | 67.52 | 70.80 | 93.10 | 36 | - |
| Dissolved Iron (ug/l) | 47 | 51 | 41 | 9 | 200 |
| Dissolved Magnesium (mg/l) | 17.78 | 13.09 | 20.78 | 2 | - |
| Dissolved Manganese (ug/l) | 11 | 19 | 13 | <1 | 50 |
| Chloride (mg/l) | 30 | 29 | 94 | 17 | 250 |
| Ammoniacal-N (mg/l) | <0.2 | <0.2 | 0.2 | <0.2 | - |
| Nitrite (mg/l) | 0.27 | 0.23 | 0.36 | 0.09 | 0.5 |
| Nitrate (mg/l) | 38.4 | 16.9 | 21.8 | 3.6 | 50 |
| Sulphate (mg/l) | 54 | 18 | 79 | 40 | 250 |
| Phosphate (ortho) (mg/l) | 0.04 | 1.18 | 0.07 | 0.08 | - |

KEY: Shaded = maximum admissible concentration exceeded

Table 6.2 Summary of Groundwater Quality

The groundwater quality is considered to be good. All parameters analysed had ion concentrations lower than the EU Drinking Water Standard. Although the water quality for the surface water course opposite the quarry entrance does not exceed the Maximum Admissible Concentration (MAC), the recorded concentration of nitrate is particularly high at 45.3mg/l. Additional List I analyses for Diesel and Petrol Range Organics, Mineral Oils, Benzene, Toluene, Ethylbenzene and Total Xylene, were carried out on the sample obtained from the surface water stream, none of which were detected.

The hydrochemistry of the groundwater samples indicate hard calcium-type water with moderately low sodium and magnesium. This type of water is typical of groundwater from a limestone aquifer. Potassium, chloride, ammoniacal nitrogen, nitrite and nitrate are moderate indicating minimal organic contamination. The higher nitrate level at BH01, although still low, is most likely due to its closer proximity to agricultural land. There are a small number of hydrochemical variations between samples taken up gradient and down gradient of the quarry. However these are within the normal expected range for this type of aquifer.

Groundwater Protection

Groundwater in Ireland is protected by European Community and national legislation. The Geological Survey of Ireland (GSI) in conjunction with the Department of Environment and Local Government (DoELG) and the EPA have developed a methodology for the preparation of groundwater protection schemes to assist the statutory authorities and others to meet their responsibility to protect groundwater (DoELG / EPA / GSI, 1999). This methodology incorporates land surface zoning and groundwater protection responses.

The DoELG / EPA / GSI has developed a scheme (Groundwater Protection Response Matrix for Landfills) to assessing potential landfill sites on the basis of groundwater vulnerability and aquifer status. However, it should be noted that this scheme has largely been developed for new non-hazardous landfills and is therefore not an appropriate tool for assessment of inert soil recovery facilities such as that at Milverton.

Notwithstanding this, review of the Groundwater Vulnerability Map (Figure 6.4) and the Aquifer Map (Figure 6.3) in accordance with the DoELG / EPA / GSI methodology indicates that the Milverton site is located within an area of High Vulnerability and a Locally Important Karstified Bedrock Aquifer. These classifications have been compared against the matrix for non hazardous landfills; which indicates that the site setting falls within a response category of R3¹, which is described as being 'Not generally acceptable (for non-hazardous landfills), unless it can be shown that :

- The groundwater in the aquifer is confined; or
- There will be no significant impact on the groundwater; and
- It is not practicable to find a site in a lower risk area'.

Given that site backfilling and restoration activities (such as those envisaged for this site) can only be undertaken where previous activities have created void space in the landscape, the requirement to identify other sites in lower risk areas does not apply. The proposed backfilling of the existing quarry using predominantly cohesive inert glacial till will provide an enhanced degree of protection, over and above that which exists at present.

Given the limited risk to groundwater associated with the placement and compaction of inert soil and stones compared to those presented by non-hazardous landfills, it is considered that the site setting is appropriate for an inert soil recovery facility. It is also reiterated that the DoELG / EPA / GSI groundwater protection methodology has not been developed for inert recovery facilities. Further to this, the significance of the impact of the development on groundwater is fully explored in Section 6.3 of this EIS Chapter.

6.2.3 Available Information : Hydrology

Local Hydrology and Surface Water Quality

The nearest watercourse to the site is the small stream adjacent to the quarry entrance. This watercourse is a tributary of the Mill Stream that discharges to the Irish Sea at Skerries. Ordnance Survey mapping indicates that the Mill stream has its headwaters in the Baldongan and Balcunnin townlands approximately 2km south-west of the application site. The EPA does not maintain a record of water quality in this stream.

Surface Water Flows and Discharge Consents

The EPA website indicates that there are no hydrometric stations within 5km of the site, and therefore no flow statistics are available for the watercourses close to the site. There is currently no information or record of abstraction or discharge consents in the vicinity of the site. At the present time, surface water and groundwater ingress collecting on the quarry floor is collected in a sump and pumped via flexible pipework and buried drainage infrastructure to a stream a short distance beyond the north-eastern corner of the quarry, as indicated on Figure 6.4.

Flooding

The Office of Public Works website (www.floodmaps.ie) indicates that there are two records of historic flooding recorded in the vicinity of the site, one in November 1982 and one in August 1986. Both reported flood incidents occurred 400m north of and down hydraulic gradient of the site. The proposed development is not considered to be at risk of flooding. Surface water run-off and discharges at site are, and will continue to be managed so that they do not increase the risk of flooding in the vicinity of the application site.

6.2.4 Field Surveys

Site visits were undertaken by a senior SLR hydrogeologist between the 1st and 12th December 2008 (during the monitoring well installation works). In the course of these visits, some minor groundwater inflows into the quarry were observed from fractures. However, these only occurred at approximately 10mOD and only on the northern quarry face. Photographs of the features of note at the site are presented as plates at the end of this Chapter.

6.2.5 Limitations

The assessment is based on visual observations from site visits, available published information, and discussions on site and is a qualitative assessment.

6.3 IMPACT OF THE REMEDIATION WORKS

6.3.1 Evaluation Methodology

The impact of the proposed development (as detailed in Chapter 2) are assessed in this section. The methodology applied in the assessment is a qualitative risk assessment methodology in which the probability of an impact occurring and the magnitude of the impact, if it were to occur, are considered. This approach provides a mechanism for identifying the areas where mitigation measures are required, and for identifying mitigation measures appropriate to the risk presented by the development. This approach allows effort to be focused on reducing risk where the greatest benefit may result. The assessment of risk is outlined below in Table 6.3.

| Probability of Occurrence | Magnitude of Potential Impacts | | | |
|---------------------------|--------------------------------|-----------|-----------|------------|
| | Severe | Moderate | Mild | Negligible |
| High | High | High | Medium | Low |
| Medium | High | Medium | Low | Near Zero |
| Low | Medium | Low | Low | Near Zero |
| Negligible | Low | Near Zero | Near Zero | Near Zero |

Table 6.3 : Matrix Used to Assess Potential Impacts

The magnitude of potential impacts in relation to geology, hydrogeology and hydrology are detailed in Table 6.4 overleaf :

| Magnitude | Potential Impact |
|------------|---|
| Negligible | No impact or alteration to existing important geological environs or important soil settings (i.e. valuable agricultural land) No alteration or very minor changes with no impact to watercourses, hydrology, hydrodynamics, erosion and sedimentation patterns; No alteration to groundwater recharge or flow mechanisms; and No pollution or change in water chemistry to either groundwater or surface water. |
| Mild | Some loss of important soils or peat, but which has no long term impact Minor or slight changes to the watercourse, hydrology or hydrodynamics; Changes to site resulting in slight increase in runoff well within the drainage system capacity; Minor changes to erosion and sedimentation patterns; and Minor changes to the water chemistry. |
| Moderate | Slope failure or instability which may cause foundation problems, loss of extensive areas of important soils or peat, damage to important geological structures / features Some fundamental changes to watercourse, hydrology or hydrodynamics; Changes to site resulting in an increase in runoff within system capacity; Moderate changes to erosion and sedimentation patterns; and Moderate changes to the water chemistry of surface runoff and groundwater. |
| Severe | Slope failure or instability which results in loss of life, permanent degradation and total loss of peat environment across the entire development site, loss of important geological structure/feature. Wholesale changes to watercourse channel, route, hydrology or hydrodynamics; Changes to site resulting in an increase in runoff with flood potential and also significant changes to erosion and sedimentation patterns; and Major changes to the water chemistry or hydro-ecology. |

Table 6.4 : Magnitude of Potential Geological, Hydrological and Hydrogeological Impacts

In addition to their nature and significance, the potential impacts will be assessed in terms of their duration, whether they are direct or indirect impacts, and also if the impact will be cumulative.

The following sections identify the potential impacts of the proposed development on the geological, hydrogeological and hydrological environments. It also assesses the likelihood of occurrence of each identified impact in accordance with Tables 6.3 and 6.4. It should be noted that the impacts are initially assessed with no mitigation or design measures incorporated to reduce the risk.

6.3.2 Potential Impacts on Geology

Given the geological setting of the proposed development, (i.e. an existing limestone quarry) and the type of the proposed development (i.e. backfilling the pit with inert wastes, specifically inert soil and stones and recovered secondary aggregate), it is considered that there is a negligible potential impact on the geological environment associated with developing the site. The area of the site is small compared to the local and regional extent of the limestone bedrock.

6.3.3 Potential Impacts on Groundwater

Given the hydrogeological setting, it is considered that the proposed development has the potential to impact on groundwater in terms of both the groundwater quality and the groundwater flow regime. These are considered separately below.

Groundwater Quality

During the development and operation of the site there is a risk of groundwater pollution from the following potential sources:

- accidental spillage of fuels and lubricants by construction plant placing the inert fill and other operational procedures;
- increase in suspended solids and potential for contaminated runoff entering groundwater during development of the site; and
- rogue loads of contaminated material being deposited at the site.

It is considered that without mitigation the probability of occurrence of spillage of fuels, lubricants and other potentially contaminative liquids is 'medium' due to the area of the site and number of vehicles that will be using the site and the magnitude of impact is 'moderate'. Therefore the overall risk to groundwater, without mitigation, is 'medium'.

It is considered that without mitigation the probability of occurrence of an increase in suspended solids and potential for contaminated runoff entering groundwater during operation of the facility is 'medium' to 'high' due to the time frame over which this may occur and the potential for infiltrating rainfall to mobilise fines in loose backfilled materials and carry them into the groundwater body (much of the imported fill will be high in silt / clay content). The magnitude of impact is 'moderate' and therefore the overall risk is 'medium' to 'high'.

Without mitigation the probability of occurrence of a rogue load which may have the potential to contaminate groundwater at the site is 'medium' and the magnitude of impact is 'mild' to 'moderate' depending on where the rogue load is deposited. The overall impact is considered to be 'low' to 'medium'.

Groundwater Flow

Without mitigation, or consideration of operational procedures, infilling the site with low permeability inert fill material has the potential to create a low permeability zone. This could alter the groundwater flow pattern around the site, leading to higher groundwater levels upstream of the site and lower levels downstream of the site. Without mitigation the probability of occurrence is 'moderate' due to the thick unsaturated zone of the aquifer.

It is noted that (a) the regional permeability of the unsaturated zone of the aquifer is moderately high which will maintain regional groundwater flow direction, and (b) runoff shed from the proposed restoration landform will infiltrate to form groundwater recharge on the downstream site boundary which will maintain aquifer recharge. The overall impact is therefore considered to be 'low'.

6.3.4 Potential Impacts on Surface Water

There are no surface water features within the site boundary and limited artificial features such as temporary channels, sumps and/or ponds required for surface water management. It is considered that the potential impact of backfilling the worked out quarry with inert fill in the short to medium term could have a potentially *moderate* to *high* impact on surface water in the area if suspended soil particles in surface water run-off collecting in sumps and/or closed depressions is pumped through pipelines and/or existing buried drains to the watercourse beyond the northern boundary.

In the longer term, it is likely that much of the run-off from the completed landform will generally recharge to ground within the site boundary. Some run-off collecting in the closed depression in front of the rock face will however fall via a gravity drain toward the watercourse beyond the northern site boundary and could potentially carry some suspended solids. This is considered to be a potentially *moderate* impact.

6.3.5 Summary of Potential Impacts

A summary of potential impacts *without mitigation* is presented in Table 6.5 overleaf:

| Potential Impact | Spatial Impact, Duration, Direct/Indirect | Probability of Occurrence | Magnitude of Impact | Significance of Impact | Mitigation Required? |
|---|---|---------------------------|---------------------|------------------------|----------------------|
| Groundwater Quality | | | | | |
| Spillages of fuel | Local, Short Term, Direct | Medium | Moderate | Medium | Yes |
| Release of suspended solids | Local, Long Term, Direct | Medium to High | Moderate | Medium to High | Yes |
| Rogue load of contaminated material | Local, Short Term, Direct | Medium | Mild to Moderate | Low to Medium | Yes |
| Groundwater Flow/Recharge to Aquifer | | | | | |
| Impermeable barrier to groundwater flow | Local, Long Term, Direct | High | Moderate | low | No |
| Reduction in recharge to aquifer | Local, Long Term and Direct | High | Moderate | High | Yes |
| Surface Water Quality | | | | | |
| Release of suspended solids | Local, Short and Long Term, Direct | Medium to High | Moderate | Medium to High | Yes |

Note: it is considered that the potential impacts on the surface water from the development is negligible and is therefore not detailed in this table.

Table 6.5 Summary of Unmitigated Risk and Magnitude of Potential Impacts at Milverton

Review of Table 6.5 indicates that if no mitigation measures are incorporated into the quarry backfilling operation, there is potential for the site to cause detrimental and direct impacts to the superficial aquifer by locally polluting groundwater and creating a low permeability zone to groundwater flow. The impacts are all local, but range from short-term to long-term. It is considered that if the identified potential impacts on either groundwater quality or groundwater flow were all to occur there would be a cumulative effect, which would increase the significance of the impact.

Similarly, in the absence of a functioning surface water management system, the quarry backfilling operation at the site has the potential to cause detrimental and direct impacts to the existing watercourse beyond the northern site boundary.

It is therefore recommended that the mitigation measures outlined in the following section are incorporated to reduce the potential impact.

6.3.6 Do Nothing Scenario

Were the proposed backfilling of the application site not to proceed as envisaged, it is unlikely that a portion of the land at least could ever be put to productive use and that it would remain as a scar on the landscape. Ongoing vigilance will be required to ensure no potential contaminating activities occur on or in the vicinity of the quarry floor.

6.4 MITIGATION MEASURES

Proposed mitigation measures required to reduce the potential impacts to acceptable levels are identified in this section. These measures either reduce the likelihood of an event occurring, or reduce the magnitude of the consequences if the event does occur. It should be noted that several of the mitigation measures proposed would have a positive effect on more than one potential impact.

6.4.1 Proposed Mitigation Measures

In order to mitigate against the risk of pollution to groundwater and surface water occurring during operation of the site, the following management measures would be included:

- wherever possible a traffic management system would be put in place to reduce the potential conflicts between vehicles, thereby reducing the risk of a collision;
- a site speed limit would be enforced to further reduce the likelihood and significance of collisions;
- all plant would be regularly maintained and inspected daily for leaks of fuels, lubricating oil or other contaminating liquids/liquors;
- refuelling of vehicles would either be undertaken in a surfaced compound area from a fuel tank(s) that is bunded or be undertaken off-site to minimise the risk of uncontrolled release of polluting liquids/liquors;
- maintenance of plant and machinery would be undertaken within a site compound area or off-site, as appropriate, to minimise the risk of uncontrolled release of polluting liquids;
- spill kits would be made available on-site to stop the migration of spillages, should they occur;
- the ponded areas on the pit floor should be drained prior to the waste being deposited to minimise the mobilisation of fines,
- waste loads should be inspected and tested to confirm they are inert prior to deposition at site.
- diverting all surface water run-off collected in sumps via settlement ponds and/or interceptor tanks prior to discharge to surface watercourses in order to reduce concentration of suspended solids.

These measures would reduce the potential impact of

- (I) spillage of fuels and lubricants from 'medium' to 'low',
- (II) an increase in suspended solids from 'medium to high' to 'low' and
- (III) contamination from rogue loads from 'low to medium' to 'near zero'.

6.4.2 Residual Impacts

A summary of the proposed mitigation methods, together with the predicted effects and residual impacts is presented in Table 6.6 overleaf.

Examination of Table 6.6 confirms that there are no significant residual impacts with respect to groundwater and/or surface water provided the appropriate mitigation measures are undertaken. It is therefore considered that the siting of an inert recovery facility in this location is acceptable and it has been shown that there will be no significant impact on groundwater and/or surface water.

6.5 INTERACTIONS

It is considered that the groundwater and surface water are not interconnected, and that the Mill Stream is not in continuity with groundwater at the application site. Groundwater at site drains south eastwards from the site towards the Irish Sea.

There are presently surface water discharges from the site and these will be maintained during the backfilling of the quarry void as and when required.

| Potential Impact | Spatial Impact, Duration, Direct/Indirect | Probability of Occurrence | Magnitude of Impact | Significance of Impact | Mitigation Required? | Mitigation Measures | Mitigated Probability of Occurrence | Mitigated Magnitude of Impact | Residual Magnitude of Impact |
|---|---|---------------------------|---------------------|------------------------|----------------------|---|-------------------------------------|-------------------------------|------------------------------|
| Groundwater Quality | | | | | | | | | |
| Spillages of fuel | Local, Short Term, Direct | Medium | Moderate | Medium | Yes | Traffic systems, maintenance, bunding and spill kits | Low | Moderate | Low |
| Release of suspended solids | Local, Long Term, Direct | Medium to High | Moderate | Medium to High | Yes | Minimisation, management, and waste deposition measures | Low | Moderate | Low |
| Rogue load of contaminated material | Local, Short Term, Direct | Medium | Mild to Moderate | Low to Medium | Yes | Inspection and testing of waste loads | Negligible | Low to Medium | Near Zero |
| Groundwater Flow / Recharge to Aquifer | | | | | | | | | |
| Impermeable barrier to groundwater flow | Local, Long Term, Direct | High | Moderate | Low | No | | | | |
| Reduction in recharge to aquifer | Local, Long Term and Direct | High | Moderate | High | Yes | Soakaway and engineering measures | Negligible | Moderate | Near Zero |
| Surface Water Quality | | | | | | | | | |
| Release of suspended solids | Local, Short and Long Term, Direct | Medium to High | Moderate | Medium to High | Yes | Surface water management measures | Low | Moderate | Low |

Table 6.6 Summary of Mitigation and Residual Impacts at Milverton

PLATES

For inspection purposes only.
Consent of copyright owner required for any other use.



PLATE 6.1 View from the southeastern end of quarry.




PLATE 6.2 Groundwater inflows at the northeastern quarry face

FIGURES

For inspection purposes only.
Consent of copyright owner required for any other use.

APPENDIX 6.7
GROUNDWATER WELL INSTALLATION REPORT
(JANUARY 2009)

For inspection purposes only.
Consent of copyright owner required for any other use.



NOTES

1. Based on OSI 25inch Dublin Sheet No. 5 & 5a
2. Ordnance Survey of Ireland Licence No. SU 0000709 (c) Ordnance Survey of Ireland & Government of Ireland

- LEGEND**
- Applicant's Land Interest (c. 8.6ha)
 - Waste Licence Application Area (c. 7.9ha)
 - Groundwater Monitoring Well
 - Surface Water Monitoring Location
 - Buried Pipe
 - Top of Bank
 - Bottom of Bank
 - Road
 - Contour Line
 - Building
 - Internal Unpaved Road
 - Internal Paved Road
 - R Location of Residence


roadstone
 ROADSTONE DUBLIN LTD.
 FORTUNESTOWN
 TALLAGHT
 DUBLIN 24

SLR
 SLR CONSULTING IRELAND
 7 DUNDRUM BUSINESS PARK
 WINDY ARBOUR
 DUBLIN 14
 T: +353-1-2954667
 F: +353-1-2954676
 www.slrconsulting.com

ROADSTONE DUBLIN LTD.
 WASTE LICENCE APPLICATION
 WASTE RECOVERY FACILITY,
 MILVERTON, SKERRIES, CO.DUBLIN
 BH and SW MONITORING LOCATIONS

FIGURE 6.1

Scale 1:2,500 @ A3 Date AUGUST 2009



Ireland - Bedrock Aquifer Classification

(GSI, 2008)


- Lk - Locally Important Aquifer - Karstified
- LI - Locally Important Aquifer - Bedrock moderately productive in local zones
- Lm - Locally Important Aquifer - Bedrock generally moderately productive
- PI - Poor Aquifer - Bedrock generally unproductive except for local zones
- Pu - Poor Aquifer - Bedrock generally unproductive
- Rf - Regionally Important Aquifer - Fissured bedrock
- Rk - Regionally Important Aquifer - Karstified
- Rkc - Regionally Important Aquifer - Karstified (conduit flow)
- Rkd - Regionally Important Aquifer - Karstified (diffuse flow)

LEGEND

— Applicant's Land Interest (c.8.6 ha)

NOTES

1. Extract from Ordnance Survey Discovery Map No. 43
2. Ordnance Survey Ireland Licence No. SU 0000709 (c)
Ordnance Survey Ireland / Government of Ireland



Metres
1:25,000

0059.00015.18.FIG 6.2.0.BEDROCK AQUIFER MAP



SLR CONSULTING IRELAND
7 DUNDUM BUSINESS PARK
WINDY ARBOUR
DUBLIN 14
T: +353-1-2964667
F: +353-1-2964676
www.slrconsulting.com

**ROADSTONE DUBLIN LTD.
WASTE LICENCE APPLICATION**


**WASTE RECOVERY FACILITY,
MILVERTON, SKERRIES, CO. DUBLIN**

BEDROCK AQUIFER MAP

FIGURE 6.2

Scale
1:25,000 @ A4

Date
AUGUST 2009



River Basin District Groundwater Vulnerability
(GSI 2007)


- E - Extreme vulnerability
- E - Extreme vulnerability (Rock near Surface or Karst)
- H - High vulnerability
- HL - High to Low vulnerability
- L - Low vulnerability
- M - Moderate vulnerability
- Water

LEGEND

Applicant's Land Interest (c.8.6 ha)

NOTES

1. Extract from Ordnance Survey Discovery Map No. 43
2. Ordnance Survey Ireland Licence No. SU 0000709 (c)
Ordnance Survey Ireland / Government of Ireland



Metres
1:25,000


0059.00015.18.FIG 6.3.0.GW VULNERABILITY MAP

SLR CONSULTING IRELAND
7 DUNDRUM BUSINESS PARK
WINDY ARBOUR
DUBLIN 14
T: +353-1-2964667
F: +353-1-2964676
www.slrconsulting.com

**ROADSTONE DUBLIN LTD.
WASTE LICENCE APPLICATION
WASTE RECOVERY FACILITY,
MILVERTON, SKERRIES, CO. DUBLIN
GROUNDWATER VULNERABILITY MAP**

FIGURE 6.3

| | |
|------------------------|---------------------|
| Scale 1:25,000 @ A4 | Date AUGUST 2009 |
|------------------------|---------------------|



NOTES

- Based on OSI 25inch Dublin Sheet No. 5 & 5a
- Ordnance Survey of Ireland Licence No. SU 0000709 (c) Ordnance Survey of Ireland & Government of Ireland

- LEGEND**
- Applicant's Land Interest (c. 8.6ha)
 - Waste Licence Application Area (c. 7.9ha)
 - Groundwater Monitoring Well
 - Surface Water Monitoring Location
 - Buried Pipe
 - Top of Bank
 - Bottom of Bank
 - Road
 - Contour Line
 - Building
 - Internal Unpaved Road
 - Internal Paved Road
 - R Location of Residence

roadstone
 ROADSTONE DUBLIN LTD.
 FORTUNESTOWN
 TALLAGHT
 DUBLIN 24

SLR
 SLR CONSULTING IRELAND
 7 DUNDRUM BUSINESS PARK
 WINDY ARBOUR
 DUBLIN 14
 T: +353-1-2954667
 F: +353-1-2954676
 www.slrconsulting.com

ROADSTONE DUBLIN LTD.
WASTE LICENCE APPLICATION
WASTE RECOVERY FACILITY,
MILVERTON, SKERRIES, CO.DUBLIN
GROUNDWATER CONTOUR MAP

FIGURE 6.4

Scale 1:2,500 @ A3 Date AUGUST 2009