LICENCE REG. NO. W0197-01 HAS BEEN REVISED. Please note that licence Reg. No. W0197-01 was reviewed and replaced by the revised licence Reg. No. W0197-02.

This licence was amended on 11th July 2007 under Section 42B(1) of the Waste Management Acts, 1996 to 2005. The details of Amendment A must be read in conjunction with this licence. The amendment document is entitled W0197-01S42B(1)AmendmentA.



Headquarters
P.O. Box 3000
Johnstown Castle Estate
County Wexford
Ireland

WASTE LICENCE

Licence Register No:	197-1	
Licensee:	Wallace Recycling Limited	
Location of Facility:	16/17 Mullingar Business Park, Mullingar, County Westmeath.	

INTRODUCTION

This introduction is not part of the licence and does not purport to be a legal interpretation of the licence.

This licence is for the operation of a transfer station located at 16/17 Mullingar Business Park, Mullingar, County Westmeath. The quantity of waste to be accepted at the facility is 50,000 tonnes per annum subject to various infrastructures being installed prior to commencement of waste licence activities. The wastes to be accepted at the facility consist of household waste, commercial and industrial waste and construction and demolition waste.

The facility will consist of a waste transfer building. Waste will be mechanically sorted and segregated via a trommel and semi-automatic picking line. Sorted recyclable material will be further processed at the facility i.e. shredded, sieved and baled prior to being transported off-site for recovery. Non-recyclable waste will be stored on site prior to being transported off-site for disposal at licensed facilities.

The licensee must manage and operate the facility to ensure that the activities do not cause environmental pollution. The licensee is required to carry out regular environmental monitoring and submit all monitoring results, and a wide range of reports on the operation and management of the facility to the Agency.

The licence sets out in detail the conditions under which Wallace Recycling Limited will operate and manage this facility.

Table of Contents

Glossary of Terms Decision & Reason Part I Schedule of Part II Schedule of Part III Conditions	Activities Licensed	Page No. 1 5 5 5 6
Condition 1.	Scope	6
Condition 2.	Management of the Facility	7
Condition 3.	Infrastructure and Operation	8
Condition 4.	Interpretation	11
Condition 5.	Emissions	12
Condition 6.	Control and Monitoring	13
Condition 7.	Resource Use and Energy Efficiency	15
Condition 8.	Materials Handling	16
Condition 9.	Accident Prevention and Emergency Response	17
Condition 10.	Closure, Restoration and Aftercare	18
Condition 11.	Notifications, Records and Reports	18
Condition 12.	Financial Charges and Provisions	20
SCHEDULE A: SCHEDULE B: SCHEDULE C: SCHEDULE D SCHEDULE E SCHEDULE F	Limitations Emission Limits Control &Monitoring Specified Engineering Works Reporting Annual Environmental Report	22 22 23 25 26 27

Glossary of Terms

All terms in this licence should be interpreted in accordance with the definitions in the Waste Management Acts 1996 to 2003, (the Acts), unless otherwise defined in this section.

Adequate lighting 20 lux measured at ground level.

AER Annual Environmental Report.

Aerosol A suspension of solid or liquid particles in a gaseous medium.

Agreement Agreement in writing.

Annually At approximately twelve monthly intervals.

Attachment Any reference to Attachments in this licence refers to attachments submitted as

part of this licence application.

Application The application by the licensee for this licence.

Appropriate facility

A waste management facility, duly authorised under relevant law and technically

suitable.

BAT Best Available Techniques.

Bi-annually All or part of a period of six consecutive months.

Biennially Once every two years.

Biodegradable waste

Any waste that is capable of undergoing anaerobic or aerobic decomposition,

such as food, garden waste, sewage sludge, paper and paperboard.

BOD 5 day Biochemical Oxygen Demand.

CEN Comité Européen De Normalisation – European Committee for Standardisation.

COD Chemical Oxygen Demand.

Construction and Demolition Waste Wastes that arise from construction, renovation and demolition activities:

Chapter 17 of the EWC or as otherwise may be agreed.

Containment boom

A boom which can contain spillages and prevent them from entering drains or

watercourses or from further contaminating watercourses.

Daily During all days of plant operation, and in the case of emissions, when emissions

are taking place; with at least one measurement on any one day.

Day Any 24 hour period.

Daytime 0800 hrs to 2200 hrs.

dB(A) Decibels (A weighted).

DO Dissolved Oxygen.

Documentation Any report, record, result, data, drawing, proposal, interpretation or other

document in written or electronic form which is required by this licence.

Drawing Any reference to a drawing or drawing number means a drawing or drawing

number contained in the application, unless otherwise specified in this licence.

Emergency Those occurrences defined in Condition 9.2.

EMP Environmental Management Programme.

Emission Limits Those limits, including concentration limits and deposition rates established in

Schedule B: Emission Limits, of this licence.

Environmental Damage

Has the meaning given it in Directive 2004/35/EC.

EPA Environmental Protection Agency.

European Waste A harmonised, non-exhaustive list of wastes drawn up by the European **Catalogue (EWC)** Commission and published as Commission Decision 2000/532/EC and any

Commission and published as Commission Decision 2000/532/EC and any subsequent amendment published in the Official Journal of the European

Community.

Facility Any site or premises used for the purposes of the recovery or disposal of waste.

Fortnightly A minimum of 24 times per year, at approximately two week intervals.

GC/MS Gas Chromatography/Mass Spectroscopy.

Green waste Waste wood (excluding timber), plant matter such as grass cuttings, and other

vegetation.

Heavy Metals This term is to be interpreted as set out in "Parameters of Water Quality,

Interpretation and Standards" published by the Agency in 2001. ISBN 1-84095-

015-3.

HFO Heavy Fuel Oil.

Hours of Operation

The hours during which the facility is authorised to be operational.

Hours of Waste Acceptance

The hours during which the facility is authorised to accept waste.

ICP Inductively Coupled Plasma Spectroscopy.

Incident The following shall constitute an incident for the purposes of this licence:

a) an emergency;

 any emission which does not comply with the requirements of this licence;

 any exceedence of the daily duty capacity of the waste handling equipment;

any trigger level specified in this licence which is attained or exceeded; and

 e) any indication that environmental pollution has, or may have, taken place.

Industrial Waste As defined in Section 5(1) of the Acts.

Inert waste Waste that does not undergo any significant physical, chemical or biological

transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular not

endanger the quality of surface water and/or groundwater.

K Kelvin.

kPa Kilo Pascals.

Landfill Directive Council Directive 1999/31/EC.

Leq Equivalent continuous sound level.

Licence A Waste Licence issued in accordance with the Acts.

Licensee Wallace Recycling Limited.

Liquid Waste Any waste in liquid form and containing less than 2% dry matter.

List I As listed in the EC Directives 76/464/EEC and 80/68/EEC and amendments.

List II As listed in the EC Directives 76/464/EEC and 80/68/EEC and amendments.

Local Authority Westmeath County Council.

Maintain Keep in a fit state, including such regular inspection, servicing, calibration and

repair as may be necessary to adequately perform its function.

Mass Flow Limit An Emission Limit Value which is expressed as the maximum mass of a

substance which can be emitted per unit time.

Mass Flow Threshold A mass flow rate, above which, a concentration limit applies.

Monthly A minimum of 12 times per year, at approximately monthly intervals.

Municipal waste As defined in Section 5(1) of the Acts.

Night-time 2200 hrs to 0800 hrs.

Noise Sensitive An Location (NSL) pla

Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other facility or area of high amenity which for its proper enjoyment requires the absence of noise at nuisance levels.

Oil Separator Device installed according to the International Standard I.S. EN 858-2:2003

("Separator systems for light liquids (e.g. oil and petrol) -Part 2: Selection of

nominal size, installation, operation and maintenance").

PER Pollution Emission Register.

Quarterly All or part of a period of three consecutive months beginning on the first day of

January, April, July or October.

Regional Fisheries

Board

Shannon Regional Fisheries Board.

Recyclable Those waste types, such as cardboard, batteries, gas cylinders, etc, which may be Materials

recycled.

Sanitary **Authority** Westmeath County Council.

Sanitary Effluent Waste water from facility toilet, washroom and canteen facilities

Sample(s) Unless the context of this licence indicates to the contrary, samples shall include

measurements by electronic instruments.

Specified Emissions

Those emissions listed in *Schedule B: Emission Limits* of this licence.

Specified **Engineering** Works

Those engineering works listed in Schedule D: Specified Engineering Works of

this licence.

SOP Standard Operating Procedure.

Standard Method A National, European or internationally recognised procedure (eg, I.S. EN, ISO,

> CEN, BS or equivalent), as an in-house documented procedure based on the above references, a procedure as detailed in the current edition of "Standard Methods for the Examination of Water and Wastewater", (prepared and published jointly by A.P.H.A., A.W.W.A & W.E.F), American Public Health Association, 1015 Fifteenth Street, N.W., Washington DC 20005, USA; or, an

alternative method as may be agreed by the Agency.

Storm Water Rain water run-off from roof and non-process areas.

The Agency Environmental Protection Agency.

TOC Total Organic Carbon.

Trade Effluent Trade Effluent has the meaning given in the water pollution Acts 1977 and 1990.

A parameter value, the achievement or exceedance of which requires certain **Trigger Level**

actions to be taken by the licensee.

Weekly During all weeks of plant operation, and in the case of emissions, when

emissions are taking place; with at least one measurement in any one week.

White Goods Refrigerators, cookers, ovens and other similar appliances.

WWTP Waste Water Treatment Plant.

Decision & Reasons for the Decisions Reasons for the Decision

The Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of this licence, any emissions from the activity will comply with and will not contravene any of the requirements of Section 40(4) of the Waste Management Acts 1996 to 2003.

In reaching this decision the Environmental Protection Agency has considered the application and supporting documentation received from the applicant, all submissions and an objection received and the report of its inspectors.

Part I Schedule of Activities Licensed

In pursuance of the powers conferred on it by the Waste Management Acts 1996 to 2003, the Environmental Protection Agency (the Agency), under Section 40(1) of the said Acts hereby grants this Waste Licence to Wallace Recycling Limited to carry on the waste activities listed below at 16/17 Mullingar Business Park, Mullingar, County Westmeath subject to conditions, with the reasons therefor and the associated schedules attached thereto set out in the licence.

Licensed Waste Disposal Activities, in accordance with the Third Schedule of the Waste Management Acts 1996 to 2003

Class 11.	Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.
Class 13.	Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.

Licensed Waste Recovery Activities, in accordance with the Fourth Schedule of the Waste Management Acts 1996 to 2003

Class 2.	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).
Class 3.	Recycling or reclamation of metals and metal compounds.
Class 4.	Recycling or reclamation of other inorganic materials.
Class 13.	Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.

Part II Schedule of Activities Refused

None of the proposed activities as set out in the licence application have been refused.

Part III Conditions

Condition 1. Scope

- 1.1 Waste activities at this facility shall be restricted to those listed and described in Part I Activities Licensed and shall be as set out in the licence application or as modified under Condition 1.6 of this licence and subject to the conditions of this licence.
- 1.2 Activities at this facility shall be limited as set out in *Schedule A: Limitations* of this licence.
- 1.3 The facility shall be controlled, operated, and maintained and emissions shall take place as set out in this licence. All programmes required to be carried out under the terms of this licence, become part of this licence.
- 1.4 For the purposes of this licence, the facility authorised by this licence, is the area of land outlined in red on Drawing No. Map B3 *Site Boundary* of the application. Any reference in this licence to "facility" shall mean the area thus outlined in red. The licensed activities shall be the carried on only within the area outlined.
- 1.5 Waste Acceptance Hours and Hours of Operation
 - 1.5.1 Waste shall be accepted at the facility only between the hours of 08:30 to 17:30 Monday to Saturday inclusive.
 - 1.5.2 The facility shall be operated only during the hours of 08:00 to 18:00 Monday to Saturday inclusive.
 - 1.5.3 Waste shall not be accepted and the facility shall not operate on Sundays or on Bank Holidays without the agreement of the Agency.
- 1.6 No alteration to, or reconstruction in respect of, the activity or any part thereof which would, or is likely to, result in
 - (a) a material change or increase in:
 - The nature or quantity of any emission,
 - The abatement/treatment or recovery systems,
 - The range of processes to be carried out,
 - The fuels, raw materials, intermediates, products or wastes generated, or
 - (b) any changes in:
 - Site management infrastructure or control with adverse environmental significance,

shall be carried out or commenced without prior notice to, and without the agreement of, the Agency.

1.7 This licence is for the purposes of waste licensing under the Waste Management Acts 1996 to 2003 only and nothing in this licence shall be construed as negating the licensee's statutory obligations or requirements under any other enactments or regulations.

Reason: To clarify the scope of this licence.

Condition 2. Management of the Facility

2.1 Facility Management

- 2.1.1 The licensee shall employ a suitably qualified and experienced facility manager who shall be designated as the person in charge. The facility manager or a nominated, suitably qualified and experienced, deputy shall be present on the facility at all times during its operation or as otherwise required by the Agency.
- 2.1.2 The licensee shall ensure that personnel performing specifically assigned tasks shall be qualified on the basis of appropriate education, training and experience, as required and shall be aware of the requirements of this licence. In addition, the facility manager and his/her deputy shall successfully complete FAS waste management training programme or equivalent agreed by the Agency.
- 2.2 Environmental Management System (EMS)
 - 2.2.1 The licensee shall establish and maintain an Environmental Management System (EMS) within six months of the date of grant of this licence. The EMS shall be updated on an annual basis.
 - 2.2.2 The EMS shall include as a minimum the following elements:
 - 2.2.2.1 Management and Reporting Structure.
 - 2.2.2.2 Schedule of Environmental Objectives and Targets.

The licensee shall prepare a Schedule of Environmental Objectives and Targets. The Schedule shall as a minimum provide for a review of all operations and processes, including an evaluation of practicable options, for energy and resource efficiency, the use of cleaner technology, cleaner production, and the prevention, reduction and minimisation of waste, and shall include waste reduction targets. The Schedule shall include time frames for the achievement of set targets and shall address a five year period as a minimum. The Schedule shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER).

2.2.2.3 Environmental Management Programme (EMP)

The licensee shall, not later than six months from the date of grant of this licence, submit to the Agency for agreement an EMP, including a time schedule, for achieving the Environmental Objectives and Targets prepared under Condition 2.2.2.2. Once agreed the EMP shall be established and maintained by the licensee. It shall include:

- a) designation of responsibility for targets;
- b) the means by which they may be achieved;
- c) the time within which they may be achieved.

The EMP shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER) (Condition 11.8).

A report on the programme, including the success in meeting agreed targets, shall be prepared and submitted to the Agency as part of the AER. Such reports shall be retained on-site for a period of not less than seven years and shall be available for inspection by authorised persons of the Agency.

2.2.2.4 Documentation

- (i) The licensee shall establish and maintain an environmental management documentation system which shall be to the satisfaction of the Agency.
- (ii) The licensee shall issue a copy of this licence to all relevant personnel whose duties relate to any condition of this licence.

2.2.2.5 Corrective Action

The licensee shall establish procedures to ensure that corrective action is taken should the specified requirements of this licence not be fulfilled. The responsibility and authority for initiating further investigation and corrective action in the event of a reported non-conformity with this licence shall be defined.

2.2.2.6 Awareness and Training

The licensee shall establish and maintain procedures for identifying training needs, and for providing appropriate training, for all personnel whose work can have a significant effect upon the environment. Appropriate records of training shall be maintained.

2.2.2.7 Communications Programme

The licensee shall establish and maintain a Communications Programme to ensure that members of the public can obtain information at the facility, at all reasonable times, concerning the environmental performance of the facility.

Reason:

To make provision for management of the activity on a planned basis having regard to the desirability of ongoing assessment, recording and reporting of matters affecting the environment.

Condition 3. Infrastructure and Operation

3.1 The licensee shall establish all infrastructure referred to in this licence prior to the commencement of the licensed activities or as required by the conditions of this licence. Notification shall be given to, and written approval received from, the Agency prior to commencement of licensed activities.

3.2 Specified Engineering Works

- 3.2.1 The licensee shall submit proposals for all Specified Engineering Works, as defined in *Schedule D: Specified Engineering Works*, of this licence, to the Agency for its agreement at least two months prior to the intended date of commencement of any such works. No such works shall be carried out without the prior agreement of the Agency.
- 3.2.2 All specified engineering works shall be supervised by a competent person(s) and that person, or persons, shall be present at all times during which relevant works are being undertaken.

- 3.2.3 Following the completion of all specified engineering works, the licensee shall complete a construction quality assurance validation. The validation report shall be made available to the Agency on request. The report shall, as appropriate, include the following information:-
 - (a) A description of the works;
 - (b) As-built drawings of the works; and
 - (c) Any other information requested in writing by the Agency.

3.3 Facility Notice Board

- 3.3.1 The licensee shall provide and maintain a Facility Notice Board on the facility so that it is legible to persons outside the main entrance to the facility. The minimum dimensions of the board shall be 1200 mm by 750 mm.
- 3.3.2 The board shall clearly show:
 - a) the name and telephone number of the facility;
 - b) the normal hours of opening;
 - c) the name of the licence holder;
 - d) an emergency out of hours contact telephone number;
 - e) the licence reference number; and
 - where environmental information relating to the facility can be obtained.

3.4 Facility Security

- 3.4.1 Prior to the commencement of waste licence activities, security and stockproof fencing and gates shall be installed and maintained. The base of the fencing shall be set in the ground.
- 3.4.2 Gates shall be locked shut when the facility is unsupervised.
- 3.4.3 The licensee shall remedy any defect in the gates and/or fencing as follows:-
 - (i) A temporary repair shall be made by the end of the working day; and
 - (ii) A repair to the standard of the original gates and/or fencing shall be undertaken within three working days.
- 3.5 Facility Roads and Site Surfaces
 - 3.5.1 Effective site roads shall be provided and maintained to ensure the safe movement of vehicles within the facility.
 - 3.5.2 Prior to the commencement of waste licence activities, the licensee shall provide, and maintain an impermeable concrete surface in all areas of the facility, the surfaces shall be concreted and constructed to British Standard 8110 or an alternative as agreed by the Agency.
- 3.6 Facility Office
 - 3.6.1 The licensee shall provide and maintain an office at the facility. The office shall be constructed and maintained in a manner suitable for the processing and storing of documentation.
 - 3.6.2 The licensee shall provide and maintain a working telephone and a method for electronic transfer of information at the facility.
- 3.7 Waste Transfer Building
 - 3.7.1 Prior to the commencement of waste licence activities, the existing waste transfer building shall be fully enclosed.

- 3.8 Waste Inspection and Quarantine Areas
 - 3.8.1 Prior to the commencement of waste licence activities, a Waste Inspection Area and a Waste Quarantine Area shall be provided and maintained at the facility.
 - 3.8.2 These areas shall be constructed and maintained in a manner suitable, and be of a size appropriate, for the inspection of waste and subsequent quarantine if required. The waste inspection area and the waste quarantine area shall be clearly identified and segregated from each other.
 - 3.8.3 Drainage from the Waste Inspection Area shall be directed to foul sewer.
 - 3.8.4 The Waste Quarantine Area shall be secured and rendered impervious to the material stored therein with all drainage diverted for collection and safe disposal.
- 3.9 Weighbridge

The licensee shall provide and maintain a weighbridge at the facility.

- 3.10 Waste handling, ventilation and processing plant
 - 3.10.1 Items of plant deemed critical to the efficient and adequate processing of waste at the facility (including *inter alia* waste loading vehicles and ejector trailers) shall be provided on the following basis:
 - a) 100% duty capacity;
 - b) 20% standby capacity available on a routine basis; and
 - Provision of contingency arrangements and/or back up and spares in the case of breakdown of critical equipment.
 - 3.10.2 Within three months from the date of grant of this licence, the licensee shall provide a report for the agreement of the Agency detailing the duty and standby capacity in tonnes per day, of all waste handling and processing equipment to be used at the facility. These capacities shall be based on the licensed waste intake, as per *Schedule A: Limitations*, of this licence.
 - 3.10.3 The quantity of waste to be accepted at the facility on a daily basis shall not exceed the duty capacity of the equipment at the facility. Any exceedance of this intake shall be treated as an incident.
- 3.11 Tank and Drum Storage Areas
 - 3.11.1 All tank and drum storage areas shall be rendered impervious to the materials stored therein.
 - 3.11.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:-
 - (i) 110% of the capacity of the largest tank or drum within the bunded area; or
 - (ii) 25% of the total volume of substance which could be stored within the bunded area
 - 3.11.3 All drainage from bunded areas shall be diverted for collection and safe disposal.
 - 3.11.4 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.
 - 3.11.5 The integrity and water tightness of all the bunding structures and their resistance to penetration by water or other materials stored therein shall be tested and demonstrated by the licensee at least once every three years. This testing shall be carried out in accordance with any guidance published by the Agency.

3.12 Drainage system

- 3.12.1 Prior to the commencement of waste licence activities, the drainage network shall be installed and maintained as shown on Drawing *Proposed Site Layout Map for Michael Wallace Recycling Ltd.* submitted as part of the Article 16 reply received on 1/2/05, unless otherwise indicated or agreed by the Agency.
- 3.12.2 All trade effluent and storm water from the wash bay shall be discharged to foul sewer via silt trap and separator.

3.12.3 Silt Traps and Oil Interceptors

- (i) The licensee shall install and maintain silt traps and oil separators at the facility. For discharges to surface water, the separators shall be a Class I full retention separator. For discharges to sewer, the separators shall be Class II full retention separator. The silt traps and separators shall be in accordance with I.S. EN 585-2:2003 (separator systems for light liquids (e.g. oil and petrol)). A manual shut-off valve shall be installed at the separators.
- (ii) All storm water (excluding storm water from roof buildings) and trade effluent excluding sanitary effluent discharged from the facility shall pass through a silt trap and oil separator prior to discharge.
- 3.12.4 The licensee shall submit a drawing to the Agency within twelve months of the date of grant of this licence, indicating all drainage arrangement at the site as detailed in the licence.
- 3.13 The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the facility. Once used the absorbent material shall be disposed of at an appropriate facility.
- 3.14 The licensee shall install on all emission points such sampling points or equipment, including any data-logging or other electronic communication equipment, as may be required by the Agency. All such equipment shall be consistent with the safe operation of all sampling and monitoring systems.
- 3.15 Sampling equipment shall be operated and maintained such that sufficient sample is collected to meet both internal monitoring requirements and those of the Agency. A separate composite sample or homogeneous sub-sample (of sufficient volume as advised) should be refrigerated immediately after collection and retained as required for EPA use.
- 3.16 The licensee shall clearly label and provide safe and permanent access to all on-site sampling and monitoring points and to off-site points as required by the Agency.
- 3.17 Monitoring infrastructure which is damaged or proves to be unsuitable for its purpose shall be replaced within three months of it being damaged or recognised as being unsuitable.

REASON: To provide for appropriate operation of the facility to ensure protection of the environment.

Condition 4. Interpretation

- 4.1 Emission limit values for emissions to sewer/waters in this licence shall be interpreted in the following way:-
 - 4.1.1 Continuous monitoring:
 - (i) No flow value shall exceed the specified limit.

- (ii) No pH value shall deviate from the specified range.
- (iii) No temperature value shall exceed the limit value.
- 4.1.2 Composite Sampling:
 - (i) No pH value shall deviate from the specified range.
 - (ii) For parameters other than pH and flow, eight out of ten consecutive composite results, based on flow proportional composite sampling, shall not exceed the emission limit value. No individual result similarly calculated shall exceed 1.2 times the emission limit value.
- 4.1.3 Discrete Sampling

For parameters other than pH and temperature, no grab sample value shall exceed 1.2 times the emission limit value.

- 4.2 Where the ability to measure a parameter is affected by mixing before emission, then, with agreement from the Agency, the parameter may be assessed before mixing takes place.
- 4.3 Noise

Noise from the facility shall not give rise to sound pressure levels (Leq,T) measured at noise sensitive locations of the activity which exceed the limit value(s).

4.4 Dust and Particulate Matter

Dust and particulate matter from the activity shall not give rise to deposition levels which exceed the limit value(s).

Reason: To clarify the interpretation of emission limit values fixed under the licence.

Condition 5. Emissions

- 5.1 No specified emission from the facility shall exceed the emission limit values set out in *Schedule B: Emission Limits* of this licence. There shall be no other emissions of environmental significance.
- 5.2 The licensee shall ensure that the activities shall be carried out in a manner such that emissions including odours do not result in significant impairment of, and/or significant interference with amenities or the environment beyond the facility boundary.
- 5.3 There shall be no direct emissions to groundwater.
- 5.4 The licensee shall ensure that vermin, birds, flies, mud, dust, litter and odours do not give rise to nuisance at the facility or in the immediate area of the facility. Any method used by the licensee to control any such nuisance shall not cause environmental pollution.
- 5.5 Emissions to Sewer
 - 5.5.1 The licensee shall permit authorised persons of the Agency and the Sanitary Authority to inspect, examine and test, at all reasonable times, any works and apparatus installed, in connection with the discharge or emission, and to take samples of the discharge or emission.
 - 5.5.2 No substance shall be present in emissions to sewer in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system, or as would be damaging to the fabric of the sewer, or as

- would interfere with the biological functioning of a downstream wastewater treatment works.
- 5.5.3 No discharge or emission to sewer shall take place which might give rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.
- 5.5.4 The licensee shall ensure that the discharge shall not contain dissolved methane, petroleum spirits or organic solvents (including chlorinated organic solvents), at concentrations which would give rise to flammable or explosive vapours in the sewer.

Reason:

To provide for the protection of the environment by way of control and limitation of emissions and to provide for the requirements of the Sanitary Authority in accordance with Section 52 of the Waste Management Acts 1996 to 2003.

Condition 6. Control and Monitoring

- 6.1 The licensee shall carry out such sampling, analyses, measurements, examinations, maintenance and calibrations as set out below and as in accordance with *Schedule C: Control & Monitoring* of this licence:
 - 6.1.1 Analysis shall be undertaken by competent staff in accordance with documented operating procedures.
 - 6.1.2 Such procedures shall be assessed for their suitability for the test matrix and proformance characteristics determined.
 - 6.1.3 Such procedures shall be subject to a programme of Analytical Quality Control using control standards with evaluation of test responses.
 - 6.1.4 Where analysis is sub-contracted it shall be to a competent laboratory.
- All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activity is being carried on unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practicable, and alternative sampling and monitoring facilities shall be put in place. Agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.
- 6.3 Monitoring and analysis equipment shall be operated and maintained as necessary so that monitoring accurately reflects the emission or discharge.
- 6.4 All treatment/abatement and emission control equipment shall be calibrated and maintained, in accordance with the instructions issued by the manufacturer/supplier or installer.
- 6.5 The frequency, methods and scope of monitoring, sampling and analyses, as set out in this licence, may be amended with the agreement of the Agency following evaluation of test results.
- 6.6 Monitoring Locations

Within twelve months of the date of grant of this licence, the licensee shall submit to the Agency an appropriately scaled drawing(s) showing all the monitoring locations that are stipulated in this licence including any noise sensitive locations to be monitored. The drawing shall include the eight-digit national grid reference of each monitoring point. Thereafter any amendments to this drawing should be notified as part of the AER.

- 6.7 The licensee shall prepare a programme, to the satisfaction of the Agency, for the identification and reduction of fugitive emissions. This programme shall be included in the Environmental Management Programme.
- 6.8 The integrity and water tightness of all underground pipes and tanks and their resistance to penetration by water or other materials carried or stored therein shall be tested and demonstrated by the licensee. This testing shall be carried out by the licensee at least once every three years thereafter and reported to the Agency on each occasion. A written record of all integrity tests and any maintenance or remedial work arising from them shall be maintained by the licensee

6.9 Trade Effluent/Storm water

The drainage system, bunds, silt traps and oil separators shall be inspected weekly, desludged as necessary and properly maintained at all times. All sludge and drainage from these operations shall be collected for safe disposal.

6.10 Noise

The licensee shall carry out a noise survey of the site operations annually. The survey programme shall be undertaken in accordance with the methodology specified in the 'Environmental Noise Survey Guidance Document' as published by the Agency.

6.11 Litter Control

- 6.11.1 The measures and infrastructure as described in Attachment F.5 Litter Control shall be applied to control litter at the facility.
- 6.11.2 All loose litter or other waste, placed on or in the vicinity of the facility, other than in accordance with the requirements of this licence, shall be removed, subject to the agreement of the landowners, immediately and in any event by 10.00am of the next working day after such waste is discovered.
- 6.11.3 The licensee shall ensure that all vehicles delivering waste to and removing waste and materials from the facility are appropriately covered.

6.12 Dust/Odour Control

- 6.12.1 All waste for disposal stored overnight at the facility, shall be stored in suitably covered and enclosed containers within the Waste Transfer Building, and shall be removed from the facility within forty eight hours, except at Bank Holiday weekends. At Bank Holiday weekends, waste for disposal shall be removed within seventy-two hours of its arrival on site.
- 6.12.2 In dry weather, site roads and any other areas used by vehicles shall be sprayed with water as and when required to minimise airborne dust nuisance.
- 6.12.3 Within nine months of the date of grant of this licence, the licensee shall install and provide adequate measures for the control of odours and dust emissions, including fugitive dust emissions, from the facility. Installation of an odour management system shall at a minimum include the following:-
 - 6.12.3.1 Dust curtains (or equivalent approved by the Agency) shall be maintained on the entry/exit points from the waste transfer building, all other doors in this building shall be kept closed where possible.
 - 6.12.3.2 Unless otherwise agreed by the Agency, all buildings processing putrescible waste shall be maintained at negative air pressure with ventilated gases being subject to treatment as specified by the Agency.

6.12.3.3 Provision of 100% duty capacity and 20% stand by capacity, back ups and spares must be provided for the air handling, ventilation and abatement plant.

6.13 Operational Controls

- 6.13.1 The floor of the waste transfer building shall be cleaned on a weekly basis and on a daily basis where putrescible waste is handled. The floor of the storage bays for recovered wastes shall be washed down and cleaned on each occasion such bays are emptied, or as a minimum on a weekly basis.
- 6.13.2 Scavenging shall not be permitted at the facility.
- 6.13.3 The licensee shall provide and use adequate lighting during the operation of the facility in hours of darkness.
- 6.13.4 Fuels shall be stored only at appropriately bunded locations on the facility.
- 6.13.5 All tanks and drums shall be labelled to clearly indicate their contents.

6.14 Nuisance Monitoring

The licensee shall, at a minimum of one week intervals, inspect the facility and its immediate surrounds for nuisances caused by litter, vermin, birds, flies, mud, dust and odours. The licensee shall maintain a record of all nuisance inspections.

6.15 Vermin and Flies

Within three months of the date of this licence, the licensee shall submit to the Agency for its agreement a proposal for the control and eradication of vermin and fly infestations at the facility. This proposal should include as a minimum, operator training, details on the rodenticide(s) and insecticide(s) to be used, mode and frequency of application and measures to contain sprays within the facility boundary.

6.16 Pollution Emission Register (PER)

The licensee shall prepare and maintain a PER for the site. The substances to be included in the PER shall be agreed by the Agency each year by reference to the list specified in the Agency's AER Guidance Note. The PER shall be prepared in accordance with any relevant guidelines issued by the Agency and shall be submitted as part of the AER.

Reason: To provide for the protection of the environment by way of treatment and monitoring of emissions and to provide for the requirements of the Sanitary Authority in accordance with Section 52 of the Waste Management Acts 1996 to 2003.

Condition 7. Resource Use and Energy Efficiency

- 7.1 The licensee shall carry out an audit of the energy efficiency of the site within one year of the date of grant of this licence. The audit shall be carried out in accordance with the guidance published by the Agency; "Guidance Note on Energy Efficiency Auditing". The energy efficiency audit shall be repeated at intervals as required by the Agency.
- 7.2 The audit shall identify all opportunities for energy use reduction and efficiency and the recommendations of the audit will be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2 above.

- 7.3 The licensee shall identify opportunities for reduction in the quantity of water used on site including recycling and reuse initiatives, wherever possible. Reductions in water usage shall be incorporated into Schedule of Environmental Objectives and Targets.
- 7.4 The licensee shall undertake an assessment of the efficiency of use of raw materials in all processes, having particular regard to the reduction in waste generated. The assessment should take account of best international practice for this type of activity. Where improvements are identified, these shall be incorporated into the Schedule of Environmental Objectives and Targets.

Reason: To provide for the efficient use of resources and energy in all site operations.

Condition 8. Materials Handling

- 8.1 All waste processing shall be carried out inside the waste transfer building.
- 8.2 Waste Acceptance and Characterisation Procedures
 - 8.2.1 Waste shall only be accepted at the facility, from Local Authority waste collection or transport vehicles or holders of waste permits, unless exempted or excluded, issued under the Waste Management Acts 1996 to 2003. Copies of these waste collection permits must be maintained at the facility.
 - 8.2.2 Within six months of the date of grant of this licence, the licensee shall establish and maintain detailed written procedures for the acceptance and handling of all wastes.
 - 8.2.3 Waste arriving at the facility shall be inspected at the point of entry to the facility and subject to this inspection, weighed, documented and directed to the Waste Transfer Building. Each load of waste arriving at the Waste Transfer Building shall be inspected upon tipping within this building. Only after such inspections shall the waste be processed for disposal or recovery.
 - 8.2.4 Any waste deemed unsuitable for processing at the facility and/or in contravention of this licence shall be immediately separated and removed from the facility at the earliest possible time. Temporary storage of such wastes shall be in a designated Waste Quarantine Area. Waste shall be stored under appropriate conditions in the quarantine area to avoid putrefaction, odour generation, the attraction of vermin and any other nuisance or objectionable condition.
 - 8.2.5 Waste shall be accepted at the facility only from known customers or new customers subject to initial waste profiling and waste characterisation offsite. The written records of this off-site waste profiling and characterisation shall be retained by the licensee for all active customers and for a two year period following termination of licensee/customer agreements. There shall be no casual public access to the facility.
- 8.3 Disposal or recovery of waste shall only take place in accordance with the conditions of this licence and in accordance with the appropriate National and European legislation and protocols.
- 8.4 Waste sent off-site for recovery or disposal shall be transported only by an authorised waste contractor. The waste shall be transported only from the site of the activity to the site of recovery/disposal in a manner which will not adversely affect the

- environment and in accordance with the appropriate National and European legislation and protocols.
- 8.5 The licensee shall ensure that waste prior to transfer to another person shall be classified packaged and labelled in accordance with National, European and any other standards which are in force in relation to such labelling.
- 8.6 Waste shall be stored in designated areas, protected as may be appropriate, against spillage and leachate run-off. The waste is to be clearly labelled and appropriately segregated.
- 8.7 No waste classified as green list waste in accordance with the EU Transfrontier Shipment of Waste Regulations (Council Regulation EEC No.259/1993, as amended) shall be consigned for recovery without the agreement of the Agency.

Reason: To provide for the appropriate handling of materials and the protection of the environment.

Condition 9. Accident Prevention and Emergency Response

9.1 The licensee shall, within six months of date of grant of this licence, ensure that a documented Accident Prevention Policy is in place which will address the hazards on-site, particularly in relation to the prevention of accidents with a possible impact on the environment. This procedure shall be reviewed annually and updated as necessary.

9.2 Emergencies

- 9.2.1 The licensee shall, within six months of date of grant of this licence, ensure that a documented Emergency Response Procedure is in place, which shall address any emergency situation which may originate on-site. This Procedure shall include provision for minimising the effects of any emergency on the environment. This procedure shall be reviewed annually and updated as necessary.
- 9.2.2 In the event of a breakdown of equipment or any other occurrence which results in the closure of the transfer station building, any waste arriving at or already collected at the facility shall be transferred directly to appropriate landfill sites or any other appropriate facility. The facility shall not accept waste until such time as the transfer station building is returned to a fully operational status. Such a breakdown event will be treated as an emergency and rectified as soon as possible.
- 9.2.3 All significant spillages occurring at the facility shall be treated as an emergency and immediately cleaned up and dealt with so as to alleviate their effects.
- 9.2.4 No waste shall be burnt within the boundaries of the facility. A fire at the facility shall be treated as an emergency and immediate action shall be taken to extinguish it and notify the appropriate authorities.
- 9.3 In the event of an incident the licensee shall immediately:-
 - (i) isolate the source of any such emission;
 - (ii) carry out an immediate investigation to identify the nature, source and cause of the incident and any emission arising therefrom;
 - (iii) evaluate the environmental pollution, if any, caused by the incident;

- (iv) identify and execute measures to minimise the emissions/malfunction and the effects thereof;
- (v) identify the date, time and place of the incident:
- (vi) provide a proposal to the Agency for its agreement within one month of the incident occurring or as otherwise agreed by the Agency to:-
 - identify and put in place measures to avoid reoccurrence of the incident;
 and
 - identify and put in place any other appropriate remedial action.

Reason: To provide for the protection of the environment.

Condition 10. Closure, Restoration and Aftercare

10.1 Following termination, or planned cessation for a period greater than six months, of use or involvement of all or part of the site in the licensed activity, the licensee shall, to the satisfaction of the Agency, decommission, render safe or remove for disposal/recovery, any soil, subsoils, buildings, plant or equipment, or any waste, materials or substances or other matter contained therein or thereon, that may result in environmental pollution. The licensee shall carry out such tests, investigation or submit certification, as requested by the Agency, to confirm that there is no risk to the environment.

Reason: To make provision for the proper closure of the activity ensuring protection of the environment.

Condition 11. Notifications, Records and Reports

- 11.1 The licensee shall notify the Agency, in writing, one month prior to the intended date of commencement of the Scheduled Activities.
- 11.2 The licensee shall notify the Agency by both telephone and either facsimile or electronic mail, if available, to the Agency's Office of Environment Enforcement, Regional Inspectorate in Castlebar, or to such other Agency office as may be specified by the Agency, as soon as practicable after the occurrence of any of the following:
 - 11.2.1 Any release of environmental significance to atmosphere from any potential emission point including bypasses.
 - 11.2.2 Any emission which does not comply with the requirements of this licence.
 - 11.2.3 Any malfunction or breakdown of key control equipment or monitoring equipment set out in Schedule C: Control & Monitoring of this licence which is likely to lead to loss of control of the abatement system.
 - 11.2.4 Any incident with the potential for environmental contamination of surface water or groundwater, or posing an environmental threat to air or land, or requiring an emergency response by the Local Authority.

- The licensee shall include as part of the notification, date and time of the incident, summary details of the occurrence, and where available, the steps taken to minimise any emissions.
- 11.3 In the event of any incident which relates to discharges to sewer, having taken place, the licensee shall notify the Local and Sanitary Authority as soon as practicable, after such an incident.
- 11.4 The licensee shall make a record of any incident. This record shall include details of the nature, extent, and impact of, and circumstances giving rise to, the incident. The record shall include all corrective actions taken to; manage the incident, minimise wastes generated and the effect on the environment, and avoid recurrence. The licensee shall as soon as practicable following incident notification, submit to the Agency the incident record.
- 11.5 The licensee shall record all complaints of an environmental nature related to the operation of the activity. Each such record shall give details of the date and time of the complaint, the name of the complainant and give details of the nature of the complaint. A record shall also be kept of the response made in the case of each complaint.
- 11.6 The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility.
- 11.7 The licensee shall as a minimum keep the following documents at the site:-
 - (i) the licences relating to the facility;
 - (ii) the current EMS for the facility;
 - (iii) the previous year's AER for the facility;
 - (iv) records of all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility;
 - (v) relevant correspondence with the Agency;
 - (vi) An up to date site drawings/plans showing the location of key process and environmental infrastructure, including monitoring locations and emission points

and this documentation shall be available to the Agency for inspection at all reasonable times.

- 11.8 The licensee shall submit to the Agency, by the 31st March of each year, an AER covering the previous calendar year. This report, which shall be to the satisfaction of the Agency, shall include as a minimum the information specified in *Schedule F*:

 Annual Environmental Report of this licence and shall be prepared in accordance with any relevant guidelines issued by the Agency.
- 11.9 A full record, which shall be open to inspection by authorised persons of the Agency at all times, shall be kept by the licensee on matters relating to the waste management operations and practices at this site. This record shall be maintained on a monthly basis and shall as a minimum contain details of the following:
 - 11.9.1 The tonnages and EWC Code for the waste materials imported and/or sent off-site for disposal/recovery.
 - 11.9.2 The names of the agent and carrier of the waste, and their waste collection permit details, if required (to include issuing authority and vehicle registration number).

- 11.9.3 Details of the ultimate disposal/recovery destination facility for the waste and its appropriateness to accept the consigned waste stream, to include its permit/licence details and issuing authority, if required.
- 11.9.4 Written confirmation of the acceptance and disposal/recovery of any hazardous waste consignments sent off-site.
- 11.9.5 Details of all wastes consigned abroad for Recovery and classified as 'Green' in accordance with the EU Transfrontier Shipment of Waste Regulations (Council Regulation EEC No. 259/1993, as amended). The rationale for the classification must form part of the record.
- 11.9.6 Details of any rejected consignments.
- 11.9.7 Details of any approved waste mixing.
- 11.9.8 The tonnages and EWC Code for the waste materials recovered on-site.
- 11.10 A record shall be kept at the facility of the programme for the control and eradication of vermin and fly infestations at the facility. These records shall include as a minimum the following:
 - a) the date and time during which spraying of insecticide is carried out;
 - b) contractor details;
 - c) contractor logs and site inspection reports;
 - d) details of the rodenticide(s) and insecticide(s) used;
 - e) operator training details;
 - f) details of any infestations;
 - g) mode, frequency, location and quantity of application; and,
 - h) measures to contain sprays within the facility boundary.

11.11 Waste Recovery Reports

The licensee shall as part of the AER submit a report on the contribution by this facility to the achievement of the recovery targets stated in national and European Union waste policies and shall include the following:-

- a) proposals for the contribution of the facility to the achievement of targets for the reduction of biodegradable waste to landfill as specified in the Landfill Directive;
- b) the separation of recyclable materials from the waste;
- c) the recovery of Construction and Demolition Waste; and
- d) the recovery of metal waste and white goods.

Reason: To provide for the collection and reporting of adequate information on the activity.

Condition 12. Financial Charges and Provisions

12.1 Agency Charges

12.1.1 The licensee shall pay to the Agency an annual contribution of €1,440, or such sum as the Agency from time to time determines, having regard to variations in the extent of reporting, auditing, inspection, sampling and analysis or other functions carried out by the Agency, towards the cost of

monitoring the activity as the Agency considers necessary for the performance of its functions under the Waste Management Acts 1996 to 2003. The first payment shall be a pro-rata amount for the period from the date of this licence to the 31st day of December, and shall be paid to the Agency within one month from the date of the licence. In subsequent years the licensee shall pay to the Agency such revised annual contribution as the Agency shall from time to time consider necessary to enable performance by the Agency of its relevant functions under the Waste Management Acts 1996 to 2003, and all such payments shall be made within one month of the date upon which demanded by the Agency.

12.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased the licensee shall contribute such sums as determined by the Agency to defraying its costs in regard to items not covered by the said annual contribution.

12.2 Sanitary Authority Charges

- 12.2.1 The licensee shall pay to the Sanitary Authority an initial amount of €306.23. This initial cost covers administration of the licence and the treatment and conveyance of the effluent discharged for the first year of operation of the licence. The initial charge shall be paid within two months from the date of grant of this licence.
- 12.2.2 The Sanitary Authority will review the charge annually and the new charge will be notified to the licensee in writing.
- 12.2.3 The licensee shall pay an annual charge to the Sanitary Authority towards the cost of monitoring the trade effluent at the end of each year of operation of the licence.

12.3 Environmental Liabilities

The licensee shall as part of the AER provide an annual statement as to the measures taken or adopted at the site in relation to the prevention of environmental damage, and the financial provisions in place in relation to the underwriting of costs for remedial actions following anticipated events or accidents/incidents, as may be associated with the carrying on of the activity.

Reason: To provide for adequate financing for monitoring and financial provisions for measures to protect the environment and to provide for the requirements of the Sanitary Authority in accordance with Section 52 of the Waste Management Acts 1996 to 2003.

SCHEDULE A: Limitations

A.1

The following waste related processes are authorised:

- i. Shredding, crushing, baling, repackaging processes
- ii. C & D waste recovery (incl. screening, sorting, blending)
- iii. Storage of waste
- iv. Recovery of dry recyclables

No addition to these processes are permitted unless agreed in advance by the Agency.



A.2 Waste Acceptance

Table A.2 Waste Categories and Quantities

WASTE TYPE	MAXIMUM (TONNES PER ANNUM)	
Household waste	10,000	
Commercial & Industrial waste	30,000	
Construction & Demolition waste	10,000	
TOTAL	50,000 Note 1	

Note 1: The individual limitation on waste streams may be varied with the agreement of the Agency subject to the overall total limit staying the same.



SCHEDULE B: Emission Limits

B.1 Emissions to Air

Dust Deposition Limits:

Measured at the monitoring points indicated in Table C.5.

Level (mg/m²/day) ^{Note 1}		
350		
**		

Note 1: 30 day composite sample with the results expressed as mg/m²/day.



B.2 Emissions to Water

There are no Emissions to Water of environmental significance.



B.3 Emission to Sewer

Emission Point Reference No.: EF1, EF2 and EF3^{Note 1}

Name of Receiving Waters: Clonmore Sewage Treatment Plant

Location: Locations to be agreed by the Agency

Volume to be emitted: Maximum in any one day: 10 m³

Maximum rate per hour: 5 m³

Parameter	Emission Limit Value	
pН	6 – 8	
	Daily mean Concentration (mg/l)	Daily Mean Loading (kg/day)
BOD	100	2
COD	250	2.5
Suspended Solids	50	1
Oils, Fats &Grease	10	-
Diesel Range Organics	2	-

Note 1: The monitoring points EF1 and EF2 to be located at the two discharge points at the northern site boundary and EF3 to be located at the discharge point to the sewer at the southern boundary (excluding the sanitary effluent discharge point).



B.4. Noise Emissions

Measured at any noise sensitive locations.

Daytime dB(A) L _{Aeq} (30 minutes)	Night-time dB(A) L _{Aeq} (30 minutes)
55 ^{Note 1}	45 Note 1

Note 1: There shall be no clearly audible tonal component or impulsive component in the noise emission from the activity at any noise sensitive location.



SCHEDULE C: Control & Monitoring

C.1.1 Control of Emissions to Air

There are no Emissions to Air of environmental significance.



C.1.2 Monitoring of Emissions to Air

There are no Emissions to Air of environmental significance.




C.2.1 Control of Emissions to Water

There are no Emissions to Water of environmental significance.

C.2.2 Monitoring of Emissions to Water

There are no Emissions to Water of environmental significance.



C.3.1 Control of Emissions to Sewer

Emission Point Reference No.: EF1, EF2 and EF3

Description of Treatment: Waste Water Treatment

Equipment:

Control Parameter	Monitoring	Key Equipment ^{Note 1}
Oil Removal	Mineral Oil concentration in water at discharge point	Class II Full Retention Oil Separators
Suspended Solids	Suspended Solids concentration in water at discharge point	Silt trap

Note 1: The licensee shall maintain appropriate access to standby and/or spares to ensure the operation of the abatement system.

C.3.2 Monitoring of Emissions to Sewer

Emission Point Reference No.:

EF1, EF2 and EF3

Parameter	Monitoring Frequency	Analysis Method/Technique
Flow	Continuous	On-line flow meter with recorder
Temperature	Continuous	On-line temperature probe with recorder
pH	Continuous	pH electrode/meter and recorder
Chemical Oxygen Demand	Daily Note 1	Standard Method
Biochemical Oxygen Demand	Weekly Note 1	Standard Method
Suspended Solids	Monthly Note 1	Gravimetric
Oils, fats & greases	Monthly Note 1	Standard Method
Diesel Range Organics	Monthly Note 1	Standard Method

Note 1: The licensee shall install a composite sampler within three months of date of grant of this licence. All samples thereafter shall be collected on a 24 hour flow proportional composite sampling basis.



C.4 Waste Monitoring

No waste monitoring is required.



C.5 Noise Monitoring

Emission Point Reference No.: N1, N2, N3, N4, N5, N6 and N7

Location: Location of monitoring points as shown on Drawing No. Map. J.1 Site

Monitoring Locations received on 1/02/05.

Parameter	Monitoring Frequency	Analysis Method/Technique
L(A) _{EQ} [30 minutes]	Annual	Standard Note 1
L(A) ₁₀ [30 minutes]	Annual	Standard Note 1
L(A) ₉₀ [30 minutes]	Annual	Standard Note 1
Frequency Analysis(1/3 Octave band analysis)	Annual	Standard Note 1

Note 1: "International Standards Organisation. ISO 1996. Acoustics - description and Measurement of Environmental noise. Parts 1, 2 and 3."

C.6 Ambient Monitoring

Air Monitoring

Emission Point Reference No.: D1, D2 and D3

Location: The monitoring points to be monitored as shown on Drawing No. Map. J.1 Site Monitoring Locations received on 1/02/05.

Parameter	Monitoring Frequency	Analysis Method/Technique
Dust deposition	Quarterly	Bergerhoff

SCHEDULE D Specified Engineering Works

Specified Engineering Works

Development of the facility including installation of waste handling, processing, recycling/recovery infrastructure and installation of increased waste processing capacity.

The proposed extension to the existing transfer station building (as specified in Attachment B.3 Planning Permission/Licences/Permits).

Installation/Upgrade of drainage network including silt traps and oil separators.

Installation of dust/odour system.

Any other works notified in writing by the Agency.

SCHEDULE E Reporting

Completed reports shall be submitted to:

The Environmental Protection Agency Office of Environmental Enforcement Regional Inspectorate John Moore Road Castlebar County Mayo

or Any other address as may be specified by the Agency

Reports are required to be forwarded as required in the licence and as may be set out below:

Report	Reporting Frequency Note1	Report Submission Date
Annual Environment Report (AER)	Annually	By 31 st March of each year.
Record of incidents	As they occur	Within five days of the incident.
Specified Engineering Works reports	As they arise	Prior to the works commencing.
Bund, tank and container integrity assessment	Every three years	Six months from the date of grant of licence and one month after end of the three year period being reported on as part of the AER.
Monitoring of Trade effluent/Storm water	Quarterly	Ten days after end of the quarter being reported on.
Dust Monitoring	Three times a year	As part of the AER.
Noise Monitoring	Annually	As part of the AER.
Drawing with Monitoring locations	-	Within twelve months of the date of grant of this licence. Any amendments thereafter to be submitted as part of the AER.
Schedule of Objectives & Targets	-	Within six months of the date of grant of licence.
Any other monitoring	As they occur	Within ten days of obtaining results.

Note 1: Unless altered at the request of the Agency.

SCHEDULE F Annual Environmental Report

Annual Environmental Report Content Note 1

Emissions from the facility.

Waste management record.

Resource consumption summary.

Complaints summary.

Schedule of Environmental Objectives and Targets.

Environmental management programme – report for previous year.

Environmental management programme – proposal for current year.

Pollution emission register – report for previous year.

Pollution emission register – proposal for current year.

Noise monitoring report summary.

Dust monitoring report summary.

Ambient monitoring summary.

Drawing of monitoring locations (if amended).

Tank and pipeline testing and inspection report.

Reported incidents summary.

Energy efficiency audit report summary.

Report on the assessment of the efficiency of use of raw materials in processes and the reduction in waste generated.

Report on progress made and proposals being developed to minimise water demand and the volume of trade effluent discharge.

Development / Infrastructural works summary (completed in previous year or prepared for current year).

Reports on management and staffing structure of the facility, and a programme for public information.

Waste Recovery Report.

Review of Closure, Restoration & Aftercare management Plan.

Environmental Liabilities Statement.

Any other items specified by the Agency.

Note 1: Content may be revised subject to the agreement of the Agency.

Sealed by the seal of the Agency on this the 14th day of September 2005.

PRESENT when the seal of the Agency was affixed hereto:

Padraic Larkin, Director/Authorised Person