

Environmental Protection Agency, Office of Climate, Licensing and Resource Use, PO Box 3000. Johnstown Castle Estate. Co. Wexford.

04 November 2009

xigen

Re: Waste Licence W0144-01

To Whom It May Concern:

Please find enclosed the completed application from to transfer Licence Register Number W01144-01 from Sean Rooney Limited t/a Bambi Bins & Wheel Bin Services Limited into the name of Oxigen Environmental £td. Also enclosed is a cheque of €5,000 to process this application.

I trust that the above is in order to you have any further queries please contact the of copyright undersigned.

Yours sincerely,

Janet O'Shea Environmental Compliance Officer Phone: 086 1719513 Email: joshea@oxigen.ie WL W0144-01-08-09.doc


Consent

ENVIRONMENTAL PROTECTION AGENCY 0 9 NOV 2009



ୖୄୄୄଡ଼ୣୣ





Licensing

Transfer^e of a Licence Application Form

This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts, 1996 to 2003 / Environmental Protection Agency Acts 1992 & 2003.

> Environmental Protection Agency P.O. Box 3000, Johnstown Castle, County Wexford Telephone: 053-60600 Fax: 053-60699

epa

Not withstanding the provisions of Section 47 of the Waste Management Acts 1996 to 2003 or Section 94 of Environmental Protection Agency Acts 1992 & 2003 the following should be completed when applying to the Agency for the transfer of a Waste or IPPC Licence.

Licence Register Number	W0144-01		
Contact details for a contact person or persons in relation to the application to transfer.	Email: joshea@oxigen.ic		
Location of activity to which the licence relates	Coes Road, Dundalk, Co. Louth		
Name address and contact details of current licence holder	Scan Rooney Limited t/a Bambi Bins & Wheel Bin Services Limited, Coes Road, Duncalk, Co. Louth. Phone/Fax: 042.9335000		
Name address and contact details of proposed transferee	Oxigen Environmental Ltd, Coes Road, Dundalk, Co. Louth. Phone/Fax: 042 9335000		
When do the applicants want the transfer to take effect?	With immediate effect		
Classes / Nature of ActivityDisposal Class 12 as per 3rd Schedule of Waste Management Act 1996 to 2003.Recovery Classes 2, 3, 4, 13 as per 4th Schedule of Waste Management Act 1996 to 2003.			

èpa epa

Transfer of Licence Application Form

Attachment A: Licence	Please provide as Attachment A (as per Section 47(3) of the Waste Management Acts 1996 to 2003 / Section 94 (3) of the Protection of the Environment Acts 1992 and 2003) a copy of the licence you wish to transfer. See Attachment A	
Attachment B:	Please provide as Attachment B the following as appropriate:	
	 (a) Certified Copy of Certificate of Incorporation (b) Company's Number in Company's Registration Office and (c) Particulars of Registered Office of the Company 	
	See Attachment B	
	Does the proposed transferee have a parent company? If so please provide details here. Does the proposed transferee have any subsidiaries involved in the industrial installation or waste facility management? If so please give details here.	
	See Attachment E	
Attachment C: Fit and Proper Person	 The following information is required (please provide the information below or separately as Attachment C): 1. Indicate whether the applicant or other relevant person has been convicted under the PoE Act, the Waste Management Act 1996, the bocal Government (Water pollution) Acts 1977 and 1990 or the Air Pollution Act 1987. See Attachment C1 2. Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (see details below). See Attachment C2 	
	 Provide information to show that the person is likely to be in a position to meet any financial commitments on liabilities that may have been or will be entered into on incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out that activity. See Attachment F 	

epa epa

Transfer of Licence Application Form

.

· —


	In relation to Question 2 above please give details here for each person who will or is likely to have responsibility for licensed activities, to include:	
	 a) the names of all persons who are to provide the management and supervision of the activities authorised by the licence, in particular the name of the facility manager and any nominated deputies; b) details of the responsibilities for each individual named under a) above; and c) details of the relevant education, training and experience held by each of the persons nominated under a) above. 	
Attachment D: Liabilities, requirements & obligations	Please provide a statement to show that the person to whom a licence is transferred has assumed and accepted all liabilities, requirements and obligations provided for in or arising under the licence, or revised licence, regardless of how and in respect of what period, including a period prior to the transfer of the licence or revised licence they may arise. See Attachment C	
Attachment E: Transferee Licence details	person' had an application for a licence granted? Please provide	
	Has the proposed transferee, their parent company or any 'relevant person' had an application for a licence rejected; had a licence revoked; been refused as a transferee for a licence? Please provide details here or separately as Attachment E. See Attachment E	
Attachment F: Estimated Expenditure & Financial Provisions	 Please provide, as attachment F, a plan showing the estimated expenditure for each phase of the activity/activities. The plan should include the likely costs of: (i) Abatement Installation, Control & Monitoring (ii) Closure & Remediation of the site (iii) Clean-up following a plausible accident/incident (iv) Long-term aftercare for residual environmental liabilities. 	
	The Plan should include a statement or details of provisions made for the underwriting of these costs/liabilities. See Attachment F	

epa

Transfer of Licence Application Form

Application Fee	To ensure that your application is valid and can be processed please submit payment of one of the following amounts with your application to transfer the licence;
	Waste Licence Transfer Application -€5,000 IPPC Licence Transfer Application - €2,000

We, the undersigned, are applying to the Environmental Protection Agency, as per Section 47 of the Waste Management Acts 1996 to 2003 (Waste Transfer) for the transfer of licence no W0144-01 from Sean Rooney Limited t/a Bambi Bins & Wheel Bin Services Limited, to Oxigen Environmental Ltd.



Headquarters, P.O. Box 3000, Johnstown Castle Estate County Wexford, Ireland

WASTE LICENCE FOR A WASTE TRANSFER STATION .NS purposed of the and of 1244-1

Waste Licence of copyright of **Register Number:** Licensee:

Attachment A.

Sean Rooney Limited t/a Bambi Bins & Wheel Bin Services Limited.

Location of Facility:

Coes Road, Dundalk, County Louth.

INTRODUCTION

This introduction is not part of the licence and does not purport to be a legal interpretation of the licence.

This licence relates to an existing Waste Transfer and Recycling Facility which accepts household, commercial, industrial non-hazardous solids and construction and demolition wastes for disposal and recovery. Sean Rooney Limited, t/a Bambi Bins and Wheel Bin Services Limited is located in an industrial area on Coes Road, Dundalk. The total area of the site is approximately 7,178 m². The facility is currently being upgraded with the construction of two new buildings (the Segregation Store and the Recycling Store). The upgraded facility will include offices, a weighbridge, a recycling store, a segregation store, a compactor, a trommel and waste segregation and storage bays. The licence requires enclosure of the trommel inside the Recycling Store.

The facility currently processes approximately 27,000 tonnes per annum of waste through the transfer station with Wheel Bin Services collecting approximately 24,000 tonnes of household waste and disposing of it direct to landfill. Recovery of glass, wood, metal, cardboard, plastics and Construction and Demolition Wastes is carried out by Bambi Bins and it is proposed that if trials of the trommel are successful, then organic fines will be separated from the household waste collected by Wheel Bin Services in the Recycling Store before dispatch to another facility for composting. Overall, the applicant proposes that the tonnage of waste being processed at the facility will increase to approximately 90,000 tonnes in the next five years.



Environmental Protection Agency WL/144-1

Table of C	Contents
------------	----------

DECISION & REASONS FOR THE DECISION	1
PART I ACTIVITIES LICENSED	1
INTERPRETATION	2
PART II CONDITIONS	5
CONDITION 1 SCOPE OF THE LICENCE	5
CONDITION 2 MANAGEMENT OF THE FACILITY	6
CONDITION 3 FACILITY INFRASTRUCTURE	7
CONDITION 4 RESTORATION AND AFTERCARE	11
CONDITION 5 FACILITY OPERATIONS	11
CONDITION 6 EMISSIONS	13
CONDITION 6 EMISSIONS CONDITION 7 NUISANCE CONTROL OBE ^{IDE®®®®®®®®®®®®®®®®®®®®®®®®®®®®®®®®®®®}	14
CONDITION 8 MONITORING	15
CONDITION 9 CONTINGENCY ARBANGEMENTS	16
CONDITION 10 RECORDS	17
CONDITION 11 REPORTS AND NOTIFICATIONS	18
CONDITION 12 CHARGES AND FINANCIAL PROVISIONS	20
SCHEDULE A : Waste Acceptance	22
SCHEDULE B : Specified Engineering Works	22
SCHEDULE C : Emission Limits	22
SCHEDULE D: Monitoring	23
SCHEDULE E : Recording and Reporting to the Agency	24
SCHEDULE F: Content of the Annual Environmental Report	25

Environmental Protection Agency WL/144-1

Page No.

DECISION & REASONS FOR THE DECISION

The Environmental Protection Agency (the Agency) is satisfied, on the basis of the information available, that the waste activity, or activities, licensed hereunder will comply with the requirements of Section 40(4) of the Waste Management Act, 1996.

In reaching this decision the Agency has considered the application and supporting documentation received from the applicant, all submissions received from other parties and the report of its inspector.

No objection having been received to the Proposed Decision, the licence is granted in accordance with the terms of the Proposed Decision and the reasons therefor.

Part I Activities Licensed

In pursuance of the powers conferred on it by the Waste Management Act, 1996, the Agency, under Section 40(1) of the said Act hereby grants this Waste Licence to Sean Rooney Limited, t/a Bambi Bins and Wheel Bin Services Limited to carry on the waste activities listed below at Coes Road, Dundalk, Co. Louth subject to conditions, with the reasons therefor and the associated schedules attached thereto set out in the licence.

Licensed Waste Disposal Activities, in accordance with the Third Schedule of the Waste Management Act 1996

Class 13. Storage prior to submission to any activity referred to in a preceding parage this Schedule, other than temporary storage, pending collection, on the pre- where the waste concerned is produced.		
This activity is limited to storage at the facility prior to bulking and transfer of		
Licensed W	aste Recovery Activities, in accordance with the Fourth Schedule of the Waste Management	

Licensed Waste Recovery Activities, in accordance with the Fourth Schedule of the Waste Management

Class 2.	Recycling or reclamation of organic substances which are not used as solvents (including compositing and other biological transformation processes):	
	This activity is fimited to the separation of biodegradable waste at the facility using a trommel prior to transport elsewhere for composting.	
Class 3.	Recycling or reclamation of metals and metal compounds:	
	This activity is limited to the recovery of steel and metals at the facility.	
Class 4.	Recycling or reclamation of other inorganic materials:	
	This activity is limited to the recovery of construction and demolition wastes at the facility.	
Class 13.	Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced:	
• • •	This activity is limited to the storage of waste at the facility prior to recovery.	

Environmental Protection Agency WL/1-14-1

INTERPRETATION

All terms in this licence should be interpreted in accordance with the definitions in the Waste Management Act, (the Act), unless otherwise defined in this section.


Adequate lighting	20 lux measured at ground level.	
Agreement	Agreement in writing.	
Animal Waste	Carcasses, offal, skin and hides, bones, excrement, blood and paunch.	
Annually	At approximately twelve monthly intervals.	
Attachment	Any reference to Attachments in this licence refers to attachments submitted as part of the waste licence application.	
Application	The application by the licensee for this waste licence.	
Appropriate facility	A waste management facility, duly authorised under relevant law and technically suitable.	
Bi-annually	All or part of a period of six consecutive months.	
Biodegradable waste	Any waste that is capable of undergoing anaerobic or aerobic decomposition, such as food, garden waste, sewage sludge, paper and paperboard.	
Condition	A condition of this licence.	
Construction and Demolition Waste	All wastes which arise from construction, renovation and demolition	
Containment boom	A boom which can contain spillages and prevent them from entering drains or watercourses of which	
Daytime	8.00 a.m. to 10,00 p.m.	
Documentation	Any report, record, result, data, drawing, proposal, interpretation or other document in written or electronic form which is required by this licence.	
Drawing	Any reference to a drawing or drawing number means a drawing or drawing number contained in the application, unless otherwise specified in this licence.	
Emergency	Those occurrences defined in Condition 9.4.	
Emission Limits	Those limits, including concentration limits and deposition levels established in <i>Schedule C: Emission Limits</i> of this licence.	
European Waste Catalogue (EWC)	A harmonised, non-exhaustive list of wastes drawn up by the European Commission and published as Commission Decision 94/3/EC and any subsequent amendment published in the Official Journal of the European Community.	
Foul water	Sewage and drainage from the recycling store, segregation store, C & D waste processing area, weighbridge, vehicle and ejector trailer parking area and run-off from hardstanding areas associated with waste processing and storage.	
Hours of Operation	The hours during which the facility is authorised to be operational. The	

Environmental Protection Agency WL/144-1

hours of operation of a facility are usually longer than the hours of waste acceptance to facilitate preparatory and completion works, such as the removal and laying of daily cover. Different activities within the facility, such as the civic waste facility, may have different hours of waste acceptance.

Hours of Waste Acceptance	The hours during which the facility is authorised to accept waste.	
Licence	A Waste Licence issued in accordance with the Act.	
Licensee	Sean Rooney Ltd. t/a Bambi Bins and Wheel Bin Services Ltd.	
Liquid Waste	Any waste in liquid form and containing less than 2% dry matter. Any waste tankered to the facility.	
Maintain	Keep in a fit state, including such regular inspection, servicing, calibration and repair as may be necessary to adequately perform its function.	
Monthly	A minimum of 12 times per year, at approximately monthly intervals.	
Night-time	10.00 p.m. to 8.00 a.m.	
Noise Sensitive Location (NSL)	Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other facility or area of high amenity which for its proper enjoyment requires the absence of noise at nuisance levels.	
Oil Separator /Interceptor	Device installed according to the draft European Standard prEN 858 (Installations for the separation of light liquids, e.g. oil and petrol).	
Recyclable Materials	Those waste types, such as cardboard, batteries, gas cylinders, etc, which may be recycled At approximately three monthly intervals.	
Quarterly	At approximately three monthly intervals.	
Sanitary Authority	Dundalk Utban District Council.	
Sample(s)	Unless the context of this licence indicates to the contrary, samples shall include measurements by electronic instruments.	
Sludge	The accumulation of solids resulting from chemical coagulation, flocculation, and/or sedimentation after water or wastewater treatment with between 2% and 14% dry matter.	
Specified Emissions	Those emissions listed in Schedule C: Emission Limits of this licence.	
Specified Engineering Works	Those engineering works listed in Schedule B: Specified Engineering Works of this licence.	
Trigger Level	A parameter value specified in the licence, the achievement or exceedance of which requires certain actions to be taken by the licensee.	
Weekly	During all weeks of plant operation, and in the case of emissions, when emissions are taking place; with no more than one measurement in any one week.	
White Goods	Refrigerators, cookers, ovens and other similar appliances.	
EPA Working Day	Refers to the following hours; 9.00 a.m. to 5.30 p.m. Monday to Friday inclusive.	
Environmental Protection Ac	nency WL/1.14-1 Page 3 of 23	

Environmental Protection Agency WL/144-1



Environmental Protection Agency WL/144-1

Page 4 of 23

PART II CONDITIONS

CONDITION 1 SCOPE OF THE LICENCE

- 1.1. Waste activities at the facility shall be restricted to those listed and described in Part I: Activities Licensed and authorised by this licence.
- 1.2. For the purposes of this licence, the facility is the area of land outlined in red on Drawing No. Map B.2.2 Site Boundary and Site Layout of the application. Any reference in this licence to "facility" shall mean the area thus outlined in red.
- 1.3. This licence is for the purposes of waste licensing under the Waste Management Act 1996 only and nothing in this licence shall be construed as negating the licensee's statutory obligations or requirements under any other enactments or regulations.
- 1.4. The maximum tonnage to be accepted at the facility shall not exceed 90,000 tonnes per annum.
- 1.5. Only those waste categories and quantities listed in *Schedule A: Waste Acceptance* of this licence, shall be accepted at the facility.
- 1.6. No hazardous wastes, liquid wastes or animal wastes shall be accepted at the facility.
- 1.7. Waste Acceptance Hours and Hours of Operation
 - 1.7.1. Waste shall only be accepted at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive and a start at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive and a start at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. Monday to Saturday inclusive at the facility between the hours of 5:30 a.m. and 9:30 p.m. and 9:3
 - 1.7.2. The facility shall only be operated sturing the hours of 5:00 a.m. to 10:00 p.m. Monday to Saturday inclusive.
 - 1.7.3. The trommel and any plant associated with the processing of Construction and Demolition Waste at the facility shall only be operated between the hours of 8:00 a.m. and 9:00 p.m. Money to Saturday inclusive.
 - 1.7.4. Waste shall not be accepted at the facility on Sundays or on Bank Holidays.
- 1.8. The following shall constitute an incident for the purposes of this licence:
 - a) an emergency;
 - b) any emission which does not comply with the requirements of this licence;
 - c) any exceedance of the daily duty capacity of the waste handling equipment;
 - d) any trigger level specified in this licence which is attained or exceeded; and
 - e) any indication that environmental pollution has, or may have, taken place.
- 1.9. Where the Agency considers that a non-compliance with any condition of this licence has occurred, it may serve a notice on the licensee specifying:
 - 1.9.1. That only those wastes as specified, if any, in the notice are to be accepted at the facility after the date set down in the notice;
 - 1.9.2. That the licensee shall undertake the works stipulated in the notice, and/or otherwise comply with the requirements of the notice as set down therein, within the time-scale contained in the notice; and

Environmental Protection Agency WL/144-1

193 That the licensee shall carry out any other requirement specified in the notice.

When the notice has been complied with, the licensee shall provide written confirmation that the requirements of the notice have been carried out. No waste, other than that which is stipulated in the notice, shall be accepted at the facility until written permission is received from the Agency.

1.10. Every plan, programme or proposal submitted to the Agency for its agreement pursuant to any Condition of this licence shall include a proposed timescale for its implementation. The Agency may modify or alter any such plan, programme or proposal in so far as it considers such modification or alteration to be necessary and shall notify the licensee in writing of any such modification or alteration. Every such plan, programme or proposal shall be carried out within the timescale fixed by the Agency but shall not be undertaken without the agreement of the Agency. Every such plan, programme or proposal agreed by the Agency shall be covered by the conditions of this licence

To clarify the scope of this licence. Reason:

MANAGEMENT OF THE FACILITY **CONDITION 2**

- 2.1 Facility Management
 - 2.1.1The licensee shall employ a suitably qualified and experienced facility manager who shall be designated as the person in charge. The facility manager or a nominated, suitably qualified and experienced, deputy shalls present on the facility at all times during its operation.
 - Both the facility manager and deputy, and any replacement manager or deputy, shall 2.1.2 successfully complete both these waste management training programme (or equivalent agreed with the Agence and associated on site assessment appraisal within twelve months of appointment 4
 - 2.1.3 The licensee shall ensure that personnel performing specifically assigned tasks shall be qualified on the basis of appropriate education, training and experience, as required and shall be aware of the requirements of this licence.
- Management Structurent 2.2
 - 2.2.1 Within three months from the date of grant of this licence, the licensee shall submit written details of the management structure of the facility to the Agency. Any proposed replacement in the management structure shall be notified in advance in writing to the Agency. Written details of the management structure shall include the following information
 - a) the names of all persons who are to provide the management and supervision of the waste activities authorised by the licence, in particular the name of the facility manager and any nominated deputies;
 - details of the responsibilities for each individual named under a) above; and b)
 - details of the relevant education, training and experience held by each of the c) persons nominated under a) above.
- 2.3 Environmental Management System (EMS)

cố

2.3.1 The licensee shall establish and maintain an EMS. Within eighteen months from the date of grant of this licence, the licensee shall submit to the Agency for its agreement a proposal for a documented Environmental Management System (EMS) for the

Environmental Protection Agency WL/144-1

facility. Following the agreement of the Agency, the licensee shall establish and maintain such a system. The EMS shall be updated on an annual basis with amendments being submitted to the Agency for its agreement.

- 2.3.2 The EMS shall include as a minimum the following elements:
 - 2.3.2.1 Schedule of Environmental Objectives and Targets

The objectives should be specific and the targets measurable. The Schedule shall address a five-year period as a minimum. The Schedule shall include a time-scale for achieving the objectives and targets and shall comply with any other written guidance issued by the Agency.

2.3.2.2 Environmental Management Plan (EMP)

The EMP shall include, as a minimum, the following:

- (i) methods by which the objectives and targets will be achieved in the coming year and the designation of responsibility for targets;
- (ii) any other items required by written guidance issued by the Agency.
- 2.3.2.3 Corrective Action Procedures

The Corrective Action Procedures shall detail the corrective actions to be taken should any of the procedures detailed in the EMS not be followed.

2.3.2.4 Awareness and Training Programme

The Awareness and Fracting Programme shall identify training needs, for personnel who work in or have responsibility for the licensed facility. ramme

- 2.4 Communications Programme
 - 2.4.1 The licensee shall establish and maintain a Communications Programme to ensure that members of the public can obtain information at the facility, at all reasonable times, concerning the environmental performance of the facility. This shall be established within six months of the date of grant of this licence.

REASON: To make provision for the proper management of the activity on a planned basis having regard to the desirability of ongoing assessment, recording and reporting of matters affecting the environment.

CONDITION 3 FACILITY INFRASTRUCTURE

- 3.1 The licensee shall establish all infrastructure referred to in this licence prior to the commencement of the licensed activities or as required by the conditions of this licence.
- 3.2 Specified Engineering Works
 - 3.2.1 The licensee shall submit proposals for all Specified Engineering Works, as defined in *Schedule B: Specified Engineering Works* of this licence, to the Agency for its agreement at least two months prior to the intended date of commencement of any such works. No such works shall be carried out without the prior agreement of the Agency.

Environmental Protection Agency WL/114-1

Page 7 of 23

- All specified engineering works shall be supervised by a competent person(s) and that 3.2.2 person, or persons, shall be present at all times during which relevant works are being undertaken.
- Following the completion of all specified engineering works, the licensee shall complete 3.2.3 a construction guality assurance validation. The validation report shall be made available to the Agency on request. The report shall include the following information;
 - a) a description of the works;
 - b) as-built drawings of the works;
 - records and results of all tests carried out (including failures); C
 - drawings and sections showing the location of all samples and tests carried out; d) -
 - daily record sheets/diary; e)
 - name(s) of contractor(s)/individual(s) responsible for undertaking the specified f٦ engineering works;
 - name(s) of individual(s) responsible for supervision of works and for quality g) assurance validation of works;
 - h) records of any problems and the remedial works carried out to resolve those problems; and
 - any other information requested in writing by the Agency. i)
- 3.3 Facility Notice Board
 - The licensee shall provide and maintain a Facility Notice Board on the facility so that it 3.31 is legible to persons outside the main entrance to the facility. The minimum dimensions of the board shall be 1200 mm by 750 mm.
 - The board shall clearly show: 3.3.2
- board shall clearly show: properties to the facility; a)
 - the normal hours of opening; b)
 - the name of the licence holder; c)
 - an emergency out of hours contact telephone number; d)
 - the licence reference number; and e)
 - where environmental information relating to the facility can be obtained. f)
- 3.4 Facility Security
 - Security fencing and gates shall be installed and maintained as described in Attachment 3.4.1 D.1 and D.1.a Site Security, of the application. The security fence and gates shall be at the locations shown on the Revised Site Layout Map, received by the Agency 21/08/2001. The base of the fencing shall be set in the ground.
 - 3.4.2 The licensee shall remedy any defect in the gates and/or fencing as follows:
 - a) a temporary repair shall be made by the end of the working day; and,
 - a repair to the standard of the original gates and/or fencing shall be undertaken b) within three working days.
- 3.5 Facility Roads and Hardstanding
 - Effective site roads shall be provided and maintained to ensure the safe movement of 3.5.1 vehicles within the facility.

Environmental Protection Agency WL/144-1

Page 8 of 23

- Within nine months of the date of grant of this licence, the licensee shall provide and 3.5.2 maintain an impermeable hardstanding surface in all yard areas of the facility. In addition, the floor of the buildings and hardstanding areas at the facility shall be concreted and constructed to British Standard 8110.
- 3.6 Facility Office
 - The licensee shall provide and maintain an office at the facility. The office shall be 3.6.1constructed and maintained in a manner suitable for the processing and storing of documentation.
 - The licensee shall provide and maintain a working telephone and a method for electronic 3.6.2 transfer of information at the facility.
- 3.7 Waste Inspection and Quarantine Areas
 - 371 Within six months of the date of grant of this licence, a Waste Inspection Area and a Waste Quarantine Area shall be provided and maintained at the facility.
 - 3.7.2 These areas shall be constructed and maintained in a manner suitable, and be of a size appropriate, for the inspection of waste and subsequent quarantine if required. The waste inspection area and the waste quarantine area shall be clearly identified and segregated from each other.
 - Drainage from these areas shall be directed to foul sewer. 3.7.3
- 3.8 Weighbridge
 - The licensee shall provide and maintain a weighbridge at the facility. 3.8.1 Forat oni
- 3.9 Wheel Cleaning
- Cleaning The licensee shall maintain a system for wheel cleaning at the facility. 3.9.1
- 3.10 Waste handling, ventilation and processing plant
 - 3.10.1 Items of plant deemedoritical to the efficient and adequate processing of waste at the facility (including ister alia waste loading vehicles and ejector trailers) shall be provided on the following dasis:
 - -0 100% duty capacity; •
 - 50% standby capacity available on a routine basis;
 - Provision of contingency arrangements and/or back up and spares in the case of breakdown of critical equipment.
 - 3.10.2 Within three months of the date of grant of this licence, the licensee shall provide a report for the agreement of the Agency detailing the duty and standby capacity in tonnes per day, of all waste handling and processing equipment to be used at the facility. These capacities shall be based on the licensed waste intake, as per Schedule A: Waste Acceptance of this licence.
 - 3.10.3 The quantity of waste to be accepted at the facility on a daily basis shall not exceed the duty capacity of the equipment at the facility. Any exceedance of this intake shall be treated as an incident.
- 3.11 Tank and Drum Storage Areas

Environmental Protection Agency WL/144-1

- 3.11.1 All tank and drum storage areas shall be rendered impervious to the materials stored therein.
- 3.11.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:

(a) 110% of the capacity of the largest tank or drum within the bunded area; or

(b) 25% of the total volume of substance which could be stored within the bunded area.

- 3.11.3 All drainage from bunded areas shall be diverted for collection and safe disposal.
- 3.11.4 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.
- 3.11.5 The integrity and water tightness of all the bunds and their resistance to penetration by water or other materials stored therein shall be confirmed by the licensee and shall be reported to the Agency within six months of the date of grant of this licence.

This confirmation shall be repeated at least once every three years thereafter and reported to the Agency on each occasion

- Silt Traps and Oil Separators/Interceptors 3.12
 - 3.12.1 The licensee shall install and maintain a silt trap and an oil interceptor to ensure that all foulwater (other than sewage) passes through a silt trap and oil interceptor prior to discharge. For the discharge to sewer, the interceptor shall as a minimum be a Class II full retention interceptor. The silt traps and interceptors shall be installed in accordance with European Standard prEN 858 (installations for the separation of light liquids).
- Drainage system, pipeline testing 3.13
 - only any 3.13.1 Within six months of the date of grant of this licence, all foul sewer gullies, drainage grids and manhole covers shall be painted with red squares whilst all surface water discharge gullies, drainage great and manhole covers shall be painted with blue triangles. These colour codess shall be maintained so as to be visible at all times during facility operation, and any identification designated in this licence (e.g. FS1) shall be inscribed on these manholes.
 - 3.13.2 The drainage system, bunds, silt traps and oil separators shall be inspected weekly, desludged as necessary and properly maintained at all times. All sludge and drainage from these merations shall be collected for safe disposal. A written record shall be kept of the inspections, desludging, cleaning, disposal of associated waste products, maintenance and performance of the interceptors, bunds and drains.
- 3.14 Construction and Demolition Waste Recovery Area
 - 3.14.1 Within six months of the date of grant of this licence, the licensee shall provide and maintain a construction and demolition waste recovery area. This infrastructure shall at a minimum comprise the following:
 - an impermeable concrete slab; and a)
 - b) collection and disposal infrastructure for all run-off.
- Monitoring Infrastructure 3.15
 - 3.15.1 Surface Water

Within six months of the date of grant of this licence, the licensee shall install a sampling and inspection chamber on the discharge to surface water which shall be suitable for visual inspection and the taking of grab samples of the discharge.

Environmental Protection Agency WL/144-1

Page 10 of 23

3.15.2 Replacement of Infrastructure

Monitoring infrastructure which is damaged or proves to be unsuitable for its purpose shall be replaced within three months of it being damaged or recognised as being unsuitable.

REASON: To provide appropriate infrastructure for the protection of the environment.

CONDITION 4 RESTORATION AND AFTERCARE

4.1. A proposal for a Decommissioning and Aftercare Plan for the facility shall be submitted to the Agency within nine months of the date of grant of this licence. The licensee shall update these schemes when required by the Agency.

REASON: To provide for the restoration of the facility

CONDITION 5 FACILITY OPERATIONS

5.1 Waste Processing

- 5.1.1 All waste processing, other than processing of construction and demolition waste, shall be carried out inside the Segregation Store or the Recycling Store.
- 5.1.2 Within six months of the date of grant of this licence, the trommel shall be enclosed inside the recycling building.
- 5.2 Waste Acceptance and Characterisation Procedures
 - 5.2.1 Within six months of the date of grant of this licence, the licensee shall submit to the Agency for its agreement detailed written procedures for the acceptance and handling of all wastes.
 - 5.2.2 Waste arriving at the facility shall be inspected at the point of entry to the facility and subject to this inspection, weighed, documented and directed to the Segregation Store, the Recycling Store or the construction/demolition waste area. Each load of waste arriving at the Segregation Store, the Recycling Store or construction/demolition waste area shall be inspected upon tipping within these areas. Only after such inspections shall the waste be processed for disposal or recovery.
 - 5.2.3 Any waste deemed unsuitable for processing at the facility and/or in contravention of this licence shall be removed for recovery or disposal at an appropriate alternative facility. Such waste shall be stored in the Waste Quarantine Area only. The licensee shall remove waste from the Waste Quarantine Area as soon as is practicable. No waste shall be stored in the Waste Quarantine Area for more than three months. Waste shall be stored under appropriate conditions in the quarantine area to avoid putrefaction, odour generation, the attraction of vermin and any other nuisance.
 - 5.2.4 There shall be no casual public access to the facility.
 - 5.2.5 Within six months of the date of grant of this licence, the licensee shall only handle or store waste and park vehicles in areas of the facility where an impermeable hardstanding surface exists.

5.3 Operational Controls

Environmental Protection Agency WL/144-1

Page 11 of 23

- 5.3.1 The floors of the Segregation Store and the Recycling Store shall be washed down and cleared of all waste at the end of the working day. The floor of the storage bays for recovered wastes shall be washed down and cleaned on each occasion such bays are emptied.
- 5.3.2 Scavenging shall not be permitted at the facility.
- 5.3.3 Gates shall be locked shut when the facility is unsupervised.
- 5.3.4 The licensee shall provide and use adequate lighting during the operation of the facility in hours of darkness.
- 5.3.5 Fuels shall only be stored at appropriately bunded locations on the facility.
- 5.3.6 All tanks and drums shall be labelled to clearly indicate their contents.
- 5.3.7 No smoking shall be allowed on the facility other than in the facility office.
- 5.4 Off-site Disposal and Recovery
 - 5.4.1. Waste sent off-site for recovery or disposal shall only be conveyed by a waste contractor agreed by the Agency;
 - 5.4.2. All waste transferred from the facility shall only be transferred to an appropriate facility agreed by the Agency;
 - 5.4.3. All wastes removed off-site for recovery or dispesal shall be transported from the facility to the consignee in a manner which will not adversely affect the environment.
- 5.5 Construction and Demolition Waste Recovery Area
 - 5.5.1 Only Construction and Demolition waste shall be accepted at this Area. Wastes which are capable of being recovered shall be separated and shall be stored temporarily in this area prior to being subjected to other recovery activities at the facility or transported off the facility.
 - 5.5.2 All stockpiles shall be maintained so as to minimise dust generation.
- 5.6 Foul Water Management
 - 5.6.1 All foul water produced at the facility shall be discharged to foul sewer.
- 5.7 Surface Water Management
 - 5.7.1 All foul water (other than sewage) shall be drained via separate pipework and discharged to public foul sewerage system via an oil separator/interceptor, the hydraulic capacity of which shall be approved by the Sanitary Authority and the Agency.
 - 5.7.2 All surface water runoff from roof areas and impervious areas of the site, not subject to any contamination sources, shall be drained via separate pipework and discharged to public surface water drainage piped system.
- 5.8 Maintenance
 - 5.8.1 All treatment/abatement and emission control equipment shall be calibrated and maintained, in accordance with the instructions issued by the manufacturer/supplier or installer. Written records of the calibrations and maintenance shall be made and kept by the licensee.

Environmental Protection Agency WL/344-1

Page 12 of 23

- 5.8.2 The licensee shall maintain and clearly label and name all sampling and monitoring locations.
- 5.8.3 Any wheel cleaning facilities shall be inspected on a daily basis and drained as required. Silt, stones and other accumulated material shall be removed as required and disposed of appropriately.
- 5.8.4 The licensee shall maintain all compactors and shredders in accordance with the manufacturers instructions.

REASON: To provide for appropriate operation of the facility to ensure protection of the environment.

CONDITION 6 EMISSIONS

- 6.1. No specified emission from the facility shall exceed the emission limit values set out in *Schedule C: Emission Limits* of this licence. There shall be no other emissions of environmental significance.
- 6.2. The licensee shall ensure that the activities shall be carried out in a manner such that emissions do not result in significant impairment of, or significant interference with the environment beyond the facility boundary.
- 6.3. Emissions to Surface Water
 - 6.3.1. No substance shall be discharged in a mannae, or at a concentration which, following initial dilution causes tainting of fish or shellfish.
- 6.4. There shall be no direct emissions to groundwater.
- 6.5. There shall be no clearly audible total component or impulsive component in the noise emissions from the activity at the noise sensitive locations.
- 6.6. Disposal of Foul Water / Envisions to Sewer
 - 6.6.1. No foul water shall be discharged to surface water.
 - 6.6.2. No specified discharge or emission to sewer shall exceed the emission limit value set out in the *Schedule C.3 Emission Limits for Emission to Sewer* of this licence. There shall be no other discharge or emission to sewer of environmental significance.
 - 6.6.3. No substance shall be present in emissions to sewer in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system, or as would be damaging to the fabric of the sewer, or as would interfere with the biological functioning of a downstream wastewater treatment works.
 - 6.6.4. The licensee shall permit authorised persons of the Agency and the Sanitary Authority to inspect, examine and test, at all reasonable times, any works and apparatus installed, in connection with the discharge or emission, and to take samples of the discharge or emission.
 - 6.6.5. No discharge or emission to sewer shall take place which might give rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.
 - 6.6.6. The licensee shall ensure that the discharge shall not contain dissolved methane, petroleum spirits or organic solvents (including chlorinated organic solvents), at concentrations which would give rise to flammable or explosive vapours in the sewer.

Environmental Protection Agency WL/1/4-1

- Non-trade effluent wastewater (e.g. firewater, accidental spillage) which occurs on-site 6.6.7. shall not be discharged to the sewer without the prior authorisation of the Sanitary Authority.
- The licensee shall provide and maintain an inspection chamber in a suitable position 6.6.8. in connection with each pipe through which a discharge or emission is being made. Each such inspection chamber or manhole shall be constructed and maintained by the licensee so as to permit the taking of samples of the discharge.
- 6.6.9. The licensee shall submit monitoring results to the Sanitary Authority on a quarterly basis.
- Emission limit values for emissions to sewer in this licence shall be interpreted in the following 6.7. wav:
 - a) Continuous monitoring.

No flow value shall exceed the specified limit.

b)Non-Continuous monitoring.

> Eight out of ten consecutive results, calculated as daily mean concentration or mass emission values on the basis of flow proportional composite sampling shall exceed 1.2 times the emission limit value.

c) No grab sample shall exceed 1.2 times the emission limit value.

S

REASON: To control emissions from the facility and provide for the protection of the environment. onth

NUISANCE **CONDITION 7**

- 7.1 The licensee shall ensure that wernin, birds, flies, mud, dust, litter and odours do not give rise to nuisance at the facility of include immediate area of the facility. Any method used by the licensee to control any such misance shall not cause environmental pollution.
- 7.2 The road network in the vicinity of the facility shall be kept free from any debris caused by vehicles entering meaving the facility. Any such debris or deposited materials shall be removed without delay.
- 7.3 Litter Control
 - 7.3.1 The measures and infrastructure as described in Attachment F.5 of the application shall be applied to control litter at the facility.
 - 7.3.2 All loose litter or other waste, placed on or in the vicinity of the facility, other than in accordance with the requirements of this licences, shall be removed, subject to the agreement of the landowners, immediately and in any event by 10.00am of the next working day after such waste is discovered.
 - 7.3.3 The licensee shall ensure that all vehicles delivering waste to and removing waste and materials from the facility are appropriately covered.
- 7.4 Dust
 - 7.4.1 In dry weather, site roads and any other areas used by vehicles shall be sprayed with water as and when required to minimise airborne dust nuisance.

Environmental Protection Agency WL/144-1

All waste for disposal stored overnight at the facility, shall be stored in suitably covered and 75 enclosed containers within the Recycling Store or the Segregation Store, and shall be removed from the facility within forty eight hours of its arrival at the facility except at Bank Holiday weekends. At Bank Holiday Weekends, waste shall be removed from the facility within seventy two hours of its arrival on-site.

REASON: To provide for the control of nuisances

MONITORING **CONDITION 8**

- The licensee shall carry out such monitoring and at such locations and frequencies as set out in 8.1. Schedule D: Monitoring of this licence and as specified in this licence. Unless otherwise specified by this licence, all environmental monitoring shall commence no later than two months after the date of grant of this licence.
- The licensee shall amend the frequency, locations, methods and scope of monitoring as required 8.2. by this licence only upon the written instruction of the Agency and shall provide such information concerning such amendments as may be requested in writing by the Agency. Such alterations shall be carried out within any timescale nominated by the Agency.
- Monitoring and analysis equipment shall be operated and maintained in accordance with the 8.3. manufacturers' instructions (if any) so that all monitoring results accurately reflect any emission, discharge or environmental parameter.
- The licensee shall provide safe and permanent accessed all on-site sampling and monitoring 8.4. points and to off-site points as required by the Agency
- The licensee shall maintain all sampling and monitoring points, and clearly label and name all 8.5. sampling and monitoring locations, so that they may be used for representative sampling and tight owner te monitoring.
- 8.6. Nuisance Monitoring
 - The licensee shall, and minimum of one week intervals, inspect the facility and its 8.6.1. immediate surrounds for nuisances caused by litter, vermin, birds, flies, mud, dust and odours.
- 8.7. Surface Water Monitoring
 - The licensee shall carry out and record weekly visual inspections of each point of 8.7.1. discharge to surface water.

REASON: To ensure compliance with the conditions of this licence by provision of a satisfactory system of monitoring of emissions

CONTINGENCY ARRANGEMENTS CONDITION 9

- In the event of an incident the licensee shall immediately: 9.1.
 - identify the date, time and place of the incident; a)
 - carry out an immediate investigation to identify the nature, source and cause of the incident b) and any emission arising therefrom;

Environmental Protection Agency WL/144-1

Page 15 of 23

- c) isolate the source of any such emission;
- d) evaluate the environmental pollution, if any, caused by the incident:
- e) identify and execute measures to minimise the emissions/malfunction and the effects thereof;
- f) provide a proposal to the Agency for its agreement within one month of the incident occurring to:
 - i) identify and put in place measures to avoid reoccurrence of the incident; and
 - ii) identify and put in place any other appropriate remedial action.
- 9.2. The licensee shall, within six months of the date of grant of this licence, submit a written Emergency Response Procedure (ERP) to the Agency for its agreement. The ERP shall address any emergency situations which may originate on the facility and shall include provision for minimising the effects of any emergency on the environment. This shall include a risk assessment to determine the requirements at the facility for fire fighting and fire water retention facilities. The Fire Authority shall be consulted by the licensee during this assessment.
- 9.3. The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the facility. Once used the absorbent material shall be disposed of at an appropriate facility.
- 9.4. Emergencies
 - 9.4.1. In the event of a complete breakdown of equipment or any other occurrence which results in the closure of the transfer station building(s), any waste arriving at or already collected at the facility shall be transferred directly to appropriate landfill sites or any other appropriate facility until step time as the transfer station building is returned to a fully operational status. Such a breakdown event will be treated as an emergency and rectified as soon as possible.
 - 9.4.2. All significant spillages occurring at the facility shall be treated as an emergency and immediately cleaned up and dealt with so as to alleviate their effects;
 - 9.4.3. No waste shall be burnt within the boundaries of the facility. A fire at the facility shall be treated as an emergency and immediate action shall be taken to extinguish it and notify the appropriate authorities.

REASON: To ensure compliance with the conditions of this licence by provision of a satisfactory system of monitoring of emissions

CONDITION 10 RECORDS

- 10.1 The licensee shall keep the following documents at the facility office.
 - a) the current waste licence relating to the facility;
 - b) the current EMS for the facility;
 - c) the previous year's AER for the facility;
 - d) all written procedures produced by the licensee which relate to the licensed activities;
 - e) all documentation and records required under this licence.

Environmental Protection Agency WL/114-1

Page 16 of 23

- 10.2 The licensee shall maintain a written record for each load of waste arriving at and departing from the facility. The licensee shall record the following:
 - the date: a)
 - the name of the carrier (including if appropriate, the waste carrier registration details); b)
 - c) the vehicle registration number;
 - the name of the producer(s)/collector(s) of the waste as appropriate; d
 - the name of the waste facility (if appropriate) from which the load originated including the e) waste licence or waste permit register number;
 - a description of the waste including the associated EWC codes; f)
 - the quantity of the waste, recorded in tonnes g)
 - h) the name of the person checking the load; and,
 - where loads or wastes are removed or rejected, details of the date of occurrence, the types i) of waste and the facility to which they were removed.
- 10.3 Written Records

The following written records shall be maintained by the licensee:

- a) the types and quantities of waste recovered at the facility each year. These records shall include the relevant EWC Codes;
- b) all training undertaken by facility staff;
- c) results from all integrity tests of bunds and other structures and any maintenance or only any remedial work arising from them; iredfor
- d) details of all nuisance inspections; and
- e) the names and qualifications of all persons who carry out all sampling and monitoring as required by this licence and who carry out the interpretation of the results of such sampling Forth and monitoring.
- and monitoring. 10.4 activity. Each such record shall give details of the following:
 - date and time of the complaint; a)
 - the name of the complainant; b)
 - c) details of the nature of the complaint;
 - d) actions taken on foot of the complaint and the results of such actions; and,
 - the response made to each complainant. e)
- A written record shall be kept at the facility of the programme for the control and eradication of 10.5 vermin and fly infestations at the facility. These records shall include as a minimum the following:
 - the date and time during which spraying of insecticide is carried out; a)
 - contractor details; b)
 - c) contractor logs and site inspection reports;
 - d) details of the rodenticide(s) and insecticide(s) used;
 - e) operator training details;

Environmental Protection Agency WL/144-1

Page 17 of 23

- f) details of any infestations;
- mode, frequency, location and quantity of application; and, g)
- measures to contain sprays within the facility boundary. h)

REASON: To provide for the keeping of proper records of the operation of the facility

CONDITION 11 REPORTS AND NOTIFICATIONS

- Unless otherwise agreed by the Agency, all reports and notifications submitted to the Agency 11.1 shall:
 - be sent to the Agency's headquarters; a)
 - comprise one original and three copies unless additional copies are required; b)
 - be formatted in accordance with any written instruction or guidance issued by the Agency; c)
 - include whatever information as is specified in writing by the Agency; d)
 - be identified by a unique code, indicate any modification or amendment, and be correctly e) dated to reflect any such modification or amendment;
 - be submitted in accordance to the relevant reporting frequencies specified by this licence, f) such as in Schedule E Recording and Reporting to the Agency of this licence; 23.2
 - g) be accompanied by a written interpretation setting out their significance in the case of all require monitoring data; and
 - be transferred electronically to the Agency's computer system if required by the Agency.
- 11.2 In the event of an incident occurring on the facility, the licensee shall:
 - a) notify the Agency as soon as practicable and in any case not later than 10.00 am the following working day after the occurrence of any incident;
 - submit a written second of the incident, including all aspects described in Condition 9.1(ab) e), to the Agency as soon as practicable and in any case within five working days after the occurrence of any incident; and
 - c) in the event of any incident which relates to discharges to surface/sewer water, notify Dundalk Urban District Council/Eastern Regional Fisheries Board as soon as practicable and in any case not later than 10:00am on the following working day after such an incident.
 - Should any further actions be taken as a result of an incident occurring, the licensee shall d) forward a written report of those actions to the Agency as soon as practicable and no later than ten days after the initiation of those actions.
- 11.3 Waste Recovery Reports

Within six months of the date of grant of this licence, a report examining waste recovery options shall be submitted to the Agency for its agreement. This report shall address methods to contribute to the achievement of the recovery targets stated in National and European Union waste policies and shall include the following:

- a) proposals for the contribution of the facility to the achievement of targets for the reduction of biodegradable waste to landfill as specified in the Landfill Directive;
- the separation of recyclable materials from the waste; b)

Environmental Protection Agency WL/144-1

Page 18 of 23

- c) the recovery of Construction and Demolition Waste;
- d) the recovery of metal waste and white goods including written procedures for the degassing of CFC's from refrigerators;
- e) the recovery of commercial and industrial waste, including cardboard.
- 11.4 Monitoring Locations
 - 11.4.1. Within six months of the date of grant of this licence, the licensee shall submit to the Agency an appropriately scaled drawing(s) showing all the monitoring locations that are stipulated in this licence. The drawing(s) shall include the reference code of each monitoring point.
- 11.5 Annual Environmental Report
 - 11.5.1. The licensee shall submit to the Agency for its agreement, within thirteen months from the date of grant of this licence, and one month after the end of each calendar year thereafter, an Annual Environmental Report (AER).
 - 11.5.2. The AER shall include as a minimum the information specified in Schedule H: Content of Annual Environmental Report and shall be prepared in accordance with any relevant written guidance issued by the Agency.
- 11.6 The licence shall, within six months of the date of grant of this licence submit a report to the Agency on a noise survey detailing the noise sources on-site. The licensee shall consult with the Agency on the timing, nature and extent of the survey and shall develop a survey programme to the satisfaction of the Agency.

REASON: To provide for proper reporting and notification of the Agency.

CONDITION 12 CHARGES AND FINANCIAL PROVISIONS

12.1 Agency Charges

- 12.1.1 The licensee shall pay to the Agency an annual contribution of €8.846 or such sum as the Agency from time to time determines, towards the cost of monitoring the activity or otherwise in performing any functions in relation to the activity, as the Agency considers necessary for the performance of its functions under the Waste Management Act, 1996. The licensee shall in 2003 and subsequent years, not later than January 31 of each year, pay to the Agency this amount updated in accordance with changes in the Public Sector Average Earnings Index from the date of the licence to the renewal date. The updated amount shall be notified to the licensee by the Agency. For 2002, the licensee shall pay a pro rata amount from the date of this licence to 31st December. This amount shall be paid to the Agency within one month of the date of grant of this licence.
- 12.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased the licensee shall contribute such sums as determined by the Agency to defraying its costs.
- 12.2 Financial Provision for Closure, Restoration and Aftercare
 - 12.2.1 The licensee shall arrange for the completion of a comprehensive and fully costed Environmental Liabilities Risk Assessment for the facility which will address liabilities arising from the carrying on of the activities to which this licence relates. A report on

Environmental Protection Agency WL/144-1

Page 19 of 23

this assessment shall be submitted to the Agency for its agreement within six months of date of grant of this licence.

- 12.2.2 Within nine months of the date of grant of this licence, the licensee shall make a Proposal for Financial Provision to the Agency for its agreement to cover any liabilities incurred by the licensee in carrying on the activities to which this licence relates. Such provision shall be maintained by the licensee unless otherwise agreed by the Agency.
- 12.2.3 The amount of financial provision, held under condition 12.2.2 shall be reviewed and revised as necessary, but at least annually. Any proposal for such a revision shall be submitted to the Agency for its agreement.
- 12.2.4 The licensee shall within two weeks of purchase, renewal or revision of the financial provision required under condition 12.2.2, forward to the Agency written proof of such indemnity.
- 12.2.5 Unless otherwise agreed any revision to the fund shall be computed using the following formula:

Cost = (ECOST x WPI) + CiCC Where:

Cost = Revised restoration and aftercare cost

ECOST = Existing restoration and aftercare cost

- WPI = Appropriate Wholesale Price Index [Capital Goods, Building & Construction (i.e. Materials & Wages) Index], as published by the Central Statistics Office, for the year since last closure calculation/revision.
- CiCC = Change in compliance costs as a result of change in site conditions, changes in law, regulations, regulatory authority charges, or other significant changes.
- 12.3 Sanitary Authority Charges
 - 12.3.1 Sanitary Authority charges shall be made payable to the Sanitary Authority directly on an annual basis. The charge per cubic meter of foul water will be notified to the licensee by the Sanitary Authority. Annual monitoring costs of €2.000 incurred by the Sanitary Authority shall also be defrayed by the licensee. Sanitary Authority charges may be increased from time to time in accordance with changes in the Public Sector Average Earnings Index and to reflect increased costs in providing drainage and monitoring services.

REASON: To provide for adequate financing for monitoring and financial provisions for measures to protect the environment.

Environmental Protection Agency WL/144-1

Page 20 of 23

SCHEDULE A : Waste Acceptance

A.1 Waste Acceptance

Table A.1 Waste Categories and Quantities

WASTE TYPE	MAXIMUM (TONNES PER ANNUM)
Household	35,000
Commercial	5,000
Industrial Non- Hazardous Solids	30,000
Construction and Demolition	20,000
TOTAL	90,000

Specified Engineering Works **SCHEDULE B :** othe

Specified Engineering Works

Installation of silt traps and oil interceptors / separators

Post only any Installation of waste handling, processing, recycling recovery infrastructure and installation of increased waste processing capacity. 032

Construction of buildings and enclosure of equipment.

Installation of foul water drainage networkstorage tanks and associated infrastructure.

Any other works notified in writing by the Agency. CONS

SCHEDULE C : Emission Limits

C.1 Noise Emissions: (Measured at the monitoring points indicated in Table D.1.1).

Day dB(A) L _{Aeq} (30 minutes)	Night dB(A) L _{Aeq} (30 minutes)
55	45

C.2 Dust Deposition Limits: (Measured at the monitoring points indicated in Table D.1.1).

Level (mg/m ² /day) ^{Note 1}	
350	
	· · · · · · · · · · · · · · · · · · ·

Note 1: 30 day composite sample with the results expressed as mg/m²/day.

Environmental Protection Agency WL/144-1

Page 21 of 23

C.3 Emission Limits for Emissions to Sewer:

FS1 - location to be agreed with the Sanitary Authority & the Emission Point Reference No. Agency.

Volume to be emitted:

 720 m^3 Maximum in any one day: 360 m³/hr Maximum rate per hour:

Parameter		Emission Limit Value	
	Grab Sample (mg/l)	Daily Mean Concentration (mg/l)	Daily Mean Loading (kg/day)
BOD	3000	-	-
COD	4500	-	-
Suspended solids	3000	-	-
pН	6 - 9	6 - 9	-
Temperature	30°C	30°C	-

SCHEDULE D : Monitoring

Monitoring to be carried out as specified below.

D.1 Monitoring Locations

State of the any other use. Monitoring locations shall be those as set out in Table D.1.1 and Attachment J of the application.

4

Table D.1.1 Noise, surface water and four water Monitoring Locations ð

NOISE	of juited DUST	FOUL WATER
STATIONS	STATIONS	STATIONS
N3 OTS	Dl	FS1 Note T
N4	D2	
NSL Note 2	D4	

Note 1: Location to be agreed with the Sanitary Authority and the Agency. Note 2: Location to be agreed with the Agency.

D.2 Dust

Table D.2.1 **Dust Monitoring Frequency and Technique**

Parameter (mg/m²/day)	Monitoring Frequency	Analysis Method/Technique
-----------------------	----------------------	---------------------------

Dust

Three times a year Note 2

Standard Method Note 1

Note 1: Standard method VD12119 (Measurement of Dustfall, Determination of Dustfall using Bergerhoff Instrument (Standard Method) German Engineering Institute). A modification (not included in the standard) which 2 methoxy ethanol may be employed to eliminate interference due to algae growth in the gauge.

Note 2: Twice during the period May to September.

D.3 Noise

Table D.3.1 Noise Monitoring Frequency and Technique

Environmental Protection Agency WL/1 14-1

Page 22 of 23

Parameter	Monitoring Frequency	Analysis Method/Technique
L(A) _{EQ} [30 minutes]	Annual	Standard Note 1
L(A) ₁₀ [30 minutes]	Annual	Standard Note 1
L(A) ₉₀ [30 minutes]	Annual	Standard Note 1
Frequency Analysis(1/3 Octave band analysis)	Annual	Standard Note

Note 1: "International Standards Organisation. ISO 1996. Acoustics - description and Measurement of Environmental noise. Parts 1, 2 and 3."

D.4 Emissions to Sewer Monitoring

	Table D.4.1	Emissions to Sewe	er Monitoring	Frequency an	d Techniques
1					

Parameter	Monitoring Frequency	Analysis Method/Technique Note t
Flow to sewer	Continuous	Continuous
pH	Continuous	Electrometry
Biological Oxygen Demand	Quarterly	Standard Methods Note 2
Chemical Oxygen Demand	Quarterly	Standard Methods Note 2
Suspended Solids	Quarterly	Standard Methods Note 2

Note 1: Or an equivalent method acceptable to the Sanitary Authority and the Agency.

Note 2: "Standards Methods for the Examination of Water and Wastewater", (prepared and published jointly by A.P.H.A., A.W.W.A. & W.E.F.) 20th Ed., American Public Health Association, 1015 Fifteenth Street, Washington DC 20005, USA.

SCHEDULE E :Recording and Reporting to the Agency

 D	Dingo, inc.	
Report	Frequency Note1	Report Submission Date
Environmental Management System	Reporting Frequency Notes Hell Annually Annually	One month after the end of the year reported on.
Annual Environment Report (AER)	Annually	Thirteen months from the date of grant of licence and one month after the end of each calendar year thereafter.
Record of incidents	As they occur	Within five days of the incident.
Bund, tank and container integrity assessment	Every three years	Six months from the date of grant of licence and one month after end of the three year period being reported on.
Specified Engineering Works reports	As they arise	Prior to the works commencing.
Monitoring of Foul water	Quarterly	Ten days after end of the quarter being reported on.
Dust Monitoring	Three times a year	Ten days after the period being reported on
Noise Monitoring	Annualiy	One month after end of the year being reported on.
Any other monitoring	As they occur	Within ten days of obtaining results.
Note 1: Unless aftered at the request of the Agency		

Environmental Protection Agency WL/114-1

Page 23 of 23

SCHEDULE F: Content of the Annual Environmental Report

Annual Environmental Report Content

Reporting Period.

Waste activities carried out at the facility.

Quantity and Composition of waste recovered, received and disposed of during the reporting period and each previous year (relevant EWC codes to be used)

Summary report on emissions

Summary of results and interpretations of environmental monitoring, including a location plan of all monitoring locations.

Resource and energy consumption summary.

Development / Infrastructural works in place and planned, to process waste quantities projected for the following year (including plant operating capacity, provision of adequate standby capacity and provision of contingency, backup and spares in the case of breakdown)

Schedule of Environmental Objectives and Targets for the forthcoming year.

Report on the progress towards achievement of the Environmental Objectives and Targets contained in previous year's report.

Full title and a written summary of any procedures developed by the licensee in the year which relates to the facility operation.

Tank, drum, pipeline and bund testing and inspection report.

Reported Incidents and Complaints summaries. Review of Nuisance Controls. Reports on financial provision made under this licence, management and staffing structure of the facility, and a programme for public information (ed

ner

Volume of foul water produced and volume of foul water discharged to sewer.

Any other items specified by the Agency.

Note 1: Content to be revised subject to the agreement of of copying

Sealed by the seal of the Agency on this the 6th day of February 2002

PRESENT when the seal of the Agency was affixed hereto:

Padraic Larkin, Director/Authorised Person

Environmental Protection Agency WL/1-14-1

Page 24 of 23

Attachment B

- (a) Copy of Certificate of Incorporation: see attached.
- (b) Company's Number in Company's Registration Office: 315604
- (c) Registered Office of the Company: 3rd Floor, Quayside Business Park, Mill Street, Dundalk, Co. Louth.

Consent of copyright owner required for any other use.

DUPLICATE FOR THE FILE

Date: 23/11 (99)

Number 315604

Certificate of Incorporation

I hereby certify that

OXIGEN ENVIRONMENTAL LIMITED

is this day incorporated under the Companies Acts 1963 to 1999 and that the company is limited.

on Purposes only any other Given under my hand at Dublin, this N Monday, the 22nd day of November, 1999

con

M. Reilly for Registrar of Companies

Certificate handed to/posted to*:

Ap Consulting Orchard House, Clonskeagh Square, Clonskeagh, Dublin 14.

Signed:

*Delete as appropriate

Attachment C: Fit and Proper Person

1. Convictions

The EPA prosecuted Oxigen Environmental Ltd on the 9th of December 2004 for breaches of its Waste Licence (Reg. No. 152-01) during the year 2003, at Dublin Metropolitan District Court. The Company was convicted for sending waste off site to facilities without the EPA's consent, and for accepting more waste than permitted amount. The court imposed fines on each of these offences.


2. Applicants Technical Knowledge

The existing management and staffing structure at the Facility will remain the same as is currently in place. A copy of the Facility Management Structure is attached.

3. Financial Commitments

See Attachment F of this application.





Sean Rooney Limited t/a Bambi Bins & Wheel Bin Services Limited. Transfer of Licence W0144-01 Application

Attachment E: Transfer of Licence Details

The Proposed Transferee (Oxigen Environmental Ltd.) has had previous applications for Waste Licences granted by the Environmental Protection Agency. Details of these Licensed Facilities are outlined in Table 1 below.

Table 1: Waste Licences held by Oxigen Environmental Ltd.	by Oxigen Environmental L	td.			
Licence Holder	Location of Facility	Licence	Date of	Licensed Activities (in accordance	
		Register	Licence	with the Third and Fourth Schedule	
		Number	Granted	of the Waste Management Acts 1996	
	C			to 2003)	
Oxigen Environmental Ltd.	Robinhood Industrial	W0152-03	26/07/05	Disposal Classes 11, 12, 13.	1
	Estate, Robinhood Rod,				
	Ballymount, Dublin 229, 9				
Oxigen Environmental Ltd.	Ballymount Industrial	10-80208-01	07/03/06	Disposal Classes 7, 11, 12, 13.	T
	Estate, Ballymount Road	town			
	Lower, Clondalkin,	purper re		Recovery Classes 2, 3, 4, 11, 12, 13.	
	Dublin 22	oline			
Cavan Waste Disposal Ltd.	Killygarry Industrial	W0207-06.9. 29/06/05	29/06/05	Disposal Classes 11, 12, 13.	1
(As part of the Oxigen	Park, Cavan, Co. Cavan	2113	ć		
Group)			ther	Recovery Classes 2, 3, 4, 11, 12, 13.	
			15 ^{e.}		
					٦

The Proposed Transferee (Oxigen Environmental Ltd.) has not had an application for a Licence rejected or been refused as a transferee for a Licence. Oxigen Environmental Ltd has not had a Licence revoked at any stage. Page 1 of 1

Attachment F: Estimated Expenditure & Financial Provisions

It is not envisaged that the site located at the Coes Road., Dundalk, Co. Louth will be shut down or decommissioned in the short to medium term. However, a Decommissioning and Aftercare Plan has been drafted for the Facility as per conditions of the Waste Licence which details the procedure used in the unlikely event that the Facility ceases operations.

An Environmental Liabilities Risk Assessment was forwarded to the Agency in March 2003. Details of costs for the Financial Provision for Closure, Restoration and Aftercare were included as part of this report. Bambi Bins & Wheel Bin Services proposed to put a Bank Bond in place to cover such costs once the figures had been accepted by the Agency.

At present Oxigen Environmental Ltd have sufficient turnover and company assets to offset environmental liabilities that may be incurred during the course of the Facility Operations or in the event that the facility is closed. This will include the covering of costs associated with abatement installation, control & monitoring; closure & remediation of the site; clean-up following a plausible accident/incident and/or long-term aftercare for residual environmental liabilities. Oxigen Environmental shas Pollution Cover of up to $\notin 10M$ with Brit Insurance, Policy No: A2602620 / 35136.

Consent of convinging on principal convinging the convinging the convinging the convinging the convinging the convinging the convertex of the convinging the convertex of the convinging the convertex of the conv



Unit 4, First Floor Riverfront Building Howley's Quay Limerick

T: +353 (0) 61 312737 F: +353 (0) 61 312726 info@bhdi.ie www.hooperdolan.ie

11th February 2009.

TO WHOM IT MAY CONCERN

RE: EMPLOYERS/PUBLIC & PRODUCTS LIABILITY INSURANCES Oxigen Environmental Limited & Oxigen Commercial Ltd T/A Bambi Bins.

We act as Insurance Brokers for the above named.

We confirm that Employers and Public/Products Liability Insurances are effected with Brit Insurance Company and the details are as follows:

Policy No:

A2602620/35136

Business Description:

Refuse Collectors, Recycling Contractors, Wheel Bin Operators, Skip Hirers, Road Sweepers, Vehicle Maintenance and Repair, Gully Cleaners, Landfill Operators and Property Owners.

(a) Employers Liability Limit of Indemnity: any on period

€13 million any one occurrence/unlimited

Period of Cover:

🕉th February 2009 – 20th March 2010

(b) Public/Products Liability Limits of Indemnity.

Public Liability:

Products Liability:

Pollution Liability:

Period of Cover:

Indemnity to Principles:

Conditions:

€10M any one occurrence/unlimited during the period €10M during the period.

€10M during the period.

6th February 2009 – 20th March 2010

General Indemnity to Principles Clause applies.

Policy automatically extends to note a Specific Indemnity to any Local Authority who engages the Insured but only in respect Of the Insured's legal liabilities.

Directors: Shane Bermingham (Managing), David Bermingham, Ronald F. Dolan, Cathal Lowe. Registered Office: Unit 4, 1st Floor, Riverfront Building, Howley's Quay, Limerick. Registered Number 450976 Bermingham Hooper Dolan Insurances Limited is regulated by the Financial Regulator

Associate Hooper Dolan Group Offices: Birr • Carlow • Clane • Derry • Ennis • Galway • Killarney • Newtownmountkennedy • Sligo • Thurles • Tipperary • Tuam • Tullow



Unit 4, First Floor Riverfront Building Howley's Quay Limerick

T: +353 (0) 61 312737 F: +353 (0) 61 312726 info@bhdi.ie www.hooperdolan.ie

Specific Indemnities:

Insurers have granted Specific Indemnities to the following County Councils but only in respect of the Insured's Legal Liabilities:

- Mayo County Council
- Roscommon County Council
- Leitrim County Council
- Sligo County Council
- Galway City Council
- Galway County Council
- Cork City Council
- Cork County Council
- Offaly County Council
- Drogheda Borough Council
- Cavan County Council
- Kilkenny County Council
- Carlow County Council
- Waterford County Council
- Wexford County Council
- South Tipperary County Council
- Dundalk Town Council

Insurers have granted a Specific Indemnity to the Health Service Executive in respect of the Insured's Legal Liabilities.

I trust you find the above in order and should you require any further information please do not hesitate to contact the undersigned.

https:// any offer here.

Yours Sincerely,

Shane Bermingham BA Managing Director Bermingham Hooper Dolan Insurances

*: \shane\oxigan_environmental_limited\2009_cover_note_ll_David Bermingham, Ronald F. Dolan, Cathal Lowe. Directors: Shane Bermingham (Managing), David Bermingham, Ronald F. Dolan, Cathal Lowe. Registered Office: Unit 4, 1st Floor, Riverfront Building, Howley's Quay, Limerick. Registered Number 450976 Bermingham Hooper Dolan Insurances Limited is regulated by the Financial Regulator

EPA Export 26-07-2013:16:33:00