


Waste Licence Application Form



This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts 1996 to 2003.

Environmental Protection Agency

P.O.Box 5000, Johnstown Castle Estate, County Wexford Telephone: 053-60600 Fax: 053-60699



Environmental Protection Agency Application for a Waste Licence

WASTE MANAGEMENT ACTS 1996 to 2003

CONTENTS

		Page
INTRODUCT	TON	3
CHECKLIST		4
PROCEDURE	ES	10
SECTION A	NON-TECHNICAL SUMMARY	12
SECTION B	GENERAL	13
SECTION C	MANAGEMENT OF THE FACILITY different	19
SECTION D	INFRASTRUCTURE & OPERATION	21
SECTION E	EMISSIONS CHAPTER TO THE FEET OF THE PROPERTY	26
SECTION F	CONTROL & MONITORING	28
SECTION G	RESOURCES USE & ENERGY EFFICIENCY	31
SECTION H	MATERIALS HANDLING	32
SECTION I	EXISTING ENVIRONMENT & IMPACT OF THE FACILITY	35
SECTION J	ACCIDENT PREVENTION & EMERGENCY RESPONSE	37
SECTION K	REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE	38
SECTION L	STATUTORY REQUIREMENTS	38
SECTION M	DECLARATION	40

ANNEX 1: STANDARD FORMS

Application Form.doc Page 2 of 40



INTRODUCTION

A valid application must contain the information prescribed in the Waste Management (Licensing) Regulations 2004 (SI No. 395 of 2004). The applicant is strongly advised to read the *Application Guidance Notes* for Waste Licensing, available from the EPA.

The applicant must conform to the format set out in the guidance notes for applications. Each page of the completed application form must be numbered, e.g. page 5 of 45, etc. Also duplicated pages from the application form should be uniquely numbered, e.g. page 5(i) of 45, etc. **The basic information should for the most part be supplied in the spaces given in application form** and any supporting documentation should be supplied as attachments, as specified. Consistent measurement units must be used throughout.

The applicant should note that the application form has been structured so that it requires information to be presented in an order of progressive detail.

When it is found necessary, additional information may be provided on supplementary attachments which should be clearly cross referenced with the relevant sections in the main document.

While all sections in the application form may not be relevant to the activity concerned, the applicant should look carefully through all aspects of the form and provide the required information, in the greatest possible detail.

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

Information supplied in this application, including supporting documentation will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to". In the event that information is considered to be of a confidential nature, then the nature of this information, and the reasons why it is considered confidential (with reference to the "Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.

Application Form.doc Page 3 of 40



CHECKLIST

Articles 12 and 13 of the Waste Management (Licensing) Regulations, 2004 (S.I. No. 395 of 2004) set out the information which must, in all cases, accompany a waste licence application. In order to ensure that the application fully complies with the legal requirements of Articles 12 and 13 of the 2004 Regulations, all applicants should **complete** the following.

In each case, refer to the attachment number(s) of your application which contain(s) the information requested in the appropriate sub-article.

Article 12(1) In the case of an application for a waste licence, the application shall -

(a) give the name, address and, where applicable, any telephone number and telefax of the applicant (and, if different, the operator of the facility concerned), the address to which correspondence relating to the application should be sent and, if the applicant or operator is a body corporate, the address of its registered office or principal office,

LOCATION	Section B.1 & Attachment			
	B.1	34. 24 of		
CHECKED	Applicant	X soft of div	Official	

(b) give the name of the planning authority in whose functional area the relevant activity is or will be carried on,

LOCATION	Section B.3	
CHECKED	Applicant X	Official

(c) in the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority, give the name of the sanitary authority in which the sewer is vested or by which it is controlled,

LOCATION	Not Applicable	
CHECKED	Applicant X	Official

(d) give the location or postal address (including where appropriate, the name of the townland or townlands) and the National Grid reference of the facility or premises to which the application relates,

LOCATION	Section B.2 & Attachment B.2	
CHECKED	Applicant X	Official

(e) describe the nature of the facility or premises concerned, including the proposed capacity of the facility or premises, and in the case of

Application Form.doc Page 4 of 40



application in respect of a landfill of waste, the requirements specified in Annex 1 of the Landfill Directive,

LOCATION	Attachments B7, D1 to D6, E1 to E4, F1 to F8, &	
CHECKED	I1 to I4 Applicant X	Official

(f) specify the class or classes of activity concerned, in accordance with the Third and Fourth Schedules of the Act, and in the case of an application in respect of the landfill of waste, specify the class of landfill in accordance with Article 4 of the Landfill Directive,

LOCATION	Section B.7.& Attachment B.7	
CHECKED	Applicant X	Official

(g) specify, by reference to the relevant European Waste Catalogue codes as presented by Commission Decision 2000/532/EC of 3 May 2000, the quantity and nature of the waste or wastes which will be treated, recovered or disposed of,

LOCATION	es a for a		
	Attachments H Live		
CHECKED	Applicant	Official	

(h) specify the raw and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity,

LOCATION	Attachments	s G1 & G2		
CHECKED	Applicant	X	Official	

(i) describe the plant, methods, processes, ancillary processes, abatement, recovery and treatment systems and operating procedures for the activity,

LOCATION	Attachments D1 to D6, F1		
	to F9,G1, H1& H2		
CHECKED	Applicant X	Official	

(j) provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in paragraphs (a) to (g) of section 40(4) of the Act,

LOCATION	Attachment L.1 & Section 6 and 7 of EIS	
CHECKED	Applicant X	Official

Application Form.doc Page 5 of 40

(k) give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made,

LOCATION	Attachments E1 to E6	
CHECKED	Applicant X	Official

(l) give details, and an assessment of the effects, of any existing or proposed emissions on the environment, including any environmental medium other than those into which the emissions are, or are to be made, and of proposed measures to prevent or eliminate or, where that is not practicable, to limit or abate such emissions,

LOCATION	Attachments I1 to I4. & officer and office	
CHECKED	Applicant X	Official

(m) identify monitoring and sampling points and indicate proposed arrangements for the monitoring of emissions and the environmental consequences of any such emissions,

LOCATION	Attachments	F2 to F8 &	
C	I1 to I4		
CHECKED	Applicant	X	Official

(n) describe any proposed arrangements for the prevention, minimisation and recovery of waste arising from the activity concerned,

LOCATION	Attachments H1, H2 & H3	
CHECKED	Applicant X	Official

(o) describe any proposed arrangements for the off-site treatment or disposal of solid or liquid wastes,

LOCATION	Not Applicable	Landfill	Restored
CHECKED	Applicant X		Official

Application Form.doc Page 6 of 40

Poa_

WASTE Application Form

(p) describe the existing or proposed measures, including emergency procedures, to prevent unauthorised or unexpected emissions and minimise the impact on the environment of any such emission,

LOCATION	Attachments H2,H3, I1 to I4 & J1	
CHECKED	Applicant X	Official

(q) describe the proposed measures for the closure, restoration, remediation or aftercare of the facility concerned, after the cessation of the activity in question,

LOCATION	Attachment K1, C2 & C4	
CHECKED	Applicant X	Official

- (r) in the case of an application in respect of the landfilling of waste, give particulars of
 - (i) such financial provision as is proposed to be made by the applicant, having regard to the provisions of Articles (7)(i) and (8)(a)(iv) of the Landfill Directive and section 53(1) of the Act, and

LOCATION	Attachment L.2	Authority
CHECKED	Applicant Mixitor	Official

(ii) such charges as are proposed or made, having regard to the requirements of section 53A of the Act,

LOCATION	Attachment L.2 Local	Authority
CHECKED	Applicant X	Official

(s) state whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous Substances) Regulations, 2000 (S.I. No. 476 of 2000) apply,

LOCATION	Not Applicable	
CHECKED	Applicant X	Official

(t) in the case of an activity which gives rise or could give rise to an emission into an aquifer containing the List I and II substances specified in the Annex to Council Directive 80/68/EEC of 17 December 1979, describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6,7,8,9 and 10 of the aforementioned Council Directive,

LOCATION	Attachments I4 & EIS	
	Section 6 and 7	
CHECKED	Applicant X	Official

Application Form.doc Page 7 of 40

Poa_

WASTE Application Form

(u) include a non-technical summary of information provided in relation to the matters specified in paragraphs (a) to (t) of this sub-article,

LOCATION	Attachment A.1	
CHECKED	Applicant X	Official

- **Article 12(4)** Without prejudice to Article 13(1) and (2), an application for a licence shall be accompanied by -
 - (a) a copy of the relevant page of the newspaper(s) in which the notice in accordance with article 6 has been published,

LOCATION	Attachment B.6	
CHECKED	Applicant X	Official

(b) a copy of the text of the notice or notices erected or fixed in accordance with article 7,

				156	
LOCATION	Attachment E	3.6	ather		
CHECKED	Applicant	X	योत्रं यात्र	Official	

(c) where appropriate, a copy of the notice given to a local planning under article 9,

LOCATION	Not Applicable	
CHECKED	Applicant X	Official

- (d) a copy of such plans (appropriately scaled and no larger than A3 size), including a site plan or plans and location map or maps, and such other particulars, reports and supporting documentation as are necessary to identify and describe, as appropriate -
 - (i) the position of the notice in accordance with article 7,

LOCATION	Attachment B1 & B6	
CHECKED	Applicant X	Official

(ii) the point or points from which emissions are made or are to be made, and

LOCATION	Attachments E1, E2,E4, & E6	
CHECKED	Applicant X	Official

Application Form.doc Page 8 of 40

Popa .

WASTE Application Form

(iii) the point or points at which monitoring and sampling are undertaken or are to be undertaken,

LOCATION	Attachments F2 to F9	
CHECKED	Applicant X	Official

(e) such fee as is appropriate having regard to the provisions of articles 40 and 41.

INCLUDED Y/N	Yes		
CHECKED	Applicant	X	Official

Article 12(5)(a) & (b) An application shall comprise 1 signed original of the application and 2 copies in hardcopy format plus 2 copies of all files in electronic searchable PDF format on CD-Rom.

			15€.
HARDCOPIES PROVIDED	Yes	ther	×
Y/N	44	· 2300	
CHECKED	Applicant	§ X	Official
	alpostited.		
CD OF PDF FILES	Yes		
PROVIDED? Y/N	ectioning		
CHECKED	Applicant	X	Official
i cod	No.		

Article 13 Where a development requires an Environmental Impact Assessment to be carried out, I signed original and 2 copies in hardcopy format of the environmental impact statement plus 16 copies in electronic searchable PDF format on CD-ROM should accompany this application.

EIA REQUIRED? Y/N	Yes		
CHECKED	Applicant	X	Official
3 HARD COPIES OF EIS INCLUDED? Y/N	Yes		
CHECKED	Applicant	X	Official
16 CD versions of EIS, as PDF files, PROVIDED? Y/N	Yes		
CHECKED	Applicant	\mathbf{X}	Official

Application Form.doc Page 9 of 40



PROCEDURES

It is recommended that pre-application consultations with the Agency are undertaken before a formal submission of the waste licence application.

The procedure for making and processing of applications for waste licences, and for the processing of reviews of such licences, appear in the Waste Management (Licensing) Regulations 2004 (S.I. No. 395 of 2004) and are summarised below. The application fees that shall accompany an application are listed in the Second Schedule to the Regulations.

Prior to submitting an application the applicant must publish in a local newspaper, and erect on site, a notice of intention to apply. An applicant, other than a local authority in whose functional area the development is located, must also notify the Local Planning Authority, in writing, of their intention to apply.

An application for a licence must be submitted on the appropriate form (available from the Agency) with the correct fee, and should contain relevant supporting documentation as attachments. The application should be based on responses to the form, supporting written text and the appropriate use of tables and drawings. Where point source emissions occur, a system of unique reference numbers should be used to denote each emission point. These should be simple, logical, and traceable throughout the application.

The application form is divided into a number of sections of related information. The purpose of these divisions being to facilitate both the applicant and the Agency in the provision of the information and its assessment. Attachments should be clearly numbered, titled and paginated and must contain the required information as set out in the application form. Additional attachments may be included to supply any further information supporting the application. Any references made should be supported by a bibliography.

All questions should be answered. No waste management facility is exactly the same and hence each application will require different information. It is therefore possible that some of the sections of this application form may not be relevant to the activity concerned. Where information is requested in the application form, which is not relevant to the application, the words "not applicable" should be clearly written on the form. The abbreviation "N/A" should not be used.

Additional information may need to be submitted beyond that which is explicitly requested on this form. Any references made should be supported by a bibliography. The Agency may request further information if it considers that its provision is material to the assessment of the application. Advice should be sought from the Agency where there is doubt about the type of information required or the level of detail.

Information supplied in this application, including supporting documentation will be put on public display and be open to inspection by any person. **Should the applicant**

Application Form.doc Page 10 of 40

Poa .

WASTE Application Form

consider information to be confidential, then the nature of this information, and the reasons why it is considered confidential should be clearly stated in an attachment to the Application Form. This information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to (representative of the applicant)".

Applicants should be aware that a contravention of the conditions of a waste licence is an offence under Section 39 of the Waste Management Acts 1996 to 2003.

The provision of information in an application for a waste licence which is false or misleading is an offence under Section 45 of the Waste Management Acts 1996 to 2003.

Note: <u>*Drawings.*</u> *The following guidelines are included to assist applicants:*

- All drawings submitted should be titled and dated.
- They should have a <u>unique reference number</u> and should be signed by a clearly identifiable person.
- They should indicate a scale and the direction of north
- All drawings should, generally, be to a scale of between 1:20 to 1:500, depending upon the degree of detail needed to be shown and the size of the facility. Drawings delineating the boundary can be to a smaller scale of between 1:1000 to 1:10560, but must clearly and accurately present the required level of detail. Drawings showing the site location can be to a scale of between 1:50 000 to 1:126 720. All drawings should, however, be A3 or less and of an appropriate scale such that they are clearly legible. Provide legends on all drawings and maps as appropriate.

The provision of information in an application for a waste licence, which is false or misleading, is an offence under s45 of the Acts.

Application Form.doc Page 11 of 40



SECTION A NON-TECHNICAL SUMMARY

A Non-Technical Summary is to be submitted. The summary should include information on those aspects outlined in the Guidance Note and must comply with the requirements of Article 12 (1) (u) of the Waste Management (Licensing) Regulations, S.I. 395 of 2004.

The Non-Technical Summary should form **Attachment A.1**.



Application Form.doc Page 12 of 40

SECTION B GENERAL

B.1 Applicant's Details

ZVI TIPPWW	
Name*:	Wicklow Council
Address:	County Buildings
	Wicklow.
Tel:	0404 20100
Fax:	0404 67792
e-mail:	envserv@wicklowcoco.ie

Name and Address for Correspondence

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name:	Philip Duffy, Senior Executive Officer
Address:	365 460
	Same as above
	ation verice
	. selle of the
Tel:	Forthigh
Fax:	Leave the second se
e-mail:	geth C
Address oj	registered or principal office of Body Corporate (if applicable)
Address:	Not Applicable
Tel:	
Fax:	
e-mail:	

If the applicant is a body corporate, the following information must be attached as **Attachment B1**:

- a) a Certified Copy of the Certificate of Incorporation or Memorandum and Article of Association;
- b) the Company's Registration Number from the Companies Registry Office; and
- c) a list of the Company Directors.

Application Form.doc Page 13 of 40

^{*} This should be the name of the applicant which is current on the date this Waste Licence Application is lodged with the Agency. It should be the name of the legal entity (which can be a limited company or a sole trader). A trading/business name is not acceptable.



 $Application\ Form.doc$

WASTE Application Form

State the interest of the applicant in the land which is subject to the application. The applicant is (please check):

Landowner X
Lessee
Prospective Purchaser
Other (please specify)
Name and address of all occupiers of the land on which the Activity is situated (if different from
applicant named above).
Name: Not Applicable
Address:
Tel:
Fax:
e-mail:
.0.*
Name and address of the current* owner(s) and lessees of the land, buildings and ancillary plant
on which the activity is or will be situated (if different from applicant named above).
An appropriately scaled drawing(≤A3) showing the above details should be included in Attachment B1.
n de la companya de
Name: Avoca Mines Limited in receivership
Address: C/o Paddy Quinn,
Orpen Franks & Co.,
30 Burlington Road, Kolyrid
Dublin 4.
Tel: 01 6689622
Fax:
e-mail:
*Current at the time the application is submitted
Note: Wicklow County Council are the beneficial owners of the site and Avoca Mines Limited in
receivership are the legal owners. See Attachment B1 for Wicklow County Council ownership boundary
marked in blue.
B.2 Location of Activity
Name: Ballymurtagh Landfill Facility
Address*: Ballymurtagh, Ballygahan Upper, Ballygahan Lower, Tinnahinch,
Co. Wicklow
Tel:
Fax:
e-mail:
* Include any townland

Page 14 of 40



National Grid Reference	319760.00E
(8 digit 4E,4N)	181520.00N

Location maps (\leq A3), appropriately scaled, with legible grid references should be enclosed in **Attachment B.2.** The site boundary must be outlined on the map in colour.

B.3 Planning Authority

Give the name of the planning authority in whose functional area the activity is or will be carried out.

Name:	Wicklow County Council
Address:	County Buildings,
	Wicklow
	Co. Wicklow
Tel:	0404 20100
Fax:	

Has the Planning Authority received written notification from the applicant of the application to The Environmental Protection Agency for a Waste Licence under Article 9 of the Waste Management (Licensing) Regulations?

Planning Authority notified Yes Not Applicable No X

Planning Permission relating to this application

has been obtained	
is being processed	
is not yet applied for	
is not required	X

Local Authority Planning	
File Reference Nº:	

Attachment B.3 should contain *the most recent* planning permission, including a copy of *all* conditions, and the required copies of any EIS should also be enclosed. For existing activities, **Attachment B.3** should also contain copies of the most recent waste licence and any permits in force at the time of submission. Where planning permission is not required for the development, provide reasons, relevant correspondence, *etc*.

Application Form.doc Page 15 of 40



B.4 Sanitary Authority

In the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority or other body, give the name of the sanitary authority in which the sewer is vested or by which it is controlled and the waste water treatment plant (if any) to which the sewer discharges.

Name:	Not Applicable
Address:	
Tel:	
Fax:	

The applicant must enclose, as **Attachment B.4**, a copy of any effluent discharge licence and/or agreement between the applicant and the body with responsibility for the sewer.

B.5 Other Authorities

The applicant should tick the appropriate box below to identify whether the activity is located within the Shannon Free Airport Development Company (SFADCo.) area.

	K. W.
Within SFA	ADCo. Area Yes No X
The applican	nt should indicate the Health Board Region where the activity is or will be located.
Name:	Dublin Mid Lenister Health Board Area 10
Address:	Glenside Road
	Wicklow Kot Still
	A. Cole
Tel:	0404 68400 gen
Fax:	Coft

B.6 Notices and Advertisements

Articles 6 and 7 of the Waste Management (Licensing) Regulations 2004 requires all applicants to advertise the application in a newspaper and by way of a site notice. See *Guidance Note*.

Attachment B.6 should contain a copy of the site notice and an appropriately scaled drawing (\leq A3) showing its location on site. The original application must include the complete newspaper in which the advertisement was placed. The relevant page of the newspaper containing the advertisement should be included with the original and three copies of the application.

Application Form.doc Page 16 of 40



B.7 Type of Waste Activity, Tonnages & Fees

B.7.1 Specify the class or classes of activity in Table B.7.1, in accordance with the Third Schedule or Fourth Schedule to the Waste Management Acts 1996 to 2003, to which the application relates (check the relevant box(es) and mark the principal activity with a 'P').

Attachment B.7 should identify the principle activity and include a brief technical description of each of the other activities specified. **There can only be one principal activity.**

TABLE B.7.1 THIRD AND FOURTH SCHEDULES OF THE WASTE MANAGEMENT ACTS 1996 TO 2003

Waste Management Acts 1996 to 2003				
THIRD SCHEDULE Waste Disposal Activities	Y/N	FOURTH SCHEDULE Waste Recovery Activities	Y/N	
Deposit on, in or under land (including landfill).	P	Solvent reclamation or regeneration.	N	
2. Land treatment, including biodegradation of liquid or sludge discards in soils.	N	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).	Y	
3. Deep injection of the soil, including injection of pumpable discards into wells, salt domes or naturally occurring repositories.	Nose Purposi	Recycling or reclamation of metals and metal compounds.	Y	
Surface impoundment, including placement of liquid or sludged discards into pits, ponds or lagoons.	No.	4. Recycling or reclamation of other inorganic materials.	Y	
5. Specially engineered landfill, including placement into lined discrete cells which are capped and isolated from one another and the environment.	N	5. Regeneration of acids or bases.	N	
6. Biological treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 7 to 10 of this Schedule.	N	6. Recovery of components used for pollution abatement.	N	
7. Physico-chemical treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 8 to 10 of this Schedule (including evaporation, drying and calcination).	N	7. Recovery of components from catalysts.	N	
8. Incineration on land or at sea.	N	8. Oil re-refining or other re-uses of oil.	N	
Permanent storage, including emplacement of containers in a mine.	N	9. Use of any waste principally as a fuel or other means to generate energy.	N	
10. Release of waste into a water body (including a seabed insertion).	N	 The treatment of any waste on land with a consequential benefit for an agricultural activity or ecological system. 	N	
11. Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.	N	11. Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule.	N	
12. Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.	N	 Exchange of waste for submission to any activity referred to in a preceding paragraph of this Schedule. 	N	
13. Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.	N	13. Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.	N	

Application Form.doc Page 17 of 40



TABLE B.7.2 MAXIMUM ANNUAL TONNAGE

The maximum annual tonnage of waste to be handled at the site should be indicated and the year to which the quantity relates indicated.

Maximum annual tonnage at the Recycling Centre is 600 tpa

Maximum Annual Tonnage (tpa)	600
Year	2008

B.7.3 FEES

State each class of activity for which a fee is being submitted as per Part I of the Second Schedule of the Waste Management (Licensing) Regulations 2004, S.I. No. 395 of 2004. Note: two fees are required if disposal and recovery are to occur.

Waste Activity	Fee (in €)
Disposal of Waste (appropriate	€6,000 (Nil Import)
disposal activity $1.1 - 3.3$)	
Recovery of Waste (4)	€6,000
Total	€12,000

Note: Please see Attachment B.7 with respect to Waste Activity

TABLE B.7.4 (FOR A LANDFILL APPLICATION)

STATE WHICH OF THE FOLLOWING IS RELEVANT TO THE CURRENT APPLICATION.

- AV. SV	
(a) landfill for hazardous waste	
(b) landfill for non-hazardous waste	X
(c) landfill for inert waste	

B.8 SEVESO II DIRECTIVE

State whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous substances) Regulations, 2000 (S.I. No. 476 of 2000), apply.

Regulations Apply	Yes	No X

If yes, **Attachment B.8** should include the relevant details. Supporting information, as well as copies of any Hazardous Operation Studies (HAZOP) carried out for the site, should also be included in the attachment.

Application Form.doc Page 18 of 40



SECTION C MANAGEMENT OF THE FACILITY

Advice on completing this section is provided in the *Guidance Note*.

C.1 Technical Competence and Site Management

This information should form **Attachment C 1**.

Details of the applicant's experience and qualifications, along with that of other relevant employees, should be summarised as shown below. Statements of duties, responsibilities, experience and qualifications should be submitted for each position named below. Additional information, including the management structure and an organisational chart, should be included in **Attachment C 1.**

Name	Position	Duties and Responsibilities	Experience /Qualifications
Seamus Breslin	Facility Manager	Aftercare management and monitoring of the landfill	30 years experience in Local Authority Environment and Waste Management
		97. sty other inse.	FAS Waste Management Course
Myles Doyle	Facility Superviser	Superviser Recycling Centre Recycling Recycling	20 years experience in Waste Management FAS Waste Management Course
Seamus Curran	Site Operative	General operative at the Recycling Centre	FAS supervisor for 10 years

C.2 Environmental Management System

Attachment C 2 should contain the Environmental Management System (EMS) details required.

C.3 Hours of Operation

Attachment C 3 should contain details of hours of operation for the waste facility, civic waste facilities and other facilities.

- (a) Proposed hours of operation.
- (b) Proposed hours of waste acceptance/handling.
- (c) Proposed hours of any construction and development works at the facility and timeframes (required for landfill facilities).
- (d) Any other relevant hours of operation expected.

C.4 Conditioning Plan

Application Form.doc Page 19 of 40



Address as **Attachment C 4,** in the case of a LANDFILL Application, and only for the review of a Landfill Waste Licence.

Consent of copyright owner required for any other use.

Application Form.doc Page 20 of 40



SECTION D INFRASTRUCTURE & OPERATION

D.1 Infrastructure

Complete the following table detailing the site infrastructure. **Attachment D 1** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.1. Additional advice on completing this section is provided in the application *Guidance Note*.

Table D.1. Infrastructure		y/n	Comments
D.1.a	Site security arrangements including gates and fencing	Y	Attachment D.1
D.1.b	Designs for site roads	N	Landfill Restored
D.1.c	Design of hardstanding areas	N	Landfill Restored
D.1.d	Plant	N	Landfill Restored
D.1.e	Wheel-wash	N	Landfill Restored
D.1.f	Laboratory facilities	N	Landfill Restored
D.1.g	Design and location of fuel storage areas	N	Landfill Restored
D.1.h	Waste quarantine areas	N	Landfill Restored
D.1.i	Wheel-wash Laboratory facilities Design and location of fuel storage areas Waste quarantine areas Waste inspection areas Traffic control	N	Landfill Restored
D.1.j	Traffic control Sewerage and surface water drainage infrastructure	N	Landfill Restored
D.1.k	Sewerage and surface water drainage infrastructure	Y	Attachment D.1
D.1.l	All other services	Y	Attachment D.1
D.1.m	Plant sheds, garages and equipment compound	N	Landfill Restored
D.1.n	Site accommodation	Y	Attachment D.1
D.1.0	A fire control system, including water supply	N	Landfill Restored
D.1.p	Civic amenity facilities	Y	Attachment D.1
D.1.q	Any other waste recovery infrastructure	N	Landfill Restored
D.1.r	Composting infrastructure	N	Landfill Restored
D.1. s	Construction and Demolition waste infrastructure	N	Landfill Restored
D.1.t	Incineration infrastructure (if applicable).	N	Landfill Restored
	Provide information to fulfil Article 4 (2) & (3) of the Incineration of Waste Directive		
D.1.u	Any other infrastructure	N	Landfill Restored

Application Form.doc Page 21 of 40



D.2 Facility Operation

In **Attachment D 2** describe the plant, methods, processes and operations of the waste facility, as required by the *Guidance Note*.

Attachment included	yes X no	not applicable
---------------------	----------	----------------

LANDFILLS

The following Sections D3 to D7 should only be completed for Landfill Applications. Reference should be made to the Agency landfill manual 'Landfill Site Design (2000)' when completing this section.

D.3 Liner System

Complete the following table regarding the liner system to be used for the landfill/landfill extension and detail the information requested as **Attachment D.3**. **Items D3c to D3g should only be completed <u>for immediate projects only</u> (ie Years 1 & 2). A schedule of Liner construction activities for the medium to long term need only be listed in item D3a below, since Condition 3 of any licences granted will provide reporting requirements for any future projects.**

TABLE D.3 LINER SYSTEM

	illegitor	y/n	Comments
	FORTH		Attachment D.3
D.3.a	Provide information to fulfil Annex 1 of the		
	Landfill Directive		
	Cox		Attachment D.3
D.3.b	What type of liner system is specified?		
			Attachment D.3
D.3.c	Has a Quality Control Plan been specified?		
			Attachment D.3
D.3.d	Has a Quality Assurance Plan been specified?		
			Attachment D.3
D.3.e	Have independent, third-party supervision,		
	testing and controls been specified?		
			Attachment D.3
D.3.f	Have basal gradients for all cells and access		
	ramps to the cells been designed?		
			Attachment D.3
D.3.g	Has a leak detection survey been specified?		

Application Form.doc Page 22 of 40



D.4 Leachate Management

Complete the following table detailing leachate management arrangements. Further information should be included in **Attachment D.4.**

TABLE D.4.1 LEACHATE MANAGEMENT ARRANGEMENTS

		y/n	Comments
		Y	Attachment D.4
D.4.a	Is there a Leachate Management Plan?		
		Y	Attachment D.4
D.4.b	Have annual quantities of leachate been calculated?		
		Y	Attachment D.4
D.4. c	Has the total quantity of leachate been calculated?		
		Y	Attachment D.4
D.4.d	Have the size of the cells been specified taking		
	account of the water balance calculations?		
		N	Attachment D.4
D.4.e	Has a leachate collection system been specified?		
		N	Attachment D.4
D.4. f	Has a leachate storage system been specified?		
	ather	Y	Attachment D.4
D.4.g	Has a system for monitoring the level of leachate in		
	the waste been designed?		
	authorities	N	Attachment D.4
D.4.h	Is leachate recirculation proposed/practised?		
	Sec out	N	Attachment D.4
D.4.i	Has leachate treatment on site been specified?		
	Ecolos	N	Attachment D.4
D.4. j	Has leachate removal been specified?		

D 5 Landfill Gas Management

All landfill sites should have suitable arrangements for the management of landfill gas. Attachment D.5 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.5. Items D5g to D5m should only be completed for immediate or current gas collection projects only (ie Years 1 & 2). A schedule of gas management aspects for the medium to long term need only be listed in item D5f below, since Condition 3 of any proposed decision/licence will provide reporting requirements for any future projects.

Application Form.doc Page 23 of 40



Table D.5. Landfill Gas Management

	3. Danum Gas Management	y/n	Comments
D.5a	Is there a Landfill Gas Management Plan?	Y	Attachment D.5
	Provide estimates of the volumes of landfill gas which will be produced by the waste disposed of in the site for the next 20 years, and compare to the EPER list for methane:		
D.5b	Is there a passive venting system?	N	Active System in place
D.5c	Does the passive system cover all of the filled area?	N	Not Applicable
D.5d	Have gas alarm systems been installed in the site buildings?	N	Landfill Restored
D.5e	Have measures been installed to prevent landfill gas migration (e.g. barriers)?	Y Mother 1	Active System in place
D.5f	Has a time-scale been proposed for the installation of landfill gas infrastructure?	Y	Active System in place
D.5 g	Is gas flaring undertaken at the site?	Y	Attachment D.5
D.5h	Is there an active (i.e., pumped) landfill gas extraction system?	Y	Attachment D.5.
D.5i	Does the active system cover all of the filled area?	Y	Attachment D.5.
D.5j	Is landfill gas used to generate energy at the site?	N	Not Feasible
D.5k	Have emissions from the flarestack and utilisation plant been assessed for source, composition, quantity and level and rate?	Y	The Gas Flare Emissions Report for 2008 is presented in Attachment F.9
D.51	Has a maintenance programme for the control system been specified?	Y	Attachment D.5
D.5m	Has a condensate removal system been designed?	Y	

Application Form.doc Page 24 of 40



D.6 Capping System

Complete the following table detailing the design of the capping system. Attachment D.6 should contain the appropriate documentation. *Items D6e to D6k should be completed <u>for immediate projects only</u> (ie Years 1 & 2). Condition 10 of any proposed decision/licence will provide reporting requirements for capping requirements beyond this timeframe.*

Table D.6 Capping System

		y/n	Comments
		N	Landfill Restored
D.6a	Has the daily cover been specified?		
		N	Landfill Restored
D.6b	Has the intermediate cover been specified?		
		N	Landfill Restored
D.6c	Has the temporary capping been specified?		
		Ye.	Attachment D.6
D.6d	Has the Capping System been designed and	etili	
	does it meet the requirements of the Landfill		
	Directive Annex 1 (3.3)?		
		Y	Attachment D.6
D.6e	Does the Capping System include a flexible membrane liner?		
	rite tho	Y	Capping was completed
D.6f	Have all capping materials been specified?		in 2006.
	a dic	Y	Capping was completed
D.6g	Has a Method Statement for construction been produced?		in 2006.
		Y	Capping was completed
D.6h	Has a Quality Control Plan been produced?		in 2006.
		Y	Capping was completed
D.6 i	Has a Quality Assurance Plan been produced?		in 2006.
		Y	Attachment D.6
D.6 j	Has a programme for monitoring landfill stability been developed?		
		Y	Topographic Survey
D.6 k	Has a programme for monitoring landfill		presented to the EPA
	settlement been developed?		annually in the AER

Application Form.doc Page 25 of 40



SECTION E EMISSIONS

Give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made.

The applicant should address in particular any emission point where the substances listed in the Schedule of S.I. 394 of 2004 are emitted.

E.1 Emissions to Atmosphere

Details of all point emissions to atmosphere should be supplied. Table E.1.(i) (for Landfill Gas Flare emissions) must be completed for all landfills with a flare. Complete Table E.1(ii) and E.1(iii) for <u>all</u> other main emission points, including stack sources (incinerator stacks, landfill gas utilisation plants, air handling unit emissions etc.). Complete Table E.1(iv) for minor/fugitive/ground emission points.

E.2 Emissions to Surface Waters

Attachment E.2 Tables E.2(i) and E.2(ii) should be completed where relevant.

E.3 Emissions to Sewer

Attachment E.3 Tables E.3(i) and E.3(ii) should be completed, where relevant.

Note: Sanitary facilities at the site is provided by mobile toileting units where effluent is removed and disposed of the contraction.

E.4 Emissions to Groundwater &

Describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6, and 7 of Council Directive 80/68/EEC of 17 December 1979 on the protection of groundwater against pollution by certain dangerous substances.

Table E.4(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.4**

E.5 Noise Emissions

Give particulars of the source, location, nature, level, and the period or periods during which the noise emissions are made or are to be made.

Table E.5(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.5**

Application Form.doc Page 26 of 40

Poa P

WASTE Application Form

E.6 Environmental Nuisances

Attachment E.6 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings as relevant established in Table D.6. Additional advice on completing this section is provided in the *Guidance Note*.

TABLE E.6 ENVIRONMENTAL NUISANCES

Bird Control	Control method	yes 🗌	no	not applicableX
	specified			
	Attachment included	yes 🗌	no	not applicableX
Dust Control	Control method	yes 🗌	no	not applicableX
	specified			
	Attachment included	yes 🗌	no	not applicableX
Fire Control	Control method	yes X	no	not applicable
	specified			
	Attachment included	yes X	.sno	not applicable
Litter Control	Control method	yes X	no	not applicable 🗌
	specified	114. Sty		
	Attachment included	& yes X	no	not applicable
Traffic Control	Control method	uir yes	no	not applicableX
	specified work			
	Attachment included	yes 🗌	no	not applicableX
Vermin Control	Control method	yes X	no	not applicable
	specified			
	Attachmentincluded	yes X	no	not applicable
Road Cleansing	Control method	yes X	no	not applicable
	specified			
	Attachment included	Yes X	no	not applicable

Application Form.doc Page 27 of 40



SECTION F CONTROL & MONITORING

F.1: Treatment, Abatement and Control Systems

Describe the proposed technology and other techniques for preventing or, where this is not possible, reducing emissions from the installation/facility. Details of treatment/abatement systems (air and effluent emissions) should be included, together with appropriately scaled schematics ($\leq A3$) as appropriate.

For each Emission Point identified complete Table F.1 of the Annex, and include detailed descriptions and appropriately scaled schematics (≤A3) of all abatement systems.

Attachment F.1 should contain any supporting information.

F.2- F. 9. Monitoring and Sampling Points

Programmes for environmental monitoring should be submitted as part of the application. These programmes should be provided as **Attachments F.2 to F.6** and meet the advice published by the Agency in the relevant BAT Note. For Landfills the additional **Attachments F.7 to F.8** should be completed. Furthermore for a landfill application the applicant <u>must</u> refer to the Agency *Landfill Monitoring Manual* (2003) for further details on monitoring requirements for proposed facilities.

Include details of monitoring/sampling locations and methods.

F.2 Air - to include Dust, Odour

Monitoring Arrangements specified	yes X	no	not applicable
Monitoring points identified, (plus	yes X	no	not applicable
12-figure grid references)	-		
Attachment included	yes X	no	not applicable

F.3 Surface Water

Monitoring of surface water shall be carried out at not less than two points, one upstream from the waste facility and one downstream.

Monitoring Arrangements specified	yes X	no	not applicable
Monitoring points identified, (plus	yes X	no	not applicable
12-figure grid references)			
Attachment included	yes X	no	not applicable

Application Form.doc Page 28 of 40



F.4 Sewer Discharge

Monitoring of sewer discharge shall be carried out at the point specified by the local authority/Agency.

Monitoring Arrangements specified	yes 🗌	no	not applicableX
Monitoring points identified, (plus	yes 🗌	no	not applicableX
12-figure grid references)			
Attachment included	yes 🗌	no	not applicableX

F.5 Groundwater

Groundwater monitoring is required at all landfill facilities; and certain other waste facilities depending on waste activities and the underlying aquifer vulnerability.

Monitoring Arrangements specified	yes X	no	not applicable
Monitoring points identified, (plus	yes X	no	not applicable
12-figure grid references)			
Attachment included	yes X	no	not applicable

F.6 Noise

Monitoring Arrangements specified	yesX of no	not applicable
Monitoring points identified, (plus	yes no	not applicable
12-figure grid references)	a Pilifedil	
Attachment included	ves X no	not applicable

F.7 Meteorological Data

Monitoring Arrangements specified	yes X	no	not applicable
Monitoring points identified, (plus	yes 🗌	no	not applicable X
12-figure grid references)			
Attachment included	yes X	no	not applicable

Application for Landfills require the additional Attachments F.7 to F.8, to be completed:

F.8 Leachate

Monitoring Arrangements specified	yes X	no	not applicable
Monitoring points identified, (plus	yes X	no	not applicable
12-figure grid references)			
Attachment included	yes X	no	not applicable

Application Form.doc Page 29 of 40

epa_

WASTE Application Form

F.9 Landfill Gas

Complete each of the following tables to show whether information has been included on aspects of landfill gas monitoring. **Attachment F.9** should also contain information to show whether the data given in Tables F.9.(a) and F.9(b) below represents actual or anticipated data. Complete Table F.9 as follows:

Table F.9 (a) Landfill Gas Monitoring for existing landfill gas flares / utilisation

plants

piants					
Parameter	Concentration (mg/Nm³) June 2008	Proposed Frequency of Analysis	Information Included Y/N	Method of Analysis	Informati on Included Y/N
Inlet	June 2008				
Methane (CH ₄) % v/v	21.4	Daily	Attachment F.9(i)	Infrared Analyser	Y
Carbon dioxide (CO ₂) %v/v	25.9	Daily	Attachment F.9(i)	Infrared Analyser	Y
Oxygen (O ₂) % v/v	1.8	Daily	Attachment F.9(i)	GA 2000	Y
Outlet	June 2008				
Volumetric Flow Rate	255	Daily	Attachment F.9(ii)	Pitot Tube Method	Y
SO ₂	14	Biannually	Attachment F.9(ii)	Flue Gas Analyser	Y
Nox	0	Biannually	Attachment F.9(ii)	Flue Gas Analyser	Y
СО	39	Daily	Attachment F.9(ii)	Flue Gas Analyser	Y
Particulates	N/a	Annually	Attachment F.9(ii)		
TA Luft Class I, II, III organics	13.34	Annually of any	Attachment F.9(ii)	Adsorption / Desorption / GC / GCMS	Y
Hydrochloric acid	0.91	Wasaning Iller	Attachment F.9(ii)	Impinger / Ion Chromatograph	Y
Hydrogen Fluoride	0.18 to this gill	Annually	Attachment F.9(ii)	Impinger / Ion Chromatograph	Y

Table F.9(b) Landfill Gas Monitoring

Parameter	Proposed Frequency of Analysis		Information Included Y/N	Method of Analysis	Information Included Y/N
	Gas boreholes / vents/ wells/ perimeter locations	Facility Office			
Methane (CH ₄) % v/v	Monthly	Weekly	Attachment F.9(i)	GA 2000	Y
Carbon Dioxide (CO ₂) % v/v	Monthly	Weekly	Attachment F.9(i)	GA 2000	Y
Oxygen (O ₂) % v/v	Monthly	Weekly	Attachment F.9(i)	GA 2000	Y
Atmospheric Pressure	Monthly	Weekly	Attachment F.9(i)	GA 2000	Y
Temperature	Monthly	Weekly	Attachment F.9(i)	GA 2000	Y

Table F.9 (c) Landfill Gas Infrastructure

Equipment	Monitoring Frequency	Information Included Y/N	Monitoring Action	Information Included Y/N
Gas Collection System	Monthly	Attachment F.9(i)		
Gas Control System	Daily/ Biannually/ Annually	Attachment F.9(i) & Attachment F.9(ii)		

Application Form.doc Page 30 of 40



Monitoring Arrangements specified	yes X	no	not applicable
Monitoring points identified, (plus	yes X	no	not applicable
12-figure grid references)	•		
Attachment included	yes X	no	not applicable

SECTION G RESOURCES USE & ENERGY EFFICIENCY

G.1 Raw Materials, Substances, Preparations and Energy

Attachment G.1 should contain a list of all raw, product and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity. Information on any insecticides, herbicides or rat poisons etc. should also be provided with their respective data and safety sheets. The Standard Forms, provided in Annex 1, should be used in the description of these materials, substances, etc., where relevant. Additional advice on completing this section is provided in the *Guidance Note*.

Attachment included	yes X	no	not applicable
G.2 Energy Efficiency A description of the energy that Attachment G.2.	used in or general	see only any of any of any of the seed by the	activity must be provided in
Attachment included	ngerk of yes X	no	not applicable

Application Form.doc Page 31 of 40



SECTION H MATERIALS HANDLING

H.1 Waste Types and Quantities – Existing & Proposed

Provide an estimation of the quantity of waste likely to be handled in relation to each class of activity applied for. This information should be included in Table H.1(a).

TABLE H.1(A). QUANTITIES OF WASTE IN RELATION TO EACH CLASS OF ACTIVITY APPLIED FOR

Waste Management Act			Waste Management Act		
3rd Schedule (Disposal) Activities		4th Schedule (Recovery) Activities			
Class of Activity Applied For		Quantity (tpa)	Class of Activity Applied For		Quantity (tpa)
Class 1			Class 1		్డాల.
Class 2			Class 2	X	
Class 3		NIL Attachment H1	Class 3	Ø₹	Attachment H1
Class 4			Class All all	X	Attachment H1
Class 5			Class 5		
Class 6			Class 6		
Class 7			Class 7		
Class 8		SO	Class 8		
Class 9		insp	Class 9		
Class 10		201 11/2	Class 10		
Class 11		A const	Class 11		
Class 12		esti	Class 12		
Class 13		COIIS	Class 13		

In Table H. 1 (B) provide the annual amount of waste handled/to be handled at the facility. Additional information should be included in **Attachment H.1.** The tonnage per annum should be given of that expected for the life of the licence, with at least the next five years tonnages provided. For Landfill Review applications provide an estimate of the quantity of waste already deposited in (i) lined cells; (ii) unlined cells.

TABLE H.1(B) ANNUAL QUANTITIES AND NATURE OF WASTE

Year	Non-hazardous waste (tonnes per annum)	Hazardous waste (tonnes per annum)	Total annual quantity of waste (tonnes per annum)
2008	600	Nil	600

Application Form.doc Page 32 of 40



A detailed inventory of the types and quantities of wastes currently handled at the site and proposed to be handled should be submitted as Table H.1 (C).

TABLE H.1 (C) WASTE TYPES AND QUANTITIES

WASTE TYPE	TONNES PER ANNUM (existing)	TONNES PER ANNUM (proposed)	TOTAL (over life of site) tonnes
Household	600	600	Nil
Commercial	Nil	Nil	Nil
Sewage Sludge	Nil	Nil	Nil
Construction and Demolition	Nil	Nil	Nil
Industrial Non- Hazardous Sludges	Nil	Nil	Nil
Industrial Non- Hazardous Solids	Nil	Nil	Nil
Hazardous *(Specify detail in Table H 1.2)	Nil	Nil South other lise.	Nil
Inert Waste imported for restoration purposes	Nil	Nil Nifes only any other use. Nifes only any other use.	Nil

* TABLE H.1.2 HAZARDOUS WASTE TYPES AND QUANTITIES

Note: Only Household Hazardous Waste handled

HAZARDOUS WASTE	* REFERENCE SHOULD BE MADE TO THE RELEVANT EUROPEAN WASTE CATALOGUE CODES AS PRESENTED BY COMMISSION DECISION 2000/532/EC	Tonnes Per Annum (Existing)	(Tonnes Per Annum Proposed)		
Waste Oil		N/a	N/a		
Oil filters		N/a	N/a		
Asbestos		N/a	N/a		
Paint and Ink		N/a	N/a		
Batteries		N/a	N/a		
Fluorescent Light Bulbs		N/a	N/a		
Contaminated Soils		N/a	N/a		
OTHER HAZARDOUS WASTE (APPLICANT TO SPECIFY)					
			N/a		

Application Form.doc Page 33 of 40

epa_

WASTE Application Form

Attachment H.1 should contain any relevant additional information.

It should be noted that an applicant may be issued with a licence which restricts the type of wastes which may be deposited.

H.2 Waste Acceptance Procedures

Procedures for checking waste loads as they arrive at the facility must be included. These should follow the requirements of the Agency's Waste Acceptance Manual. A copy of these procedures and other associated documentation should be included as **Attachment H.2.**

H.3 Waste Handling

Waste handling and the operating procedures used at the facility including waste treatment processes should be described in **Attachment H.3**. Included in the attachment should be information on the plant used on site and on the methods and processes for handling waste on-site. Special requirements hold for contaminated soil facilities, see *Guidance Note*.

In addition, an application for a Landfill requires Section H.3.a to be completed:

H.3a Waste Handling at the Landfill Facility

State whether all waste will be subject to treatment prior to landfilling. Provide information as to the quantities of biodegradable municipal waste and how the targets of the Landfill Directive (1999/31/EC) relating to that waste type are to be achieved. In particular describe how the following will be achieved:

- (a) a reduction by 16/07/06 to 75% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (b)a reduction by 16/07/09 to 50% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (c)a reduction by 16/07/16 to 35% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available:
- (d)Evidence should be provided to show that energy will be used efficiently.

H.4 Waste Arisings

Waste Arisings should be considered for all contaminated soil applications. Details of all waste materials generated on the site including, name, description and nature

Application Form.doc Page 34 of 40

Poa .

WASTE Application Form

as well as the source(s) should be identified. The quantities of each type of waste generated on an annual/monthly basis should be calculated and stated in Tables H.1(i) and H. 1(ii) of the application form. Applicants should also provide conversion factors used to relate volume (m³) and tonnage (t) for their waste stream.

SECTION I EXISTING ENVIRONMENT & IMPACT OF THE FACILITY

Detailed information is required to enable the Agency to assess the existing environment. This section requires the provision of information on the ambient environmental conditions at the site prior to the commencement of waste management activities or prior to the receipt of a review application.

Where development is proposed to be carried out, being development which is of a class for the time being specified under Article 24 (First Schedule) of the Environmental Impact Assessment Regulations, the information on the state of the existing environment should be addressed in the EIS. In such cases, it will suffice for the purposes of this section to provide adequate cross-references to the relevant sections in the EIS.

I.1. Assessment of atmospheric emissions

Describe the existing environment in terms of air quality with particular reference to ambient air quality standards.

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to the atmosphere are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment including environmental media other than those into which the emissions are to be made.

Attachment I.1 should also contain full details of any dispersion modelling of atmospheric emissions from the activity, where required.

I.2. Assessment of Impact on Receiving Surface Water

Describe the existing environment in terms of water quality with particular reference to environmental quality standards or other legislative standards. Table I.2(i) should be completed

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to water are likely to impair the environment

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Application Form.doc Page 35 of 40

Full details of the assessment and any other relevant information on the receiving environment should be submitted as **Attachment I.2.**

I.3. Assessment of Impact of Sewage Discharge.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other supporting information should form Attachment I.3.

I.4 Assessment of impact of ground/groundwater emissions

The scope and detail of this assessment will depend to a large extent on the extent and type of ground emissions at any site, which in turn are related to the risk. Details should be included in Attachment I.4. Comprehensive guidelines are contained in the Application Guidance Note, and include particular requirements for landfill and brownfield facilities.

Describe the existing groundwater quality. Tables 14(3) should be completed.

I.5 Ground and/or groundwater contamination Summary details of known ground and/or groundwater contamination, historical or current, on or under the site must be given.

Full details including all refevant investigative studies, assessments, or reports, monitoring results, location and design of monitoring installations, appropriately scaled plans/drawings ($\leq A3$), documentation, including containment engineering, remedial works, and any other supporting information should be included in Attachment I.5.

I.6 Noise Impact.

Give details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Ambient noise measurements

Complete Table I.6(i) in relation to the information required below:

(i) State the maximum Sound Pressure Levels which will be experienced at typical points on the boundary of the operation. (State sampling interval and duration)

Application Form.doc Page 36 of 40

Poa_

WASTE Application Form

- (ii) State the maximum Sound Pressure Levels which will be experienced at typical noise sensitive locations, outside the boundary of the operation.
- (iii) Give details of the background noise levels experienced at the site in the absence of noise from this operation.

Prediction models, appropriately scaled maps (\leq A3), diagrams and supporting documents, including details of noise attenuation and noise proposed control measures to be employed, should form **Attachment I.6.**

I.7 Assessment of Ecological Impacts & Mitigation Measures

The ecology of the site and the surrounding area should be assessed in the vicinity of the largescale waste facilities such as landfill or incinerator developments. An assessment of the ecology should form **Attachment I.7.** Comprehensive guidelines are contained in the *Application Guidance Note*

SECTION J ACCIDENT PREVENTION & EMERGENCY RESPONSE

Describe the existing or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage.

Also outline what provisions have been made for response to emergency situations outside of normal working hours, i.e. during night-time, weekends and holiday periods.

Describe the arrangements for abnormal operating conditions including start-up, leaks, malfunctions or momentary stoppages.

Supporting information should form Attachment J.

Attachment included	yes X	no	not applicable
---------------------	-------	----	----------------

Application Form.doc Page 37 of 40

epa .

WASTE Application Form

SECTION K REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE

Describe the existing or proposed measures to minimise the impact on the environment after the activity or part of the activity ceases operation, including provision for post-closure care of any potentially polluting residuals.

For Landfill Applications, capping proposals are required, and reference should be made to the *Landfill Manual on 'Restoration and Aftercare'* published by the Agency, when completing this section.

Attachment included	ves X	no	not applicable

SECTION L STATUTORY REQUIREMENTS

L. 1 Section 40(4) WMA

Indicate how all the requirements of Section 40(4)[(a) to (f)] of the Waste Management Acts 1996 to 2003 will be met.

Applicants should also describe how the proposed facility will comply with the requirements of BAT. In particular reference should be made to the considerations referred to in Annex IV of Council Directive 96/61/EC concerning integrated pollution prevention and control.

Attachment L.1 should contain the documentation requested above, along any relevant additional information.

Attachment included	yes X	no	not applicable

L.2 Fit and Proper Person

The WMA in Section 40(4)(d) specifies that the Agency shall not grant a licence unless it is satisfied that the applicant (if the applicant is not a local authority) is a fit and proper person. Section 40(7) of the WMA specifies the information required to enable a determination to be made by the Agency.

• Indicate whether the applicant or other relevant person has been convicted under the Waste Management Acts 1996 to 2003, the EPA Act 1992 and 2003, the Local Government (Water Pollution) Acts 1977 and 1990 or the Air Pollution Act 1987.

Application Form.doc Page 38 of 40



- Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (Link to Section C.1 of the application).
- Provide information to show that the person is likely to be in a position to meet any financial commitments or liabilities that may have been or will be entered into or incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out that activity (Link to Section K of the application).

Supporting information should be included as **Attachment L 2** with reference to where the information can be found in the application.

Attachment included	ves X	no	not applicable

Consent of copyright owner reduited for any other use.

Application Form.doc Page 39 of 40

Ppa

WASTE Application Form

SECTION M DECLARATION

Declaration

I hereby make application for a licence / revised licence, pursuant to the provisions of the Waste Management Acts 1996 to 2003 and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices, and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

	affer
Signed by:	Date : 29 NOV 2009
Signed by: (on behalf of the organisation) Drivet cian stave name: DIJJ ID DISTRICT Out of the organisation	
Print signature name: PHILIP DUEFY	
Position in organisation : PHILIP DOTATE ENIOR EXECUTION	
Position in organisation: SENIOR EXECU	TIVE OFFICER
Consent of gamisaction . Consent of	
	Company stamp or seal:

Application Form.doc Page 40 of 40



ANNEX 1 STANDARD FORMS

Standard forms are provided in this section for the recording and presentation of environmental monitoring and site investigation results

TABLE E.1(i) LANDFILL GAS FLARE EMISSIONS TO ATMOSPHERE Emission Point:

Emission Point Ref. Nº:	Flare
Location:	Adjacent to the Site Offices
Grid Ref. (12 digit, 6E,6N):	X319604 Y181367
Vent Details	allet use.
Diameter:	1.0m
Height above Ground(m):	1.0m 1.0m 1.0m 1.0m 1.0m 1.0m 1.0m 1.0m
Date of commencement of emission:	Original open flare commissioned in 1998. Replaced by an enclosed flare in Jan 2002

Characteristics of Emission: From analysis carried out in June 2008

СО		39mg/Nm ³
Total organic carbon (TOC)		Not analysed mg/m ³
Nox as NO ₂		$0~mg/Nm^3 \label{eq:condition}$ 0°C. 3% O2(Liquid or Gas), 6% O2(Solid Fuel)
Maximum volume of e	mission	500m ³ /hr
Temperature	1140 °C	(max) 1040 °C(min) 1090°C(avg)

(i) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up/shutdown to be included*):

Periods of Emission (avg)	60 min/hr 24 hr/day day/yr
	Run Time 91%. Down Time 9%



TABLE E.1(ii) MAIN EMISSIONS TO ATMOSPHERE (1 Page for each emission point)
Not Applicable- See Attachment E.1

Hot Ap	plicable- See A	ttaciiiiciit E.1				
Emission Point Ref. Nº:						
Source of Emission:						
Location:						
Grid Ref. (12 digit, 6E,6N	D:					
Vent Details Diameter	:					
Height above Ground(m)):					
Date of commencement:						
Characteristics of Emission	on:	utdage offst and offer use.	1			
(i) Volume to be emit	tted:	purose directived.				
Average/day	m d or	Maximum/day	m ³ /d			
Maximum rate/hour	of cm ³ /h	Min efflux velocity	m.sec ⁻¹			
(ii) Other factors	Conser					
Temperature	°C(max)	°C(min)	°C(avg)			
For Combustion Sources: Volume terms expressed a		t. □ dry	_%O ₂			
(iii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up /shutdown to be included):						
Periods of Emission (avg)	min/hrhr/day	day/yr			

TABLE E.1(iii): MAIN EMISSIONS TO ATMOSPHERE - Chemical characteristics of the emission (1 table per emission point)

Emission Point Reference Number: Not Applicable – See Attachment E.1

Parameter		Prior to tr	reatment ⁽¹⁾		Brief			As discl	narged ⁽¹⁾		
	mg/	Nm ³	kį	g/h	description	mg/	Nm ³	kg	/h.	kg/	year
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
				For Son Son Consent of	nspection burder tequired for any other use.						

^{1.} Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.

TABLE E.1(iv): EMISSIONS TO ATMOSPHERE - Minor /Fugitive

See Attachment E.1

Emission point	Description		Emission	details ¹	Abatement system employed	
Reference Numbers		material	mg/Nm ³⁽²⁾	kg/h.	kg/year	
Gas Sim Model	Methane				7294.2	Active Flare draws gas from the landfill
	Carbon Dioxide			any other use.	2263547	Active Flare draws gas from the landfill
			A •	y other		
			es of for	ig,		
			outpostited			
		actic	aller rear			
		Tinsper c	4			
		For its period				
		centor				
		Our				

¹ The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.

² Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.

TABLE E.2(i): EMISSIONS TO SURFACE WATERS

(One page for each emission)

Emission Point: SWD6

Emission Point Ref. Nº:	SWD6
Source of Emission:	Landfill Retention Pond and Surface Water from the CA site
Location:	Outlet pipe to Avoca River on river bank focated across the road, opposite entrance to CA site
Grid Ref. (10 digit, 5E,5N):	X 319934 Y 181678
Name of receiving waters:	Avoca River
Flow rate in receiving waters:	Unknown Note Const m ³ .sec ⁻¹ Dry Weather Flow
	$\frac{1.2^{\text{Note}}}{95\% \text{ile flow}}$
Available waste assimilative capacity:	93.3 BOD kg/day

Emission Details:

Note: The Avoca River is ungauged. The 95%ile flow is calculated using simulated data, as presented in Section 6 of EIS.



(i) Volume to be emitted							
Normal/day	Unknown m ³	Maximum/day	43.2 m ³				
Maximum rate/hour	1.8 m ³						

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up/shutdown to be included*):

Periods of Emission (avg)	hr/day	day/vrid
---------------------------	--------	----------

Note: Actual quantities of runoff that are generated over the landfill are not measured but are expected to vary significantly in any given year according to both rainfall amounts and rainfall intensities. Above are estimates of the maximum volume, see Section 6 of the EIS for details.



TABLE E.2(ii): EMISSIONS TO SURFACE WATERS - Characteristics of the emission (1 table per emission point)

Emission point reference number: <u>SWD6</u>

Note: The surface water is not treated prior to discharge.

Parameter		Prior to t	reatment			As discharged					
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year			
BOD	n/a	n/a	n/a ℃	n/a for its ecit for its eci	different state of the state of	3	0.13	47.3	n/a		



TABLE E.3(i): EMISSIONS TO SEWER(One page for each emission)

Emission Point: Not Applicable – No sewer discharges

Emission Point Ref. Nº:	
Location of connection to sewer:	
Grid Ref. (10 digit, 5E,5N):	
Name of sewage undertaker:	

Emission Details:

(i) Volume to be emitted								
Normal/day	m^3	Maximum/day	m ³					
Maximum rate/hour	m^3	offy, any off,						

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included):

Periods of Emission (avg)	min/hr	hr/day	day/yr
Cope			



TABLE E.3(ii): EMISSIONS TO SEWER - Characteristics of the emission (1 table per emission point)

Emission point reference number : Not Applicable – No Sewer Discharges

Parameter	Prior to treatment						% Efficiency		
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	
					to inspection but poses only as	Notheruse.			

Consent of convinger to what required for any other use.

TABLE E.4(i): EMISSIONS TO GROUNDWATER (1 Page for each emission point)

Emission Point or Area: See Attachment E.4

Emission Point/Area Ref. Nº:		
Emission Pathway: (borehole, well, percolation area, soakaway, landspreading, etc.)		€C
Location:	11. Addition	, de
Grid Ref. (10 digit, 5E,5N):	Second distriction of the second seco	
Elevation of discharge: (relative to Ordnance Datum)	Ecolita Section Purposes on the standard of th	
Aquifer classification for receiving groundwater body:	For its the	
Groundwater vulnerability assessment (including vulnerability rating):	Consent	
Identity and proximity of groundwater sources at risk (wells, springs, etc):		
Identity and proximity of surface water bodies at risk:		



Emission Details:

(i) Volume to be emitted								
Normal/day	m^3	Maximum/day	m ³					
Maximum rate/hour	m^3							

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included):

	Periods of Emission (avg)	hr/day	day/yri
--	---------------------------	--------	---------



Table E.5(i): NOISE EMISSIONS - Noise sources summary sheet See Attachment E.5

Source	Emission point Ref. No	Equipment Ref. No	Sound Pressure ¹ dBA at reference distance	Serence Sound Pressure ¹ Levels dB(unweighted) per band					Impulsive or tonal qualities	Periods of Emission				
				31.5	63	125	250	500	1K	2K	4K	8K		
								્રહ.						
							other	1/2						
						ses di	or any							
					an Pu	require								
				175	ectic wine									
				FOTT	ર્જ									
				entote										

^{1.} For items of plant sound power levels may be used.



TABLE F.1: ABATEMENT / TREATMENT CONTROL

Emission point reference number : Flare Emission to Atmosphere.

Control ¹ parameter	Equipment ²	Equipment maintenance	Equipment calibration	Equipment back-up
Temperature	Enclosed Flare	As per manufacturers instructions	As per manufacturers instructions	Flare Servicing Report submitted with Attachments D5(v) and D5 (vi)

h		<u>ي</u> و٠	
Control ¹ parameter	Monitoring to be carried	Monitoring equipment	Monitoring equipment calibration
parameter	Out	ally all,	
Methane (CH4)	Weekly	Infrared Analyser / flame ionisation detector	As per manufacturers instructions
Carbon Dioxide (CO2)	Weekly	Infrared Analyser / flame Jonisation detector	As per manufacturers instructions
Oxygen (O2)	Weekly For Hall	Electrochemical cell	As per manufacturers instructions
Volumetric Flow	Biannually Consent O	Pitot Tube Method	As per manufacturers instructions
SO2, NOx, CO	Biannually	Flue Gas Analyser	As per manufacturers instructions
TA Luft Class I, ii, iii organics	Annually	Adsorption / Desorption / GC / GCMS	As per manufacturers instructions
Hydrochloric Acid	Annually	Impinger / Ion Chromatography	As per manufacturers instructions
Hydrogen Fluoride	Annually	Impinger / Ion Chromatography	As per manufacturers instructions

¹ List the operating parameters of the treatment / abatement system which control its function.
² List the equipment necessary for the proper function of the abatement / treatment system.
³ List the monitoring of the control parameter to be carried out.

TABLE F.2 to F.8: EMISSIONS MONITORING AND SAMPLING POINTS - (1 table per media)

Emission Point Reference No(s). : See Attachment F.2 to F.8

Parameter	Monitoring frequency	Accessibility of Sampling Points	, 15°
			May any other use.
			My any
		~ 0°. <i>c</i>	dior
		specifor pure legis	
		Cality By Own	
		, of copy	
		Consente	



TABLE Ff: Fugitive ENVIRONMENT MONITORING AND SAMPLING LOCATIONS (1 table per media)

Monitoring Point Reference No: See Attachment F.2 to F.8

Sampling point Sampling point Consent of conviete to the conviction of the convict



Table G.1 Details of Process related Raw Materials, Intermediates, Products, etc., used or generated on the site

Ref. Nº or Code	Material/ Substance ⁽¹⁾	CAS Number	Danger ⁽²⁾ Category	Amount Stored (tonnes)	Annual Usage (tonnes)	Nature of Use	R ⁽³⁾ - Phrase	S ⁽³⁾ - Phrase
No62	1		Not classified as Hazardous Not classified as Hazardous	24kg 1kg 1kg	~°°.		R27/28 R26/27/ 28	25

In cases where a material comprises a number of distinct and available dangerous substances, please give details for each component substance. c.f. Article 2(2) of SI Nº 77/94 c.f. Schedules 2 and 3 of SI Nº 77/94

Consent of Conse Notes: 1.

2.

3.



TABLE H.1(i): WASTE - Hazardous Waste Recovery/Disposal –Not Applicable – Only Household Hazardous Waste Handled

Waste material	EWC Code	Main source ¹	Qu	uantity	On-site Recovery/Disposal	Off-site Recovery, reuse or recycling	Off-site Disposal
			Tonnes / month	m ³ / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
			for inspection of the constitution of the cons	and other tree			

¹ A reference should be made to the main activity / process for each waste.

Consent of convinger to what required for any other use.



TABLE H.1(ii) WASTE - Other Waste Recovery/Disposal See Attachment H.1

Waste material	EWC Code	Main source ¹	Qua	ntity	On-site recovery/disposal ²	Off-site Recovery, reuse or recycling	Off-site Disposal
			Tonnes / month	m ³ / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
					other use.		
					alily, any oth		
				dutdose			
				citon per red			

A reference should be made to the main activity/ process for each waste.

The method of disposal or recovery should be clearly described and referenced to Attachment H.1



Table I.2(i) SURFACE WATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference: See Attachment I.2

Parameter	(mg/l)		Sampling method ² (grab, drift etc.)	Normal Analytical Range ²	Analysis method / technique		
	Date	Date	Date	Date	<u>ر</u> ي.		
PH					ther	1-14	Hydrogen Ion Selective Electrode
Temperature					Ses of for sury of the	0-100°C	Temperature Probe
Electrical conductivity EC					es of for a	1-100,000	Electrometry
Ammoniacal nitrogen NH ₄ -N				á	Postifed	0.1-2.0	Colourimetry
Chemical oxygen demand				ion P	ked.	0-150, 0-1500	Digestion/colorimetry
Biochemical oxygen demand				apecito owine		1-7	DO probe
Dissolved oxygen DO				coring the		N/A	Dissolved Oxygen Probe
Calcium Ca				1,003		2.5-100	Ion chromatography (IC)
Cadmium Cd			, S	LOT .		0.1 - 2.00 ug/L	GF AAS
Chromium Cr			COUSO			1-25ug/L	GFAAS
Chloride Cl						0.5-50	Ion chromatography
Copper Cu						0.002-1	ICP-MS
Iron Fe						0.05-5.00	Direct aspiration/flame AAS
Lead Pb						2-40 ug/L	GFAAS
Magnesium Mg						1-25	Ion chromatography
Manganese Mn						0.03-2.00	Direct aspiration/flame AAS
Mercury Hg						0.0005-0.4	Direct aspiration/cold vapour AAS

Consent of copyright owner required for any other use.



Surface Water Quality (Sheet 2 of 2)

Parameter	(mg/l)		Sampling method (grab, drift etc.)	Normal Analytical Range	Analysis method / technique		
	Date	Date	Date	Date			
Nickel Ni							NOT ANALYSED
Potassium K						1-25	Ion chromatography
Sodium Na					.0٠	1-100	Ion chromatography
Sulphate SO ₄					nei 115	0.25-100	Ion chromatography
Zinc Zn					Oliv	0.01-1.00	Direct aspiration/flame AAS
Total alkalinity (as CaCO ₃)					Solity, and	5-2000	Titration
Total organic carbon TOC				.4	20 sited	0.25-10	Oxidation/IR spectroscopy
Total oxidised nitrogen TON				on pi	Kerge.		Sum of nitrate & nitrite
Nitrite NO ₂				gette wife		0.2-10	Ion chromatography
Nitrate NO ₃				Tinstit		0.5-50	Ion chromatography
Faecal coliforms (/100mls)				COPYL		0-100 cfu	Membrane Filtration
Total coliforms (/100mls)				d		0-100 cfu	Membrane Filtration
Phosphate PO _{4 (low level)}			Conser			0.01- 2.5	Colourimetry



Table I.4(i) GROUNDWATER QUALITY(Sheet 1 of 2) Monitoring Point/ Grid Reference:See Attachment I.4

Parameter	(mg/l) n		Sampling method (composite etc.)	Normal Analytical Range	Analysis method / technique		
	Date	Date	Date	Date			
pН						1-14	Hydrogen Ion Selective Electrode
Temperature						0-100°C	Temperature Probe
Electrical conductivity EC						1-100,000	Electrometry
Ammoniacal nitrogen NH ₄ -N					use.	0.1-12.9	Colourimetry/FIA
Dissolved oxygen DO					ather	N/A	DO Probe
Residue on evaporation (180°C)				purposes only	and	N/A	Gravimetric
Calcium Ca				aut Politice		2.5-100	Ion chromatography (IC)
Cadmium Cd				in of t		0.1-2.00 ug/L	GF AAS
Chromium Cr			350	OMIC		1-25ug/L	GFAAS
Chloride Cl			FOT THE			0.5-50	Ion chromatography
Copper Cu			CON.			0.002-1	ICP-MS
Cyanide Cn, total			N. C.			0.01-1.0	Distillation/colorimetry
Iron Fe			Conser			0.05-5.00	Direct aspiration/flame AAS
Lead Pb						2-40 ug/L	GFAAS
Magnesium Mg						1-25	Ion chromatography
Manganese Mn						0.02-2.00	Direct aspiration/flame AAS
Mercury Hg						0.0005-0.4	Direct aspiration/cold vapour AAS
Nickel Ni							NOT ANALYSED
Potassium K						1-25	Ion chromatography
Sodium Na						1-100	Ion chromatography



GROUNDWATER QUALITY (SHEET 2 OF 2)

Parameter	(mg/l)		Sampling method (composite, dipper etc.)	Normal Analytical Range	Analysis method / technique		
	Date	Date	Date	Date			
Phosphate PO _{4 (Low} level)						0.01- 2.5	Colourimetry
Sulphate SO ₄						0.25-100	Ion chromatography
Zinc Zn						0.01-1.00	Direct aspiration/flame AAS
Total alkalinity (as CaCO₃)						5-2000	Titration
Total organic carbon TOC					, use.	0.25-10	Oxidation/IR spectroscopy
Total oxidised nitrogen TON					other		Sum of nitrate & nitrite
Arsenic As					ारित वार्य		NOT ANALYSED
Barium Ba				n e	edito		NOT ANALYSED
Boron B				Ditt Coli		0.1-1	ICP-OES
Fluoride F				citothert		0.1-5.0	Ion chromatography
Phenol				· 18Photon		0.05-1.0	Distillation/colorimetry
Phosphorus P			Ŷ	or Vried		0.05-2.5	Digestion / colourimetry
Selenium Se			8	ige			NOT ANALYSED
Silver Ag			asent				NOT ANALYSED
Nitrite NO ₂			Copy			0.2-10	Ion chromatography
Nitrate NO ₃						0.5-50	Ion chromatography
Faecal coliforms (/100mls)						0-100 cfu	membrane filtration
Total coliforms (/100mls)	_	_				0-100 cfu	membrane filtration
Water level (m OD)							Dip tape



Table I.6(i) Ambient Noise Assessment

Third Octave analysis for noise emissions should be used to determine tonal noises

	National Grid Reference	S	ound Pressure	Levels
	(5N, 5E)	L(A) _{eq}	$L(A)_{10}$	L(A)90
1. SITE BOUNDARY	N/A	N/A	N/A	N/A
2. NOISE SENSITIVE LOCATIONS				
Location 1: NSL 1	X319641 Y181271	57	62	54
Location 2: NSL 4	X319916 Y181543	<55	61	50

NOTE: All locations should be identified on accompanying drawings.

