

Ms. Patricia Power  
Director of Services  
Cork County Council Southern Division  
Floor 5 (Tower)  
County Hall  
Cork  
Co. Cork

Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000  
Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire

T: +353 53 916 0600

F: +353 53 916 0699

E: [info@epa.ie](mailto:info@epa.ie)

W: [www.epa.ie](http://www.epa.ie)

LoCall: 1890 33 55 99

15 December 2009

D0298-01

re : Notice in accordance with Regulation 20(1) of the Waste Water Discharge (Authorisation) Regulations 2007

Dear Ms. Power

I am to refer to the above referenced application for a waste water discharge licence relating to agglomeration named Cloyne and to thank you for submitting the necessary information which has enabled the Agency to confirm that the application complies with the requirements of Regulation 15 & 16 of the Waste Water Discharge (Authorisation) Regulations 2007.

The stage has now been reached where the Agency is giving detailed consideration to the application and to complete this task the following information, particulars and evidence are required in accordance with Regulation 20(1) of the Regulations.

#### **REGULATION 20(1) - FURTHER INFORMATION, PARTICULARS AND EVIDENCE**

- Provide a report on the outcome of an “appropriate assessment” of the impact of discharges from the agglomeration on the Cork Harbour SPA. In compilation of the report, have regard to the guidance document ‘*Waste Water Discharge Licensing Appropriate Assessment Guidance Notes*’ which is available on the EPA website and Department of Environment, Heritage and Local Government Circular L8/08 dated 2<sup>nd</sup> September 2008.

Your reply to this notice should include a revised non-technical summary which reflects the further information you supply in compliance with the notice, insofar as that information impinges on the relevant non-technical summary.

Please supply the information in the form of a one original plus one copy **within one month** of the date of this notice. In addition please submit two copies of the requested information in electronic searchable PDF format on a CD-ROM to the Agency. Please note that all maps/drawings should not exceed A3 in size.

**In the event that you are not in a position to submit the above information to the Agency within the one month period, please revert to the Agency before the expiry of the one month period, requesting an additional period, not exceeding 3 months, under Regulation 20(2)(c), within which to submit the necessary information.**

Please note that the application's register number is D0298-01. Please direct all correspondence in relation to this matter to *Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



**Ann Marie Donlon**  
**Inspector**  
**Office of Climate, Licensing & Resource Use**