

Ms. Bríd Tiernan An Bord Pleanála 64 Marlborough Street Dublin 1

Headquarters, PO Box 3000 Johnstown Castle Estate County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000 Eastát Chaisleán Bhaile Sheáin Contae Loch Garman, Éire

T: +353 53 60600 F: +353 53 60699

E: info@epa.ie W: www.epa.ie

LoCall: 1890 33 55 99

23 December 2004

Reg. No. 210-1

Your Ref: PL 25.209351

P.A. Reg. Ref: 04/5388

Dear Ms. Tiernan

I am to refer to your letter dated 17th December 2004 in relation to the above referenced appeal in relation to a composting facility at Pass of Kilbride, Co. Westmeath.

I am to advise that the Agency is in the process of determining an application for a waste licence for this facility and does not propose to make any comments or observations with regard to the appeal. I am to advise that the provision of 'Biofilters' is an accepted feature of environmental control measures adopted by such facilities and the Agency will be considering, as part of the assessment of the application, its adequacy with regard to this particular facility.

Should you wish to discuss this further please do not hesitate to contact me.

Yours sincerely

Mr. Pardy Nolan Programme Manager

Licensing Unit

Office of Licensing and Guidance



ENVIRONMENTAL PROTECTION AGENCY

An Ghníomhaireacht um Chaomhnú Comhshaoil

Fax:

01-2680199

Tel:

01-2680100

Regional Inspectorate

McCumiskey House

Richview

Clonskeagh Rd.

Dublin 14

International Fax:

+353-1-2680199

International Tel:

+353-1-2680100

IRELAND

TO: PADDY NOLAN

Fax No: 053 60699

From: STVART HUSKISSON

Date: 22-12-04

Total number of pages including this one:

Message:


HELLO PADDY,

PLEASE FIND ATTACHED A COPY OF THE AN

BORD PLCANALA LETTER REGARDING REG. No. 210-1 THORNTON'S COMPOSTING FACILITY,

Our Ref: PL 25.209351 P.A.Reg.Ref: 04/5388 Your Ref:

Environmental Protection Agency, P.O. Box 3000, Public Office Headquarters, Johnstown Castle Estate, Co. Wexford. ENVIRONMENTAL PROTECTION
AGENCY
2 0 DEC 2004



17th December 2004

Appeal Re:

Composting facility including buildings for water reception,

compost storage areas, car parking, access road, landscaping bunds,

walls and fencing.

Pass of Kilbride, Co. Westmeath.

Dear Sir/Madam,

I have been asked by the Board to refer to the above mentioned appeal made to the Board under the Planning and Development Acts, 2000 to 2002.

The Board understands that the proposed development comprises an activity or is for the purposes of an activity for which a licence will be required under the Waste Management Acts 1996 to 2003.

In accordance with section 54(3B)(a) of the Waste Management Act, 1996, as amended, you are requested to make any submissions or observations to the Board on or before the 24th January, 2005 in relation to the enclosures;

- 1. 1st Party appeal
- 2. Manager's Order
- 3. Site Location Map
- 4. Environmental Impact Statement is available if requested

Also, the Board is of the opinion that your submissions or observations in relation to whether the Environmental Protection Agency has now accepted the efficacy of the "Biofilter" system of air filtration and extraction.

Any observations in response to this request should be received by the Board not later than 5.30p.m. on the date specified above. The Board will have regard to the observations, if any, received from the Agency within the period specified.

In accordance with section 54(3C) of the Waste Management Act, 1996, as amended, the Board may at any time after the expiration of the period specified above, make its decision on the appeal.

ENVIRONMENTAL PROTECTION AGENCY

12 2 DEC 2004

64 Smild Manilbhride. Buile Átha Cliath 1.

Tel: (01) 858 8100 LoCall: 1890 275 175 You will be notified of the Board's decision as soon as it is made.

Please quote the above appeal reference number in any further correspondence.


Yours faithfully,

Brid Tiernan Executive Officer

Direct Line:01-8737131

BP81cc

Registered Post



64 Sráid Manilbhride. Baile Átha Cliath I.

Tel: (01) 858 8100 LoCuli: 1890 275 175 Fux: (01) 872 2684