

Waste Licence Application Form



This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts 1996 to 2003.

Environmental Protection Agency P.O.Box 5000, Johnstown Castle Estate, County Wexford Telephone: 053-60600 Fax: 053-60699



Environmental Protection Agency Application for a Waste Licence

WASTE MANAGEMENT ACTS 1996 to 2003

CONTENTS

INTRODUCT	ION		3
CHECKLIST			4
PROCEDURE	S		10
SECTION A	NON-TECHNICAL SUMMAR	Y	12
SECTION B	GENERAL	. 11 ⁵⁰	13
SECTION C	MANAGEMENT OF THE FA	CILITY other use.	19
SECTION D	INFRASTRUCTURE & OPER	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	21
SECTION E	EMISSIONS		26
SECTION F	CONTROL & MONITORING		28
SECTION G	RESOURCES USE & ENERGY	<i>TEFFICIENCY</i>	31
SECTION H	MATERIALS HANDLING		32
SECTION I	EXISTING ENVIRONMENT &	& IMPACT OF THE FACILITY	35
SECTION J	ACCIDENT PREVENTION &	EMERGENCY RESPONSE	37
SECTION K	REMEDIATION, DECOMMIS AFTERCARE	SIONING, RESTORATION AND	38
SECTION L	STATUTORY REQUIREMEN	TS	38
SECTION M	DECLARATION	ERROR! BOOKMARK NOT DEFIN	ED.

ANNEX 1: STANDARD FORMS



INTRODUCTION

A valid application must contain the information prescribed in the Waste Management (Licensing) Regulations 2004 (SI No. 395 of 2004). The applicant is <u>strongly</u> advised to read the *Application Guidance Notes* for Waste Licensing, available from the EPA.

The applicant must conform to the format set out in the guidance notes for applications. Each page of the completed application form must be numbered, e.g. *page 5 of 45*, etc. Also duplicated pages from the application form should be uniquely numbered, e.g. page 5(i) of 45, etc. The basic information should for the most part be supplied in the spaces given in application form and any supporting documentation should be supplied as attachments, as specified. Consistent measurement units must be used throughout.

The applicant should note that the application form has been structured so that it requires information to be presented in an order of progressive detail.

When it is found necessary, additional information may be provided on supplementary attachments which should be crearly cross referenced with the relevant sections in the main document.

While all sections in the application form may not be relevant to the activity concerned, the applicant should look carefully through all aspects of the form and provide the required information, in the greatest possible detail.

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

Information supplied in this application, including supporting documentation will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend " In the event that this information is deemed not to be held as confidential, it must be returned to". In the event that information is considered to be of a confidential nature, then the nature of this information, and the reasons why it is considered confidential (with reference to the " Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.



CHECKLIST

Articles 12 and 13 of the Waste Management (Licensing) Regulations, 2004 (S.I. No. 395 of 2004) set out the information which must, in all cases, accompany a waste licence application. In order to ensure that the application fully complies with the legal requirements of Articles 12 and 13 of the 2004 Regulations, all applicants should **complete** the following.

In each case, refer to the attachment number(s) of your application which contain(s) the information requested in the appropriate sub-article.

Article 12(1) In the case of an application for a waste licence, the application shall -

(a) give the name, address and, where applicable, any telephone number and telefax of the applicant (and, if different, the operator of the facility concerned), the address to which correspondence relating to the application should be sent and, if the applicant or operator is a body corporate, the address of its registered office or principal office,

se.

LOCATION	Attachment A	4.1	the	۶. ۲	
CHECKED	Applicant		17. 217 C	Official	
		e	30, for		

(b) give the name of the planning authority in whose functional area the relevant activity is or will be carried on,

LOCATION	Attachment A.1	
CHECKED	Applicant $$	Official

(c) in the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority, give the name of the sanitary authority in which the sewer is vested or by which it is controlled,

LOCATION	Not Applicable	
CHECKED	Applicant $$	Official

(d) give the location or postal address (including where appropriate, the name of the townland or townlands) and the National Grid reference of the facility or premises to which the application relates,

LOCATION	Attachment A.1	
CHECKED	Applicant $$	Official

(e) describe the nature of the facility or premises concerned, including the proposed capacity of the facility or premises, and in the case of application in respect of a landfill of waste, the requirements specified in Annex 1 of the Landfill Directive,



LOCATION	Attachment A.1	
CHECKED	Applicant $$	Official

(f) specify the class or classes of activity concerned, in accordance with the Third and Fourth Schedules of the Act, and in the case of an application in respect of the landfill of waste, specify the class of landfill in accordance with Article 4 of the Landfill Directive,

LOCATION	Attachment B.7	
CHECKED	Applicant $$	Official

(g) specify, by reference to the relevant European Waste Catalogue codes as presented by Commission Decision 2000/532/EC of 3 May 2000, the quantity and nature of the waste or wastes which will be treated, recovered or disposed of,

LOCATION	Attachment A.1	2 .
CHECKED	Applicant $$	Öfficial

(h) specify the raw and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity,

LOCATION	Attachment G	
	Attachment G	
CHECKED	Applicant $$	Official
	, ³ ,	

(i) describe the plant, methods, processes, ancillary processes, abatement, recovery and treatment systems and operating procedures for the activity,

LOCATION	Attachment D	
CHECKED	Applicant $$	Official

(j) provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in paragraphs (a) to (g) of section 40(4) of the Act,

LOCATION	Attachment L	
CHECKED	Applicant $$	Official



(k) give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made,

LOCATION	Attachment E	
CHECKED	Applicant $$	Official

(l) give details, and an assessment of the effects, of any existing or proposed emissions on the environment, including any environmental medium other than those into which the emissions are, or are to be made, and of proposed measures to prevent or eliminate or, where that is not practicable, to limit or abate such emissions,

LOCATION	Attachment I	
CHECKED	Applicant $$	Official

(m) identify monitoring and sampling points and indicate proposed arrangements for the monitoring of emissions and the environmental consequences of any such emissions,

LOCATION	Attachment F	III)
CHECKED	Applicant Ver Ver	Official

(n) describe any proposed arrangements for the prevention, minimisation and receivery of waste arising from the activity concerned,

LOCATION	Attachment H	
CHECKED	Applicant √	Official

(o) describe any proposed arrangements for the off-site treatment or disposal of solid or liquid wastes,

LOCATION	Attachment H	
CHECKED	Applicant $$	Official

(p) describe the existing or proposed measures, including emergency procedures, to prevent unauthorised or unexpected emissions and minimise the impact on the environment of any such emission,

LOCATION	Attachment J	
CHECKED	Applicant $$	Official



(q) describe the proposed measures for the closure, restoration, remediation or aftercare of the facility concerned, after the cessation of the activity in question,

LOCATION	Attachment K	
CHECKED	Applicant $$	Official

(r) in the case of an application in respect of the landfilling of waste, give particulars of –

(i) such financial provision as is proposed to be made by the applicant, having regard to the provisions of Articles (7)(i) and (8)(a)(iv) of the Landfill Directive and section 53(1) of the Act, and

LOCATION	Not Applicable	
CHECKED	Applicant $$	Official

(ii) such charges as are proposed or made, having regard to the requirements of section 53A of the Act

LOCATION	Not Applicable	
CHECKED	Applicant Ver drot	Official
	Purpequire	
	citon net 1	

(s) state whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous Substances) Regulations, 2000 (S.I. No. 476 of 2000) apply,

	Sent 11 2 1	
LOCATION C	Not Applicable	
CHECKED	Applicant $$	Official

(t) in the case of an activity which gives rise or could give rise to an emission into an aquifer containing the List I and II substances specified in the Annex to Council Directive 80/68/EEC of 17 December 1979, describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6,7,8,9 and 10 of the aforementioned Council Directive,

LOCATION	Not Applicable	
CHECKED	Applicant $$	Official



(u) include a non-technical summary of information provided in relation to the matters specified in paragraphs (a) to (t) of this sub-article,

	LOCATION	Attachment A	
Ι	CHECKED	Applicant $$	Official

- Article 12(4) Without prejudice to Article 13(1) and (2), an application for a licence shall be accompanied by -
 - (a) a copy of the relevant page of the newspaper(s) in which the notice in accordance with article 6 has been published,

LOCATION	Attachment B.6	
CHECKED	Applicant $$	Official

(b) a copy of the text of the notice or notices erected or fixed in accordance with article 7,

LOCATION	Attachment	B.6		USO.	
CHECKED	Applicant		othe	Official	
			14.00		

(c) where appropriate, a copy of the notice given to a local planning under article 9,

LOCATION	Attachment B.6	
CHECKED	Applicant $$	Official
	Level 1	
	ent	

(d) a copy of such plans (appropriately scaled and no larger than A3 size), including a site plan or plans and location map or maps, and such other particulars, reports and supporting documentation as are necessary to identify and describe, as appropriate
(i) the position of the notice in accordance with article 7,

LOCATION	Attachment B.2	
CHECKED	Applicant $$	Official

(ii) the point or points from which emissions are made or are to be made, and

LOCATION	Attachment E & F	
CHECKED	Applicant $$	Official



(iii) the point or points at which monitoring and sampling are undertaken or are to be undertaken,

LOCATION	Attachments E &F	
CHECKED	Applicant $$	Official

(e) such fee as is appropriate having regard to the provisions of articles 40 and 41.


INCLUDED Y/N	Y	
CHECKED	Applicant $$	Official

Article 12(5)(a) & (b) An application shall comprise 1 signed original of the application and 2 copies in hardcopy format plus 2 copies of all files in electronic searchable PDF format on CD-Rom.

HARDCOPIES PROVIDED Y/N	Y	15 ⁶ .
CHECKED	Applicant	1000000000000000000000000000000000000
	al	7. 217
CD OF PDF FILES PROVIDED? Y/N	ro ^{osted f}	çor.
CHECKED	Applicant	Official
	Specific Wheek	

Article 13 Where a development requires an Environmental Impact Assessment to be carried out, 1 signed original and 2 copies in hardcopy format of the environmental impact statement plus 16 copies in electronic searchable PDF format or CD-ROM should accompany this application.

EIA REQUIRED ? Y/N	Y		
CHECKED	Applicant		Official
3 HARD COPIES OF EIS INCLUDED ? Y/N	Y		
CHECKED	Applicant	\checkmark	Official
16 CD versions of EIS, as PDF files, PROVIDED? Y/N	Y		
CHECKED	Applicant		Official





PROCEDURES

It is recommended that pre-application consultations with the Agency are undertaken before a formal submission of the waste licence application.

The procedure for making and processing of applications for waste licences, and for the processing of reviews of such licences, appear in the Waste Management (Licensing) Regulations 2004 (S.I. No. 395 of 2004) and are summarised below. The application fees that shall accompany an application are listed in the Second Schedule to the Regulations.

Prior to submitting an application the applicant must publish in a local newspaper, and erect on site, a notice of intention to apply. An applicant, other than a local authority in whose functional area the development is located, must also notify the Local Planning Authority, in writing, of their intention to apply.

An application for a licence must be submitted on the appropriate form (available from the Agency) with the correct fee, and should contain relevant supporting documentation as attachments. The application should be based on responses to the form, supporting written text and the appropriate use of tables and drawings. Where point source emissions occur, a system of unique reference numbers should be used to denote each emission point. These should be simple, logical, and traceable throughout the application.

The application form is divided into a number of sections of related information. The purpose of these divisions being to facilitate both the applicant and the Agency in the provision of the information and its assessment. Attachments should be clearly numbered, titled and paginated and must contain the required information as set out in the application form. Additional attachments may be included to supply any further information supporting the application. Any references made should be supported by a bibliography.

All questions should be answered. No waste management facility is exactly the same and hence each application will require different information. It is therefore possible that some of the sections of this application form may not be relevant to the activity concerned. Where information is requested in the application form, which is not relevant to the application, the words "not applicable" should be clearly written on the form. The abbreviation "N/A" should not be used.

Additional information may need to be submitted beyond that which is explicitly requested on this form. Any references made should be supported by a bibliography. The Agency may request further information if it considers that its provision is material to the assessment of the application. Advice should be sought from the Agency where there is doubt about the type of information required or the level of detail.

Information supplied in this application, including supporting documentation will be put on public display and be open to inspection by any person. **Should the applicant**



consider information to be confidential, then the nature of this information, and the reasons why it is considered confidential should be clearly stated in an attachment to the Application Form. This information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to (representative of the applicant)".

Applicants should be aware that a contravention of the conditions of a waste licence is an offence under Section 39 of the Waste Management Acts 1996 to 2003.

The provision of information in an application for a waste licence which is false or misleading is an offence under Section 45 of the Waste Management Acts 1996 to 2003.

Note: <u>*Drawings*</u>. *The following guidelines are included to assist applicants:*

- All drawings submitted should be titled and dated.
- *They should have a <u>unique reference number</u> and should be signed by a clearly identifiable person.*
- They should indicate a scale and the <u>direction of north</u>
- All drawings should, generally, be to a scale of between 1:20 to 1:500, depending upon the degree of detail needed to be shown and the size of the facility. Drawings delineating the boundary can be to a smaller scale of between 1:1000 to 1:10560, but must clearly and accurately present the required level of detail. Drawings showing the site location can be to a scale of between 1:50 000 to 1:126 720. All drawings should, however, be A3 or less and of an appropriate scale such that they are clearly legible. Provide legends on all drawings and maps as appropriate.

The provision of information in an application for a waste licence, which is false or misleading, is an offence under s45 of the Acts.



SECTION A NON-TECHNICAL SUMMARY

A Non-Technical Summary is to be submitted. The summary should include information on those aspects outlined in the Guidance Note and must comply with the requirements of Article 12 (1) (u) of the Waste Management (Licensing) Regulations, S.I. 395 of 2004.

The Non-Technical Summary should form Attachment A.1.

Consent of copyright owner required for any other use.

....

...

D

SECTION B GENERAL

B.I Applic	cant's Details
Name*:	Bord na Móna PLC
Address:	Main Street
	Newbridge
	Co. Kildare
Tel:	045 439000
Fax:	045 439001
e-mail:	wastemanagement@bnm.ie

* This should be the name of the applicant which is current on the date this Waste Licence Application is lodged with the Agency. It should be the name of the legal entity (which can be a limited company or a sole trader). A trading/business name is not acceptable.

Name and Address for Correspondence

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name:	Mr. Derek Milton
Address:	Fehily Timoney & Company
	Mill House Mill Guild
	Ashtown Gate
	Dublin 15
Tel:	01-6583500
Fax:	01 - 6583501
e-mail:	derek.milton@ftco.ie

Address of registered or principal office of Body Corporate (if applicable)

Address:	Bord na Móna PLC
	Main Street
	Newbridge
	Co. Kildare
Tel:	045 439000
Fax:	045 439001
e-mail:	wastemanagement@bnm.ie

If the applicant is a body corporate, the following information must be attached as Attachment B1:

- a) a Certified Copy of the Certificate of Incorporation or Memorandum and Article of Association;
- b) the Company's Registration Number from the Companies Registry Office; and
- c) a list of the Company Directors.

épa

State the interest of the applicant in the land which is subject to the application. The applicant is (please check):

Landowner	\checkmark	
Lessee		
Prospective Purchaser		
Other (please specify)		

Name and address of all occupiers of the land on which the Activity is situated (if different from applicant named above).

	Not Applicable			
Address:				
Tel:				
Tel: Fax: e-mail:				
e-mail:			<u>ي</u> و.	

Name and address of the current* owner(s) and lessees of the land, buildings and ancillary plant on which the activity is or will be situated (if different from applicant named above). An appropriately scaled drawing(≤ 43) showing the above details should be included in Attachment B1.

- 33

Name:	Not Applicable	dion P rot	
Address:		A STANDARD	
		Forstige	
		S CON	
		ett	
Tel:		Const	
Fax:		•	

e-mail:

*Current at the time the application is submitted

B.2 Location of Activity

Name:	Drumman Materials Recycling and Waste Transfer Facility		
Address*:	Drumman (in townland of Derrygreenagh)		
	Co. Offaly		

Tel:		
Fax:		
e-mail:		

* Include any townland



National Grid Reference	E2490 N2386
(8 digit 4E,4N)	


Location maps (\leq A3), appropriately scaled, with legible grid references should be enclosed in **Attachment B.2.** The site boundary must be outlined on the map in colour.

B.3 Planning Authority

Give the name of the planning authority in whose functional area the activity is or will be carried out.

Name:	Offaly Council
Address:	Aras an Chontae
	Charleville Road
	Tullamore
	Co. Offaly
Tel:	057-9346800
Fax:	057 9329233

Has the Planning Authority received written notification from the applicant of the application to The Environmental Protection Agency for a Waste Licence under Article of the Waste Management (Licensing) Regulations?



Attachment B.3 should contain *the most recent* planning permission, including a copy of *all* conditions, and the required copies of any EIS should also be enclosed. For existing activities, Attachment B.3 should also contain copies of of the most recent waste licence and any permits in force at the time of submission. Where planning permission is not required for the development, provide reasons, relevant correspondence, *etc*.



B.4 Sanitary Authority

In the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority or other body, give the name of the sanitary authority in which the sewer is vested or by which it is controlled and the waste water treatment plant (if any) to which the sewer discharges.

Name:	See Attachment A.1
Address:	
Tel: Fax:	
Fax:	

The applicant must enclose, as Attachment B.4, a copy of any effluent discharge licence and/or agreement between the applicant and the body with responsibility for the sewer.

B.5 Other Authorities

The applicant should tick the appropriate box below to identify whether the activity is located within the only any other use. Shannon Free Airport Development Company (SFADCo.) area.

Within SFADCo. Area	Yes	No √
---------------------	-----	------

The applicant should indicate the **Health Board Region** where the activity is or will be located. MIR MI

Name:	Health Service Ex	cecutive (Midland Area)
Address:	Central Office	A STANDARD
	Arden Road	FORALES
	Tullamore	
	Co. Offaly	and of
Tel:	057-9359550	COLE
Fax:	057-9359565	e

B.6 Notices and Advertisements

Articles 6 and 7 of the Waste Management (Licensing) Regulations 2004 requires all applicants to advertise the application in a newspaper and by way of a site notice. See *Guidance Note*.

Attachment B.6 should contain a copy of the site notice and an appropriately scaled drawing ($\leq A3$) showing its location on site. The original application must include the complete newspaper in which the advertisement was placed. The relevant page of the newspaper containing the advertisement should be included with the original and three copies of the application.

B.7 Type of Waste Activity, Tonnages & Fees

B.7.1 Specify the class or classes of activity in Table B.7.1, in accordance with the Third Schedule or Fourth Schedule to the Waste Management Acts 1996 to 2003, to which the application relates (check the relevant box(es) and mark the principal activity with a 'P').

Attachment B.7 should identify the principle activity and include a brief technical description of each of the other activities specified. There can only be one principal activity.

TABLE B.7.1 THIRD AND FOURTH SCHEDULES OF THE WASTE MANAGEMENTACTS 1996 TO 2003

Waste Management Acts 1996 to 2003					
THIRD SCHEDULE Waste Disposal Activities	Y/N	FOURTH SCHEDULE	Y/N		
1. Deposit on, in or under land (including landfill).	Ν	1. Solvent reclamation or regeneration.	Ν		
2. Land treatment, including biodegradation of liquid or sludge discards in soils.	N	 Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes). 	Р		
3. Deep injection of the soil, including injection of pumpable discards into wells, salt domes or naturally occurring repositories.	Nos	Recycling or reclamation of metals and metal compounds.	Y		
4. Surface impoundment, including placement of liquid or sludge discards into pits, ponds or lagoons.	Nn9N	4. Recycling or reclamation of other inorganic materials.	Y		
5. Specially engineered landfill, including placement into fined discrete cells which are capped and isolated from one another and the environment.	N	5. Regeneration of acids or bases.	N		
6. Biological treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 7 to 10 of this Schedule.	N	6. Recovery of components used for pollution abatement.	N		
7. Physico-chemical treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1 to 5 or paragraphs 8 to 10 of this Schedule (including evaporation, drying and calcination).	N	7. Recovery of components from catalysts.	N		
8. Incineration on land or at sea.	Ν	8. Oil re-refining or other re-uses of oil.	Ν		
9. Permanent storage, including emplacement of containers in a mine.	Ν	 Use of any waste principally as a fuel or other means to generate energy. 	Ν		
10. Release of waste into a water body (including a seabed insertion).	Ν	 The treatment of any waste on land with a consequential benefit for an agricultural activity or ecological system. 	Ν		
11. Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.	Y	11. Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule.	Ν		
12. Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.	Y	12. Exchange of waste for submission to any activity referred to in a preceding paragraph of this Schedule.	Y		
13. Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.	Y	13. Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.	Y		



TABLE B.7.2 MAXIMUM ANNUAL TONNAGE

The maximum annual tonnage of waste to be handled at the site should be indicated and the year to which the quantity relates indicated.

Maximum Annual Tonnage (tpa)	99,000
Year	2011

B.7.3 FEES

State each class of activity for which a fee is being submitted as per Part I of the Second Schedule of the Waste Management (Licensing) Regulations 2004, S.I. No. 395 of 2004. Note: two fees are required if disposal and recovery are to occur.

Waste Activity	Fee (in €)
Disposal of Waste (appropriate	12,000
disposal activity $1.1 - 3.3$)	
Recovery of Waste (4)	10,000
Total	22,000 y ^e .

TABLE B.7.4 (FOR A LANDFILL APPLICATION) control any other state which of the for a state which STATE WHICH OF THE FOLLOWING IS RELEVANT TO THE CURRENT APPLICATION. :pectic owner

Not Applicable

(a) landfill for hazardous waste	
(b) landfill for non-hazardous waste	
(c) landfill for inertswaste	
Const	

B.8 SEVESO II DIRECTIVE

State whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous substances) Regulations, 2000 (S.I. No. 476 of 2000), apply.

	Regulations Apply	Yes	No √
--	--------------------------	-----	------

If yes, **Attachment B.8** should include the relevant details. Supporting information, as well as copies of any Hazardous Operation Studies (HAZOP) carried out for the site, should also be included in the attachment.



SECTION C MANAGEMENT OF THE FACILITY

Advice on completing this section is provided in the Guidance Note.

C.1 Technical Competence and Site Management

This information should form Attachment C 1.

Details of the applicant's experience and qualifications, along with that of other relevant employees, should be summarised as shown below. Statements of duties, responsibilities, experience and qualifications should be submitted for each position named below. Additional information, including the management structure and an organisational chart, should be included in **Attachment C 1**.


Name	Position	Duties and Responsibilities	Experience /Qualifications
TBC	General Manager	Overall Management of the Facility	Selected person will have significant experience in the waste management industry
TBC	Operations Manager	Responsible for logistics of waste collection, stacceptance and further transportation	Selected person will have significant experience in the waste management industry
TBC	Production Manager	Responsible for processing of waste material post acceptance	Selected person will have significant experience in the waste management industry
TBC	Sales Staff	Responsible for dealing with domestic and commercial customers	Selected persons will have sufficient experience in sales
TBC	Accounting Staff	Responsible for all aspects of financial control	Selected persons will have significant experience in accounts
TBC	Operational Staff	Responsible for all duties outlined by operation and production managers	Selected person will be trained to the requisite standard

C.2 Environmental Management System

Attachment C 2 should contain the Environmental Management System (EMS) details required.

C.3 Hours of Operation

Attachment C 3 should contain details of hours of operation for the waste facility, civic waste facilities and other facilities.





- (a) Proposed hours of operation.
- (b) Proposed hours of waste acceptance/handling.
- (c) Proposed hours of any construction and development works at the facility and timeframes (required for landfill facilities).
- (d) Any other relevant hours of operation expected.

C.4 Conditioning Plan

Address as **Attachment C 4**, in the case of a LANDFILL Application, and only for the review of a Landfill Waste Licence.

Consent of copyright owner required for any other use.



SECTION D INFRASTRUCTURE & OPERATION

D.1 Infrastructure

Complete the following table detailing the site infrastructure. Attachment D 1 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.1. Additional advice on completing this section is provided in the application *Guidance Note*.

Table	Table D.1. Infrastructure		Comments
D.1.a	Site security arrangements including gates and fencing	Y	See Attachment D.1
D.1.b	Designs for site roads	Y	See Attachment D.1
D.1.c	Design of hardstanding areas	Y	See Attachment D.1
D.1.d	Plant	Y	See Attachment D.1
D.1.e	Wheel-wash	Y	See Attachment D.1
D.1.f	Laboratory facilities	N	No Laboratory facilities onsite
D.1.g	Design and location of fuel storage areas	Y	See Attachment D.1
D.1.h	Waste quarantine areas	Y	See Attachment D.1
D.1.i	Design and location of fuel storage areas Waste quarantine areas Waste inspection areas	Y	See Attachment D.1
D.1.j	Traffic control	Y	See Attachment D.1
D.1. k	Sewerage and surface water drainage infrastructure	Y	See Attachment D.1
D.1.l	All other services	Y	See Attachment D.1
D.1.m	Plant sheds, garages and equipment compound	Y	See Attachment D.1
D.1.n	Site accommodation	Y	See Attachment D.1
D.1. 0	A fire control system, including water supply	Y	See Attachment D.1
D.1.p	Civic amenity facilities	N	No civic amenity onsite
D.1. q	Any other waste recovery infrastructure	Y	See Attachment D.1
D.1.r	Composting infrastructure	N	No composting infrastructure onsite
D.1.s	Construction and Demolition waste infrastructure	Y	See Attachment D.1
D.1.t	Incineration infrastructure (if applicable). Provide information to fulfil Article 4 (2) & (3) of the Incineration of Waste Directive	N	No incineration infrastructure onsite
D.1.u	Any other infrastructure	Ν	No other infrastructure onsite



D.2 Facility Operation

In Attachment D 2 describe the plant, methods, processes and operations of the waste facility, as required by the Guidance Note.

Attachment included	ves √	no	not applicable
Attachment menuucu	yes v		

LANDFILLS

The following Sections D3 to D7 should only be completed for Landfill Applications. Reference should be made to the Agency landfill manual 'Landfill Site Design (2000)' when completing this section.

D.3 Liner System

Complete the following table regarding the liner system to be used for the landfill/landfill extension and detail the information requested as Attachment D.3. Items D3c to D3g should only be completed for immediate projects only (ie Years 1 & 2). A schedule of Liner construction activities for the medium to long term need only be listed in item D3a below, since Condition 3 of any licences granted will provide reporting requirements for any future projects. tion put her redi

TABLE D.3 LINER SYSTEM

	a perto antic		
	ill' ill	y/n	Comments
	FOLVIE	Ν	Not Applicable
D.3.a	Provide information to fulfil Annex 1 of the		
	Landfill Directive		
	Cous	Ν	Not Applicable
D.3. b	What type of liner system is specified?		
		Ν	Not Applicable
D.3.c	Has a Quality Control Plan been specified?		
		Ν	Not Applicable
D.3.d	Has a Quality Assurance Plan been specified?		
		Ν	Not Applicable
D.3.e	Have independent, third-party supervision,		
	testing and controls been specified?		
		Ν	Not Applicable
D.3.f	Have basal gradients for all cells and access		
	ramps to the cells been designed?		
		Ν	Not Applicable
D.3.g	Has a leak detection survey been specified?		



D.4 Leachate Management

Complete the following table detailing leachate management arrangements. Further information should be included in **Attachment D.4.**

		y/n	Comments
		Ν	Not Applicable
D.4. a	Is there a Leachate Management Plan?		
		Ν	Not Applicable
D.4. b	Have annual quantities of leachate been calculated?		
		Ν	Not Applicable
D.4. c	Has the total quantity of leachate been calculated?		
		Ν	Not Applicable
D.4.d	Have the size of the cells been specified taking		
	account of the water balance calculations?		
		Ν	Not Applicable
D.4.e	Has a leachate collection system been specified?		
	۶) .	Ν	Not Applicable
D.4.f	Has a leachate storage system been specified?		
		Ν	Not Applicable
D.4.g	Has a system for monitoring the level of leachate in		
	the waste been designed?	2.1	NT / A 11 1 1
D 41	A DECEMBER OF THE OFFICE OFFIC	Ν	Not Applicable
D.4.h	Is leachate recirculation proposed/practised?	2.1	NT / A 11 1 1
D 4 '		Ν	Not Applicable
D.4.i	Has leachate treatment on site been specified?	.	NT . A 11 1 1
D 4 '		Ν	Not Applicable
D.4.j	Has leachate removableen specified?		
	COLE		

TABLE D.4.1 Leachate Management Arrangements

D 5 Landfill Gas Management

All landfill sites should have suitable arrangements for the management of landfill gas. Attachment D.5 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.5. *Items D5g to D5m should only be completed for immediate or current gas collection projects only (ie Years 1 & 2).* A schedule of gas management aspects for the medium to long term need only be listed in item D5f below, since Condition 3 of any proposed decision/licence will provide reporting requirements for any future projects.



Table D.5. Landfill Gas Management

	3. Lanumi Gas Management	y/n	Comments
D.5a	Is there a Landfill Gas Management Plan?	N	Not Applicable
	Provide estimates of the volumes of landfill gas which will be produced by the waste disposed of in the site for the next 20 years, and compare to the EPER list for methane:		
D.5b	Is there a passive venting system?	N	Not Applicable
D.5c	Does the passive system cover all of the filled area?	N	Not Applicable
D.5d	Have gas alarm systems been installed in the site buildings?	Ν	Not Applicable
D.5e	Have measures been installed to prevent landfill gas migration (e.g. barriers)?	N any other	Not Applicable
D.5f	Has a time-scale been proposed for the installation of landfill gas infrastructure?	N	Not Applicable
D.5g	Is gas flaring undertaken at the site?	N	Not Applicable
D.5h	Is there an active (i.e., pumped) landfill gas extraction system?	Ν	Not Applicable
D.5i	Does the active system cover all of the filled area?	N	Not Applicable
D.5j	Is landfill gas used to generate energy at the site?	N	Not Applicable
D.5k	Have emissions from the flarestack and utilisation plant been assessed for source, composition, quantity and level and rate?	N	Not Applicable
D.51	Has a maintenance programme for the control system been specified?	N	Not Applicable
D.5m	Has a condensate removal system been designed?	N	Not Applicable



D.6 Capping System

Complete the following table detailing the design of the capping system. Attachment D.6 should contain the appropriate documentation. *Items D6e to D6k should be completed <u>for immediate projects only</u> (<i>ie Years 1 & 2*). Condition 10 of any proposed decision/licence will provide reporting requirements for capping requirements beyond this timeframe.

Table D.6 Capping System

		y/n	Comments
		Ν	Not Applicable
D.6a	Has the daily cover been specified?		
		Ν	Not Applicable
D.6 b	Has the intermediate cover been specified?		
		Ν	Not Applicable
D.6c	Has the temporary capping been specified?		
		Ne.	Not Applicable
D.6d	Has the Capping System been designed and	net	
	does it meet the requirements of the Landfill	ĺ	
	Directive Annex 1 (3.3)?		NX
D	De la companya	Ν	Not Applicable
D.6 e	Does the Capping System include a flexible membrane liner?		
	insont o	Ν	Not Applicable
D.6f	Have all capping materials been specified?		
	St. Cot	Ν	Not Applicable
D.6g	Has a Method Statement for construction been produced?		
		Ν	Not Applicable
D.6h	Has a Quality Control Plan been produced?		
		Ν	Not Applicable
D.6i	Has a Quality Assurance Plan been produced?		
		Ν	Not Applicable
D.6j	Has a programme for monitoring landfill stability been developed?		
		Ν	Not Applicable
D.6k	Has a programme for monitoring landfill settlement been developed?		



êpa

SECTION E EMISSIONS

Give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made.

The applicant should address in particular any emission point where the substances listed in the Schedule of S.I. 394 of 2004 are emitted.

E.1 Emissions to Atmosphere

Details of all point emissions to atmosphere should be supplied. Table E.1.(i) (for Landfill Gas Flare emissions) must be completed for all landfills with a flare. Complete Table E.1(ii) and E.1(iii) for <u>all</u> other main emission points, including stack sources (incinerator stacks, landfill gas utilisation plants, air handling unit emissions etc.). Complete Table E.1(iv) for minor/fugitive/ground emission points.

E.2 Emissions to Surface Waters

Attachment E.2 Tables E.2(i) and E.2(ii) should be completed where relevant.

E.3 Emissions to Sewer

Attachment E.3 Tables E.3(i) and E.3(ii) should be completed, where relevant.

E.4 Emissions to Groundwater

Describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6, and 7 of Council Directive 80/68/EEC of 17 December 1979 on the protection of groundwater against pollution by certain dangerous substances.

Table E.4(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.4**

CP

E.5 Noise Emissions

Give particulars of the source, location, nature, level, and the period or periods during which the noise emissions are made or are to be made.

Table E.5(i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.5**



E.6 Environmental Nuisances

Attachment E.6 should contain the appropriate documentation. Information provided should follow the sequence, and use the headings as relevant established in Table D.6. Additional advice on completing this section is provided in the *Guidance Note*.

TABLE E.6 ENVIRONMENTAL NUISANCES

Bird Control	Control method specified	yes 🗌	no	not applicable $$
	Attachment included	yes 🗌	no	not applicable $$
Dust Control	Control method specified	yes √	no	not applicable
	Attachment included	yes √	no	not applicable
Fire Control	Control method specified	yes √	no	not applicable
	Attachment included	yes √	no	not applicable
Litter Control	Control method specified	yes √	no.	not applicable
	Attachment included	yes √o th	no	not applicable
Traffic Control	Control method specified	Jes al	no	not applicable
	Attachment included	d ^{ill} yes √	no	not applicable
Vermin Control	Control method citomet specified	yes √	no	not applicable
	Attachment included	yes √	no	not applicable
Road Cleansing	Control method specified	yes √	no	not applicable
	Attachment included	yes √	no	not applicable



SECTION F CONTROL & MONITORING

F.1: Treatment, Abatement and Control Systems

Describe the proposed technology and other techniques for preventing or, where this is not possible, reducing emissions from the installation/facility. Details of treatment/abatement systems (air and effluent emissions) should be included, together with appropriately scaled schematics ($\leq A3$) as appropriate.

For each Emission Point identified complete Table F.1 of the Annex, and include detailed descriptions and appropriately scaled schematics (\leq A3) of all abatement systems.

Attachment F.1 should contain any supporting information.

F.2- F. 9. Monitoring and Sampling Points

Programmes for environmental monitoring should be submitted as part of the application. These programmes should be provided as **Attachments F.2 to F.6** and meet the advice published by the Agency in the relevant BAT Note. For Landfills the additional **Attachments F.7 to F.8** should be completed. Furthermore for a landfill application the applicant <u>must</u> refer to the Agency *Landfill Monitoring Manual* (2003) for further details on monitoring requirements for proposed facilities.

Include details of monitoring/sampling locations and methods.

F.2 Air

- to include Dust, Odour

Monitoring Arrangements specified	yes √	no	not applicable
Monitoring points identified, (plus	yes √	no	not applicable
12-figure grid references)			
Attachment included	yes √	no	not applicable

F.3 Surface Water

Monitoring of surface water shall be carried out at not less than two points, one upstream from the waste facility and one downstream.

Monitoring Arrangements specified	yes √	no	not applicable
Monitoring points identified, (plus	yes √	no	not applicable
12-figure grid references)	-		
Attachment included	yes √	no	not applicable



F.4 Sewer Discharge

Monitoring of sewer discharge shall be carried out at the point specified by the local authority/Agency.

Monitoring Arrangements specified	yes	no	not applicable $$
Monitoring points identified, (plus	yes 🗌	no	not applicable $$
12-figure grid references)	-		
Attachment included	yes 🗌	no	not applicable $$

F.5 Groundwater

Groundwater monitoring is required at all landfill facilities; and certain other waste facilities depending on waste activities and the underlying aquifer vulnerability.

Monitoring Arrangements specified	yes √	no	not applicable
Monitoring points identified, (plus	yes √	no	not applicable
12-figure grid references)			
Attachment included	yes √	no	not applicable

F.6 Noise

F.6 Noise	N. Nother	б.
Monitoring Arrangements specified	yes Vontono	not applicable
Monitoring points identified, (plus 12-figure grid references)	yesovice no	not applicable
Attachment included	ves √ no	not applicable
F.7 Meteorological Data		
Monitoring Arrangements specified	ves √ no	not applicable

F.7 Meteorological Data

Monitoring Arrangements specified	yes √	no	not applicable
Monitoring points identified, (plus	yes 🗌	no√	not applicable
12-figure grid references)			
Attachment included	yes √	no	not applicable

Application for Landfills require the additional Attachments F.7 to F.8, to be completed:

F.8 Leachate

Monitoring Arrangements specified	yes	no	not applicable $$
Monitoring points identified, (plus	yes 🗌	no	not applicable $$
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable $$



F.9 Landfill Gas

Complete each of the following tables to show whether information has been included on aspects of landfill gas monitoring. **Attachment F.9** should also contain information to show whether the data given in Tables F.9.(a) and F.9(b) below represents actual or anticipated data. Complete Table F.9 as follows:

Table F.9 (a) Landfill Gas Monitoring for existing landfill gas flares / utilisation plants NOT APPLICABLE

piunts 1	OI AII LICA				
Parameter	Concentration (mg/Nm ³)	Proposed Frequency of Analysis	Information Included Y/N	Method of Analysis	Information Included Y/N
Inlet					
Methane (CH ₄) % v/v					
Carbon dioxide (CO ₂) %v/v					
Oxygen (O ₂) % v/v					
Outlet					
Volumetric Flow Rate					
SO ₂					
Nox					
СО					
Particulates					
TA Luft Class I, II, III organics					
Hydrochloric acid			Sec.		
Hydrogen Fluoride			Ter .		

0

Table F.9(b) Landfill Gas Monitoring NOT APPLICABLE

Parameter	Proposed F of Analysis	ourout	Information Included Y/N	Method of Analysis	Information Included Y/N
	Gas boreholes / vents/ wells/ perimeter locations	Facility Office			
Methane (CH ₄) % v/v	\$0.	Shr			
Carbon Dioxide (CO ₂) % v/v	, 6 ¹ C				
Oxygen (O ₂) % v/v	nsent				
Atmospheric Pressure	Cor				
Temperature					

Table F.9 (c) Landfill Gas Infrastructure NOT APPLICABLE

Equipment	Monitoring Frequency	Information Included Y/N	Monitoring Action	Information Included Y/N
Gas Collection System				
Gas Control System				

Monitoring Arrangements specified	yes	no	not applicable $$
Monitoring points identified, (plus	yes 🗌	no	not applicable $$
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable $$



SECTION G RESOURCES USE & ENERGY EFFICIENCY

G.1 Raw Materials, Substances, Preparations and Energy

Attachment G.1 should contain a list of all raw, product and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity. Information on any insecticides, herbicides or rat poisons etc. should also be provided with their respective data and safety sheets. The Standard Forms, provided in Annex 1, should be used in the description of these materials, substances, etc., where relevant. Additional advice on completing this section is provided in the *Guidance Note*.

Attachment	yes √	no	not applicable
included			

G.2 Energy Efficiency

A description of the energy used in or generated by the activity must be provided in **Attachment G.2**.

	25 x X	
Attachment	yes vire ino	not applicable
included	ion street	
	Dectowne	
	x inside	
	FORDALIS	
	St.C.	
	nsent	
C	one	



SECTION H MATERIALS HANDLING

H.1 Waste Types and Quantities – Existing & Proposed

Provide an estimation of the quantity of waste likely to be handled in relation to each class of activity applied for. This information should be included in Table H.1(a).

TABLE H.1(A). QUANTITIES OF WASTE IN RELATION TO EACH CLASS OF ACTIVITY APPLIED FOR

Waste Management Act		Waste Management Act		
3rd Schedule (Disposal) Activities		4th Schedule (Recovery) Activities		
Class of	Quantity (tpa)	Class of	Quantity (tpa)	
Activity		Activity		
Applied For		Applied For		
Class 1		Class 1	, U ^{SC.}	
Class 2		Class 2	60,000	
Class 3		Class 3	5,000	
Class 4		Class 451 5	15,000	
Class 5		Class 50		
Class 6		Glass 6		
Class 7		Class 7		
Class 8		Class 8		
Class 9	ins	Class 9		
Class 10	Forst	Class 10		
Class 11	30,000 00	Class 11		
Class 12	30,000	Class 12	99,000	
Class 13	30-000	Class 13	99,000	
·	Co.			

In Table H. 1 (B) provide the annual amount of waste handled/to be handled at the facility. Additional information should be included in **Attachment H.1.** The tonnage per annum should be given of that expected for the life of the licence, with at least the next five years tonnages provided. For Landfill Review applications provide an estimate of the quantity of waste already deposited in (i) lined cells; (ii) unlined cells.

TABLE H.1(B) Annual Quantities and Nature of Waste

Year	Non-hazardous waste (tonnes per annum)	Hazardous waste (tonnes per annum)	Total annual quantity of waste (tonnes per annum)
2011	98,800	200	99,000
2012	98,800	200	99,000
2013	98,800	200	99,000
2014	98,800	200	99,000
2015	98,800	200	99,000



A detailed inventory of the types and quantities of wastes currently handled at the site and proposed to be handled should be submitted as Table H.1 (C).

WASTE TYPE	TONNES PER ANNUM (existing)	TONNES PER ANNUM (proposed)	TOTAL (over life of site) tonnes
Household	Not applicable	45,000	225,000
Commercial	Not applicable	45,000	225,000
Sewage Sludge	Not applicable	Not applicable	Not applicable
Construction and Demolition	Not applicable	8,800	44,000
Industrial Non- Hazardous Sludges	Not applicable	Not applicable	Not applicable
Industrial Non- Hazardous Solids	Not applicable	Not applicable	Not applicable
Hazardous *(Specify detail in Table H 1.2)	Not applicable	200	1,000
Inert Waste imported for restoration purposes	COMPLET	200 200 000 000 000 000 000 000	AMINATED LAND

TABLE H.1 (C) WASTE TYPES AND QUANTITIES

* TABLE H.1.2 HAZARDOUS WASTE TYPES AND QUANTITIES

HAZARDOUS WASTE	REFERENCE SHOULD BE MADE TO THE RELEVANT EUROPEAN WASTE CATALOGUE CODES AS PRESENTED BY COMMISSION DECISION 2000/532/EC	Tonnes Per Annum (Existing)	(Tonnes Per Annum Proposed)	
Waste Oil	13 02 04 - 13 02 08	Not applicable	15	
Oil filters	16 01 07	Not applicable	10	
Asbestos	Not applicable	Not applicable	Not applicable	
Paint and Ink	20 01 27	Not applicable	25	
Batteries	20 01 33	Not applicable	25	
Fluorescent Light Bulbs	20 01 23	Not applicable	25	
Contaminated Soils	Not applicable	Not applicable	Not applicable	
OTHER HAZARDOUS WASTE (APPLICANT TO SPECIFY)				
Discarded Equipment containing chlorofluorocarbons, HCFC, HFC	16 02 11	Not applicable	25	
Discarded Equipment containing chlorofluorocarbons	20 01 23	Not applicable	25	



WASTE Application Form

Paint, inks, adhesives and resins other than those mentioned in 20 01 27	20 01 28	Not applicable	25
Discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35	20 01 36	Not applicable	25

Attachment H.1 should contain any relevant additional information.

It should be noted that an applicant may be issued with a licence which restricts the type of wastes which may be deposited.

H.2 Waste Acceptance Procedures

Procedures for checking waste loads as they arrive at the facility must be included. These should follow the requirements of the Agency's Waste Acceptance Manual. A copy of these procedures and other associated documentation should be included as Attachment H.2.

H.3 Waste Handling

150. Waste handling and the operating procedures used at the facility including waste treatment processes should be described in Attackment H.3. Included in the attachment should be information on the plant, used on site and on the methods and processes for handling waste on-site. Special requirements hold for contaminated soil facilities, see Guidance Note.

In addition, an application for a Landfill requires Section H.3.a to be completed: H.3a Waste Handling at the Landfill Facility

State whether all waste will be subject to treatment prior to landfilling. Provide information as to the quantities of biodegradable municipal waste and how the targets of the Landfill Directive (1999/31/EC) relating to that waste type are to be achieved. In particular describe how the following will be achieved:

- (a) a reduction by 16/07/06 to 75% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (b) a reduction by 16/07/09 to 50% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (c) a reduction by 16/07/16 to 35% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (d)Evidence should be provided to show that energy will be used efficiently.



H.4 Waste Arisings

Waste Arisings should be considered for all contaminated soil applications. Details of all waste materials generated on the site including, name, description and nature as well as the source(s) should be identified. The quantities of each type of waste generated on an annual/monthly basis should be calculated and stated in Tables H.1(i) and H. 1(ii) of the application form. Applicants should also provide conversion factors used to relate volume (m³) and tonnage (t) for their waste stream.

SECTION I EXISTING ENVIRONMENT & IMPACT OF THE FACILITY

Detailed information is required to enable the Agency to assess the existing environment. This section requires the provision of information on the ambient environmental conditions at the site prior to the commencement of waste management activities or prior to the receipt of a review application.

Where development is proposed to be carried out, being development which is of a class for the time being specified under Article 24 (First Schedule) of the Environmental Impact Assessment Regulations, the information on the state of the existing environment should be addressed in the EIS. **In such cases, it will suffice** for the purposes of this section to provide adequate cross-references to the relevant sections in the EIS. <u>I.1.Assessment of atmospheric emissions</u> not required for Describe the existing environment in series of air quality with particular reference to

ambient air quality standards.

Provide a statement whether of not emissions of main polluting substances (as defined in the Schedule of S. 394 of 2004) to the atmosphere are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Attachment I.1 should also contain full details of any dispersion modelling of atmospheric emissions from the activity, where required.

I.2. Assessment of Impact on Receiving Surface Water

Describe the existing environment in terms of water quality with particular reference to environmental quality standards or other legislative standards. Table I.2(i) should be completed

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to water are likely to impair the environment.



Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other relevant information on the receiving environment should be submitted as **Attachment I.2**.

I.3. Assessment of Impact of Sewage Discharge.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other supporting information should form Attachment I.3.

I.4 Assessment of impact of ground/groundwater emissions

The scope and detail of this assessment will depend to a targe extent on the extent and type of ground emissions at any site, which in turn are related to the risk. Details should be included in **Attachment Let**. Comprehensive guidelines are contained in the *Application Guidance Note*, and include particular requirements for landfill and brownfield facilities.

Describe the existing groundwater quality. Tables I.4(i) should be completed.

I.5 Ground and/or groundwater contamination

Summary details of known ground and/or groundwater contamination, historical or current, on or under the site must be given.

Full details including all relevant investigative studies, assessments, or reports, monitoring results, location and design of monitoring installations, appropriately scaled plans/drawings (\leq A3), documentation, including containment engineering, remedial works, and any other supporting information should be included in **Attachment I.5**.

I.6 Noise Impact.

Give details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Ambient noise measurements

Complete Table I.6(i) in relation to the information required below:



- (i) State the maximum Sound Pressure Levels which will be experienced at typical points on the boundary of the operation. (State sampling interval and duration)
- (ii) State the maximum Sound Pressure Levels which will be experienced at typical noise sensitive locations, outside the boundary of the operation.
- (iii) Give details of the background noise levels experienced at the site in the absence of noise from this operation.

Prediction models, appropriately scaled maps ($\leq A3$), diagrams and supporting documents, including details of noise attenuation and noise proposed control measures to be employed, should form **Attachment I.6**.

I.7 Assessment of Ecological Impacts & Mitigation Measures

The ecology of the site and the surrounding area should be assessed in the vicinity of the largescale waste facilities such as landfill or incinerator developments. An assessment of the ecology should form **Attachment I.7.** Comprehensive guidelines are contained in the *Application Guidance Note*

SECTION J ACCIDENT PREVENTION & EMERGENCY RESPONSE

Describe the existing or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage.

Also outline what provisions have been made for response to emergency situations outside of normal working hours, i.e. during night-time, weekends and holiday periods.

Describe the arrangements for abnormal operating conditions including start-up, leaks, malfunctions or momentary stoppages.

Supporting information should form Attachment J.

Attachment included y	yes √	no	not applicable
-----------------------	-------	----	----------------



SECTION K REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE

Describe the existing or proposed measures to minimise the impact on the environment after the activity or part of the activity ceases operation, including provision for post-closure care of any potentially polluting residuals.

For Landfill Applications, capping proposals are required, and reference should be made to the *Landfill Manual on 'Restoration and Aftercare'* published by the Agency, when completing this section.

Attachment included yes √ no not applicable			
	Attachment included	no	not applicable

SECTION L STATUTORY REQUIREMENTS

e.

2114

L. 1 Section 40(4) WMA

Indicate how all the requirements of Section 40(4)[(a) to (i)] of the Waste Management Acts 1996 to 2003 will be met.

Applicants should also describe how the proposed facility will comply with the requirements of BAT. In particular reference should be made to the considerations referred to in Annex IV of Council Directive 96/61/EC concerning integrated pollution prevention and control.

Attachment L.1 should contain the documentation requested above, along any relevant additional information.

	Attachment included	yes √	no	not applicable
--	---------------------	-------	----	----------------

L.2 Fit and Proper Person

The WMA in Section 40(4)(d) specifies that the Agency shall not grant a licence unless it is satisfied that the applicant (if the applicant is not a local authority) is a fit and proper person. Section 40(7) of the WMA specifies the information required to enable a determination to be made by the Agency.

• Indicate whether the applicant or other relevant person has been convicted under the Waste Management Acts 1996 to 2003, the EPA Act 1992 and

2003, the Local Government (Water Pollution) Acts 1977 and 1990 or the Air Pollution Act 1987.

- Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (Link to Section C.1 of the application).
- Provide information to show that the person is likely to be in a position to meet any financial commitments or liabilities that may have been or will be entered into or incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out that activity (Link to Section K of the application).

Supporting information should be included as **Attachment L 2** with reference to where the information can be found in the application.

Attachment included	yes √	no	not applicable
			Ø.•
			ther use
		mly any	01
		redfor	
	ion purper	jr.	
	inspection net		
•	For inspection purpos		
A C	5007		
Conser			
-			





SECTION L DECLARATION

Declaration

I hereby make application for a licence / revised licence, pursuant to the provisions of the Waste Management Acts 1996 to 2003 and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices, and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant, any person acting on the Applicant's behalf, or any other person.

FEB 2010 Signed by : Date : (on behalf of the organisation) ANNOL Print signature name: DEVELOPMENT MANAGER NHRHSTRUCTUR Position in organisation

0	201	пра	iny si	amp	o or s	ieai	l:		
в	0	rd	па	M	ón	а	p.	1.	c.

DECLARATION



ANNEX 1 STANDARD FORMS

Standard forms are provided in this section for the recording and presentation of environmental monitoring and site investigation results

TABLE E.1(i)LANDFILL GAS FLARE EMISSIONS TO ATMOSPHEREEmission Point:

Emission Point Ref. Nº:	
Location :	
Grid Ref. (12 digit, 6E,6N):	uet 150.
Vent Details Diameter:	For inspection purpose only of any other the
Height above Ground(m):	Jection Metro
Date of commencement of emission:	For its dit.

Characteristics of Emission :

СО		mg/m				
Total organic carbon (T	OC)			mg/m ³		
NOx		0°C. 3	% O2(Liquid or Gas), 6	mg/Nm ³ % O ₂ (Solid Fuel)		
Maximum volume of e	mission			m ³ /hr		
Temperature	°C	(max)	°C(min)	°C(avg)		

(i) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up/shutdown to be included*):

Periods of Emission (avg)	min/hrhr/dayday/yr
---------------------------	--------------------



MAIN EMISSIONS TO ATMOSPHERE (1 Page for each emission point) TABLE E.1(ii)

Emission Point Ref. Nº:	
Source of Emission:	
Location :	
Grid Ref. (12 digit, 6E,6N):	
Vent Details	
Diameter:	
Height above Ground(m):	
Date of commencement:	

Characteristics of Emission :

Characteristics of Em	ission :	onty any other use.	
(i) Volume to be a	emitted:	-alloses of for	
Average/day	m ³ /dton	oMaximum/day	m ³ /d
Maximum rate/hour	Forman	Min efflux velocity	m.sec ⁻¹
(ii) Other factors	-sett of Cart		
Temperature	°C(max)	°C(min)	°C(avg)
For Combustion Source	ces:		
Volume terms express	sed as : \Box we	t. \Box dry.	%O2

(iii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up /shutdown to be included):

Periods of Emission (avg)	min/hr	hr/day	day/yr
---------------------------	--------	--------	--------



TABLE E.1(iii): MAIN EMISSIONS TO ATMOSPHERE

Chemical characteristics of the emission (1 table per emission point)

Emission Point Reference Number: REFER TO ATTACHMENT E

Parameter	Prior to treatment ⁽¹⁾		Prior to treatment ⁽¹⁾ Brief			Brief			As discl	narged ⁽¹⁾		
	mg/	Nm ³	kg/h		description	mg/	Nm ³	kg	/h.	kg/	year	
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max	
				Consent of cor	spection purposes only, any other use.							

1. Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0° C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.



TABLE E.1(iv): EMISSIONS TO ATMOSPHERE-Minor /Fugitive

REFER TO ATTACHMENT E

Emission point	Description	-	Emission	details ¹	Abatement system employed	
Reference Numbers		material	$mg/Nm^{3(2)}$	kg/h.	kg/year	
	Ć	For inspection	a puposes only.	any other use.		


1 The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.

2 Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.



TABLE E.2(i):EMISSIONS TO SURFACE WATERSREFER TO ATTACHMENT E
(One page for each emission)

Emission Point:



Emission Details:

(i) Volume to be emitted

LW09-660-04_WasteLicenceAppForm_RevA

ANNEX - Standard Forms



Normal/day	m ³	Maximum/day	m ³
Maximum rate/hour	m ³		

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up /shutdown to be included*):

Periods of Emission (avg)	min/hrhr/dayday/yr
	Consent of constraint owned to any the
	NOT PUTPOLITIC
	COLIDSOC ONT
	a of copy.
	Conser



TABLE E.2(ii): EMISSIONS TO SURFACE WATERS Characteristics of the emission (1 table per emission point)

REFER TO ATTACHMENT E

Emission point reference number :_____

Parameter		Prior to t	reatment		.9)*	As discharged				
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l) off	Max. daily average (mg/l)	kg/day	kg/year		
			ැත්	For inspects	muposes dite					



TABLE E.3(i): EMISSIONS TO SEWER(One page for each emission)

Emission Point:

Emission Point Ref. Nº:	
Location of connection to sewer :	
Grid Ref. (10 digit, 5E,5N):	
Name of sewage undertaker:	

Emission Details:

(i) Volume to be emitted								
Normal/day	m ³	Maximum/dayu ^{se.}	m ³					
Maximum rate/hour	m ³	South Strando						
(ii) Period or periods during which entities are made, or are to be made, including daily or seasonal variations (<i>start-up /shutdown to be included</i>):								
Periods of Emission (avg)min/hrhr/dayday/yr								
	Colle							



TABLE E.3(ii): EMISSIONS TO SEWER Characteristics of the emission (1 table per emission point)

Emission point reference number :_____

Parameter		Prior to t	reatment			% Efficiency			
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	
					For inspection puppes council for a	ther			
				Consent	0				

Conserved constitution purposes only, any other use.



TABLE E.4(i): EMISSIONS TO GROUNDWATER (1 Page for each emission point)

Emission Point or Area:

Emission Point/Area Ref. Nº:		
Emission Pathway: (borehole, well, percolation area, soakaway, landspreading, etc.)		1150
Location :	14. 14 C	let USC
Grid Ref. (10 digit, 5E,5N):	ont's are	
Elevation of discharge: (relative to Ordnance Datum)	ection purperior	
Aquifer classification for receiving groundwater body:	For instants	
Groundwater vulnerability assessment (including vulnerability rating):	For inspection purposes of for and of the server of the se	
Identity and proximity of groundwater sources at risk (wells, springs, etc):		
Identity and proximity of surface water bodies at risk:		



Emission Details:

(i) Volume to be emitted									
Normal/day	m ³	Maximum/day	m ³						
Maximum rate/hour	m ³								

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up /shutdown to be included*):

hr/dayday train	min/h	Periods of Emission (avg)
tion purposition		
Consent of copyright owner require		
mentofcor		
Consent of		



REFER TO ATTACHMENT E Table E.5(i): NOISE EMISSIONS -

Source	Emission point Ref. No	Equipment Ref. No	Sound Pressure ¹ dBA at reference distance	Octave bands (Hz) Sound Pressure ¹ Levels dB(unweighted) per band					Impulsive or tonal qualities	Periods of Emission				
				31.5	63	125	250	500	1K	2K	4K	8K		
								15 ⁰ .						
							othe	5						
						Ses 0	ior and							
						Popilieo requireo								
				. 159	oction ne									
				FOLDIN	6									
			و	atot										
1. For items o	f plant sound pov	ver levels may be	e used. Corr	1I							1		1	I



TABLE F.1: ABATEMENT / TREATMENT CONTROL

Emission point reference number : REFER TO ATTACHEMENT F

Control ¹ parameter	Equipment ²	Equipment maintenance	Equipment calibration	Equipment back-up

Control ¹ parameter	Monitoring to be carried out ³	Monitoring equipment	Monitoring equipment calibration
	cot inspect	on purposes only any others	

¹ List the operating parameters of the treatment / abatement system which control its function.
 ² List the equipment necessary for the proper function of the abatement / treatment system.
 ³ List the monitoring of the control parameter to be carried out.



TABLE F.2 to F.8 : EMISSIONS MONITORING AND SAMPLING POINTS-(1 tab

(1 table per media)

REFER TO ATTACHEMENT F

Emission Point Reference No(s). :_____

			onty, any other use.
Parameter	Monitoring frequency	Accessibility of Sampling Points	other
		م م	only any
		ouros	201
		Dectionier	
		FOINE	
		fo opric	
		Conser	



TABLE Ff: Fugitive ENVIRONMENT MONITORING AND SAMPLING LOCATIONS (1 table per media)

Monitoring Point Reference No: REFER TO ATTACHEMENT F

Parameter	Monitoring frequency	Accessibility of Sampling point	
		Sampling point	uposes only, any other use.



Table G.1 Details of Process related Raw Materials, Intermediates, Products, etc., used or generated on the site

Ref. Nº or Code	Material/ Substance ⁽¹⁾	CAS Number	Danger ⁽²⁾ Category	Amount Stored (tonnes)	Annual Usage (tonnes)	Nature of Use	R ⁽³⁾ - Phrase	S ⁽³⁾ - Phrase
				only	ay other use.			

In cases where a material comprises a number of distinct and available dangerous substances, please give details for each component substance. c.f. Article 2(2) of SI N^o 77/94 c.f. Schedules 2 and 3 of SI N^o 77/94 Notes: 1.

2.

3.



TABLE H.1(i): WASTE Hazardous Waste Recovery/Disposal

Waste material	EWC Code	Main source ¹	Qı	lantity	On-site Recovery/Disposal	Off-site Recovery, reuse or recycling	Off-site Disposal
			Tonnes / month	m ³ / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
		C	For inspection	pipose only any other us	5.		

¹ A reference should be made to the main activity / process for each waste.

Conserved constitution purposes only, any other use.



TABLE H.1(ii) WASTE - Other Waste Recovery/Disposal

Waste material	EWC Code	Main source ¹	Quar	ntity	On-site recovery/disposal ²	Off-site Recovery, reuse or recycling	Off-site Disposal
Γ			Tonnes / month	m ³ / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
					other use.		
					Folly and C		
				Dindos	hed		
				choliner			

1

A reference should be made to the main activity/ process for each waste. The method of disposal or recovery should be clearly described and referenced to Attachment H.1 2



Table I.2(i) SURFACE WATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference: REFER TO ATTACHEMENT E

Parameter	(mg/l) (Sampling method ² (grab, drift etc.)	Normal Analytical Range ²	Analysis method / technique
	Date	Date	Date	Date	NSC.		
рН					ather		
Temperature					opy. and the		
Electrical conductivity EC					es afor		
Ammoniacal nitrogen NH ₄ -N					Paint		
Chemical oxygen demand				ion P	rect		
Biochemical oxygen demand				Dectrowne			
Dissolved oxygen DO				Thent			
Calcium Ca				For Mas			
Cadmium Cd			X	67			
Chromium Cr			ansen.				
Chloride Cl			Cor				
Copper Cu							
Iron Fe							
Lead Pb							
Magnesium Mg							
Manganese Mn							
Mercury Hg							



Surface Water Quality (Sheet 2 of 2)

Parameter	Results (mg/l)		method	Normal Analytical Range	Analysis method / technique		
	Date	Date	Date	Date			
Nickel Ni							
Potassium K							
Sodium Na							
Sulphate SO ₄							
Zinc Zn					ther		
Total alkalinity (as CaCO ₃)					27.02		
Total organic carbon TOC					es offor a		
Total oxidised nitrogen TON					20 sited		
Nitrite NO ₂				an Po	1000		
Nitrate NO ₃				oectic whe			
Faecal coliforms (/100mls)				TINSTIL			
Total coliforms (/100mls)				toblue			
Phosphate PO ₄				of Car			
			Conser				



Table I.4(i) GROUNDWATER QUALITY

(Sheet 1 of 2) Monitoring Point/ Grid Reference:

Parameter	(mg/l)			Sampling method (composite etc.)	Normal Analytical Range	Analysis method / technique	
	Date	Date	Date	Date			
рН							
Temperature							
Electrical conductivity EC							
Ammoniacal nitrogen NH ₄ -N							
Dissolved oxygen DO					1150.		
Residue on evaporation					anyother		
$(180^{\circ}C)$				- Al	and		
Calcium Ca				5 NY	51		
Cadmium Cd				ourpostireet			
Chromium Cr				OT THE			
Chloride Cl			Se	OWNEL			
Copper Cu			tor inst				
Cyanide Cn, total			FUDDA				
Iron Fe			x or				
Lead Pb			on ^{sent}				
Magnesium Mg							
Manganese Mn							
Mercury Hg							
Nickel Ni							
Potassium K							
Sodium Na							



GROUNDWATER QUALITY (SHEET 2 OF 2)

Parameter	Results (mg/l)			Sampling method (composite, dipper etc.)	Normal Analytical Range	Analysis method / technique	
	Date	Date	Date	Date			
Phosphate PO ₄							
Sulphate SO ₄							
Zinc Zn							
Total alkalinity (as CaCO ₃)							
Total organic carbon TOC							
Total oxidised nitrogen TON					150.		
Arsenic As					other		
Barium Ba					and and		
Boron B				چ	of of		
Fluoride F				alleni	tee		
Phenol				Copector Whether			
Phosphorus P				Dectrowine			
Selenium Se			¢.	il glu			
Silver Ag			N°	0R ³ t			
Nitrite NO ₂			a of				
Nitrate NO ₃			onsen.				
Faecal coliforms (/100mls)			0				
Total coliforms (/100mls)							
Water level (m OD)							



Table I.6(i) Ambient Noise Assessment

REFER TO ATTACHEMENT E

Third Octave analysis for noise emissions should be used to determine tonal noises

	National GridSound Pressure LevelsReference						
_	(5N, 5E)	L(A) _{eq}	L(A) ₁₀	L(A) ₉₀			
1. SITE BOUNDARY							
Location 1:							
Location 2:							
Location 3:							
Location 4:							
2. NOISE SENSITIVE							
LOCATIONS		г – Г	1				
Location 1:			.e.				
Location 2:			er UST				
Location 3:		0.	anyother				
Location 4:		only	20.				
Location 4: DTE: All locations should be	e identified on accompa	nying drawings.					

 $LW09-660-04_WasteLicenceAppForm_RevA$