

Regional Inspectorate
McCumiskey House, Richview,
Clonskeagh Road, Dublin 14, Ireland

Cigireacht Réigiúnach, Teach Mhic Chumascaigh
Dea-Radharc, Bóthar Cluain Sceach
Baile Atha Cliath 14, Éire

T: +353 1 268 0100

F: +353 1 268 0199

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

Mr Peter Fegan
Killinure House Lower
Tullow
County Carlow

19/3/2010

Reg No. D0034-01

Waste Water Discharge Licence Application Re: Dublin City Council in respect of waste water discharges from Agglomeration named Ringsend.

Dear Mr Fegan,

I am to refer to your letter of 08/03/2010, received on 11/03/2010, in relation to an application for a Waste Water Discharge licence reference number D0034-01, by Dublin City Council, in respect of agglomeration named Ringsend.


I am to advise that your letter will be treated as a submission and will be taken into account when determining the application, in accordance with Regulation 19 of the Waste Water Discharge (Authorisation) Regulations 2007.

The application and associated correspondence, including acknowledgements, notifications and general correspondence is available to view on the Agency Website at www.epa.ie.

You are advised to refer to the website for information on the progress of the application. The Agency will write to you to inform you of its decision on the application in due course.

Please direct any further correspondence in relation to this matter to Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, P.O. Box 3000, Johnstown Castle Estate, County Wexford.

Yours sincerely,



Liz Dargan
Programme Officer
Environmental Licensing Programme
Office of Climate, Licensing & Resource Use