

Ms. Miriam Cashell
A/Principal Environmental Health Officer
HSE South
North Lee Environmental Health
Community Services
Floor 3
26 South Mall
Cork

Regional Inspectorate, Inniscarra
County Cork, Ireland

Cigireacht Réigiúnach, Inis Cara
Contae Chorcaí, Éire

T: +353 21 487 5540

F: +353 21 487 5545

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

9/4/2010

Reg No. D0517-01

Waste Water Discharge Licence Application Re: Cork County Council Southern Division in respect of waste water discharges from Agglomeration named Carrignavar.

Dear Ms. Cashell,

I am to refer to your letter of 06/04/2010, received on 08/04/2010, in relation to an application for a Waste Water Discharge licence reference number D0517-01, by Cork County Council Southern Division, in respect of agglomeration named Carrignavar.


I am to advise that your letter will be treated as a submission and will be taken into account when determining the application, in accordance with Regulation 19 of the Waste Water Discharge (Authorisation) Regulations 2007.

The application and associated correspondence, including acknowledgements, notifications and general correspondence is available to view on the Agency Website at www.epa.ie.

You are advised to refer to the website for information on the progress of the application. The Agency will write to you to inform you of its decision on the application in due course.

Please direct any further correspondence in relation to this matter to Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, P.O. Box 3000, Johnstown Castle Estate, County Wexford.

Yours sincerely,



Máire Buckley
Programme Officer
Environmental Licensing Programme
Office of Climate, Licensing & Resource Use