

Mr Mark Johnston Monaghan County Council County Offices The Glen Co. Monaghan Regional Inspectorate McCumiskey House, Richview, Clonskeagh Road, Dublin 14, Ireland

Cigireacht Réigiúnach, Teach Mhic Chumascaigh Dea-Radharc, Bóthar Cluain Sceach Baile Átha Cliath 14, Éire

T: +353 1 268 0100 F: +353 1 268 0199 E: info@epa.ie W: www.epa.ie

LoCall: 1890 33 55 99

31 May 2010

D0205-01

re: Regulation 17 of the Waste Water Discharge (Authorisation) Regulations 2007

Dear Mr Johnston

I am to refer to the above referenced application for a waste water discharge licence relating to agglomeration named Castleblayney. Having examined the documentation submitted, I am to advise that the Agency is of the view that Regulation 17 of the Waste Water Discharge (Authorisation) Regulations 2007 is applicable.

You are therefore requested to submit the completed environmental impact statement in respect of the proposed development at Castleblaney waste water treatment plant dated February 2010.

Your reply to this letter should include a revised non-technical summary which reflects the information you supply in response to this letter, insofar as that information impinges on the non-technical summary.

Please supply the information in the form of a one original plus one copy within **four weeks** of the date of this notice. In addition please submit one copy of the requested information in electronic searchable PDF format on a CD-ROM (no file to exceed 10MB) to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is D0205-01. Please direct all correspondence in relation to this matter to Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford quoting the register number.

Yours sincerely,

Patrick Byrne Senior Inspector

Office of Climate, Licensing & Resource Use